
Invoice SmartMaster

Table of Contents

or a button to use a SmartMaster sheet.

<i>Sheet</i>	<i>Description</i>
>	<i>Err:502</i> Enter information for goods sold to clients and customers here.
> <i>Information</i>	Help, tips, and details on file sharing, conventions, and macros used in this SmartMaster.



—



—



iers

1



Company Name

IN

Street Address

City, State Zip

Phone Number

SOLD TO:


SHIPPED TO:

"INVOICE NUMBER
"INVOICE DATE
"OUR ORDER NUMBER
"YOUR ORDER NUMBER
"TERMS
"SALES REP
"SHIPPED VIA
"F.O.B.
"PREPAID or COLLECT

QUANTITY	Tips DESCRIPTION	UNIT PRICE
SUBTOTAL TAX FREIGHT		

Questions concerning this invoice?
Call: [Redacted]

MAKE ALL CHECKS PAYABLE TO: [Redacted]



YOU FOR YOUR BUSINESS!

SCREEN-ADJUST	CODE	DESCRIPTION
10	<pre>{ZOOM_TEST} {Let ZM_NRML:@Vlookup(ZM_SCRN;ZM_TABLE;1)} {Let ZM_ALL:@Vlookup(ZM_SCRN;ZM_TABLE;2)} {Set "Window-Custom-Zoom";ZM_NRML}{Quit}</pre>	; Senses screen r ; view preference

ZOOM_TEST	<pre>{If @Info("Screen-Width")<=640}{Let ZM_SCRN;640}{Return} {If @Info("Screen-Width")<=800}{Let ZM_SCRN;800}{Return} {If @Info("Screen-Width")<=1024}{Let ZM_SCRN;1024}{Return} {Let ZM_SCRN;1280}{Return}</pre>	
-----------	---	--

ZM_SCRN	640		
		NORMAL	FULL PAGE
ZM_TABLE	640	85	32
	800	100	42
	1024	110	46
	1280	120	65

ZOOM FACTOR	CODE	DESCRIPTION
ZOOM_RTN	{Set "Window-Custom-Zoom";ZM_ALL}{Quit}	; Sets view to dis

ZM_NRML	85
ZM_ALL	32

ZM_RESTORE	{Set "Window-Custom-Zoom";ZM_NRML}{R}{L}{Quit}	; Resets view to r
------------	--	--------------------

PRINT SHEET	CODE	DESCRIPTION
SHT_PRINT	<pre>{Set "Print-Range";SHEET_RANGE}{Set "Print-Footer-Center-Text";; Prints spreadsh {Set "Print-Orientation";"Portrait"}{Set "Print-Fit-Page";"Yes"} {Set "Print-Margin-Top";".75"} {Set "Print-Margin-Left";".75"}{Set "Print-Margin-Right";".75"} {Set "Print-Margin-Bottom";".25"} {BACKGRND 0}{Print?}{BACKGRND 2} {Quit}</pre>	

BACKGRND	<pre>{Define BCK_COL:V} {Let RNG_NUM;1}{BCK_LOOP}</pre>	; Sets / Resets lig
----------	---	---------------------

BCK_LOOP	<pre>{Let RNG_NAME;"DATA_"&@Right(@String(RNG_NUM+100;0);2)} {If 1-@Isrange(@@(RNG_NAME))}{Return} {Style-Interior BCK_COL;;;;;+RNG_NAME} {Let RNG_NUM;RNG_NUM+1}{Branch BCK_LOOP}</pre>	
----------	--	--

BCK_COL	2
---------	---

PRINT INFORMATION CODE	DESCRIPTION
------------------------	-------------

INFO_PRINT {Define INFO_TOPIC:V} ; Prints Topics fr
 {Dialog DLG_INFOPRT}
 {If RES_INFOPRT=0}{Quit}
 {Set "Print-Footer-Center-Text";"^"}
 {Set "Print-Centered";"Horizontal"}
 {Set "Print-Orientation";"Portrait"}{Set "Print-Size";"Fit-All"}
 {Set "Print-Margin-Top";".5"}
 {Set "Print-Margin-Left";".5"}{Set "Print-Margin-Right";".5"}
 {Set "Print-Margin-Bottom";".25"}
 {Let UPPER_LEFT;@Info("Origin")}
 {If ANS_INFOPRT=0}{INFO_CURR_PRT}
 {If ANS_INFOPRT}{Select @Vlookup(INFO_TOPIC;INFO_LIST;1)}
 {Style-Interior 0}
 {Print?}
 {Style-Interior 2}
 {Edit-Goto +UPPER_LEFT}
 {Quit}

INFO_CURR_PRT {Select INF_OVER_RANGE}
 {Select-Append INF_STEP_RANGE}
 {Select-Append INF_TIPS_RANGE}
 {Select-Append INF_CONVENTION}
 {Select-Append INF_NOTE_RANGE}
 {Select-Append INF_ABOU_RANGE}
 {Return}

UPPER_LEFT \$D:\$A\$312

INFO_LIST 1INF_OVER_RANGE
 2INF_STEP_RANGE
 3INF_TIPS_RANGE
 4INF_CONVENTION
 5INF_NOTE_RANGE
 6INF_ABOU_RANGE

INFO_TOPIC 6

DLG_INFOPRT

DIALOG	InfoPrint				
-2134376400	4	63	62	152	
FONT	8"Helv"				
8	8	59	10	20	
8	21	56	10	21	
102	4	40	14	1	
102	22	40	14	2	
END DIALOG					

SAMPLE DATA	CODE	DESCRIPTION
-------------	------	-------------

SAMPDATA {Let CURR_SCEN;@Scenariolast(@Cellpointer("Filename"))} ; Displays Sampl

```

{If @Iserr(CURR_SCEN)}{Let CURR_SCEN;"unnamed"}
{If @Exact(CURR_SCEN;"sample")}{Branch SAMP_RESTORE}
{Dialog DLG_SAMPLE1}
{If RES_SAMPLE1=0}{Quit}
{Let PREV_SCEN;CURR_SCEN}
{UPDATE}
{Scenario-Show "sample"}{Calc}{Quit}

```

```

SAMP_RESTORE {Dialog DLG_SAMPLE2}
              {If RES_SAMPLE2=0}{Quit}
              {Scenario-Show PREV_SCEN}{Calc}{Quit}

```

PREV_SCEN unnamed
CURR_SCEN unnamed

DLG_SAMPLE1

DIALOG	Sample1				
-2134376400		4	51	60	176
FONT		8"Helv"			
	4	4	113	24	1000
	130	4	40	14	1
	130	22	40	14	2
	4	28	116	26	1001
END DIALOG					

DLG_SAMPLE2

DIALOG	Sample2				
-2134376400		3	50	60	176
FONT		8"Helv"			
	4	4	110	24	1000
	130	4	40	14	1
	130	22	40	14	2
END DIALOG					

KEEP DATA	CODE	DESCRIPTION
KEEPDATA	<pre> {If @Count(SCENARIO_LIST)=@Rows(SCENARIO_LIST)-1}{Branch ; Stores user-dat {Dialog DLG_KEEPPDATA} {If RES_KEEPPDATA=0}{Quit} {If RES_KEEPPDATA=3}{Branch K_UPDATE} {If RES_KEEPPDATA=4}{Branch K_HELP} {If @Length(@S(ANS_KEEPPDATA))<1}{Alert "To create a scenario, you must enter a {If 1-@Iserr(@Scenarioinfo("Creator";@Lower(@Trim(ANS_KEEPPDATA))))}{Branch K {Scenario-Create @Lower(@Trim(ANS_KEEPPDATA))} {Let RNG_NUM;1}{K_VERSIONS} {Put SCENARIO_LIST;0;@Count(SCENARIO_LIST);ANS_KEEPPDATA} {Scenario-Show @Lower(@Trim(ANS_KEEPPDATA))} {Calc}{Return} </pre>	
K_UPDATE	<pre> {CLEAN_LIST}{Dialog DLG_UPDDATA} {If ANS_UPDDATA<0}{Quit} {If RES_UPDDATA=0}{Quit} </pre>	


```

{Scenario-Delete @Lower(@Trim(@Index(UPDATE_LIST;0;ANS_UPDDATA)))}
{Scenario-Create @Lower(@Trim(@Index(UPDATE_LIST;0;ANS_UPDDATA)))}
{Let RNG_NUM;1}{UP_EXISTING}
{Scenario-Show @Lower(@Trim(@Index(UPDATE_LIST;0;ANS_UPDDATA)))}{Quit}

```

CLEAN_LIST
CLEAN_LOOP

```

{Blank ANS_SWAPDATA}
{If ANS_SWAPDATA>@Count(UPDATE_LIST)}{Return}
{If 1-@Iserr(@ScenarioInfo("Creator";@Lower(@Trim(@Index(SCENARIO_LIST;0;ANS_S'
{Recalc LIST_RNG}{Edit-Copy +LIST_RNG}{Recalc LIST_ADDR}{Edit-Paste +LIST_ADDF
{Branch CLEAN_LOOP}

```

UP_EXISTING

```

{Let RNG_NAME;+"DATA_"&@Right(@String(RNG_NUM+100;0);2)}
{If 1-@Isrange(@@(RNG_NAME))}{Return}
{Version-Delete +RNG_NAME;@Lower(@Trim(@Index(UPDATE_LIST;0;ANS_UPDDA
{Version-Create +RNG_NAME;@Lower(@Trim(@Index(UPDATE_LIST;0;ANS_UPDDA
{Scenario-Add-Version @Lower(@Trim(@Index(UPDATE_LIST;0;ANS_UPDDATA))};
{Let RNG_NUM;RNG_NUM+1}{Branch UP_EXISTING}

```

K_HELP

```

{Dialog DLG_KHELP}
{Branch KEEPDATA}

```

K_LIMIT

```

{Alert +"The maximum number of "&@String(@Count(SCENARIO_LIST);0)&" scenari
{Quit}

```

K_EXISTS

```

{Alert +""""&@Lower(@Trim(ANS_KEEPDATA))&"""" already exists. Please use anoth

```

K_VERSIONS

```

{Let RNG_NAME;+"DATA_"&@Right(@String(RNG_NUM+100;0);2)}
{If 1-@Isrange(@@(RNG_NAME))}{Return}
{Version-Create +RNG_NAME;@Lower(@Trim(ANS_KEEPDATA))}
{Scenario-Add-Version @Lower(@Trim(ANS_KEEPDATA));+RNG_NAME;@Lower(@
{Let RNG_NUM;RNG_NUM+1}{Branch K_VERSIONS}

```

RNG_NUM

11

RNG_NAME

DATA_11

DLG_KEEPDATA

DIALOG	KeepData				
-2134376400	8	20	32	196	
FONT	8"Helv"				
4	64	89	12	8001	
148	2	40	14	1	
148	34	40	14	2	
148	18	40	14	3	
148	52	40	14	4	
4	32	128	18	1000	
4	2	130	24	1001	
4	54	114	10	1002	
END DIALOG					

DLG_UPDDATA

DIALOG	Update				
-2134376400	4	54	36	198	

FONT		8"Helv"			
	4	36	104	48	9001
	4	4	113	24	1000
	150	6	40	14	1
	150	22	40	14	2
END DIALOG					

DLG_KHELP

DIALOG	KHELP				
	-2134376400	2	21	32	196
FONT		8"Helv"			
	148	2	40	14	1
	4	2	139	42	1001
END DIALOG					

SWAP DATA	CODE	DESCRIPTION
SWAPDATA	<pre>{CLEAN_LIST}{Dialog DLG_SWAPDATA} {If ANS_SWAPDATA<0}{Quit} {If RES_SWAPDATA=0}{Quit} {If RES_SWAPDATA=3}{Branch DEL_SCENARIO} {Let CURR_SCEN;@Scenariolast(@Cellpointer("Filename"))} {If @Iserr(CURR_SCEN)}{Let CURR_SCEN;"unnamed"} {If CURR_SCEN<>"unnamed"}{UPDATE} {If CURR_SCEN="unnamed"}{UPDUN} {Scenario-Show @Lower(@Trim(@Index(SCENARIO_LIST;0;ANS_SWAPDATA)))} {If @Scenariolast(@Cellpointer("Filename"))<>"-blank-"}{Quit} {Scenario-Delete "unnamed"}{Scenario-Create "unnamed"} {Let RNG_NUM;1}{UP_UNNAMED}{Scenario-Show "unnamed"}{Calc}{Quit}</pre>	; Switches to a sc
UPDUN	<pre>{Dialog DLG_UPDUN} {If RES_UPDUN=3}{Quit} {If RES_UPDUN=1}{KEEPDATA} {Let RES;1}{Return}</pre>	
UP_UNNAMED	<pre>{Let RNG_NAME;+"DATA_"&@Right(@String(RNG_NUM+100;0);2)} {If 1-@Isrange(@@(RNG_NAME))}{Return} {Version-Delete +RNG_NAME;"unnamed"} {Version-Create +RNG_NAME;"unnamed"} {Scenario-Add-Version "unnamed";+RNG_NAME;"unnamed"} {Let RNG_NUM;RNG_NUM+1}{Branch UP_UNNAMED}</pre>	
LIST_RNG	#NAME?	
LIST_ADDR	#NAME?	
RES	1	
DEL_SCENARIO	<pre>{If ANS_SWAPDATA<1}{Alert "The scenario named ""-Blank-"" cannot be deleted. Th {Alert +"Delete """"&@Index(SCENARIO_LIST;0;ANS_SWAPDATA)&"""" scenario?";2; {Scenario-Delete @Lower(@Trim(@Index(SCENARIO_LIST;0;ANS_SWAPDATA)))} {Let RNG_NUM;1}{D_VERSIONS} {If ANS_SWAPDATA=@Count(SCENARIO_LIST)-1}{Recalc LIST_ADDR}{Blank +LIST</pre>	


```
{If RES_UPDSC=3}{Quit}
{If RES_UPDSC=1}{UPDATE_POST}
{Return}
```

UPDATE_TEST

```
{Let RNG_NAME;"DATA_"&@Right(@String(RNG_NUM+100;0);2)}
{If 1-@Isrange(@@(RNG_NAME))}{Let NO_UPDATE;1}{Return}
{If @Iserr(@Versioncurrent(@@(RNG_NAME)))}{Return}
{Let RNG_NUM;RNG_NUM+1}{Branch UPDATE_TEST}
```

**UPDATE_POST
UPDATE_LOOP**

```
{Version-Update +RNG_NAME;CURR_SCEN}
{Let RNG_NUM;RNG_NUM+1}
{Let RNG_NAME;"DATA_"&@Right(@String(RNG_NUM+100;0);2)}
{If 1-@Isrange(@@(RNG_NAME))}{Return}
{If @Iserr(@Versioncurrent(@@(RNG_NAME)))}{Branch UPDATE_POST}
{Branch UPDATE_LOOP}
```

NO_UPDATE

DLG_SWAPDATA

DIALOG	SwapData				
-2134376400		5	53	36	198
FONT		8"Helv"			
4		26	108	58	9001
4		4	124	18	1000
150		6	40	14	1
150		22	40	14	2
150		42	40	14	3
END DIALOG					

DLG_UPDSC

DIALOG	Update1				
-2134376400		4	69	49	180
FONT		8"Helv"			
4		5	126	44	1000
135		2	40	14	1
135		18	40	14	2
135		39	40	14	3
END DIALOG					

DLG_UPDUN

DIALOG	unnamed				
-2134376400		4	78	60	137
FONT		8"Helv"			
7		3	79	27	1000
92		2	40	14	1
92		18	40	14	2
92		39	40	14	3
END DIALOG					

SHOW MACROS	CODE	DESCRIPTION
MACRO_SHOW	{Show-Sheets MACROS:A1} {Edit-Goto MACROS:A1}{Quit}	; Show / Hide this

MACRO_HIDE {Home}{Hide-Sheets MACROS:A1}
 {Edit-Goto INFORMATION:A1}{Quit}

SHOW NOTES FIELDS	CODE	DESCRIPTION
NOTES_SHOW	{Show-Sheets MACROS:A1} {Edit-Goto NOTES_FIELDS} {Edit-Goto "NOTES FIELDS"}{Quit}	; Navigate to the

PRINT MACROS	CODE	DESCRIPTION
MACRO_PRINT	{Dialog DLG_MACPRINT} {If RES_MACROPRT=0}{Quit} {If ANS_MACROPRT1}{Set "Print-Range";MACROS_RANGE}{Set "Print-Orientation";"Landscape"} {If ANS_MACROPRT2}{Set "Print-Range";NOTES_FIELDS}{Set "Print-Orientation";"Portrait"} {If ANS_MACROPRT3}{Set "Print-Range";RN_TABLE_RANGE}{Set "Print-Orientation";"Portrait"} {Set "Print-Centered";"Horizontal"} {Set "Print-Footer-Center-Text";"^"} {Set "Print-Size";"Fit-Columns"} {Set "Print-Margin-Top";".5"} {Set "Print-Margin-Left";".5"}{Set "Print-Margin-Right";".5"} {Set "Print-Margin-Bottom";".25"} {Print?} {Quit}	; Print sections o

DLG_MACPRINT

DIALOG	MacPrint				
-2134376400	5	66	62	152	
FONT	8"Helv"				
8	4	59	10	20	
8	15	72	10	21	
8	26	84	10	22	
102	4	40	14	1	
102	22	40	14	2	
END DIALOG					

END OF MACROS

NOTES FIELDS

Information Print
n

<i>Num_User_Scenarios</i>	0
<i>Current_Scenario</i>	#NAME?
<i>Invoice_Number</i>	0
<i>Invoice_Date</i>	0
<i>Sales_Rep</i>	0
<i>Sold_To</i>	0
<i>Number_Items</i>	0
<i>Tax</i>	0
<i>Freight</i>	0
<i>Total</i>	

Information Print

ANS_INFOPRT	C:L89..C:L89
ANS_KEEPPDATA	C:L184..C:L184
ANS_MACROPRT1	C:L370..C:L370
ANS_MACROPRT2	C:L371..C:L371
ANS_MACROPRT3	C:L372..C:L372
ANS_SWAPDATA	C:L315..C:L315
ANS_UPDDATA	C:L197..C:L197
BACKGRND	C:B38..C:B38
BCK_COL	C:B46..C:B46
BCK_LOOP	C:B41..C:B41
CLEAN_LIST	C:B151..C:B151
CLEAN_LOOP	C:B152..C:B152
CURR_SCEN	C:B110..C:B110
DATA_01	B:B2..B:B5
DATA_02	B:E4..B:E5
DATA_03	B:B7..B:B10
DATA_04	B:B13..B:B16
DATA_05	B:I7..B:I15
DATA_06	B:B19..B:C32
DATA_07	B:H19..B:H32
DATA_08	B:C38..B:C39
DATA_09	B:I34..B:I35
DATA_10	B:F38..B:F41
DEL_SCENARIO	C:B240..C:B240

DLG_INFOPRT	C:B86..C:B86
DLG_KEEPDATA	C:B181..C:B181
DLG_KHELP	C:B203..C:B203
DLG_MACPRINT	C:B367..C:B367
DLG_PERSONAL	C:B380..C:B380
DLG_SAMPLE1	C:B112..C:B112
DLG_SAMPLE2	C:B121..C:B121
DLG_SWAPDATA	C:B312..C:B312
DLG_UPDDATA	C:B194..C:B194
DLG_UPDSC	C:B322..C:B322
DLG_UPDUN	C:B331..C:B331
D_VERSIONS	C:B249..C:B249
FRM_UPDSC	C:I325..C:I325
INFORMATION	D:A1..D:A1
INFO_ABOUT	D:A333..D:A333
INFO_CONVENTION	D:A227..D:A227
INFO_CURR_PRT	C:B67..C:B67
INFO_LIST	C:B77..C:C82
INFO_NOTESFX	D:A285..D:A285
INFO_OVERVIEW	D:A60..D:A60
INFO_PRINT	C:B49..C:B49
INFO_STEPS	D:A107..D:A107
INFO_TIPS	D:A168..D:A168
INFO_TOPIC	C:B84..C:B84
INF_ABOU_RANGE	D:B335..D:H347
INF_CONVENTION	D:B232..D:H243
INF_NOTE_RANGE	D:B287..D:H297
INF_OVER_RANGE	D:B62..D:H67
INF_STEP_RANGE	D:B109..D:H129
INF_TIPS_RANGE	D:B170..D:H186
INVOICE	B:A1..B:A1
KEEPDATA	C:B130..C:B130
K_EXISTS	C:B170..C:B170
K_HELP	C:B164..C:B164
K_LIMIT	C:B167..C:B167
K_UPDATE	C:B143..C:B143
K_VERSIONS	C:B172..C:B172
LIST_ADDR	C:B237..C:B237
LIST_RNG	C:B236..C:B236
MACROS	C:A1..C:A1
MACROS_RANGE	C:A3..C:L397
MACRO_HIDE	C:B344..C:B344
MACRO_PRINT	C:B353..C:B353
MACRO_SHOW	C:B341..C:B341
NOTES_FIELDS	C:A435..C:B444
NOTES_FIELDS	C:A433..C:A433
NOTES_SHOW	C:B348..C:B348
NO_UPDATE	C:B310..C:B310
PERSONALIZE	C:B378..C:B378
PREV_SCEN	C:B109..C:B109
RES	C:B238..C:B238
RES_INFOPRT	C:L87..C:L87
RES_KEEPDATA	C:L182..C:L182
RES_MACROPRT	C:L368..C:L368
RES_SAMPLE1	C:L113..C:L113
RES_SAMPLE2	C:L122..C:L122
RES_SWAPDATA	C:L313..C:L313
RES_UPDDATA	C:L195..C:L195
RES_UPDSC	C:L323..C:L323

RES_UPDUN	C:L332..C:L332
RNG_NAME	C:B179..C:B179
RNG_NUM	C:B178..C:B178
RN_TABLE	C:A482..C:A482
RN_TABLE_RANGE	C:A483..C:B592
SAMPDATA	C:B96..C:B96
SAMP_RESTORE	C:B105..C:B105
SCENARIO_LIST	C:B254..C:B287
SHEET_RANGE	B:B2..B:I42
SHT_PRINT	C:B30..C:B30
SUBTOTAL	B:I33..B:I33
SWAPDATA	C:B211..C:B211
TABLE_CONTENT	A:A1..A:A1
UPDATE	C:B289..C:B289
UPDATE_LIST	C:B255..C:B287
UPDATE_LOOP	C:B304..C:B304
UPDATE_POST	C:B303..C:B303
UPDATE_TEST	C:B298..C:B298
UPDUN	C:B224..C:B224
UPPER_LEFT	C:B75..C:B75
UP_EXISTING	C:B157..C:B157
UP_UNNAMED	C:B229..C:B229
ZM_ALL	C:B25..C:B25
ZM_NRML	C:B24..C:B24
ZM_RESTORE	C:B27..C:B27
ZM_SCRN	C:B14..C:B14
ZM_TABLE	C:B16..C:D19
ZOOM_RTN	C:B22..C:B22
ZOOM_TEST	C:B9..C:B9
\0	C:B4..C:B4

Name

Notes
Fields

↓

resolution and sets
is accordingly

↓

play entire page

normal

↓

meet page

light yellow background



on the Information sheet

	42""	""	"Select Information to Print"		1
	1342242800"button"	"Current topic"	0		1
	1342242800"button"	"All topics"	0		0
	1342373900"button"	"OK"	0		
	1342373900"button"	"Cancel"	0		



e data, preserving existing entries

58	""	""	"Sample Data"		1
1342177300	"static"	"You can use a s		0	
1342373900	"button"	"OK"		0	
1342373900	"button"	"Cancel"		0	
1342177300	"static"	"currently in this		0	

42	""	""	"Sample Data"		1
1342177300	"static"	"Restore the data		0	
1342373900	"button"	"OK"		0	
1342373900	"button"	"Cancel"		0	



a in a scenario

scenario name. Press OK to return to the Keep Data dialog box.">{Branch KEEPDATA}

{_EXISTS}

```
WAPDATA)))));{Let ANS_SWAPDATA;ANS_SWAPDATA+1}{Branch CLEAN_LOOP}
}
```

```
.TA))}}
\TA))}}
+RNG_NAME;@Lower(@Trim(@Index(UPDATE_LIST;0;ANS_UPDDATA)))}
```

ios is in use. You must delete a scenario before creating a new one."}

er scenario name."}{Branch KEEPDATA}

```
}Trim(ANS_KEEPDATA))}
```

82	""	""	"Keep Data"		0
1350762600	"edit"	""		0	
1342373900	"button"	"OK"		0	
1342373900	"button"	"Cancel"		0	
1342373900	"button"	"Update..."		0	
1342373900	"button"	"Help"		0	
1342177300	"static"	"You can create i		0	
1342177300	"static"	"This SmartMast		0	
1342177300	"static"	"Enter a name fo		0	

88	""	""	"Update"		0

1352728600	"listbox"	""		0	UPDATE_LIST
1342177300	"static"	"Select the scen		0	
1342373900	"button"	"OK"		0	
1342373900	"button"	"Cancel"		0	

50	""	""	"Keep Data Help"		1
1342373900	"button"	"OK"		0	
1342177300	"static"	"For more informa		0	



Scenario selected by the user

This scenario is used to clear data from the SmartMaster and create a blank, unnamed scenario."}{Branch SWAPDATA}
 "Stop";RES){If 1-RES}{Quit}

_ADDR){Quit}

.PDATA))}}

id 2) insert as many rows as you like.

88	""	""	"Swap Data"		1
1352728600	"listbox"	""		0	SCENARIO_LIST
1342177300	"static"	"Select the scena		0	
1342373900	"button"	"OK"		0	
1342373900	"button"	"Cancel"		0	
1342373900	"button"	"Delete"		0	

58	""	""	"Update Scenario"		0
1342177300	"static"	"The scenario na		0	
1342373900	"button"	"Yes"		0	
1342373900	"button"	"No"		0	
1342373900	"button"	"Cancel"		0	

58	""	""	"Update Scenario"		0
1342177300	"static"	"The current sce		0	
1342373900	"button"	"Yes"		0	
1342373900	"button"	"No"		0	
1342373900	"button"	"Cancel"		0	





Notes/FX fields



f the macro sheet

dscape"}
!"}
rtrait"}
}

	42""	""	"Select Information to Print"		1
1342242800	"button"	"Macros"		0	0
1342242800	"button"	"Notes Fields"		0	0
1342242800	"button"	"Range Name Ta		0	1
1342373900	"button"	"OK"		0	
1342373900	"button"	"Cancel"		0	



Return to
Macros

Return to
Macros

RES_SWAPDATA

ANS_SWAPDATA

Click a button to go to a subject.

Subject	Description
> Overview	General information about this SmartMaster.
> Steps	Procedures to use this SmartMaster.
> Tips	Helpful hints for using this SmartMaster.
> Conventions	Details on conventions used in this SmartMaster.
> Notes/FX Enabling	Description of Notes/FX and available fields.
> Macros	Individual macro commands and their descriptions used in this SmartMaster.
> About	Information about the developer of this SmartMaster.

Return to Information Print
Invoice Index

nvoice SmartMaster

All cash flow starts with an invoice. Using the Invoice SmartMaster you can keep track of all goods and services rendered and track all associated costs. To use it, simply fill in the shaded areas.

Return to Information Print
Invoice Index

e Invoice SmartMaster

1. Enter the information about the customer that you are billing.
2. Enter the information about where the goods are being shipped.
3. Enter invoice-specific information such as the invoice number, the invoice date, and so on.
4. Enter all of the line items.
5. Enter the sales tax information by entering a number or a formula.

For example, enter `+SUBTOTAL*.05` to compute a 5% sales tax.

[Return to
Invoice](#)

[Information Print
Index](#)

Tips

Make sure that you enter an amount in the quantity column for each line item.

If you send repeat invoices to customers, use a previous invoice or "Keep Data" to streamline the entry process.

Many companies will not pay invoices unless the credit terms are clearly defined, so be sure to specify the terms to which you and your customer have agreed.

If you need more than one line for a description, make sure you enter the quantity and the price on the same row, or you may get an incorrect answer.

The cell where tax is entered is unprotected so that you can enter any tax as a value, or enter a formula that calculates a tax, as your state may require one.



Return to Invoice Information Print Index

Conventions

Cell Types

Shaded cells are data entry areas. Outlined cells contain formulas that are automatically

Printing

All forms print in portrait orientation.

Dates

Enter the date as MM/DD/YY.

[Return to Invoice Information Index](#)

SmartMaster with Notes/FX

Notes/FX lets you exchange data between applications by embedding the data as an object in a spreadsheet. In 1-2-3, the range called "Notes Fields" can be made available to Notes for exchanging data between Notes and the spreadsheet.

This SmartMaster contains fields that can be used for Notes/FX applications. To see the range "Notes Fields," click on the Notes Fields button. For more information about using Notes/FX, see the Notes/FX documentation.

[Return to Invoice](#) [Information Print Index](#)

his SmartMaster

This SmartMaster was developed by KMT Software, Inc. KMT Software is the developer of several add-on products that are marketed under the Lotus name through Lotus Selects. KMT Software worked closely with Lotus to develop the Lotus SmartMaster Collection for 1-2-3 Release 5, a collection of dozens of additional SmartMaster templates. The Lotus SmartMaster Collection for 1-2-3 Release 5 includes SmartMaster templates to help you manage your business as well as personal planning and finances.


To order or learn more about the Lotus SmartMaster Collection for 1-2-3 Release 5, in the U.S. call Lotus Selects at 1-800-635-6887. In Canada, call 1-800-GO-LOTUS.

Invoice






ed





ods shipped






the data


› state

e on

a formula



computed.



Notes Fields

a Notes form.
etween Notes

named
e the Notes



eral
e has
r
your

please

