

## Index

---

### A

- accented characters, 58
- Account Manager, 58
- Adaptec 1542, 17
- adapters
  - Adaptec 1542, 17
  - Diamond Stealth 64 (Trio64), 45
  - DPT, 18
  - PCMCIA, 7
  - qlc1020, 42
  - SMC9332DST, 46
  - S3 86c732, 45
  - S3 86c764, 45
  - 3Com 3C523 EtherLink MC Series, 45
  - 3Com 3C507 EtherLink 16 Series, 45
- administering groups, 76
- adsl driver, 42, 45
- Advanced Options for Mounting CD-ROM, 59
- advertising routes, 68
- AIO\_RAW (flag), 55
- Application Installer, 56
- archives, SCO OpenServer, 62
- ARG\_MAX, 26
- ARP, 65
- asynchronous I/O, raw, 55
- auditing, switching on and off, 27
- autodetection, 44
- autodetection, of video cards, 46
- autodiscovery, IPX, 11

### B

- Back button, 72
- Backup Manager, 62
- backups, 8
- backups of large disks, 9
- Basic Networking Utilities. *See* BNU
- biff (1), 71
- BIND, 65
- BIOS caching, 16
- BNU, 95
- bnu package, 95

### boot

- exception error during, 15
- hang during, 13
- panic during, 13, 14
- reset during, 14
- slow, 27

boot diskette, 6

boot parameters

- DISABLE\_CACHE, 15
- ENABLE\_4GB\_MEM, 23
- IGNORE\_MACHINE\_CHECK, 15
- IVAR\_DEBUG\_ALL, 9
- LUNSEARCH, 18
- MEMADJUST, 14, 15, 22

BSDcompat package, 75

buttons

- Back, 72
- Forward, 72
- in Japanese desktop, 53

### C

- Cannot Load User Driver, 17
- CDE desktop, 47
- CDE desktop, frozen, 66
- CD-ROM, not listed as installation device, 21
- changing hostnames, 91
- characters, corrupted, 52
- circular dependencies in drivers, 42
- Cirrus Logic 54M40 video chip, 44
- Cirrus Logic 54M40/30 driver, 44
- CLARiiON arrays, 41
- CLARiiON, multiple paths to, 11
- clients, saving files from browser over NFS, 61
- commands
  - biff (1), 71
  - comsat (1), 71
  - cp (1), 55
  - cpio (1), 59, 62
  - crash (1M), 55
  - cron (1M), 56
  - csh (1), 58
  - cu (1bnu), 58

## Compaq

### commands (*continued*)

- devnm (1M), 54, 59
- dtlogin (X1), 52, 72
- echo, 57
- emergency\_disk (1M), 54
- finger (1tcp), 66
- fsck (1M), 51
- ftpd (1Mtcp), 65
- kdb (1M), 54, 55
- ksh (1), 57
- ls (1), 59
- lseek64 (2), 61
- mailx (1), 71
- mapchan (1M), 50
- mmap64 (2), 61
- netcfg (1M), 26, 65
- nfsd (1Mnfs), 59
- nwcm (1Mipx), 70
- passwd (1), 58
- pg (1), 58
- pkgadd (1M), 56
- pkginfo (1), 95
- pkgtrans (1), 55
- pmwm (X1), 75
- routed (1Mtcp), 68
- rsh (1), 75
- rtpm (1M), 55
- sdimkosr5 (1M), 44
- sendmail (1M), 71, 72
- sh (1), 57, 58
- startx (X1M), 75
- stty (1), 58
- talkd (1Mtcp), 65
- tr (1), 57
- tty (1), 55
- vi (1), 57, 58
- xbiff (X1), 71

Compaq Proliant 6000, 43

comsat (1), 71

configuring

- IPX/SPX, 26
- large physical memory support, 25
- route advertizement, 68
- SPX server, 26
- TCP server, 26

Configuring Network message, error following, 24

Connection broken, 75

connection server, 43, 66

contacting SCO Technical Publications, 3

controllers, IDE, 43

Copy to Folder, 56

core dump, from executable file, 55

Could not find path for disk2, 42

cp (1), 55

cpio (1), 59, 62

cpqsc controllers, 43

crash (1M), 55

creating

- incoming connections, 68
- outgoing connections, 68

cron (1M), 56

crypt, 81

cr4, 54

csd (1), 58

ctrl-C key, in Printer Setup Manager, 64

cu (1bnu), 58

cursor

- corrupted, 45
- in command edit, 57

Czech Xkeyboard, 53

c7xx, 41

C8XX: Attempting to Send\_ABORT, 12

c8xx controllers, 42

## D

dash, used with tr (1), 57

Data Management services, installing, 54

DDI8

- device files, 41
- drivers, 42

Debug Extension bit, cr4, 54

debugging, switching on, 9

dedicated memory, 9, 26

DEDICATED\_MEMORY, 12, 26

delete key

- in Printer Setup Manager, 64
- on desktop, 72

deleting modems, 65

dependencies in drivers, 42

desktop, fails, 73

determining configured serial ports, 46

/dev/asyn, 55

device, network, removing, 66

devices

- WAN, 67
- zl5380, 41

devnm (1M), 54, 59

DHCP, 65

Dialer Services Manager, 68

- Dialup Systems Manager, 68
- Diamond Stealth 64 (Trio64) video adapter, 45
- Directory Services Repair, 69
- DISABLE\_CACHE boot parameter, 15
- disk controllers, GSI model 21 Enhanced IDE, 23
- Disk Driver Request Timed Out, 19
- disk drives, IDE, 17, 18
- diskettes
  - boot, 6
  - drive not accessed, 16
  - for network installation, 6-7
  - incorrectly configured drive, 16
  - Magic, 6
  - Network Installation Utilities, 6, 23
- disks
  - converting SCO OpenServer, 44
  - freeing space on, 55
  - remapping SCO OpenServer, 44
  - size of slices, 62
- DISPLAY, 75
- display, corruption, 46
- Divide by zero trap, 18
- dl\_dest\_addr\_length, 65
- DL\_UNIITDATA\_REQ, 65
- DNS, 66
- DNS Manager, 67
- DNS, package removal, 66
- documentation
  - updating, 32
  - your suggestions, 3
- domain name, adding, 67
- Domestic encryption, 81
- DPT, 18
- driver
  - adsl, 42, 45
  - Cirrus Logic 54M40/30, 44
  - cpqsc, 43
  - c7xx, 41
  - DDI8, 42
  - efp2, 41
  - fdeb, 41
  - ida, 41
  - mcis, 41
  - MPIO, 42
  - qlc1020, 43
  - qlogic, 45
  - wd7000, 41

- drivers
  - cpqhpcd, 33
  - d21x, 34
  - e3H, 34
  - skfp, 34
  - updated audio, 33
  - updated graphics, 33
  - updated network, 34
- dtlogin (X1), 52, 72
- dump slice, ISL, 12
- d21x, 34

## E

- echo command, 57
- editing multi-line commands, 57
- efp2, 41
- EISA systems, 22
- emergency floppies, 12
- emergency\_disk (1M), 54
- ENABLE\_4GB\_MEM, 26
- ENABLE\_4GB\_MEM boot parameter, 23
- encapsulated root disk, emergency recovery, 76-80
- encrypt package, 75, 90
- ENOSPC, 65
- environment variables
  - DISPLAY, 75
  - OSRCMDS, 62
  - TIMEOUT, 57
- Error reading media, 21
- Error while sharing directory, 60
- errors
  - ENOSPC, 65
  - from adsl driver, 42
  - /etc/default/mail, 71
  - /etc/magic, 56
  - /etc/.snum, 55
- exception error, during boot, 15
- executable files, updating, 55
- exiting Netscape and SCOhelp browsers, 72
- e3H, 34

## F

- failure, kernel build, 20
- FastTrack Server, warnings in log, 92
- Fatal error: building package index, 65
- FDDI networks, 11

## *fdeb*

- fdeb, 41
- FIFO, panic, 59
- File Manager, desktop, 72
- files
  - /dev/async, 55
  - /etc/magic, 56
  - /etc/.snum, 55
  - larger than 2GB, 72
  - printing to, 64
  - saving over NFS, 61
  - terminfo (4), 58
  - updating executable, 55
- filesystem
  - for ISL, 12
  - panic, 59
- Filesystem Manager, 59, 60, 61
- finger (1tcp), 66
- flags, AIO\_RAW, 55
- floppy diskette. *See* Diskette
- Forward button, 72
- From line of mail message, 71
- fsck (1M), 51
- fstyp (1M), 54
- FTP, 58
- ftpd (1Mtcp), 65

## **G**

- gauge stops moving, 16
- GENERAL\_MEMORY, 26
- gethostent (3N), 65
- graphical login prompt, 47

## **H**

- H key, 56
- hang
  - after self test, 16
  - during boot, 12, 13
  - during installation, 15, 16, 19
  - during reboot, 16, 17
  - in Security Profile Manager, 75
- hard disk setup, hang after, 19
- hardware, installation requirements, 5
- hardware conflicts, 17
- hardware setup programs, 14
- HBA, installation, 11
- HBA drivers not needed, 15

## HBAs

- installation problems, 20
- panic with, 44
- home directory, in FTP, 58
- hostname
  - changing, 91
  - characters, 65
- Hosts, non-routing, 68
- hot swap, 42
- Hot-Plug manager, 57
- hstrerror, 65
- Hungarian Xkeyboard, 53

## **I**

- ida, 41
- IDE disk drive, 17, 18
- idle time, reporting, 66
- IGNORE\_MACHINE\_CHECK boot parameter, 15
- IMAP client, 71
- inbox folder, in Netscape, 71
- incoming connections, creating, 68
- incompatible boot code, 17
- indexing SCOhelp, 27
- initializing multiple disks, 42
- installation
  - disk size, 6
  - fails, 11
  - hang during, 15, 16, 19
  - hardware requirements, 5
  - HBA, 11
  - logs, 9
  - maximum functional year, 11
  - NetWare Services, 11
  - on wrong disk, 10
- installing, update701, 29, 31
- Insufficient memory, 22
- Intel Extended Express, panic during reboot, 13
- Intel M440LX DP (Micron NetFrame MVE5000), 44
- internal error in system installation, 19
- internal sequencer error, 18
- International Settings Manager, 50
- Intranet Manager, 56
- IP, 65
- IP addresses, for Netscape remote server, 86
- IPX, configuring, 66

IPX network number and frame type, 11  
 IPX/SPX, configuring, 26  
 ISDN  
   adapter, 67  
   dialer, 43  
   V.120, 67  
 ISDN\_ASYNC, 67  
 ISL, dump slice, 12  
 ISL filesystem, 12  
 IVAR\_DEBUG\_ALL (boot parameter), 9

## J

Japanese input, 53  
 Java execution in Netscape server, 90  
 Java-class aware /etc/magic, 56

## K

kdb (1M), 54, 55  
 kernel build  
   failure during installation, 20  
   failure during rebuild, 20  
   panic after, 17  
 keyboard, corrupted, 55  
 keys, for console multiscreens, 47  
 ksh (1), 57

## L

languages supported in Verity search engine, 52  
 lan\_x\_adapter, 70  
 lan\_x\_network, 70  
 laptop computer, network installation, 7  
 large file support. *See* LFS  
 large files, 72  
 Large physical memory, 25  
 largest file system, 12  
 Latin1 locales, 50  
 layered installation, 29  
 LFS, 61  
 library routine  
   gethostent (3N), 65  
   hsterror, 65  
   listen (3sock), 65  
 License Manager, 56  
 licensing, 54  
 licensing, NWS, 69

licensing strong encryption, 75  
 line direction, 67  
 links, as mail folders, 71  
 listen (3sock), 65  
 login names, 58  
 logs, obtaining for installation, 9  
 long password for NIS, 65  
 LPM, 25  
 LPOSELECT, 43  
 ls (1), 59  
 lseek64 (2), 61  
 LUNSEARCH (boot parameter), 18

## M

magic diskette, 6  
 mail folders, 71  
 mailx (1), 71  
 mapchan (1M), 50  
 Matrox Mystique driver, 47  
 maximum functional year for installation, 11  
 MAXRSS, 26  
 mcis, 41  
 MEMADJUST boot parameter, 14, 15, 22  
 memfs, 54  
 memory, 22  
   above 4GB, 26  
   calculated during installation, 9  
   setting manually, 14-15  
   shadow, 16  
 messages  
   Cannot Load User Driver, 17  
   Connection broken, 75  
   Could not find path for disk2, 42  
   C8XX: Attempting to Send\_ABORT, 12  
   Determining configured serial ports, 46  
   Disk Driver Request Timed Out, 19  
   divide by zero trap, 18  
   error following Configuring Network, 24  
   Error reading media, 21  
   Error while sharing directory, 60  
   Fatal error: building package index, 65  
   insufficient memory, 22  
   Internal error in system installation, 19  
   Internal sequencer error, 18  
   New mail has arrived, 71  
   No new mail, 71  
   Server Error, 90

## MIB

### messages (*continued*)

- The error: ksh: syntax error: '1'  
unexpected, 57
- The request to service the action has  
failed, 66
- The X Server cannot be started, 72
- UX:mailx: WARNING: No message, 56
- Vtcl Server VtSet - Widget not found, 64
- Window.node has no property named  
location, 72
- MIB table, 56
- middle mouse button, 75
- mirrored root disk, emergency recovery,  
76-80
- mmap64 (2), 61
- Modem Manager, 46, 65
- modems
  - Tricom, 43
  - Zyxel, 42
- mouse button, middle, 75
- MPIO, 45
  - driver, 42
- MPIO-based SCSI bus, 42
- multi-line commands, editing, 57
- multiple paths to CLARiiON system, 11
- multiprocessor support modules, 44
- multiscreens, 47

## N

- NDS, 69
- netcfg (1M), 26, 65
- Netscape
  - Administration Server, 86
  - Back button, 73
  - Directory button, 73
  - Java execution, 90
  - Mail/News Preferences, 73
  - MUA, 71
  - saving files from browser over NFS, 61
  - security, 75
  - Server Admin Manager, 91
  - support for, 91
  - window too big, 73
- Netscape and SCOhelp browsers, 72
- Netscape Gold Authoring Guide, 73
- Netscape servers, reconfiguring TCP/IP  
with, 86
- NetScape servers, reconfiguring TCP/IP  
with, 91

- NetWare, 54
- NetWare Loadable Modules. *See* NLMs
- NetWare Mode, 69
- NetWare Services, 55, 69
  - Directory Services, 70
  - Directory Services Repair, 69
  - installation, 11
  - nwsup package, 69
- NetWare Setup, 70
- Network Configuration Manager, 26, 46,  
66, 67
- network installation, 23, 45
  - diskettes, 6-7
  - media error, 21
  - memory required, 7
  - non-Ethernet media, 11
  - services map, 26
  - using PCMCIA adapter, 7
- network installation server, 56
- Network Installation Utilities diskette, 6, 23
- network interface adapter, 23
- network printer, adding, 64
- New mail has arrived, 71
- NFS, 66
- NFS filesystem, installation of osmp
  - package from, 24
- nfsd (1Mnfs), 59
- NIS, 65
- NLMs, 69
- No new mail, 71
- NUC NLM, 69
- nwcm, 26
- nwcm (1Mipx), 70
- NWS, 59, 69
- nwsup package, 69

## O

- ODM, 54, 60
- On Remote Server field, 64
- Online Data Manager. *See* ODM
- Oracle 7.3.3, installing, 55
- osmp package, 24, 60
- OSRCMDS, 62
- outgoing connections, creating, 68

**P**

packages  
 audio, 33  
 BASEdoc, 32  
 BASEman, 32  
 basex, 33  
 bnu, 95  
 BSDcompat, 75  
 deBASEdoc, 34  
 encrypt, 75, 90  
 esBASEdoc, 34  
 frBASEdoc, 34  
 jaBASEdoc, 34  
 nics  
 nwsup, 69  
 osmp, 24, 60  
 removing, 55  
 update701, 31  
 xclients, 33  
 xdrivers, 33  
 xserver, 33  
 PAGEOUTRATE, 25  
 panic  
 after kernel build, 17  
 closing FIFO, 59  
 during boot, 13, 14  
 during reboot, 13, 17  
 filesystem, 59  
 with HBAs, 44  
 panic dump, 54  
 Panorama desktop, 73  
 passwd (1), 58  
 password, Netscape Server Admin Manager, 91  
 passwords, setting, 58  
 PCMCIA network adapters, 7  
 pg (1), 58  
 pkgadd (1M), 56  
 pkginfo (1), 95  
 pkgmk, 56  
 pkgtrans (1), 55  
 pmwm (X1), 75  
 Polish Xkeyboard, 53  
 power saver option, 19  
 PPP Internet Connection Manager, 67  
 PPP Manager, 67  
 Printer Setup Manager, 64  
 keys, 64  
 printers, IEEE 1284 compliant, 43  
 printers, Hewlett-Packard, 64

printing  
 from SCOhelp, 72  
 to files, 64  
 Process Manager, 55  
 Processor Manager, 56  
 pseudo-file systems, 54

**Q**

qlc1020 adapter, 42  
 qlc1020 driver, 43  
 qllogic drivers, 45

**R**

raw asynchronous I/O, 55  
 raw man pages, 75  
 reboot  
 during boot, 13  
 hang during, 16, 17  
 message during, 12  
 panic, 60  
 panic during, 17  
 release numbers, 54  
 reset, during boot, 14  
 resmgr database, 43  
 responses, in fsck (1M), 51  
 restoring disk slices, 62  
 restoring SCO OpenServer archives, 62  
 RFC 1323, 66  
 RIP, 26  
 routed (1Mtcp), 68  
 router type, 26  
 RPC, 66  
 rsh (1), 75  
 rtpm (1M), 55  
 Russian Xkeyboard, 53

**S**

saving files over NFS, 61  
 SCO ARCserve/Open, 54, 63  
 SCO ARCserve/Open window, 72  
 SCO OpenServer  
 archives, 62  
 disks, 44  
 scoterm command, 57  
 SCO Technical Publications, contacting, 3  
 SCOAdmin Account Manager, 76

## SCOadmin

- SCOadmin manager
  - LDAP, 54
  - network config, 54
  - virtual domain, 54
- SCOadmin managers, in single-user mode, 56
- SCOhelp
  - back button, 73
  - enabling search, 27
  - forward button, 73
  - returning to, 73
  - search, 72
  - unable to access documentation, 73
- scoterm command, SCO OpenServer, 57
- screen switching, 47
- sdimkosr5 (1M) (command), 44
- secondary disk, installation on, 10
- Security Profile Manager, 75
- SELECTIN signal, 43
- self test, hang after, 16
- SEMMNI, 65
- sendmail (1M), 71, 72
- Serial Manager, 46
- serialOSA, 46
- Server Error, 90
- services map, 26
- SES, enabling, 90
- Set Time Manager, 56
- sh (1), 57, 58
- shadow memory, 16
- signals, SELECTIN, 43
- single-user mode, 56
- SJXM, 53
- skfp, 34
- Skunkware 96, 75
- SMC9332DST adapter, 46
- SNMP Agent Manager, 65
- software, installing, 55
- SPX server, configuring, 26
- stamps, invalid disk, 44
- /stand, 12
- Starting UnixWare message not displayed, 13
- startx (X1M), 75
- stemming, 52
- Storage Works RAID, 45
- STREAMS module/driver, 41
- strong encryption, 75
- Strong Encryption Supplement. *See* SES
- stty (1), 58
- support, Netscape, 91

- swap space, 9, 12
  - panic dump in, 54
- SYSDUMP\_SELECTIVE (system variable), 55
- System Default Manager, 56
- system variables, SYSDUMP\_SELECTIVE, 55
- S3 86c732 video adapter, 45
- S3 86c764 video adapter, 45

## T

- talkd (1Mtcp), 65
- tape devices, 63
- TCP server, configuring, 26
- TCP/IP, 65
- TCP/IP printer, adding, 64
- TCP/IP, reconfiguring, 86, 91
- Technical Publications, contacting, 3
- terminfo (4), 58
- The error: ksh: syntax error: '1' unexpected, 57
- The request to service the action has failed, 66
- The X Server cannot be started, 72
- TIMEOUT environment variable, 57
- timezones, 51
- token ring, 12
- Token-Ring networks, 11
- Toshiba laptops, 47
- tr (1), 57
- Tricom modem, 43
- troff, 75
- tty (1), 55
- tymon entry, on deleting modems, 65
- tunable parameters
  - ARG\_MAX, 26
  - DEDICATED\_MEMORY, 12, 26
  - ENABLE\_4GB\_MEM, 26
  - GENERAL\_MEMORY, 26
  - LP0SELECT, 43
  - LP1SELECT, 43
  - LP2SELECT, 43
  - LP3SELECT, 43
  - MAXRSS, 26
  - PAGEOUTRATE, 25
  - SEMMNI, 65
- two button mouse, 75
- typographical conventions, 2



**U**

underscore character, in hostnames, 65  
UnixWare Mode, 69  
UnixWare NLM, 69  
UnixWare 7 release numbers, 54  
updating, UnixWare 7, 29  
user ID, Netscape Server Admin Manager,  
91  
utmp entries, 57  
UX.mailx: WARNING: No message, 56

**V**

/var, 12  
Veritas Volume Manager, 60  
Verity, enabling search, 27  
Verity search engine, 52  
vi (1), 57, 58  
video adapters  
    Diamond Stealth 64 (Trio64), 45  
    S3 86c732, 45  
    S3 86c764, 45  
Video Configuration Manager, 46  
video display chipset not recognized, 47  
video driver, Matrox Mystique, 47  
VisionFS, 59  
Volume Manager, 42, 60  
Vtcl Server VtSet - Widget not found, 64  
VxVM, 60

**W**

WAN devices, 67  
wd7000, 41  
Window.node has no property named  
location, 72

**X**

X session, 75  
xbiff (X1), 71  
XENIX, 80  
Xkeyboards, 53  
xterm, corrupt display, 69

**Y**

year, maximum functional for installation,  
11

**Z**

z15380, 41  
Zyxel modem, 42

*Zyxel*