Invoice SmartMaster

Table of	of C	ontents	
or a button t	to u	se a SmartMa	ster sheet.
		Sheet	Description
	>		<i>Err:502</i> Enter information for goods sold to clients and custom here.
	>	Information	Help, tips, and details on file sharing, conventions, and macros used in this SmartMaster.

k

InformatioZoom Print n		Sample Keep Data Data
Company Name Street Address City, State Zip	Phone Numbe	er IN
SOLD TO:		"INVOICE NUMBER "INVOICE DATE "OUR ORDER NUMBER "YOUR ORDER NUMBER "TERMS
SHIPPED TO:		"SALES REP "SHIPPED VIA "F.O.B. "PREPAID or COLLECT

QUANTITY	Tips DESCRIPTION	UNIT PRICE
		SUBTOTAL
		ΤΑΧ
		FREIGHT

Questions concerning this invoice?

MAKE ALL CHECKS PAYABLE TO:



YOU FOR YOUR BUSINESS!

Swap Data

VOICE

AM	ΙΟUΝΤ
	#NAME?

PAY THIS AMOUNT Restore Zoom

Hide Macros Print

Range Table

SCREEN-ADJUST	CODE	DESCRIPTION
\0	{ZOOM_TEST}	; Senses screen ı
	{Let ZM_NRML;@Vlookup(ZM_SCRN;ZM_TABLE;1)}	; view preference
	{Let ZM_ALL;@Vlookup(ZM_SCRN;ZM_TABLE;2)}	
	{Set "Window-Custom-Zoom";ZM_NRML}{Quit}	
ZOOM_TEST	{If @Info("Screen-Width")<=640}{Let ZM_SCRN;640}{Return}	
	{If @Info("Screen-Width")<=800}{Let ZM_SCRN;800}{Return}	
	{If @Info("Screen-Width")<=1024}{Let ZM_SCRN;1024}{Return}	
	{Let ZM_SCRN;1280}{Return}	
ZM_SCRN	640	
_	NORMAL FULL PAGE	
ZM_TABLE	640 85 32	
	800 100 42	
	1024 110 46	
	1280 120 65	
ZOOM FACTOR	CODE	DESCRIPTION
ZOOM_RTN	{Set "Window-Custom-Zoom";ZM_ALL}{Quit}	; Sets view to dis
ZM NRML	85	
ZM_ALL	32	
ZM_RESTORE	{Set "Window-Custom-Zoom";ZM_NRML}{R}{L}{Quit}	; Resets view to r
PRINT SHEET	CODE	DESCRIPTIO
SHT_PRINT	{Set "Print-Range";SHEET_RANGE}{Set "Print-Footer-Center-Tex	t";; Prints spreadsh
	{Set "Print-Orientation";"Portrait"}{Set "Print-Fit-Page";"Yes"}	
	{Set "Print-Margin-Top";".75"}	
	{Set "Print-Margin-Left";".75"}{Set "Print-Margin-Right";".75"}	
	{Set "Print-Margin-Bottom";".25"}	
	{BACKGRND 0}{Print?}{BACKGRND 2}	
	{Quit}	
BACKGRND	{Define BCK_COL:V}	; Sets / Resets lig
	{Let RNG_NUM;1}{BCK_LOOP}	
BCK_LOOP	{Let RNG_NAME;+"DATA_"&@Right(@String(RNG_NUM+100;0);2	2)}
	{If 1-@Isrange(@@(RNG_NAME))}{Return}	
	{Style-Interior BCK_COL;;;;;+RNG_NAME}	
	{Let RNG_NUM;RNG_NUM+1}{Branch BCK_LOOP}	
BCK_COL	2	

PRINT INFORMATION	CODE				DESCRIPTIO
INFO_PRINT	{Define INFO_TO {Dialog DLG_INF {If RES_INFOF {Set "Print-Foc {Set "Print-Cer {Set "Print-Orie {Set "Print-Man {Set "Print-Man {Let UPPER_L {If ANS_INFOF {If ANS_INFOF {Style-Interior of {Style-Interior of {Print?} {Style-Interior of {Quit}	PIC:V} OPRT} PRT=0}{Quit} oter-Center-Tex ntered";"Horizo entation";"Portu rgin-Top";".5"} rgin-Left";".5"} rgin-Bottom";".2 PRT=0}{INFO_ PRT=0}{INFO_ PRT}{Select @ 0} 2} PPER_LEFT}	kt";"^"} ntal"} rait"}{Set "Print Set "Print-Mar 25"} rrigin")} _CURR_PRT} !Vlookup(INFC	:-Size";"Fit-All"} gin-Right";".5"} 0_TOPIC;INFO	; Prints Topics fr
INFO_CURR_PRT	{Select INF_O {Select-Appen {Select-Appen {Select-Appen {Select-Appen {Select-Appen {Select-Appen {Return}	VER_RANGE} d INF_STEP_I d INF_TIPS_R d INF_CONVE d INF_NOTE_ d INF_ABOU_	RANGE} ANGE} NTION} RANGE} RANGE}		
UPPER_LEFT	\$D:\$A\$312				
INFO_LIST	1 2 3 4 5 6	INF_OVER_R INF_STEP_RA INF_TIPS_RA INF_CONVEN INF_NOTE_R INF_ABOU_R	ANGE ANGE TION ANGE ANGE		
INFO_TOPIC	6				
DLG_INFOPRT	DIALOG -2134376400 FONT 8 8 102 102 END DIALOG	InfoPrint 4 8 21 4 22	63 "Helv" 59 56 40 40	62 10 10 10 14 14	152 20 21 1 2
SAMPLE DATA	CODE				DESCRIPTION

{Let CURR_SCEN;@Scenariolast(@Cellpointer("Filename"))}

; Displays Sampl

	END DIALOG					
KEEP DATA	CODE DESCRIPTION					
KEEPDATA	{If @Count(SCENARIO_LIST)=@Rows(SCENARIO_LIST)-1}{Branch ; Stores user-data					
	{Dialog DLG_KEEPDATA}					
	{If RES_KEEPDATA=0}{Quit}					
	{If RES_KEEPDATA=3}{Branch K_UPDATE}					
	{If RES_KEEPDATA=4}{Branch K_HELP}					
	{If @Length(@S(ANS_KEEPDATA))<1}{Alert "To create a scenario, you must enter a					
	{If 1-@lserr(@Scenarioinfo("Creator";@Lower(@Trim(ANS_KEEPDATA))))}{Branch K					
	{Scenario-Create @Lower(@Trim(ANS_KEEPDATA))}					
	{Let RNG_NUM;1}{K_VERSIONS}					
	{Put SCENARIO_LIST;0;@Count(SCENARIO_LIST);ANS_KEEPDATA}					
	{Scenario-Show @Lower(@Trim(ANS_KEEPDATA))}					
	{Calc}{Return}					
K_UPDATE	{CLEAN_LIST}{Dialog DLG_UPDDATA}					
	{If ANS_UPDDATA<0}{Quit}					
	{If RES_UPDDATA=0}{Quit}					

END DIALOG				
DIALOG	Sample2			
-2134376400	3	50	60	176
FONT	8	"Helv"		
4	4	110	24	1000
130	4	40	14	1
130	22	40	14	2
END DIALOG				

DIALOG	Sample1			
-2134376400	4	51	60	
FONT	8	"Helv"		
4	4	113	24	
130	4	40	14	
130	22	40	14	
4	28	116	26	

176

1000

2 1001

DLG_SAMPLE1

DLG_SAMPLE2

PREV_SCEN unnamed CURR_SCEN unnamed

SAMP_RESTORE {Dialog DLG_SAMPLE2} {If RES_SAMPLE2=0}{Quit} {Scenario-Show PREV_SCEN}{Calc}{Quit}

{If @Iserr(CURR_SCEN)}{Let CURR_SCEN;"unnamed"}
{If @Exact(CURR_SCEN;"sample")}{Branch SAMP_RESTORE}
{Dialog DLG_SAMPLE1}
{If RES_SAMPLE1=0}{Quit}
{Let PREV_SCEN;CURR_SCEN}
{UPDATE}
{Scenario-Show "sample"}{Calc}{Quit}

	{Scenario-Delete {Scenario-Create {Let RNG_NUM;1	@Lower(@Trim(@Lower(@Trim(}{UP_EXISTING}	@Index(UPDATE @Index(UPDATE	_LIST;0;ANS_UPD _LIST;0;ANS_UPD	DATA)))} DATA)))}
	{Scenario-Show	@Lower(@Trim((@Index(UPDATE_	LIST;0;ANS_UPDI	DATA)))}{Quit}
CLEAN_LIST	{Blank ANS_SWA	PDATA}			
CLEAN_LOOP	{If ANS_SWAPDA	TA>@Count(UPD	ATE_LIST)}{Retur	n}	
	{If 1-@Iserr(@Sce {Recalc LIST_RN {Branch CLEAN_L	enarioinfo("Creator G}{Edit-Copy +LIS _OOP}	";@Lower(@Trim(T_RNG}{Recalc Ll	@Index(SCENARI0 ST_ADDR}{Edit-Pa	D_LIST;0;ANS_S' aste +LIST_ADDF
UP_EXISTING	{Let RNG_NAME	;+"DATA_"&@Ri	ght(@String(RNG	_NUM+100;0);2)}	
	{If 1-@Isrange(@	@(RNG_NAME))]	{Return}		
	{Version-Delete +	RNG_NAME;@L	ower(@Trim(@In	dex(UPDATE_LIST	;0;ANS_UPDDA
	{Version-Create	+RNG NAME;@L	ower(@Trim(@In	dex(UPDATE LIST	(;0;ANS UPDDA
	Scenario-Add-V	ersion @Lower(@	Trim(@Index(UP	DATE LIST;0;ANS	S UPDDATA)));;
	{Let RNG_NUM;F	RNG_NUM+1}{Bra	anch UP_EXISTIN	G}	
K_HELP	{Dialog DLG_KH {Branch KEEPDA	ELP} ATA}			
K_LIMIT	<mark>{Alert +"The max</mark> {Quit}	imum number of	"&@String(@Co	unt(SCENARIO_LI	ST);0)&" scenari
K_EXISTS	{Alert +""""&@Lo	ower(@Trim(ANS	_KEEPDATA))&""	"" already exists. F	Please use anoth
K_VERSIONS	{Let RNG_NAME {If 1-@Isrange(@ {Version-Create · {Scenario-Add-V {Let RNG_NUM;F	;+"DATA_"&@Ri @(RNG_NAME))] +RNG_NAME;@L ersion @Lower(@ RNG_NUM+1}{Bra	ght(@String(RNG -{Return} ower(@Trim(ANS @Trim(ANS_KEEP anch K_VERSION	_NUM+100;0);2)} \$_KEEPDATA))} PDATA));;+RNG_N \$}	AME;@Lower(@
RNG_NUM RNG_NAME	11 DATA_11				
DLG_KEEPDATA	DIALOG	KeepData			
	-2134376400	8	20	32	196
	FONT	8	"Helv"		
	4	64	89	12	8001
	148	2	40	14	1
	148	34	40	14	2
	148	18	40	14	3
	148	52	40	14	4
	4	32	128	18	1000
	4	2	130	24	1001
	4	54	114	10	1002
	END DIALOG				
DLG_UPDDATA	DIALOG	Update			
	-2134376400	4	54	36	198

DLG_KHELP	DIALOG	KHELP					
	-2134376400	2	21	32	196		
	FONT	8	"Helv"				
	148	2	40	14	1		
	4	2	139	42	1001		
	END DIALOG						
SWAP DATA	CODE				DESCRIPTIO		
SWAPDATA	{CLEAN_LIST}{D	ialog DLG_SWA	PDATA}		; Switches to a so		
	{If ANS_SWAPD	ATA<0}{Quit}					
	{If RES_SWAPD	ATA=0}{Quit}					
	{If RES_SWAPD	ATA=3}{Branch D	EL_SCENARIO}				
	{Let CURR_SCE	N;@Scenariolast(@Cellpointer("Fi	ename"))}			
	{If @Iserr(CURR	SCEN)}{Let CUR	R_SCEN;"unnam	ied"}			
	{If CURR_SCEN	<>"unnamed"}{UF	PDATE}				
	{If CURR_SCEN=	"unnamed"}{UPI	OUN}				
	{Scenario-Show @Lower(@Trim(@Index(SCENARIO_LIST;0;ANS_SWAPDATA)))}						
	{If @Scenariolast(@Cellpointer("Filename"))<>"-blank-"}{Quit}						
	{Scenario-Delete	"unnamed"}{Sce	enario-Create "un	named"}			
	{Let RNG_NUM;	I}{UP_UNNAMED	}{Scenario-Show	"unnamed"}{Cale	c}{Quit}		
UPDUN	{Dialog DLG_UPDUN}						
	{If RES_UPDUN=	:3}{Quit}					
	{If RES_UPDUN=	1}{KEEPDATA}					
	{Let RES;1}{Retu	ırn}					
UP_UNNAMED	{Let RNG_NAME	;+"DATA_"&@Ri	ght(@String(RNG	_NUM+100;0);2)}			
	{If 1-@Isrange(@	@(RNG_NAME))]	{Return}				
	{Version-Delete +RNG_NAME;"unnamed"}						
	{Version-Create	+RNG_NAME;"ur	named"}				
	{Scenario-Add-V	ersion "unnamed	";;+RNG_NAME;	"unnamed"}			
	{Let RNG_NUM;I	RNG_NUM+1}{Bra	anch UP_UNNAM	ED}			
LIST RNG	#NAME?	,					
LIST_ADDR	#NAME?	,					
RES	1						
DEL SCENARIO	{If ANS SWAPD	ATA<1}{Alert "Th	e scenario nameo	l ""-Blank-"" canr	not be deleted. Th		
-	{Alert +"Delete "	""&@Index(SCEN	ARIO LIST:0:AN	S SWAPDATA)&	""" scenario?":2:		
	{Scenario-Delete	@Lower(@Trim(@Index(SCENAR	IO LIST:0:ANS S	WAPDATA)))}		
	{Let RNG NUM:	I}{D VERSIONS}	0				
	{If ANS_SWAPD	ATA=@Count(SC	ENARIO_LIST)-1	Recalc LIST_AD	DR}{Blank +LIST		

8"Helv"

FONT

END DIALOG

{Let RNG_NUM;1}{Blank NO_UPDATE}{UPDATE_TEST} {If NO_UPDATE}{Return} {If @Exact(CURR_SCEN;"sample")}{Return} {If @Exact(CURR_SCEN;"unnamed")}{UPDATE_POST}{Return} {Recalc FRM_UPDSC}{Dialog DLG_UPDSC}

UPDATE

SCENARIO_LIST

UPDATE_LIST

Slank Cell. To increase limit, 1) place cell pointer on blank cell, an

-Blank-	{Version-Delete + {Let RNG_NUM;R	R
	Blank	
<		<

D_VERSIONS	{Let RNG_NAME;+"DATA_"&@Right(@String(RNG_NUM+100;0);2)}
	{If 1-@Isrange(@@(RNG_NAME))}{Return}
	{Version-Delete +RNG_NAME;@Lower(@Trim(@Index(SCENARIO_LIST;0;ANS_SWA
	{Let RNG_NUM;RNG_NUM+1}{Branch D_VERSIONS}

32

{Recalc LIST_RNG}{Edit-Copy +LIST_RNG} {Recalc LIST_ADDR}{Edit-Paste +LIST_ADDR} {Quit}

UPDATE_TEST	{Let RNG_NAME {If 1-@Isrange(@ {If @Iserr(@Vers {Let RNG_NUM;I	;+"DATA_"&@Ri ;@(RNG_NAME))] ioncurrent(@@(F RNG_NUM+1}{Bra	ght(@String(RNG {Let NO_UPDATI RNG_NAME)))}{Re anch UPDATE_TE	5_NUM+100;0);2)} E;1}{Return} eturn} EST}		
UPDATE_POST UPDATE_LOOP	{Version-Update +RNG_NAME;CURR_SCEN} {Let RNG_NUM;RNG_NUM+1} {Let RNG_NAME;+"DATA_"&@Right(@String(RNG_NUM+100;0);2)} {If 1-@Isrange(@@(RNG_NAME))}{Return} {If @Iserr(@Versioncurrent(@@(RNG_NAME)))}{Branch UPDATE_POST} {Branch UPDATE_LOOP}					
NO_UPDATE						
DLG_SWAPDATA	DIALOG	SwapData				

{If RES_UPDSC=3}{Quit}

{Return}

UPDATE_TEST

DLG_UPDSC

{If RES_UPDSC=1}{UPDATE_POST}

-2134376400	5	53	36	198
FONT	8	"Helv"		
4	26	108	58	9001
4	4	124	18	1000
150	6	40	14	1
150	22	40	14	2
150	42	40	14	3
END DIALOG				
DIALOG	Update1			

	-2134376400	4	69	49	180
	FONT	8	"Helv"		
	4	5	126	44	1000
	135	2	40	14	1
	135	18	40	14	2
	135	39	40	14	3
	END DIALOG				
DLG_UPDUN	DIALOG	unnamed			
	-2134376400	4	78	60	137
	FONT	8	"Helv"		
	7	3	79	27	1000
	92	2	40	14	1
	92	18	40	14	2
	92	39	40	14	3
	END DIALOG				

	92	18	40	14	2
	92	39	40	14	3
	END DIALOG				
SHOW MACROS	CODE				DESCRIPTIO
MACRO_SHOW	{Show-Sheets M	ACROS:A1}			; Show / Hide this

{Edit-Goto MACROS:A1}{Quit}

MACRO_HIDE {Home}{Hide-Sheets MACROS:A1} {Edit-Goto INFORMATION:A1}{Quit}

END DIALOG

SHOW NOTES FIEL	DSCODE				DESCRIPTIO		
NOTES_SHOW	{Show-Sheets M		; Navigate to the				
	{Edit-Goto NOTE	S_FIELDS}					
	{Edit-Goto "NOT	ES FIELDS"}{Qui	t}				
PRINT MACROS	CODE				DESCRIPTION		
MACRO_PRINT	{Dialog DLG_MA	CPRINT}			; Print sections o		
	{If RES_MACRO	PRT=0}{Quit}					
	{If ANS_MACROF	PRT1}{Set "Print-R	ange";MACROS_I	RANGE}{Set "Print	-Orientation";"Land		
	{If ANS_MACROF	PRT2}{Set "Print-R	ange";NOTES FIE	LDS}{Set "Print-O	ientation";"Portrait		
	{If ANS_MACROF	PRT3}{Set "Print-R	ange";RN_TABLE	_RANGE}{Set "Pri	nt-Orientation";"Pc		
	{Set "Print-Center	ed";"Horizontal"}					
	{Set "Print-Footer-Center-Text";"^"}						
	{Set "Print-Size";"Fit-Columns"}						
	{Set "Print-Margin-Top";".5"}						
	{Set "Print-Margin-Left";".5"}{Set "Print-Margin-Right";".5"}						
	{Set "Print-Margin-Bottom";".25"}						
	{Print?}						
	{Quit}						
DLG_MACPRINT	DIALOG	MacPrint					
—	-2134376400	5	66	62	152		
	FONT	8	"Helv"				
	8	4	59	10	20		
	8	15	72	10	21		
	8	26	84	10	22		
	102	4	40	14	1		
	102	22	40	14	2		

END OF MACROS

NCTE	0 F.I	ר ו־			
I	nfc	rma	ntid	o Pi	cint
n					

Num_User_Scenarios	0
Current_Scenario	#NAME?
Invoice_Number	0
Invoice_Date	0
Sales_Rep	0
Sold_To	0
Number_Items	0
Tax	0
Freight	0
Total	

Informatio Print

n

ANS_INFOPRT	C:L89C:L89
ANS_KEEPDATA	C:L184C:L184
ANS_MACROPRT1	C:L370C:L370
ANS_MACROPRT2	C:L371C:L371
ANS_MACROPRT3	C:L372C:L372
ANS_SWAPDATA	C:L315C:L315
ANS_UPDDATA	C:L197C:L197
BACKGRND	C:B38C:B38
BCK_COL	C:B46C:B46
BCK_LOOP	C:B41C:B41
CLEAN_LIST	C:B151C:B151
CLEAN_LOOP	C:B152C:B152
CURR_SCEN	C:B110C:B110
DATA_01	B:B2B:B5
DATA_02	B:E4B:E5
DATA_03	B:B7B:B10
DATA_04	B:B13B:B16
DATA_05	B:I7B:I15
DATA_06	B:B19B:C32
DATA_07	B:H19B:H32
DATA_08	B:C38B:C39
DATA_09	B:I34B:I35
DATA_10	B:F38B:F41
DEL_SCENARIO	C:B240C:B240

DLG_INFOPRT	C:B86C:B86
DLG_KEEPDATA	C:B181C:B181
DLG_KHELP	C:B203C:B203
DLG_MACPRINT	C:B367C:B367
DLG_PERSONAL	C:B380C:B380
DLG SAMPLE1	C:B112C:B112
	C:B121C:B121
	C:B312C:B312
	C:B194C:B194
	C:B322C:B322
	C:B331C:B331
	C·B249 C·B249
	C·1325 C·1325
	D:4333 D:4333
	D:A227 D:A227
	C'B67 C'B67
	C:B77 C:C22
INFO_LIST	D-A295 D-A295
	D.A205D.A205
	C.R40 C.R40
	C.D49C.D49
	D:A107D:A107
	D:A168D:A168
	C:B84C:B84
	D:B335D:H34/
INF_CONVENTION	D:D232D:H243
INF_NUTE_RANGE	D:B20/D:H29/
INF_OVER_RANGE	D:B62D:H67
INF_STEP_RANGE	D:B109D:H129
INF_TIPS_RANGE	D:B1/0D:H186
	B:A1B:A1
	C:B130C:B130
	C:B1/0C:B1/0
	C:B164C:B164
	C:B167C:B167
	C:B143C:B143
K_VERSIONS	C:B1/2C:B1/2
	C:B237C:B237
	C:B236C:B236
MACROS	C:A1C:A1
MACROS_RANGE	C:A3C:L397
MACRO_HIDE	C:B344C:B344
MACRO_PRINT	C:B353C:B353
MACRO_SHOW	C:B341C:B341
NOTES FIELDS	C:A435C:B444
NOTES_FIELDS	C:A433C:A433
NOTES_SHOW	C:B348C:B348
NO_UPDATE	C:B310C:B310
PERSONALIZE	C:B378C:B378
PREV_SCEN	C:B109C:B109
RES	C:B238C:B238
RES_INFOPRT	C:L87C:L87
RES_KEEPDATA	C:L182C:L182
RES_MACROPRT	C:L368C:L368
RES_SAMPLE1	C:L113C:L113
RES_SAMPLE2	C:L122C:L122
RES_SWAPDATA	C:L313C:L313
RES_UPDDATA	C:L195C:L195
RES_UPDSC	C:L323C:L323

RES_UPDUN RNG_NAME RNG_NUM RN_TABLE RN_TABLE_RANGE SAMPDATA SAMP_RESTORE SCENARIO_LIST SHEET_RANGE	C:L332C:L332 C:B179C:B179 C:B178C:B178 C:A482C:A482 C:A483C:B592 C:B96C:B96 C:B105C:B105 C:B254C:B287 B:B2B:I42
SHT_PRINT	C:B30C:B30
SUBTOTAL	B:I33B:I33
SWAPDATA	C:B211C:B211
TABLE_CONTENT	A:A1A:A1
UPDATE	C:B289C:B289
UPDATE_LIST	C:B255C:B287
UPDATE_LOOP	C:B304C:B304
UPDATE_POST	C:B303C:B303
UPDATE_TEST	C:B298C:B298
UPDUN	C:B224C:B224
UPPER_LEFT	C:B75C:B75
UP_EXISTING	C:B157C:B157
UP_UNNAMED	C:B229C:B229
ZM_ALL	C:B25C:B25
ZM_NRML	C:B24C:B24
ZM_RESTORE	C:B27C:B27
ZM_SCRN	C:B14C:B14
ZM_TABLE	C:B16C:D19
ZOOM_RTN	C:B22C:B22
ZOOM_TEST	C:B9C:B9
\0	C:B4C:B4

Name Notes Fields

resolution and sets s accordingly

Ν

tht yellow background

play entire page

normal

N

N

eet page

om the Information sheet

N

42			"Select Informati	on to Print"	1
1342242800	"button"	"Current topic"	C		1
1342242800	"button"	"All topics"	C		0
1342373900	"button"	"ОК"	C		
1342373900	"button"	"Cancel"	C		

e data, preserving existing entries

N

58			"Sample Data"	1
1342177300	"static"	"You can use a s	0	
1342373900	"button"	"ОК"	0	
1342373900	"button"	"Cancel"	0	
1342177300	"static"	"currently in this	0	

42	••••		"Sample Data"	1
1342177300	"static"	"Restore the data	0	
1342373900	"button"	"ОК"	0	
1342373900	"button"	"Cancel"	0	

a in a scenario

N

scenario name. Press OK to return to the Keep Data dialog box."}{Branch KEEPDATA} [_EXISTS]

WAPDATA)))))}{Let ANS_SWAPDATA;ANS_SWAPDATA+1}{Branch CLEAN_LOOP} <}

.TA)))} .TA)))} +RNG_NAME;@Lower(@Trim(@Index(UPDATE_LIST;0;ANS_UPDDATA)))}

ios is in use. You must delete a scenario before creating a new one."}

ner scenario name."}{Branch KEEPDATA}

?Trim(ANS_KEEPDATA))}

82			"Keep Data"	0
1350762600	"edit"		0	
1342373900	"button"	"ОК"	0	
1342373900	"button"	"Cancel"	0	
1342373900	"button"	"Update"	0	
1342373900	"button"	"Help"	0	
1342177300	"static"	"You can create	0	
1342177300	"static"	"This SmartMast	0	
1342177300	"static"	"Enter a name fo	0	

88"'''	 "Update"	0

1352728600	"listbox"		0	UPDATE_LIST	
1342177300	"static"	"Select the scena	0		
1342373900	"button"	"ОК"	0		
1342373900	"button"	"Cancel"	0		

50			"Keep Data Help	•	1
1342373900	"button"	"ОК"	C		
1342177300	"static"	For more information	C		

cenario selected by the user

N

is scenario is used to clear data from the SmartMaster and create a blank, unnamed scenario."}{Branch SWAPDATA} "Stop";RES}{If 1-RES}{Quit}

_ADDR}{Quit}

PDATA)))}

Id 2) insert as many rows as you like.

88			"Swap Data"		1
1352728600	"listbox"		0	SCENARIO_LIST	0
1342177300	"static"	"Select the scena	0		
1342373900	"button"	"ОК"	0		
1342373900	"button"	"Cancel"	0		
1342373900	"button"	"Delete"	0		

58			"Update Scenario	o "	0
1342177300	"static"	The scenario na	0		
1342373900	"button"	"Yes"	0		
1342373900	"button"	"No"	0		
1342373900	"button"	"Cancel"	0		

58			"Update Scenario	o"	0
1342177300	"static"	"The current sce	0		
1342373900	"button"	"Yes"	0		
1342373900	"button"	"No"	0		
1342373900	"button"	"Cancel"	0		

Macros sheet

N

Notes/FX fields

N

N f the macro sheet

dscape"} t"} vrtrait"}

42			"Select Informati	on to Print"	1
1342242800	"button"	"Macros"	0		0
1342242800	"button"	"Notes Fields"	0		0
1342242800	"button"	"Range Name Ta	0		1
1342373900	"button"	"ОК"	0		
1342373900	"button"	"Cancel"	0		

Return to Macros

Return to Macros RES_SWAPDATA

ANS_SWAPDATA

Information

Index

ick a button<u>to go to a subject.</u>

	Subject	Description
>	Overview	General information about this SmartMaster.
>	Steps	Procedures to use this SmartMaster.
>	Tips	Helpful hints for using this SmartMaster.
>	Conventions	Details on conventions used in this SmartMaster.
>	Notes/FX Enabling	Description of Notes/FX and available fields.
>	Macros	Individual macro commands and their descriptions use in this SmartMaster.
>	About	Information about the developer of this SmartMaster.

nvoice SmartMaster

All cash flow starts with an invoice. Using the Invoice SmartMaster you can keep track of all go and services rendered and track all associated costs. To use it, simply fill in the shaded areas.

e Invoice SmartMaster

- 1. Enter the information about the customer that you are billing.
- 2. Enter the information about where the goods are being shipped.
- 3. Enter invoice-specific information such as the invoice number, the invoice date, and so on.
- 4. Enter all of the line items.
- 5. Enter the sales tax information by entering a number or a formula.

For example, enter +SUBTOTAL*.05 to compute a 5% sales tax.

Tips

Make sure that you enter an amount in the quantity column for each line item.

If you send repeat invoices to customers, use a previous invoice or "Keep Data" to streamline entry process.

Many companies will not pay invoices unless the credit terms are clearly defined, so be sure to the terms to which you and your customer have agreed.

If you need more than one line for a description, make sure you enter the quantity and the pric the same row, or you may get an incorrect answer.

The cell where tax is entered is unprotected so that you can enter any tax as a value, or enter that calculates a tax, as your state may require one.

Conventions

Cell Types Shaded cells are data entry areas. Outlined cells contain formulas that are automatically

Printing **All forms print in portrait orientation.**

Dates Enter the date as MM/DD/YY.

Return to Inviniformation Endex

IrtMaster with Notes/FX

Notes/FX lets you exchange data between applications by embedding the data as an object in In 1-2-3, the range called "Notes Fields" can be made available to Notes for exchanging data b and the spreadsheet.

This SmartMaster contains fields that can be used for Notes/FX applications. To see the range "Notes Fields," click on the Notes Fields button. For more information about using Notes/FX, se documentation.

his SmartMaster

This SmartMaster was developed by KMT Software, Inc. KMT Software is the developer of sev add-on products that are marketed under the Lotus name through Lotus Selects. KMT Software worked closely with Lotus to develop the Lotus SmartMaster Collection for 1-2-3 Release 5, a collection of dozens of additional SmartMaster templates. The Lotus SmartMaster Collection fo 1-2-3 Release 5 includes SmartMaster templates to help you manage your business as well as personal planning and finances. To order or learn more about the Lotus SmartMaster Collection for 1-2-3 Release 5, in the U.S. call Lotus Selects at 1-800-635-6887. In Canada, call 1-800-GO-LOTUS.

> Invoice

≥d

ods shipped



the data state e on a formula

computed.

Notes Fields

a Notes form. etween Notes

named e the Notes



please