

Corel VENTURA™ 8 Full Product

THIS TRIAL VERSION CONTAINS ONLY THE MAJOR MODULE OF THE RETAIL VERSION OF THE SOFTWARE AND THIS IS THE ONLY MODULE YOU WILL BE ABLE TO INSTALL. EXTRA VALUE COMPONENTS AND APPLICATIONS OF THE RETAIL VERSION OF THE SOFTWARE ARE NOT INCLUDED. THE FOLLOWING IS A SHORT LIST OF COMPONENTS NOT INCLUDED

Main Applications **Corel® DataBase Publisher 8:** The combined power of Corel DataBase Publisher and Corel VENTURA 8 helps users transform a database into a visually appealing catalog or report. Corel DataBase Publisher also provides all the power of Corel® WEB.DATA to publish directly to the Web*. Automation commands allow OLE clients to fully control the automated output. **Corel® WordPerfect® 8:** The latest release of this popular word processor delivers a powerful set of SGML tools, innovative new features, a streamlined interface and state-of-the-art Internet capabilities. **Corel PHOTO-PAINT™ 8:** A comprehensive painting and photo-retouching program, Corel PHOTO-PAINT 8 features several image-enhancing filters for improving the quality of scanned images, plus special effects filters that dramatically alter the appearance of images. Users may also work with natural media brushes to create artistic effects that mirror the process of painting on textured paper.*Internet service provider fees, and telecommunication and other charges may apply, depending on location and usage. Terms and conditions apply. Internet connection required. **Supporting Utilities** **Corel OCR-TRACE™ 8:** This bitmap-to-vector tracing utility can be used to convert scanned or manually created bitmap artwork into vector images. Corel OCR-TRACE™ 8 supports several tracing modes including outline, centerline or woodcut. The Optical Character Recognition (OCR) function extracts editable paragraph text from scanned documents. **CorelSCAN™ :** A wizard-driven scanning utility, CorelSCAN™ preset processing options. The user can remove red eye from photographs or apply automatic effects such as moire removal on half-toned images during post-processing. **Corel CAPTURE™ 8:** This advanced screen capture utility allows for captures of the Current Window, Active Client, Full Screen, Rectangular Area, Elliptical Area or Freehand Area, as well as video capturing. Hot keys, destination, file name, type and preference settings may be defined by the user. Corel CAPTURE™ 8 is ideal for the documentation specialist. **Corel SCRIPT Editor™ and Corel SCRIPT Dialog Editor™ :** These scripting utilities facilitate the creation of add-on utilities for Corel VENTURA 8 and Corel PHOTO-PAINT 8 through OLE 2 Automation. For greater flexibility in script design, virtually every function has been exposed to automation. **Bitstream® Font Navigator 3.0™ :** This font manager for Windows 95 and Windows NT 4.0 is developed by Bitstream Inc., a company widely known for its expertise in font technology. Font Navigator™ 3.0 offers a quick and easy way to find and install fonts, organize fonts into manageable groups, and view and print samples. **® Versions® :** Users can manage revisions to Corel VENTURA 8 files with Corel® Versions®, which lists all archived files and allow users to retrieve any archived file if a previous version is required. Versions also lets users compare any two files to see the text differences between them. **Corel® Visual DTD™ :** Incorporating software provided by Microstar Software Ltd., Corel® Visual DTD™ is designed to simplify the task of designing and editing complex Document Type Definitions (DTDs) for SGML. The graphical interface allows for computer-aided design, visual inspection and editing of DTDs.

Plug-ins:

Corel VENTURA 8 includes impressive Adobe® Photoshop® -compatible plug-in filters, such as AutoF/X™/Graphics Edges™, Cytopia PhotoLab™, Digimarc™ Digital Watermarking and Human Software Squizz!™. These plug-in filters can also be used with Corel PHOTO-PAINT 8.

Corel VENTURA 8 offers an extensive collection of templates and fonts to help users enhance their documents, including:

- + 40,000 clipart images and symbols
- + 1,000 TrueType® and Type 1 fonts
- + 1,000 high-resolution photos
- + Over 90 templates

Corel VENTURA 8 Installation Notes

Corel does not recommend installing Corel VENTURA 8 applications over any previously released version (e.g., Corel VENTURA 5, Corel VENTURA 7). Please ensure that you install Corel VENTURA 8 applications to a new folder.

Corel VENTURA 8 may be installed into the same folder as the CorelDRAW 8.0 installation.

Users who purchased CorelDRAW 8.0 and who have installed Corel VENTURA 8.0 into the same folder should ensure that they have obtained and installed the latest CorelDRAW 8.0 service patch from the Corel Web Site (www.corel.com). A service patch should currently be available on the web site.

When installing and uninstalling this application, take note of any color profiles, scripts or sample files that you may have modified and saved to its original name. To prevent the removal or overwriting of your current color profiles, scripts or sample files that you may have modified, ensure that you first copy the modified files to another location before installing updates or uninstalling this application.

Disk space required for this installation may vary depending on drive configuration. For example, a 2Kb file on a FAT (File Allocation Table) formatted disk will occupy 16Kb on a 1Gb drive, and 32Kb on a 2Gb drive. The install bases its calculation on the actual file size and not the required disk space size. Therefore, installing to a large, partitioned drive that is FAT formatted, and is quite full, lack of space errors may be encountered towards the end of the installation.

Corel VENTURA 8.0 and CorelDRAW 8.0 share common Writing Tool registry entries. In the event that the Writing Tools portion of the installation for one of these applications is uninstalled, the Writing Tools will be disabled for the remaining application. This will occur if only the Writing Tools component is chosen to be uninstalled. To re-register the Writing Tools for the remaining application, run the file comreg.exe from the \ Programs folder. This will re-register the installed Writing Tools files in the remaining application.

Corel VENTURA 8.0 and Corel WordPerfect 8.0 share common Writing Tool files, but have different registry entries. It is for this reason that Corel does not recommend installing these applications into the same path (e.g., \Corel\Graphics8). Please install these applications into separate folders to ensure full Writing Tool functionality.

Corel VENTURA 8

Adobe Acrobat

For optimal publishing results when publishing or printing to Adobe Acrobat, we recommend these settings for cleanest output.

In the Print Dialog Box - Click the Postscript Tab and enable output color bitmaps in RGB.

In the Print Dialog Box - Click the Miscellaneous Tab and Scroll down the list of special settings to Bitmap Font Limit (PS) and change the setting from 8 to 0.

Hyperlinks for Chapters and Files is not supported. Publishing as URL's and Internet addresses is supported.

Artistic Text

Under the Edit Text Window | Options | Text Options and Spelling there are several items related to Artistic Text that have no effect in Corel Ventura 8.0. This is functionality inherited from CorelDRAW and is only available within that application.

AutoNumbering

When setting up AutoNumbering, Z_SEC tags will have the same properties as the paragraphs that they accompany when they are generated for the first time.

Text in tables cannot be AutoNumbered. This is because tables do not hold files, and AutoNumbering can only be performed on named files.

Bitmaps

Plug-ins cannot preview duotone images, instead the duotone images will be previewed as grayscale.

Resample and Convert to Bitmap are memory intensive. When you create or resample a bitmap that is the full size of the screen, the uncompressed file size is very large. Ensure you have enough free virtual memory to complete the operation.

Any Bitmap Color Mask applied to a bitmap will not be visible in window previews of any bitmap effects' dialog.

In order to use Adobe PhotoShop's plug-ins in DRAW and PHOTO-PAINT, a file called MSVCRT10.dll is needed, which can be found in any of Adobe's products that supports Plug-ins.

Chapter/Page Numbering

Please note that, while you can set numbering in headers and footers, the only place you can set the numbering style (i.e., 1,2,3 or a,b,c) is in the Chapter properties dialog (Counters tab).

Clipart

The clipart collection contained on CD#2 is in Corel Media Folders. To view the clipart in Windows NT 4.0, the Corel Media Folders application must be installed or Internet Explorer 4.0 (Standard Installation) is required.

Under Windows 95 the Corel Media Folders contained on CD#2 will appear as regular Windows folders. Installation of Corel Media Folders is not necessary for browsing the CD. To take advantage of full searching capabilities for keywords and notes, or thumbnail printing, install Corel Media Folders from the main setup on CD#1.

Conditions

Conditions CANNOT be applied to paragraphs tagged with the following tagnames:

Z_ENOT #
Z_ENOT ENTRY
Z_FNOT #
Z_FNOT ENTRY
Z_FOOTER
Z_HEADER
Z_INDEX LTR
Z_INDEX LVL n (where 'n' indicates any digit, e.g. Z_INDEX LVL 1, Z_INDEX LVL 2, etc)
Z_INDEX TITLE
Z_SEcn (where 'n' indicates any digit, e.g. Z_SEC1, Z_SEC2, etc)
Z_TOC LVL n (where 'n' indicates any digit, e.g. Z_TOC LVL 1, Z_TOC LVL 2, etc)
Z_TOC TITLE

Conditions can be applied to paragraphs tagged with the Z_CAPTION tag, or, other user-defined Z_ tagnames, such as "Z_MY OWN TAG".

Cross-References

Please note that the Navigator does not automatically update in the Markers/Cross-references page. To refresh this page to display all of your markers and cross-references, simply click the Refresh button.

Edit In CorelDRAW and applying Effects to graphic objects.

Applying an interactive transparency or other similar Effect to a vector graphic image that has been placed in CorelDRAW as a result of clicking Edit in CorelDRAW option, may result in the image appearing as a grayscale image, when the graphic is returned back into Corel VENTURA 8.

CorelDRAW 6.0 is not supported for Edit in CorelDRAW

Frames

Support for file types that can contain masks has changed. In Corel VENTURA 7 we only supported masks in EPS files. In Corel VENTURA 8 we will support masks in all file types in our filter list that support these elements. For this reason, version 7 files that contain pictures that have masks will appear differently in version 8 because the mask will be active (embedded pictures from version 7 file will not be affected since their mask information will have been lost on embed.)

To make frames spread across pages in version 7 you had to enable frame spread. In version 8 frame spread is turned on automatically when you resize/move a frame across pages.

Frames with captions that are rotated then resized or skewed then resized will cause the caption to become disassociated from the parent frame.

Spread frames that have captions will sometimes behave erratically when rotated.

Frames and/or graphic objects that are placed in the area beyond the pasteboard are inaccessible with the mouse pointer. To select and reposition these frames you can select the page the object belongs to and use the tab key to toggle to it. You can then reposition it using the property bar or the associate dialog.

Spread frames belong to the left page always. For this reason if you are not in facing pages mode then you will not be able to edit these frames on the right page. When in facing pages mode this is not an issue.

Bitmap Plugins

The bitmap effect filters and plug-ins are the same ones that are found in PHOTO-PAINT. Some of these filters require a mask to be present. Corel VENTURA represents masks for viewing purposes but they are not active masks as they would be in bitmap-editing applications. For this reason these filters may have different results in VENTURA than they would in bitmap-editing applications.

Bitmap effects sometimes require that a certain color model (eg. CMYK) to be used. If your picture file does not use that model then certain effects may be inactive for that file. You can use the convert option in the bitmap flyout menu to convert your picture file to the correct color model. Be aware that the optimal color model for bitmap editing is RGB.

Headers/Footers

VP7 did not wrap text in headers if the text is tabbed to the end of the line. Because VP8 does do this, opening a VP7 pub with more tabs than the line will accommodate will wrap, and the header frame will therefore be bigger than it was in VP7 to accommodate the extra lines.

When using pages with different widths in the same publication, the header or footer paragraphs will indicate that the properties have been overridden from the default settings.

The default Z_HEADER and Z_FOOTER paragraph tag settings are based on the Default Page tag.

When clicking on header or footer text, a flag () will appear next to the Z_HEADER or Z_FOOTER tag in the Paragraph Tag list box.

This flag appears because the tab settings for the Z_HEADER and Z_FOOTER paragraph tags had to be overridden for the tab settings to reflect the different page widths.

To avoid this flag, create new header and footer paragraph tags for the narrower pages.

Headers and Footers are frames (and tags in VP8) unto themselves. Although they sit physically on a page tag, they are not, strictly speaking part of the page tag. Therefore, if you want to copy or mirror them, please ensure that you have a header or footer selected and not the page tag. Conversely, copying/mirroring page tag properties will not include headers and footers.

Importing Picture Files with objects or channels

Importing images that have channel masks that are active or not will import with the channel mask enabled. Importing images that have objects contained within them and have a background behind the objects will merge the objects with the background. Importing images that have objects contained within them and have a transparent background will merge the objects together to one layer and maintain the transparent background.

Importing Text Documents

Additional font codes are sometimes inserted at every paragraph upon import of documents originating in wordprocessors. In order to eliminate the bulk of these font codes, ensure that Create Tags from Paragraph Overrides on Import and Open is set to on. This option can be found in Tools, Options, Workspace, Save. In some cases, extra font markup may still remain in the imported file. This can be removed manually in the Copy Editor.

Netscape 4

If two images are published side by side, where both images are left aligned and the first image has a greater height value, then the first image will not draw correctly. The image appears cropped. This problem does not occur in Netscape 3.X or in an Microsoft Internet Explorer Browser.

Node Editing Frames with the Node Edit Tool

Node editing frames with the Node Edit tool will not refresh the screen until the tool is de-selected or until a manual refresh has been forced by the user via the CTRL+W.

Page Tags

The Page tag borders button in Tools | Options | View sets the color of frames which are on Page Tags. The Frame borders button sets the color of frames which are on pages in Page Layout view. The color of the Page Tag pasteboard is taken from the Frame borders color setting.

If you override any Page Tag property, including frames or other objects on a Page Tag, the General tab of the Page Properties dialog will show a list of the differences between the overridden page and its Page Tag. If Page Tag Headers or Footers has been enabled or disabled, this will display as "Page Header" or Page Footer". If any other Header/Footer property, such as color, columns, etc., is changed then this will be displayed as "Frames/Graphic Objects".

Printing

Duotones separations do not show up in print preview if preview view settings are set to normal with low res bitmaps.

If you are experiencing kerning problems when printing to an Hewlett Packard LaserJet 4 or 5P non-postscript printer go to Print Preview | Setting | Driver Compatibility dialog and enable "All text as graphics" option.

Section Cross References

When inserting cross-references to section numbers with the Reference All occurrences option enabled. The section numbers are listed in the order in which the markers being referenced were inserted. Therefore, you must ensure that you insert your text markers in the order in which you want the section numbers to be cross-referenced. For example, in a publication with paragraphs numbered 1-10, if you want the resulting cross-reference to be 1,2,3 you must place your text marker in paragraphs 1 then 2 then 3. Inserting them in the order 2, 3 and 1 will produce the cross-reference 2, 3 and 1.

Variable Markers and Text Markers

Giving Variable Markers and Text Markers the same name will produce unpredictable results. The Navigator will only display the Variable Marker name. The Text Marker may also not exist in the Cross-Reference or the Edit Marker Name dialog boxes.

Workspaces

When a different workplace is chosen, that workplace has to be set as current, otherwise, any setting displayed in the Options dialog will not reflect the settings in the selected workplace; any settings changed will not be saved to the chosen workplace either.

When adding a new workspace for the first time, which is based on the workspace of the '_default,' the new workspace will actually be based on the setting of Corel VENTURA's initial workspace, even if the _default workspace has different settings already. Therefore, the _default workspace and the new workspace will end up with all the settings equivalent to Corel VENTURA's initial workspace settings.

Corel VENTURA and Corel PHOTO-PAINT will load the default Regional Settings (e.g., units of measure), as set in Control Panel, Regional Settings. Should Regional Settings be changed at a later date, the Coreldraw.ini and/or the photopnt.ini (located in the \Workspace\Application\workspace name folder) must be deleted in order for this change to be recognized by the applications. Please note that custom application settings will be returned to default settings after deleting these files.

Writing Tools

The following languages are supported in Corel VENTURA 8's Writing Tools:

Grammatik:

Dutch, English (US), English (UK), French, German, Spanish

Spell Checker:

Afrikaans, Catalan, Czech, Danish, Dutch, English (US), English (UK), French, Galician, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Portuguese, Russian, Spanish, Swedish, Turkish

Thesaurus:

Danish, Dutch, English, French, German, Italian, Norwegian, Portuguese, Spanish, Swedish

The English language Spell Checker is installed by default during a Typical and Compact Installation. To install additional languages, run the Setup from CD#1. Choose Custom setup. Advance to the Writing Tools page within the Setup Wizard. Choose the desired language(s) to install.

Corel VENTURA 8.0 and CorelDRAW 8.0 share common Writing Tool registry entries. In the event that the Writing Tools portion of the installation for one of these applications is uninstalled, the Writing Tools will be disabled for the remaining application. This will occur if only the Writing Tools component is chosen to be uninstalled. To re-register the Writing Tools for the remaining application, run the file comreg.exe from the \Programs folder. This will re-register the installed Writing Tools files in the remaining application.

Corel VENTURA 8.0 and Corel WordPerfect 8.0 share common Writing Tool files, but have different registry entries. It is for this reason that Corel does not recommend installing these applications into the same path (e.g., \Corel\Graphics8). Please install these applications into separate folders to ensure full Writing Tool functionality.

Miscellaneous

Opening Booklet or Book layout publications from version 5, the page may not look correct on open. Reapplying the Page tag will fix the page.

There is no MS Word 1, MS Word for Mac 1,2,3 or Multimate import filter in Corel VENTURA 8. When importing older files that have these formats, these text files will not appear.

Open your publication/chapter in VENTURA 3.x to 5.x and use File/Type Rename to change the format to a supported format in VENTURA 8, such as WordPerfect, ASCII, etc.

Flag remains beside tag name in Paragraph Tag List after Updating the Tag Update Tag button never greys out in Paragraph Properties dialog.

Overridden paragraphs displays a 'flag' beside its paragraph tag name in the Paragraph Tag List and may fail to remove this flag after 'Updating the tag'. To correct this Open the Paragraph Tag list and reselect the tag name from the list. A prompt will pop up asking you to reformat the paragraph using the selected tag and simply click OK.

This situation can also be identified by Differences from Tag section on the General Tab of the Paragraph Properties. It will be identified as Effect Font.

This does not mean that the 'Update tag' command did not work properly, but rather, it only neglected to send this specific change to the paragraph tag. If you do not re-tag this paragraph at this point, it will maintain it's entire list of paragraph properties, which may seem redundant (hence why 're-tagging' the paragraph is suggested) and as such, tag level changes to these corresponding properties will have no effect on this paragraph, all the while that it is overridden.

Retaining Word Processing Styles on Import

Save the file in your word processor as RTF (Rich Text Format) and disable the Ignore style checkbox on the import dialog.

Corel VENTURA 8 Import/Export Filters

Some Import and Export filters contain more than one filter type within them. Although limited filter files may have been chosen for installation, access to other filters may be provided. No additional files were installed for these filters. Should you not wish to have access to these additional filters, it is possible to remove them from your filter list. Filter lists can be customized using Tools, Options, Global, Filters. Edit the list of active filters to include only those you wish to have access to.

Corel VENTURA Printing & Color Management

The Corel Commercial Printing Guide contains references to 'Corel Color Manager.' The Corel Color Manager application has been renamed to the Corel Profile Wizard.

Color correction controls are now located in Tools, Options, Global, Color Management.

Pantone spot colors are displayed and printed to RGB devices using the standard sRGB values provided by Pantone Inc. When separating or otherwise outputting to CMYK devices, the CMYK values used are those provided standard from Pantone Inc.

Enable the Map Pantone Spot Colors into CMYK Gamut option in Tools, Options, Global, Color Management if you wish the Pantone spot colors to be treated the same a CMYK color model, as they were in previous versions.

Corel VENTURA 8 defaults to Postscript Level 2, the default in past versions of Corel VENTURA was Postscript Level 1. If PS errors are received when printing, ensure that Corel Ventura's Postscript language level matches your printer's PS level.

When using lenses, transparencies, or drop shadows, the crispness of the output can be altered by changing the resolution that these items will be rendered at. This control is located in the special settings on the Miscellaneous tab of the Print dialog.

sRGB vs. RGB in Corel VENTURA and PHOTO-PAINT

sRGB is a new standard that was jointly developed by Hewlett-Packard and Microsoft. It standardizes an RGB palette, removing the need for color profiles or descriptions when printing or displaying graphics.

Corel VENTURA 8 and Corel PHOTO-PAINT 8 deal with RGB colors differently than in previous versions. Corel VENTURA 8 has adopted the sRGB standard in defining RGB colors rather than using its own RGB, as in previous versions. From a user's standpoint, there will be very little difference, visible as minor color differences when using RGB colors. Files created in previous versions of Corel VENTURA or Corel PHOTO-PAINT will maintain their numeric RGB values in version 8.

CorelSCAN and Scanning

Microsoft Windows NT4 and Scanning

Service pack 3 must be installed on WINNT4 in order for scanning to work properly.

TWAIN Compatibility

TWAIN.dll's version 1.6.0.3 and Twunk_16.exe\Twunk_32.dll version 1.6.0.1 must be used. Please note: some scanner software has been known to overwrite new versions.

Manufacturer's Scanner Drivers

Always use the latest drivers from the manufacturer. These can usually be obtained from the manufacturer's website.

Free Disk Space

To avoid application instability, ensure that you have adequate swap file space at the commencement of the scan. If application instability is still an issue, make sure that TWUNK_16.exe is not running on your system.

AGFA Fotolook 2.0.8

Version 2.0.8. and earlier is not supported. Please upgrade to version 2.0.9. or later.

Canon IX-3010

16-bit grayscale depth is not supported.

Canon ScanCraft CS

Please update your driver to 3.0.1a or later.

Casio Digital Camera 16-bit Driver

Pressing Escape when the driver is active will cause CorelPHOTO-PAINT and CorelSCAN to go into a non-responding mode. This is common with other bitmap editing applications.

Epson 2.20

The 16-bit driver is not supported. Please use the 32-bit driver.

When canceling an image, ensure that the red error light is not flashing and that the scanner is in its Ready state before continuing.

Ensure that when Testing the Scanner Driver in the Configuration Manager, that the Epson scanner is turned on.

Hewlett Packard Deskscan 2.3 and later

The Test Scanner Driver function will fail if you have an ADF attached to your scanner. Image shifts from selected area.

Hewlett Packard PrecisionScan Driver 1.0

This driver is not supported.

Microtek ScanWizard 2.30 and later

Time-out problems may be experienced when scanning at a resolution under 100 DPI. Read the Error.txt that is provided with the driver.

Kodak DC50 Digital Camera

You cannot keep the manufacturer's user interface displayed after a scan.

Other:

We are not supporting 4 bit per pixel depths in version 8.

As well, 48-bit scanning is not supported in CorelSCAN, the image will be converted to 24-bit RGB.

Thumbnail display is not available from CorelSCAN when run as a stand-alone.

Selection of memory, buffered, and file mode is no longer available in CorelPHOTO-PAINT.

CorelTWIN Drivers

Update your Adaptec SCSI Driver to 1.3 or higher. CorelTWIN drivers are no longer supported for this version, but can be used with the following restrictions:

Epson

You cannot use this driver with newer scanner models. It only functions on the 600C, 800C, and 1000C. It cannot read the SCSI bus properly. Therefore, you cannot scan with this driver at all.

Fujitsu ScanPartner Series

Error indicating that "A serious error occurred and to ensure that there is adequate space." You must reboot and re-install this driver.

Hewlett-Packard 32 Bit

Cannot rotate an image 270 degrees. You will receive an error to free up some memory even though there is enough available.

Cannot cancel a scan; it will still scan the image anyway.

Cannot scan with an Automatic Document Feeder.

Microtek ScanMaker II/III

Cannot cancel a scan; it will still scan that image anyway.

Ricoh IS/ FS2/ IBM 2456

Rotation of scanned image produces very poor results. You cannot rotate an image 270 degrees.

You cannot scan at less than 100 DPI. You will receive a message stating that an error occurred while trying to create scan buffers and to free some memory. This happens in Paint 7 as well.

Corel PHOTO-PAINT 8

Web Browsers and JPEG images

Please note that 32-Bit JPEG images are not currently supported in Web Browsers.

If you are saving Progressive JPEG images for the Web, make sure that your Web Designer and/or Browser supports Progressive JPEG.

Watermark detection

Watermark detection will not work automatically on opening a CPT file (even when the corresponding checkbox is set). You must first load the file and set the "File">"Export">"Detect Watermark" option.

3rd Party Plugin Filters

The Squizz plugin filter will experience problems if running on Windows NT 4 with 16M of RAM or less. This seems to be a general problem with this plugin and the current work around is to increase the RAM. This problem does not occur under Windows 95.

The KPT plugin filters do not work properly with CMYK images. The plugin works best with 24-Bit images.

Some of the dialog boxes for the plugins do not support video screen display of 256 colors or less and consequently the display is very poor. The current work around is to increase the video screen display to 16-Bit [32k colors] or higher.

When using the MagicMask plugin (and it's older version - Chromatica), the mask does not apply to the final image. This is a problem with the plugin and CorelPHOTO-PAINT (7 & 8). Chromatica has acknowledged the problem and provided this work-around:

1. Engage MagicMask as normal.
2. Do all your masking in MagicMask.
3. When done click OK.
4. Before doing anything else hit "Ctrl K"
5. Then hit "Ctrl F"
6. Then hit "Ctrl K"

The Mask will now be active in CorelPHOTO-PAINT.

Blur and Sharpen Effect Brushes

The Effect Tool brushes, Blur and Sharpen, will not operate correctly on objects in 16bit Grayscale or 48bit RGB images.

CorelTUTORS 8

Display Issues

When the tutors are loaded, docked or undocked, the tutor display may become blank and grey. Pressing the home button at the top of the tutors, will return it to the home page and restore the display.

Control Buttons

The buttons at the top of the tutors may not appear three dimensional when the mouse is moved over them. In certain cases, instead of the Back and Forward buttons being greyed out, they may not appear at all. This does not affect the functionality of the buttons.

Using Large Fonts in Windows

If large fonts are used, then the Basic Tutorials graphic on the home page may not be visible. If it is not, then clicking the blank area between Welcome and Workshops will still access the Basic Tutorials.

Corel Media Folders 8/Album Converter

An Album Converter is provided in the Graphics Utilities folder for converting older Corel Mosaic 5.0 catalogs/libraries, Corel Gallery and Corel Multimedia Manager Albums to Corel Media Folders 8 format. Double-click the Album Converter to convert the files to a Corel Media Folder.

The Corel Media Folder Indexer helps you find files using the Text Search method. The Indexer stores the keywords and notes in a file that is activated when you perform a Text Search. To have control over this file you can choose a Corel Media Folder, subfolder, or file and right click to select Index, Delete. The keywords and notes created for the selected item, will be deleted from the Indexer file.

The Indexer can be set to run manually or automatically. To run the Indexer automatically, you can preset it to update its keywords and notes file periodically. To update the indexer manually, you can right click the folder or file whose indexing you want to update. Choose Index, Update to update the indexer on the newly added keywords and notes. The Text Search method can't be used until the Indexer is run on keywords and notes.

The Corel Media Folder Indexer will run during an uninstall to convert any of the Media Folders you have created to normal Windows folders.

3rd Party Clipart

TechPool Studios, Inc.

Guidelines for Usage of Images

Various clipart images have been licenced to Corel by TechPool Studios, Inc. As a user of this Corel product you are free to use, modify and include the TechPool images as you wish, subject to the terms and conditions of your Corel End User License Agreement and the additional restrictions set out below:

Production of a project which is not for resale - Personal Use Licence

- You may use up to 10 TechPool images per project or Web site without the need for an additional licencing agreement with TechPool.
- If you wish to use more than 10 TechPool images per project, you must upgrade to a Personal Use - Project Licence. This upgrade is not available for Web usage. There is a one-time US\$100 fee for this licencing upgrade.
- Your use of the TechPool images must be accompanied by a credit line in the acknowledgment section of your project or close to your use of the TechPool image(s). Further, you must send 2 copies of your finished project to TechPool. When using TechPool images on a Web site, please inform TechPool of the URL for your site.

Note: This category usually applies to projects such as brochures, slides, sales sheets and periodicals or Web sites which will be used for education, information or promotional purposes. To qualify for a Personal Use Licence, your project must not be available for sale.

Production of a product for resale - Commercial Use Licence

- You may use up to 10 TechPool images per product upon payment of an additional fee of US\$100.
- If you wish to use more than 10 TechPool images per product, the fee is \$100 for the first 10 images plus \$80 for each additional image beyond the first ten.
- This licence is valid for a period of one year. TechPool's Licencing Department will contact you on the anniversary of the original licence and inquire if you wish to renew or discontinue the licence.
- Your use of the TechPool images must be accompanied by a credit line in the acknowledgment section of your product or close to your use of the TechPool image(s). Further, you must send 2 copies of your finished product to TechPool. When using TechPool images on a Web site, please inform TechPool of the URL for your site.

Placement of TechPool images on items for mass production or the resale of TechPool images as artwork These situations must be reviewed by TechPool's Licencing Department on a case by case basis.

- Copyright Notices -

Please note TechPool's copyright in the images you are using in your project, product or Web site by doing one of the following:

1. Place the following notice beside each image used: Copyright © 1989-97 by TechPool Studios, Inc. USA
OR
2. Place the following notice in the credit or acknowledgment section your project or product: LifeART Images Copyright © 1989-97 by TechPool Studios, Inc. USA

- Web Site Usage -

In addition to the guidelines listed above there are a few special requirements which govern the use of TechPool images

on Internet Web sites or other electronic bulletin board services:

- TechPool images can be used as inline graphics (icons, page headings, etc.)
- No more than 10 TechPool images can be used per Web site.
- TechPool images may not, under any circumstances, be included as downloadable images or files.
- TechPool images should be limited in size to no more than 200 pixels maximum in either width or height (approx. 2 3/4" square on a standard 640x480 screen resolution).
- A credit line should appear by the TechPool images used or alongside the Web site copyright notices.

More Information

If you wish further information, please contact TechPool Studios Inc., Customer Service Department at 800-543-3278 or 216-291-1922, fax 216-382-4825, or email (lifeart@techpool.com).

Please refer to the end of this document for a listing of TechPool images.

Image Club Graphics - A Division of Adobe Systems Incorporated

Guidelines for Usage of Images

Various clipart images have been licenced to Corel by Image Club Graphics. As a user of this Corel product you are free to use, modify and include the Image Club images as you wish, subject to the terms and conditions of your Corel End User License Agreement and the additional restrictions set out below:

You MAY use the Image Club images:

- for illustrative or decorative purposes for printed communication (e.g. advertisements, publications, newspapers, brochures, reports and newsletters).
- for electronic and/or multimedia communication (e.g. presentations, training programs, video and web page design), provided:
 - the images are at a resolution not greater than 640 x 480 pixels (72 dpi);
 - the images are decorative in nature
 - the images are not the primary value or purpose of your production.

For example - you may incorporate an Image Club image as a decorative element on a web page, but you may not use the image in an application program where the image represents the primary value (e.g. a screen saver program).

You may incorporate or modify the Image Club images and use them in a non-electronic product for resale, except where the image is the primary value or purpose of the production. For example - you may incorporate an Image Club image in a total design on a T-shirt or poster as long as the image is one component of an overall graphic design and not a stand alone feature of that T-shirt or poster.

You MAY NOT use the Image Club images:

- in association with fraudulent, pornographic, defamatory, immoral or illegal material.
- or any part thereof, as a trademark or service mark, or claim any proprietary rights of any sort in the Image Club images or any part thereof.

Additional Rights Available

If you wish to use Image Club images in a manner not permitted by the above additional terms and conditions, please contact Image Club Graphics, a Division of Adobe Systems Incorporated, for information on any additional licensing options that may be available. Image Club Graphics can be reached at tel: 403-262-8008.

Please refer to the end of this document for a listing of Image Club images.

List of TechPool Images contained in Corel VENTURA 8:

1aid.cdr
911.cdr
Aarm_.cdr
Aarme.cdr
Aarmm.cdr
Aboyf.cdr

Abthr.cdr
Abuse.cdr
Acebdag.cdr
Achil.cdr
Adbl.cdr
Adlt1.cdr
Adlt2.cdr
Adrenals.cdr
Afem_.cdr
Afemf.cdr
Afoot.cdr
Afre.cdr
Ah&nm.cdr
Ahand.cdr
Ahart.cdr
Ahipj.cdr
Ahipm.cdr
Ahips.cdr
Aidsgrph.cdr
Akneej.ep
Alarm.cdr
Aleg_.cdr
Alege.cdr
Alegm.cdr
Aligflos.cdr
Amale.cdr
Amanf.cdr
Amb1.cdr
Amb2.cdr
Amlgburn.cdr
Amlgcarr.cdr
Amusc.cdr
Ankle.cdr
Anklejnt.cdr
Aorta.cdrs
Apelv.cdr
Aribs.cdr
Arm.cdr
Arma_.cdr
Armv_.cdr
Arter.cdr
Arteries.cdr
Artertot.cdr
Askel.cdr
Askul.cdr
Aspin.cdr
Aspirin.cdr
At-ax.cdr
At-ax.cdr
Atorm.cdr
Autoclav.ep
Awrsj.cdr
Baby.cdr
Babywomb.cdr
Bacteria.cdr
Badbrcs.cdr
Baid.cdr
Bcell.cdr

Beaker.cdr
Beavflos.cdr
Bedfr.cdr
Biohazrd.cdr
Biohz.cdr
Biohzrd.cdr
Birth.cdr
Blair.cdr
Blanket.cdr
Bldtest.cdr
Blindsit.cdr
Blindwlk.cdr
Bloodsup.cdr
Board.cdr
Bonding.cdr
Bonefile.cdr
Bovie.cdr
Bpcuf.cdr
Bpcuff.cdr
Braces.cdr
Bracp.cdr
Brainext.cdr
Brainint.cdr
Breads.cdr
Breast.cdr
Bronchi.cdr
Brshing1.cdr
Brshing2.cdr
Brshing3.cdr
Brshing4.cdr
Brth1.cdr
Brth2.cdr
Bunybrsh.cdr
Caduceus.cdr
Caduseus.cdr
Cane.cdr
Canine.cdr
Caninesc.cdr
Caninfil.cdr
Carry.cdr
Cast.cdr
Casting.cdr
Cavprep.cdr
Centoclu.cdr
Child.cdr
Chiptoth.cdr
Chkup1.cdr
Chkup2.cdr
Chkup3.cdr
Chld1.cdr
Chld2.cdr
Chldexam.cdr
Choke.cdr
Cmrks.cdr
Colar.cdr
Cold.cdr
Cook.cdr
Cough.cdr

Cpr1.cdr
Cpr2.cdr
Cpra.cdr
Cprb.cdr
Cprc.cdr
Crawl.cdr
Crown.cdr
Crpif.cdr
Crsh1.cdr
Crsh2.cdr
Crsh3.cdr
Crutches.cdr
Crvic.cdr
Culture.cdr
Curvscis.cdr
Cutjaws.cdr
Cwill.cdr
D911.cdr
Dairy.cdr
Dds1.cdr
Dds2.cdr
Dds3.cdr
Decdent.cdr
Dent1.cdr
Dent2.cdr
Dentexam.cdr
Dentflos.cdr
Dfoot.cdr
Dietscle.cdr
Diges.cdr
Digestiv.cdr
Digtherm.cdr
Dizzy.cdr
Dmd1.cdr
Dmd2.cdr
Dmd3.cdr
Docf.cdr
Docm.cdr
Doctor1.cdr
Doctor2.cdr
Doctor3.cdr
Dog.cdr
Dorft.cdr
Dril&bit.cdr
Drown.cdr
Drsplier.cdr
Ear_.cdr
Earexam.cdr
Earext.cdr
Ear-ext.cdr
Ear-int.cdr
Ekg1.cdr
Ekg2.cdr
Ekg3.cdr
Elbowjnt.cdr
Elev.cdr
Embox.cdr
Embryo.cdr

Embryo.cdr
Ems1.cdr
Ems2.cdr
Emt1.cdr
Emt2.cdr
Endoc.cdr
Escap.cdr
Estom,.cdr
Exerbike.cdr
Exercise.cdr
Exeye.cdr
Exhal.cdr
Explorer.cdr
Exp-prob.cdr
Ext1.cdr
Ext2.cdr
Ext3.cdr
Extus.cdr
Eyechart.cdr
Eyeex.cdr
Eyeexam.cdr
Eye-ext.cdr
Eye-int.cdr
Eyeprtct.cdr
Eyetest.cdr
Eyews.cdr
Faces.cdr
Facialn.cdr
Faclmusc.cdr
Fall.cdr
Fcrutch.cdr
Fdoctor.cdr
Feel.cdr
Female.cdr
Femdent.cdr
Femur.cdr
Fert1.cdr
Fert2.cdr
Fert3.cdr
Fever.cdr
Figheart.cdr
Files.cdr
Fire.cdr
Firea.cdr
Fireb.cdr
Firec.cdr
Firef.cdr
Firem.cdr
Fladr.cdr
Flask.eos
Flkne.cdr
Flospers.cdr
Floss1.cdr
Floss2.cdr
Flossing.cdr
Foodsbad.cdr
Foot.cdr
Forccdr..cdr

Fpump.cdr
Fpyramie.cdr
Frsym.cdr
Frtskull.cdr
Fruits.cdr
Glasses1.cdr
Glasses2.cdr
Glove.cdr
Guidedog.cdr
Gumdis.cdr
H&na_.cdr
H&nek.cdr
H&nskel.cdr
H&nv_.cdr
Hact1.cdr
Hact2.cdr
Hammer.cdr
Hand.cdr
Handdril.cdr
Handsym.cdr
Hartsymb.cdr
Hatax.cdr
Hdblc.cdr
Hdbnd.cdr
Head&nek.cdr
Headach1.cdr
Head-n1.cdr
Head-n2.cdr
Heart-ct.cdr
Heart-ex.cdr
Hedgear1.cdr
Hedgear2.cdr
Hedgear3.cdr
Heim1.cdr
Heim2.cdr
Hel1.cdr
Hel2.cdr
Hipjoint.cdr
Hlthfood.cdr
Hlthtoth.cdr
Hopoi.cdr
House.cdr
Hpad.cdr
Hsyring.cdr
Htilt.cdr
Humerus.cdr
Hzrds.cdr
lbrai.cdr
lcana.cdr
lcn01.cdr
lcn02.cdr
lcn03.cdr
lcn04.cdr
lcn05.cdr
lcn06.cdr
lcn07.cdr
lcn08.cdr
lcn10.cdr

lcn11.cdr
lcn12.cdr
lcn13.cdr
lcn14.cdr
lcn15.cdr
lcn16.cdr
lcn17.cdr
lcn9.cdr
lflw.cdr
lhart.cdr
lplants.cdr
lncisor.cdr
lneye.cdr
lnhal.cdr
ljectn.cdr
lnsulin.cdr
lpcac.cdr
lvholder.cdr
laws.cdr
lthrs.cdr
lkellhemo.cdr
lkidne.cdr
lkidney.cdr
lknee.cdr
lkneejnt.cdr
lkankj.cdr
larm_.cdr
larme.cdr
larmm.cdr
latskull.cdr
lbrai.cdr
lbrea.cdr
lchil.cdr
lead.cdr
lega_.cdr
legv_.cdr
lelbj.cdr
lfem_.cdr
lfemf.cdr
lfoot.cdr
lh&nm.cdr
lhand.cdr
lintc.cdr
liver.cdr
lleg_.cdr
llege.cdr
llegm.cdr
lmale.cdr
lmanf.cdr
lmusc.cdr
look1.cdr
look2.cdr
look3.cdr
lskel.cdr
lskul.cdr
lspin.cdr
lungs.cdr
lymphsys.cdr

Male.cdr
Maledent.cdr
Manchair.cdr
Mandible.cdr
Mandible.cdr
Mask.cdr
Mast.cdr
Mdoctor.cdr
Mdsym.cdr
Meat.cdr
Medpeople.cdr
Medtape.cdr
Microfld.cdr
Microscop.cdr
Mirror.cdr
Molar.cdr
Molarfil;.cdr
Molarsc.cdr
Monit.cdr
Mortpest.cdr
Mouthgrd.cdr
Mouthwsh.cdr
Muscmas1.cdr
Muscmas2.cdr
Mus-man.cdr
Ndlehold.cdr
Nedlhidr.cdr
Nephr.cdr
Nerv.cdr
Nerves.cdr
Nerveskl.cdr
Nervetot.cdr
Nosmking.cdr
Nuclmed.cdr
Nurse.cdr
Nursf.cdr
Nursm.cdr
O2tank.cdr
Oclucav.cdr
Ocluprof.cdr
Ohead.cdr
Omanl.cdr
Opscope.cdr
Oralcav1.cdr
Oralcav2.cdr
Orderly.cdr
Ortho1.cdr
Ortho2.cdr
Otorso.cdr
Otoscope.cdr
Ovaries.cdr
Pancr.cdr
Pancreas.cdr
Paraf.cdr
Param.cdr
Parathy.cdr
Parm_.cdr
Parme.cdr

Parmm.cdr
Patch.cdr
Pathsym.cdr
Patient.cdr
Pcar.cdr
Pchil.cdr
Pediatic.cdr
Pelvis.cdr
Permdent.cdr
Persbrcs.cdr
Persbrsh.cdr
Pfem_.cdr
Pfoot.cdr
Phand.cdr
Pharmacy.cdr
Phart.cdr
Phipm.cdr
Phone.cdr
Pills.cdr
Pituitary.cdr
Pknej.cdr
Plasters.cdr
Pleg_.cdr
Plege.cdr
Plegm.cdr
Plugs.cdr
Pmale.cdr
Pmusc.cdr
Poison.cdr
Polf.cdr
Polm.cdr
Pool.cdr
Ppelv.cdr
Premolar.cdr
Pressure.cdr
Prpts.cdr
Pskel.cdr
Pspin.cdr
Ptorm.cdr
Pulcr.cdr
Pulr1.cdr
Pulr2.cdr
Pwrsj.cdr
Quadcane.cdr
Radat.cdr
Radation.cdr
Rad-ulna.cdr
Recept.cdr
Redcross.cdr
Remind1.cdr
Remind2.cdr
Repro-f.cdr
Repro-m.cdr
Resctor.cdr
Resps.cdr
Roll.cdr
Rootcanl.cdr
Sabrbrsh.cdr

Sacrp.cdr
Saver.cdr
Sayno.cdr
Sbrai.cdr
Scale.cdr
Scaler.cdr
Schild.cdr
Seat1.cdr
Seat2.cdr
Sfrep.cdr
Sharpsco.cdr
Shock.cdr
Shoulder.cdr
Shrkbrsh.cdr
Sinus.cdr
Siren.cdr
Skeleton.cdr
Skin.cdr
Skin.cdr
Skull.cdr
Sling.cdr
Sling.cdr
Smask.cdr
Smile1.cdr
Smile2.cdr
Smile3.cdr
Smilpers.cdr
Smreg.cdr
Snake.cdr
Sniffles.cdr
Spine.cdr
Spl1.cdr
Spl2.cdr
Spner.cdr
Spsec.cdr
Sssec.cdr
Star1.cdr
Star2.cdr
Star3.cdr
Steth.cdr
Stomach.cdr
Stomc.cdr
Stove.cdr
Stress.cdr
Stretc.cdr
Strscis.cdr
Surgeon.cdr
Sweep.cdr
Syringe1.cdr
Syringe2.cdr
Tdpress.cdr
Teeth.cdr
Teethpro.cdr
Teethviv.cdr
Testes.cdr
Tethprof.cdr
Tethvivo.cdr
Teviv.cdr

Therm.cdr
Thorax.cdr
Thoraxan.cdr
Thoraxbo.cdr
Thumbs.cdr
Thyroid.cdr
Tib-fib.cdr
Tissuere.cdr
Tmest.cdr
Tmjcut.cdr
Tobacco.cdr
Tothache.cdr
Tothbrsh.cdr
Tothfary.cdr
Tothflos.cdr
Tothjump.cdr
Tothpste.cdr
Tothsmil.cdr
Trach.cdr
Trigemn.cdr
Uforgot1.cdr
Uforgot2.cdr
Ultrasd.cdr
Urin_.cdr
Urinary.cdr
Veins.cdr
Veins.cdr
Veinstot.cdr
Venac.cdr
Vert_.cdr
Vertebra.cdr
Vicdn.cdr
Villi.cdr
Virus.cdr
Waldbbrsh.cdr
Walker.cdr
Water.cdr
Wedlike1.cdr
Wedlike2.cdr
Wedlike3.cdr
Whlchair.cdr
Wirebend.cdr
Wirecut.cdr
Wisdteth.cdr
Womchair.cdr
Wristjnt.cdr
Xray.cdr
X-rays.cdr
end of Techpool list

List of Image Club Images contained in Corel VENTURA 8:

1040time.cdr
4thjuly.cdr
Abe.cdr
Accident.cdr
Acdion.cdr
Acorn.cdr
Acorn_sd.cdr

Acorn_tp.cdr
Acorn_wr.cdr
Acoustic.cdr
Africai.cdr
Amblanc.cdr
Amblsymb.cdr
American.cdr
Angel.cdr
Angryi.cdr
Animal.cdr
Annivers.cdr
Announce.cdr
Anvil_i.cdr
Apartmnt.cdr
Arafat.cdr
Armbones.cdr
Armdilo.cdr
Armsling.cdr
Arsenii.cdr
Artisti1.cdr
Artistil.cdr
Artistim.cdr
Asparag.cdr
Astrnaut.cdr
At_dntst.cdr
At_optom.cdr
Atom.cdr
Author.cdr
Awardman.cdr
Awardwom.cdr
Aztcarrs.cdr
Aztcarrt.cdr
Aztec_1.cdr
Aztec_2.cdr
Aztec_II.cdr
Aztec_lr.cdr
Aztec_ul.cdr
Aztec_ur.cdr
B_frnkln.cdr
B_hope.cdr
B_meetin.cdr
Baby_toy.cdr
Babyi.cdr
Badconct.cdr
Badmintn.cdr
Bakery.cdr
Balet.cdr
Balncebm.cdr
Bandage.cdr
Bandfng.cdr
Banjo.cdr
Barbed_w.cdr
Barbell.cdr
Barbeque.cdr
Bartendr.cdr
Basebai2.cdr
Basebali.cdr
Baseball.cdr

Basket_w.cdr
Basketbal.cdr
Bassfidd.cdr
Bathrobe.cdr
Bathtub.cdr
Batteri.cdr
Battery.cdr
Bbfrank.cdr
Bdaycake.cdr
Bdaycaki.cdr
Bdayegg.cdr
Bdaygift.cdr
Beachcup.cdr
Beaker_i.cdr
Beaksymb.cdr
Beari.cdr
Beatles.cdr
Beaver_i.cdr
Bedflws.cdr
Beehiv_i.cdr
Beeri.cdr
Beeril.cdr
Beermug.cdr
Beethovn.cdr
Bells.cdr
Beverage.cdr
Bicycle.cdr
Big_g_k.cdr
Big_top.cdr
Bikestnt.cdr
Bikini.cdr
Billbord.cdr
Biohzrdi.cdr
Bird.cdr
Birdi.cdr
Birds2.cdr
Bishop_b.cdr
Bizman.cdr
Bk2schl.cdr
Blakcat.cdr
Bld_dnr.cdr
Bld_prss.cdr
Bld_typs.cdr
Blitzen.cdr
Blu_cllr.cdr
Bnoculrs.cdr
Bobsled.cdr
Bodyback.cdr
Bodyfrnt.cdr
Boilerpl.cdr
Boiling.cdr
Bone.cdr
Bongodrm.cdr
Book.cdr
Book_a.cdr
Booksi.cdr
Booksim.cdr
Bookworm.cdr

Boot.cdr
Booze.cdr
Boquet.cdr
Boring.cdr
Boss_off.cdr
Bossbean.cdr
Bouncf.cdr
Bouncm.cdr
Bowling.cdr
Bowling.cdr
Bowling_i.cdr
Boxeri.cdr
Boxing.cdr
Boy_ball.cdr
Boydogg.cdr
Boyplayg.cdr
Brain_i.cdr
Brandnew.cdr
Brat.cdr
Breakfas.cdr
Bridei.cdr
Briefi.cdr
Broom.cdr
Brush_t.cdr
Bt_davis.cdr
Btrfly2.cdr
Btrflyll.cdr
Btrflylr.cdr
Btrflyul.cdr
Btrflyur.cdr
Btyqueen.cdr
Bubgumkd.cdr
Bucorelguy.cdr
Bucorelwmn.cdr
Buddha.cdr
Budget.cdr
Bufalo_i.cdr
Bug_worm.cdr
Bull.cdr
Bunny.cdr
Bunsen.cdr
Burglari.cdr
Burn_out.cdr
Bus_com.cdr
Busalien.cdr
Bush.cdr
Bushat.cdr
Busi.cdr
Business.cdr
Businman.cdr
Businmen.cdr
Busman.cdr
Busnmani.cdr
Buswoman.cdr
Busyboy.cdr
Busygirl.cdr
Butcher2.cdr
Butter.cdr

C_gable.cdr
C_tail.cdr
C_tail3.cdr
Calcultr.cdr
Camel_i.cdr
Camera.cdr
Camping.cdr
Can_i.cdr
Candlei.cdr
Candycan.cdr
Candycn1.cdr
Candycn2.cdr
Candycn3.cdr
Candycn4.cdr
Candyhor.cdr
Candyve2.cdr
Candyver.cdr
Capsules.cdr
Cards.cdr
Carots_i.cdr
Cartogrp.cdr
Cashier2.cdr
Cassetti.cdr
Cat.cdr
Catsdogs.cdr
Cattail1.cdr
Cd.cdr
Cdi.cdr
Celebrat.cdr
Celebrtn.cdr
Ceo_.cdr
Cer_bowl.cdr
Cereal.cdr
Chaini.cdr
Champag.cdr
Chamspla.cdr
Chaplin.cdr
Charles.cdr
Checkerb.cdr
Cheesy.cdr
Chefspec.cdr
Cherries.cdr
Cherry.cdr
Cherylip.cdr
Chess.cdr
Chickn_i.cdr
Chinyear.cdr
Chiroprc.cdr
Chiseli.cdr
Chldblox.cdr
Chldbook.cdr
Chldcoco.cdr
Chldplay.cdr
Chldstyd.cdr
Chldswng.cdr
Chldtddy.cdr
Chopstik.cdr
Chrchill.cdr

Chretien.cdr
Chris_wr.cdr
Church.cdr
Church_i.cdr
Classicl.cdr
Clown2.cdr
Clowni.cdr
Clrance.cdr
Clrinet.cdr
Cnstwork.cdr
Cocktail.cdr
Cofeecup.cdr
Cofeetim.cdr
Coffeei.cdr
Coktail.cdr
Cold.cdr
Com_user.cdr
Comp24.cdr
Compbank.cdr
Compchip.cdr
Compuser.cdr
Compwiz.cdr
Confcius.cdr
Constrc.cdr
Controlr.cdr
Cook1.cdr
Cooki.cdr
Cool.cdr
Corncop.cdr
Cornil.cdr
Cornim.cdr
Cornrost.cdr
Cosbyi.cdr
Costume.cdr
Couch.cdr
Couplei.cdr
Courier.cdr
Cow.cdr
Cowboy.cdr
Cowgirl.cdr
Cple.cdr
Cplehug.cdr
Cpleskat.cdr
Cpletalk.cdr
Cplewltz.cdr
Cpr.cdr
Crdiolgy.cdr
Creative.cdr
Croisant.cdr
Crstacns.cdr
Crtches.cdr
Crushhp.cdr
Cupidi.cdr
Curious.cdr
Custer.cdr
Customs.cdr
Cycling.cdr
Cyclist.cdr

D_rather.cdr
Dairyi.cdr
Dali.cdr
Dance.cdr
Danceduo.cdr
Dancer2.cdr
Danceri.cdr
Dancfish.cdr
Darts.cdr
Dating.cdr
Deadline.cdr
Deadly.cdr
Death.cdr
Deathtax.cdr
Deco.cdr
Deco_1.cdr
Deco_2.cdr
Deco1_ll.cdr
Deco1_lr.cdr
Deco1_ul.cdr
Deco1_ur.cdr
Deco2_ll.cdr
Deco2_lr.cdr
Deco2_ul.cdr
Deco2_ur.cdr
Deer_i.cdr
Delivman.cdr
Dental.cdr
Dentstry.cdr
Dermtlgy.cdr
Detectiv.cdr
Devil.cdr
Diamnd_i.cdr
Diamond.cdr
Dianai.cdr
Dice.cdr
Dice_i.cdr
Digidisp.cdr
Dinner.cdr
Diplma_1.cdr
Diplma_2.cdr
Diplma_3.cdr
Discusi.cdr
Disks.cdr
Dj1.cdr
Dj2.cdr
Dna_gene.cdr
Doc_offc.cdr
Doctor.cdr
Doctor_i.cdr
Dog_a.cdr
Dog_b.cdr
Dog_c.cdr
Dog_d.cdr
Dog_i.cdr
Doghose.cdr
Dollyi.cdr
Donking.cdr

Dove.cdr
Downfarm.cdr
Dr_nurse.cdr
Dr_ordly.cdr
Draftin.cdr
Draftmai.cdr
Draftman.cdr
Drama.cdr
Drilling.cdr
Drums.cdr
Dwnhlrcr.cdr
Dwnhlsk.cdr
E_murphy.cdr
Ear_i.cdr
Ear2.cdr
Earth.cdr
Eastbuny.cdr
Easteggs.cdr
Eastregg.cdr
Eastwood.cdr
Ecosystem.cdr
Egypti.cdr
Egyptian.cdr
Einsteii.cdr
Elctceye.cdr
Eldrly_c.cdr
Eldrly_m.cdr
Eldrly_w.cdr
Elephani.cdr
Elf1.cdr
Elf2.cdr
Emc2.cdr
Emrgency.cdr
Engraved.cdr
Erthcrss.cdr
Erthquak.cdr
Eye_i.cdr
Eye2.cdr
F_repro.cdr
Facade.cdr
Fafric.cdr
Family2.cdr
Familyi.cdr
Fashioni.cdr
Fasian.cdr
Fasianel.cdr
Fax_faux.cdr
Fblack.cdr
Feastind.cdr
Felderly.cdr
Femal_dr.cdr
Fencingi.cdr
Ferwhel.cdr
Feskimo.cdr
Fgrskati.cdr
File_cab.cdr
Film.cdr
Film_brd.cdr

Film1.cdr
Filmi.cdr
Finedin.cdr
Fire_i.cdr
First_in.cdr
Firstday.cdr
Fishrman.cdr
Fitness.cdr
Flagi.cdr
Flask_i.cdr
Flipcoin.cdr
Floppy.cdr
Flor_1.cdr
Flor_2.cdr
Floral1.cdr
Flosing.cdr
Fral01s.cdr
Fral01t.cdr
Fral02s.cdr
Fral02t.cdr
Fral03s.cdr
Fral03t.cdr
Fral04s.cdr
Fral04t.cdr
Flr11_ll.cdr
Flr12_ll.cdr
Flr12_lr.cdr
Flr12_ul.cdr
Flr12_ur.cdr
Flr13_ll.cdr
Flr13_lr.cdr
Flr13_ul.cdr
Flr13_ur.cdr
Fly_fngr.cdr
Fly_man.cdr
Fly_sacr.cdr
Fly_womn.cdr
Flybrief.cdr
Fmiddle.cdr
Fmlywalk.cdr
Fnative.cdr
Folder.cdr
Food.cdr
Foolery.cdr
Foot_bon.cdr
Footbai.cdr
Footbal.cdr
Footbalc.cdr
Footbali.cdr
Footbalp.cdr
Footp_s.cdr
Footp_t.cdr
Forbes.cdr
Forgeti.cdr
Fortune.cdr
Frank.cdr
Frank2.cdr
Franks.cdr

Fredastr.cdr
Freefall.cdr
Freezing.cdr
Freud.cdr
Friendly.cdr
Frighten.cdr
Frnchfry.cdr
Frnchhrn.cdr
Frosty.cdr
Fruit2.cdr
Fruiti2.cdr
Frypn.cdr
Fuming.cdr
Funkman.cdr
Fveil.cdr
G_khan.cdr
Galstrtc.cdr
Gandhi.cdr
Gangster.cdr
Garden_i.cdr
Gaspump.cdr
Gb.cdr
Gblst.cdr
Generali.cdr
Geodesic.cdr
Geologist.cdr
George.cdr
Giftsi.cdr
Gimme.cdr
Girldog.cdr
Girlytoy.cdr
Glad_com.cdr
Glases.cdr
Glass_i.cdr
Golfi.cdr
Golfplay.cdr
Gonefish.cdr
Good_evl.cdr
Good_guy.cdr
Goodidea.cdr
Goodmorn.cdr
Goodytwo.cdr
Goose_i.cdr
Gorbachv.cdr
Gorila.cdr
Gradcap.cdr
Grads.cdr
Graduat.cdr
Graphic.cdr
Grch_mrx.cdr
Greek.cdr
Gretzkyi.cdr
Groceries.cdr
Grphbman.cdr
Grumpy.cdr
Guy.cdr
Guypoint.cdr
Gymnast1.cdr

Gymnasti.cdr
Gyroscop.cdr
H_s_tmsn.cdr
Hailcab.cdr
Hallween.cdr
Haloween.cdr
Hambrg2.cdr
Hambrger.cdr
Hammeri.cdr
Hammeri2.cdr
Hammr.cdr
Handbone.cdr
Handleft.cdr
Handrite.cdr
Handsha.cdr
Handshak.cdr
Handslid.cdr
Happynyr.cdr
Hapybday.cdr
Hapyguy.cdr
Hapyhour.cdr
Harmonca.cdr
Harp_i.cdr
Harpi.cdr
Hauntedi.cdr
Heapwork.cdr
Heart_i.cdr
Hearts_2.cdr
Heavy_m.cdr
Heimlich.cdr
Helicopr.cdr
Helicopt.cdr
Helipilo.cdr
Hellogal.cdr
Heloguy1.cdr
Heloguy2.cdr
Heloguy3.cdr
Hemingwy.cdr
Henry_8.cdr
Hi_volt.cdr
Hidden_l.cdr
Hideseek.cdr
Highjump.cdr
Hiking.cdr
Hippo_i.cdr
Hirohito.cdr
Hitler.cdr
Hm_elect.cdr
Hndshake.cdr
Hockey_i.cdr
Hockeyi.cdr
Hockyi.cdr
Hockypis.cdr
Hokyi.cdr
Holland.cdr
Holly_sd.cdr
Holly_tp.cdr
Holywood.cdr

Hon_bman.cdr
Hon_bwmn.cdr
Horse_i.cdr
Horsei.cdr
Horsrace.cdr
House_i.cdr
Housefly.cdr
Howl_dog.cdr
Hrsn_frd.cdr
Huladanc.cdr
Hungry.cdr
Hunter.cdr
Hurdles.cdr
Hypnotiz.cdr
Hypodrmc.cdr
Iaccocai.cdr
Icecreai.cdr
Icecream.cdr
Incentiv.cdr
Iner_ear.cdr
Insects.cdr
Inspectr.cdr
Introduc.cdr
Invertbr.cdr
Invited.cdr
Involved.cdr
Iron_i.cdr
J_f_kndy.cdr
J_nchlsn.cdr
J_of_arc.cdr
J_onasis.cdr
Jagger.cdr
Javelin.cdr
Jazz.cdr
Jmarried.cdr
Jn_wayne.cdr
Joediner.cdr
Jogging.cdr
Joggingf.cdr
Joggingm.cdr
Joker.cdr
Judge.cdr
Judgei.cdr
K_hepbm.cdr
K_rchrds.cdr
Kangaro.cdr
Kareem.cdr
Keyboard.cdr
Keybord.cdr
Khadafi.cdr
Khomeini.cdr
Kickout.cdr
Kid.cdr
Kids.cdr
Kidsplay.cdr
Kidwball.cdr
King_b.cdr
Kiss386.cdr

Knife_i.cdr
Knight_b.cdr
Knockout.cdr
Kong.cdr
Kungfu.cdr
Kzooband.cdr
L_meetin.cdr
L_nemoy.cdr
Lab_work.cdr
Ladder.cdr
Lady.cdr
Ladyexpl.cdr
Ladytalk.cdr
Lamp_i.cdr
Landscap.cdr
Lasagna.cdr
Laser_bm.cdr
Lawyer.cdr
Ldybug.cdr
Leaf2.cdr
Leaningf.cdr
Leaningm.cdr
Lecture.cdr
Leg_back.cdr
Leg_fnt.cdr
Legroom.cdr
Leprecan.cdr
Lettrman.cdr
Lifehold.cdr
Liftbabe.cdr
Lightblb.cdr
Lightsym.cdr
Lily.cdr
Lincoln.cdr
Litebulb.cdr
Liz_tylr.cdr
Lizard_s.cdr
Lizard_t.cdr
Loans.cdr
Lock_key.cdr
Lookxray.cdr
Loungliz.cdr
Love_one.cdr
Lovlttrs.cdr
Lrl_hrdy.cdr
Luge.cdr
Lunch.cdr
M_l_king.cdr
M_pencil.cdr
M_repro.cdr
M_walkng.cdr
Mad_comp.cdr
Madoni1.cdr
Madworld.cdr
Magnet_1.cdr
Magnet_2.cdr
Magnet_3.cdr
Magnt.cdr

Mailboxi.cdr
Mailbx.cdr
Maili.cdr
Mailman.cdr
Male_dr.cdr
Male_sec.cdr
Mammals.cdr
Mancouch.cdr
Mandella.cdr
Mandog.cdr
Manger.cdr
Maracas.cdr
Marley.cdr
Martian.cdr
Masiana.cdr
Masianc.cdr
Masiane.cdr
Mathmatc.cdr
Maze.cdr
Mcenroe.cdr
Mcrscp.cdr
Meastind.cdr
Mechancl.cdr
Meet_guy.cdr
Meet_wmn.cdr
Memoi.cdr
Menu.cdr
Meskimo.cdr
Messengr.cdr
Meteread.cdr
Metingi.cdr
Mexican.cdr
Mhasidic.cdr
Microphn.cdr
Micropho.cdr
Microsco.cdr
Mircscop.cdr
Military.cdr
Mitternd.cdr
Mmiddle.cdr
Mnative.cdr
Mntclimb.cdr
Model.cdr
Molecule.cdr
Mom_newb.cdr
Money.cdr
Money1.cdr
Moneypit.cdr
Monkey.cdr
Monkrech.cdr
Montain.cdr
Moose_i.cdr
Mornpapr.cdr
Mortar.cdr
Mouse_i.cdr
Mousemaz.cdr
Mouth.cdr
Mouthmth.cdr

Movest2.cdr
Movie.cdr
Moving.cdr
Mowing.cdr
Mphon.cdr
Msouthin.cdr
Mulroney.cdr
Muscle.cdr
Musclei2.cdr
Muscnote.cdr
Muscular.cdr
Musici.cdr
Musician.cdr
Musicim.cdr
Musicn.cdr
Musicnot.cdr
Musleman.cdr
Nag.cdr
Nap_zap.cdr
Napoleon.cdr
Nautical.cdr
Neandthl.cdr
Needle.cdr
Needle_i.cdr
Nerd2.cdr
Nervos_s.cdr
Nervous.cdr
Nervousi.cdr
Nest_i.cdr
Network.cdr
Newspapr.cdr
Nicklaus.cdr
Nixon.cdr
Noriegai.cdr
North.cdr
Northpol.cdr
Nose_i.cdr
Notepeop.cdr
Nouv_a.cdr
Nouv_b.cdr
Nouv_c.cdr
Nouv_d.cdr
Nouv_e.cdr
Nouv_f.cdr
Nouv_g.cdr
Nouv_h.cdr
Nouv_i.cdr
Nouv_j.cdr
Nouv_k.cdr
Nouv_l.cdr
Nouv_ll.cdr
Nouv_lr.cdr
Nouv_m.cdr
Nouv_n.cdr
Nouv_o.cdr
Nouv_p.cdr
Nouv_q.cdr
Nouv_r.cdr

Nouv_s.cdr
Nouv_t.cdr
Nouv_u.cdr
Nouv_ul.cdr
Nouv_ur.cdr
Nouv_v.cdr
Nouv_w.cdr
Nouv_x.cdr
Nouv_y.cdr
Nouv_z.cdr
Nouveau.cdr
Nursei.cdr
Obsrvtry.cdr
Ocean.cdr
Octfest.cdr
Off_bldg.cdr
Oilcan.cdr
Old_suck.cdr
Olivei.cdr
Onstool.cdr
Oprah_w.cdr
Orflr_ll.cdr
Orflr_lr.cdr
Orflr_ul.cdr
Orflr_ur.cdr
Ornat_ll.cdr
Ornat_lr.cdr
Ornat_ul.cdr
Ornat_ur.cdr
Ornate.cdr
Oscillos.cdr
Ostrch.cdr
Ouths.cdr
Outlaw.cdr
Outlunch.cdr
Oven.cdr
Owl.cdr
Owl_i.cdr
Ozone.cdr
P_abdul.cdr
Package.cdr
Paintbrs.cdr
Paintin.cdr
Painting.cdr
Paintri1.cdr
Paintri2.cdr
Paintri3.cdr
Paintri4.cdr
Pairskat.cdr
Palm_tre.cdr
Panokyi2.cdr
Panther.cdr
Parabolc.cdr
Parade.cdr
Paramedc.cdr
Paris.cdr
Parkcar.cdr
Parrot.cdr

Parroti.cdr
Party.cdr
Partyhat.cdr
Partyldy.cdr
Paste_up.cdr
Pawn_b.cdr
Pawprint.cdr
Paycustr.cdr
Peek.cdr
Pen.cdr
Pentagn.cdr
Peterabt.cdr
Pharmacst.cdr
Pharmsym.cdr
Phn_ring.cdr
Phoneyou.cdr
Phonfeud.cdr
Phonrng1.cdr
Phonrng2.cdr
Phonsell.cdr
Phonshwr.cdr
Photcopr.cdr
Photgra.cdr
Photgrph.cdr
Photofrm.cdr
Photogra.cdr
Phtgrphr.cdr
Pi.cdr
Piano.cdr
Piano_i.cdr
Pianokey.cdr
Picasso.cdr
Picket_f.cdr
Picnic.cdr
Picnici.cdr
Pie.cdr
Pig_i.cdr
Pikedive.cdr
Pile_ph.cdr
Piloti.cdr
Pipes.cdr
Pirate.cdr
Pitcheri.cdr
Pizza.cdr
Pizzazz.cdr
Placeset.cdr
Plain_1.cdr
Plain_2.cdr
Planet.cdr
Planning.cdr
Platyps.cdr
Playcard.cdr
Plr_bear.cdr
Pocketkn.cdr
Point.cdr
Pointd.cdr
Pointl.cdr
Pointr.cdr

Pointse1.cdr
Pointse2.cdr
Pointse3.cdr
Pointse4.cdr
Pointse5.cdr
Pointse6.cdr
Pointse7.cdr
Pointu.cdr
Policei1.cdr
Policei2.cdr
Policman.cdr
Politcn.cdr
Pomahors.cdr
Pony.cdr
Pop_cans.cdr
Popcorn.cdr
Popcorni.cdr
Pope.cdr
Poplick.cdr
Porcupne.cdr
Portfoli.cdr
Postbomb.cdr
Potogold.cdr
Pouring.cdr
Powernap.cdr
Presentg.cdr
Prism.cdr
Prisonr.cdr
Prmedsym.cdr
Probsolu.cdr
Prof.cdr
Program.cdr
Projectr.cdr
Proofing.cdr
Pumheads.cdr
Pumpkin.cdr
Pumpkin2.cdr
Punk.cdr
Quality.cdr
Queen.cdr
Queen_b.cdr
R_est_sd.cdr
R_est_sl.cdr
Rabbit_j.cdr
Racqtbal.cdr
Radio.cdr
Radioact.cdr
Radiosym.cdr
Rbn_wlms.cdr
Readbook.cdr
Readgoof.cdr
Reagan.cdr
Reagani.cdr
Real_out.cdr
Reception.cdr
Recyclbx.cdr
Recycle.cdr
Red_tape.cdr

Reinder.cdr
Reminder.cdr
Repairmi.cdr
Repairmn.cdr
Research.cdr
Ret_clth.cdr
Retl_guy.cdr
Retl_wmn.cdr
Rhino_i.cdr
Rib_cage.cdr
Rings.cdr
Rocker3.cdr
Rockets.cdr
Rocknjon.cdr
Rockroll.cdr
Rockstai.cdr
Rockstar.cdr
Rook_b.cdr
Rose.cdr
Roster.cdr
Roster_i.cdr
Rosturky.cdr
Rowboat.cdr
Rowing.cdr
Rsvp.cdr
Rubrduck.cdr
Rudolph.cdr
Rudolph2.cdr
Rudolph3.cdr
Run.cdr
Runawayi.cdr
Runing.cdr
Runningi.cdr
Russiai.cdr
S_dvs_jr.cdr
S_jobs.cdr
Safe_i.cdr
Safe_sex.cdr
Safrihat.cdr
Saledown.cdr
Salei.cdr
Salesrat.cdr
Salesup.cdr
Sandwch.cdr
Santa.cdr
Santa_b.cdr
Santa1.cdr
Santacra.cdr
Santmast.cdr
Satelite.cdr
Sawblade.cdr
Sawing.cdr
Sax.cdr
Sax_i.cdr
Scale_i.cdr
Scalei.cdr
Scalesym.cdr
Scalpel.cdr

Scanner.cdr
Scase.cdr
Schlbus.cdr
Scholbus.cdr
School_i.cdr
Scientst.cdr
Screw.cdr
Scroll.cdr
Scrwdrv.cdr
Scullyi.cdr
Sea_debt.cdr
Sea_life.cdr
Seafood.cdr
Seal_i.cdr
Seashel.cdr
Seashell.cdr
Sec_papr.cdr
Secret.cdr
Secretry.cdr
Secrtry.cdr
Semi.cdr
Seminar.cdr
Servant.cdr
Sewing.cdr
Shakspre.cdr
Shave.cdr
Shdes.cdr
Shopping.cdr
Shopspre.cdr
Shortstp.cdr
Shovelng.cdr
Shovl.cdr
Shrimp.cdr
Shrug.cdr
Shshoper.cdr
Shwrzngr.cdr
Signhold.cdr
Singer.cdr
Sitting.cdr
Sitting2.cdr
Sittingm.cdr
Skatbord.cdr
Skatbrd.cdr
Skatbrdj.cdr
Ski.cdr
Skieril.cdr
Skierip.cdr
Skieris.cdr
Skiing.cdr
Skijumpi.cdr
Skilift.cdr
Skull.cdr
Skull_fl.cdr
Skull_i.cdr
Slapshot.cdr
Smoking.cdr
Smokng.cdr
Snail_i.cdr

Snails.cdr
Sneaking.cdr
Snobordi.cdr
Soccer_i.cdr
Sock.cdr
Socketi.cdr
Socrates.cdr
Sodapop.cdr
Solarsys.cdr
Spaceman.cdr
Spacshtl.cdr
Spageti.cdr
Spain.cdr
Speaker.cdr
Speaking.cdr
Special.cdr
Spedskat.cdr
Speedy.cdr
Spermegg.cdr
Sportcar.cdr
Sprinter.cdr
Sprtactn.cdr
Squeeze.cdr
Squirrel.cdr
Srpr_com.cdr
Sship.cdr
Stakwork.cdr
Stalks.cdr
Standf.cdr
Standing.cdr
Stapl.cdr
Stayawak.cdr
Stereo.cdr
Stethscp.cdr
Stikhell.cdr
Stiknote.cdr
Stockdwn.cdr
Stocking.cdr
Stocksup.cdr
Stool.cdr
Stopi.cdr
Store_i.cdr
Stork_i.cdr
Storki.cdr
Stovehat.cdr
Stpabeer.cdr
Stpagold.cdr
Stretch.cdr
Stroller.cdr
Students.cdr
Stunned.cdr
Sucker.cdr
Sug_box.cdr
Suit.cdr
Suitcas.cdr
Sumrtime.cdr
Sunset.cdr
Sunshine.cdr

Suntani.cdr
Surfbord.cdr
Surferi.cdr
Surfing.cdr
Surgeon.cdr
Surgry_1.cdr
Surgry_2.cdr
Surprguy.cdr
Surprise.cdr
Surprldy.cdr
Surveyng.cdr
Surveyor.cdr
Sushi2.cdr
Sw_exprn.cdr
Swan_i.cdr
Swandive.cdr
Swimming.cdr
Swtch.cdr
Take_one.cdr
Talkalot.cdr
Talkguy.cdr
Tambrine.cdr
Tap_i.cdr
Target.cdr
Taxesi.cdr
Taxidriv.cdr
Tbrshpst.cdr
Teacher.cdr
Teachman.cdr
Teacup.cdr
Tech_sup.cdr
Telescop.cdr
Televisn.cdr
Tennis.cdr
Tennisi.cdr
Tent.cdr
Testrflx.cdr
Testtube.cdr
Tex_mex.cdr
Thankgal.cdr
Thankgiv.cdr
Thatcher.cdr
The_end.cdr
The_plan.cdr
Theater.cdr
Theatre.cdr
Theresa.cdr
Thermtr.cdr
Thnkguy1.cdr
Thotbubl.cdr
Tie.cdr
Tiger_i.cdr
Timmoney.cdr
Toast.cdr
Toast_i.cdr
Tooltime.cdr
Towels.cdr
Trainee.cdr

Trainer.cdr
Trash_i.cdr
Treadmil.cdr
Trffc.cdr
Tricycle.cdr
Triktrea.cdr
Trimmer.cdr
Triple.cdr
Trudeau.cdr
Trump.cdr
Trumpeti.cdr
Trumpt.cdr
Tunes_i.cdr
Tuningfk.cdr
Turkeyi.cdr
Tv_i.cdr
Twist_wv.cdr
Twisted.cdr
Typewrtr.cdr
Typing.cdr
Typingi.cdr
Tyson.cdr
Ufo.cdr
Umbrella.cdr
Unifrcap.cdr
Uptight.cdr
Us.cdr
Use_cndm.cdr
Utensils.cdr
Vine_ll.cdr
Vine_lr.cdr
Vine_ul.cdr
Vine_ur.cdr
Violin_i.cdr
Virusi.cdr
Vollybal.cdr
W_c_fds.cdr
W_crnkte.cdr
Wagon_i.cdr
Waiteri.cdr
Waitingm.cdr
Waitresi.cdr
Waitrsc1.cdr
Wake_up.cdr
Walensa.cdr
Walk_fly.cdr
Walkcase.cdr
Walking.cdr
Warhol.cdr
Warnock.cdr
Washer.cdr
Washing.cdr
Wasp_i.cdr
Watrski1.cdr
Watrski2.cdr
Wave_by.cdr
Wavingf.cdr
Wavingm.cdr

Wbrw.cdr
Wbtll.cdr
Wedngday.cdr
Wedring.cdr
Welder.cdr
Welderi.cdr
Westhat.cdr
Westown.cdr
Wetpaint.cdr
Whale.cdr
Wheat.cdr
Whelchar.cdr
Whipman.cdr
Whistl_i.cdr
Wine.cdr
Wineglas.cdr
Winner.cdr
Witchi.cdr
Withbaby.cdr
Withbook.cdr
Withcane.cdr
Wmap_can.cdr
Wmap_usa.cdr
Wmap_wrl.cdr
Wolf_i.cdr
Woman.cdr
Womb.cdr
Woodench.cdr
Worker.cdr
Workload.cdr
Workman.cdr
Workout.cdr
Wrench.cdr
Wrnch.cdr
Wtrclrsh.cdr
Wtrclskl.cdr
Xcntry.cdr
Xcntrysk.cdr
Xmasbell.cdr
Xmasgift.cdr
Xmastime.cdr
Yahoo.cdr
Yearsend.cdr
Yelling.cdr
Zapped.cdr
Zebra.cdr
end of Image Club list