
SoftQuad Inc.
Suite 810
56 Aberfoyle Crescent
Toronto, Canada M8X 2W4
Telephone (416) 239-4801
FAX (416) 239-7105

Public Identifier: -//SQ//DTD WWW HOTMETAL 1.0+//EN

System Identifier: html.mtl

Version/Date: February 21, 1995

A

Short Description: **Anchor - a hypertext link**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR, H1, H2, H3, H4, H5

Attributes:

Name: HREF
Content: cdata
Default: #IMPLIED

Name: NAME
Content: cdata
Default: #IMPLIED

Name: REL
Content: name
Default: #IMPLIED

Name: REV
Content: name
Default: #IMPLIED

Name: URN
Content: cdata
Default: #IMPLIED

Name: TITLE
Content: cdata
Default: #IMPLIED

Name: METHODS
Content: names
Default: #IMPLIED

ADDRESS

Short Description: **Address (e.g. e-mail or postal)**

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR

B

Short Description: **Bold Text**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

BASE

Short Description: **The URL of this document (optional)**

Content Type: empty

Contained in: HEAD

Contains:

Attributes:

Name: HREF

Content: cdata

Default: #REQUIRED

BLOCKQUOTE

Short Description: **Block Quotation**

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR, H1, H2, H3, H4, H5, H6, P, HR, PRE, XMP, LISTING, DL, UL, OL, DIR, MENU, BLOCKQUOTE, FORM, ISINDEX, TABLE

BODY

Short Description: **Document Body; required**

Content Type: mixed

Contained in: HTML

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR, H1, H2, H3, H4, H5, H6, P, HR, PRE, XMP, LISTING, DL, UL, OL, DIR, MENU, BLOCKQUOTE, FORM, ISINDEX, TABLE

BR**Short Description: Force Line Break**

Content Type: empty

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains:

CAPTION**Short Description: Table Cell Braille Marker [experimental]**

Content Type: mixed

Contained in: TABLE

Contains: #PCDATA

CITE**Short Description: Citation**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

CODE**Short Description: Example of Code (compare with PRE)**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

COLDEF**Short Description: do not insert [internal to tables]**

Content Type: empty

Contained in: COLDEFS

Contains:

Attributes:

Name: COLSEP

Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)

Default: #IMPLIED

Name: HALIGN

Content: (LEFT | BOTH | CENTER | RIGHT | CHAR)

Default: #IMPLIED

Name: ALIGNCHR

Content: cdata

CONTINUED

Default: #IMPLIED

Name: CHARPOS
Content: cdata
Default: #IMPLIED

Name: COLWD
Content: cdata
Default: #IMPLIED

Name: TBLUNITS
Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)
Default: #IMPLIED

Name: TOPSEP
Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)
Default: #IMPLIED

COLDEFS

Short Description: **do not insert [internal to tables]**

Content Type: element

Contained in: THEAD, TBODY, TFOOT

Contains: COLDEF

Attributes:

Name: COLSEP
Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)
Default: VSINGLE

Name: HALIGN
Content: (LEFT | BOTH | CENTER | RIGHT | CHAR)
Default: LEFT

Name: ALIGNCHR
Content: cdata
Default: #IMPLIED

Name: CHARPOS
Content: cdata
Default: #IMPLIED

Name: COLWD
Content: cdata
Default: #IMPLIED

Name: TBLUNITS
Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)
Default: #IMPLIED

Name: TOPSEP
Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)
Default: HSINGLE

CONTINUED

DD

Short Description: **Text of Definition**

Content Type: mixed

Contained in: DL

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR, P, PRE, XMP, LISTING, DL, UL, OL, DIR, MENU, BLOCKQUOTE, FORM, ISINDEX

DIR

Short Description: **Directory Listing, items each <= 24 characters**

Content Type: element

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, LI, DD

Contains: LI

Attributes:

Name: COMPACT

Content: (COMPACT)

Default: #IMPLIED

DL

Short Description: **List of Terms and Definitions**

Content Type: element

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

Contains: DT

Attributes:

Name: COMPACT

Content: (COMPACT)

Default: #IMPLIED

DT

Short Description: **Term to be Defined**

Content Type: mixed

Contained in: DL

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

EM

Short Description: **Emphasis**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

FORM

Short Description: **On-line Form [level 2, HTML2]**

Inclusion Elements: INPUT, SELECT, TEXTAREA

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR, H1, H2, H3, H4, H5, H6, P, HR, PRE, XMP, LISTING, DL, UL, OL, DIR, MENU, BLOCKQUOTE, FORM, ISINDEX, TABLE

Attributes:

Name: ACTION

Content: cdata

Default: #IMPLIED

Name: METHOD

Content: (GET | POST)

Default: GET

Name: ENCTYPE

Content: cdata

Default: application/x-www-form-urlencoded

H1

Short Description: **Heading Level 1**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

H2

Short Description: **Heading Level 2**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

H3

Short Description: **Heading Level 3**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

CONTINUED

H4**Short Description: Heading Level 4**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

H5**Short Description: Heading Level 5**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

H6**Short Description: Heading Level 6**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

HDROW**Short Description: [internal to TABLE]**

Content Type: element

Contained in: HDROWS

Contains: TH, THSUB, TD

Attributes:

Name: ROWSEP

Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)

Default: #IMPLIED

Name: VALIGN

Content: (TOP | MIDDLE | BOTTOM)

Default: #IMPLIED

Name: ROWHT

Content: cdata

Default: #IMPLIED

Name: TBLUNITS

Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)

Default: #IMPLIED

Name: LEFTSEP

Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)

Default: #IMPLIED

HDROWS

Short Description: **[internal to TABLE]**

Content Type: element

Contained in: THEAD

Contains: HDROW

Attributes:

Name: ROWSEP

Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)

Default: HSINGLE

Name: VALIGN

Content: (TOP | MIDDLE | BOTTOM)

Default: TOP

Name: ROWHT

Content: cdata

Default: #IMPLIED

Name: TBLUNITS

Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)

Default: #IMPLIED

Name: LEFTSEP

Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)

Default: VSINGLE

HEAD

Short Description: **Document Header, required**

Content Type: element

Contained in: HTML

Contains: LINK, META, NEXTID, BASE, TITLE, ISINDEX

HR

Short Description: **Horizontal Rule**

Content Type: empty

Contained in: FORM, BLOCKQUOTE, BODY, PRE

Contains:

HTML

Short Description: **Top Level Document Element**

Content Type: element

Contained in:

CONTINUED

Contains: HEAD, BODY, PLAINTEXT

Attributes:

Name: VERSION
 Content: cdata
 Default: %HTML.Version;

I

Short Description: **Italic Text**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

IMG

Short Description: **Image**

Content Type: empty

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains:

Attributes:

Name: SRC
 Content: cdata
 Default: #REQUIRED

Name: ALT
 Content: cdata
 Default: #IMPLIED

Name: ALIGN
 Content: (TOP | MIDDLE | BOTTOM)
 Default: #IMPLIED

Name: ISMAP
 Content: (ISMAP)
 Default: #IMPLIED

INPUT

Short Description: **Input to a Form [level 2, HTML2]**

Content Type: empty

Contained in:

Contains:

Attributes:

Name: TYPE
 Content: (TEXT | PASSWORD | CHECKBOX | RADIO | SUBMIT | RESET | IMAGE | HIDDEN)

CONTINUED

Default: TEXT

Name: NAME
 Content: cdata
 Default: #IMPLIED

Name: VALUE
 Content: cdata
 Default: #IMPLIED

Name: SRC
 Content: cdata
 Default: #IMPLIED

Name: CHECKED
 Content: (CHECKED)
 Default: #IMPLIED

Name: SIZE
 Content: cdata
 Default: #IMPLIED

Name: MAXLENGTH
 Content: number
 Default: #IMPLIED

Name: ALIGN
 Content: (TOP | MIDDLE | BOTTOM)
 Default: #IMPLIED

ISINDEX

Short Description: **This document IS Indexed (searchable)**

Content Type: empty

Contained in: HEAD, FORM, BLOCKQUOTE, BODY, LI, DD

Contains:

KBD

Short Description: **Something a User Would Type**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

LI

Short Description: **List Item**

Content Type: mixed

Contained in: DIR, MENU, UL, OL

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR, P, PRE, XMP, LISTING, DL, UL, OL, DIR, MENU, BLOCKQUOTE, FORM, ISINDEX

LINK

Short Description: **The Relation To Another Document [level 1, HTML2]**

Content Type: empty

Contained in: HEAD

Contains:

Attributes:

Name: HREF

Content: cdata

Default: #REQUIRED

Name: REL

Content: name

Default: #IMPLIED

Name: REV

Content: name

Default: #IMPLIED

Name: URN

Content: cdata

Default: #IMPLIED

Name: TITLE

Content: cdata

Default: #IMPLIED

Name: METHODS

Content: names

Default: #IMPLIED

LISTING

Short Description: **Listing (obsolete, use PRE)**

Content Type: cdata

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

Contains:

MENU

Short Description: **Menu list, more compact than UL**

Content Type: element

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, LI, DD

Contains: LI

Attributes:

Name: COMPACT

Content: (COMPACT)

Default: #IMPLIED

CONTINUED

META

Short Description: **Generic Metainformation**

Content Type: empty

Contained in: HEAD

Contains:

Attributes:

Name: HTTP-EQUIV

Content: name

Default: #IMPLIED

Name: NAME

Content: name

Default: #IMPLIED

Name: CONTENT

Content: cdata

Default: #REQUIRED

NEXTID

Short Description: **Unique ID Counter [deprecated]**

Content Type: empty

Contained in: HEAD

Contains:

Attributes:

Name: N

Content: cdata

Default: #REQUIRED

OL

Short Description: **Ordered List (usually auto-numbered)**

Content Type: element

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, LI, DD

Contains: LI

Attributes:

Name: COMPACT

Content: (COMPACT)

Default: #IMPLIED

OPTION

Short Description: **Form Option within SELECT [level 2, HTML2]**

Content Type: mixed

Contained in: SELECT

CONTINUED

Contains: #PCDATA

Attributes:

Name: SELECTED
 Content: (SELECTED)
 Default: #IMPLIED

Name: VALUE
 Content: cdata
 Default: #IMPLIED

P

Short Description: **Paragraph, contains text**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

PLAINTEXT

Short Description: **Plaintext Content (Obsolete Element)**

Content Type: cdata

Contained in: HTML

Contains:

PRE

Short Description: **Preformatted Fixed Pitch Text**

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, BR

Attributes:

Name: WIDTH
 Content: number
 Default: #IMPLIED

ROWS

Short Description: **[internal to TABLE]**

Content Type: element

Contained in: TBODY, TFOOT

Contains: TR

Attributes:

Name: ROWSEP
 Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)
 Default: HSINGLE

CONTINUED

Name: VALIGN
Content: (TOP | MIDDLE | BOTTOM)
Default: TOP

Name: ROWHT
Content: cdata
Default: #IMPLIED

Name: TBLUNITS
Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)
Default: #IMPLIED

Name: LEFTSEP
Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)
Default: VSINGLE

SAMP

Short Description: **Sequence of Literal Characters**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

SELECT

Short Description: **Form Selection List [level 2, HTML2]**

Content Type: element

Contained in:

Contains: OPTION

Attributes:

Name: NAME
Content: cdata
Default: #REQUIRED

Name: SIZE
Content: number
Default: #IMPLIED

Name: MULTIPLE
Content: (MULTIPLE)
Default: #IMPLIED

STRONG

Short Description: **Strong Emphasis (preferred over BOLD)**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

CONTINUED

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

TABLE

Short Description: **TABLE [use Insert Table command instead]**

Content Type: element

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

Contains: CAPTION, THEAD, TBODY, TFOOT

TBODY

Short Description: **[internal to tables]**

Content Type: element

Contained in: TABLE

Contains: COLDEFS, ROWS

Attributes:

Name: TBLWD

Content: cdata

Default: #IMPLIED

Name: TBLHT

Content: cdata

Default: #IMPLIED

Name: TBLUNITS

Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)

Default: #IMPLIED

TD

Short Description: **Data Cell in a TABLE [TABLE is experimental!]**

Content Type: mixed

Contained in: TR, HDROW

Contains: #PCDATA, H1, H2, H3, H4, H5, H6, P, UL, OL, DIR

Attributes:

Name: ROWSEP

Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)

Default: #IMPLIED

Name: VALIGN

Content: (TOP | MIDDLE | BOTTOM)

Default: #IMPLIED

Name: COLSEP

Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)

Default: #IMPLIED

Name: HALIGN

CONTINUED

Content: (LEFT | BOTH | CENTER | RIGHT | CHAR)
 Default: #IMPLIED

Name: ALIGNCHR
 Content: cdata
 Default: #IMPLIED

Name: CHARPOS
 Content: cdata
 Default: #IMPLIED

Name: COLSTART
 Content: number
 Default: #IMPLIED

Name: COLSPAN
 Content: number
 Default: 1

Name: ROWSTART
 Content: number
 Default: #IMPLIED

Name: ROWSPAN
 Content: number
 Default: 1

Name: AXES
 Content: cdata
 Default: #IMPLIED

TEXTAREA

Short Description: **Form Multi-line Text Input Field [level 2, HTML2]**

Content Type: mixed

Contained in:

Contains: #PCDATA

Attributes:

Name: NAME
 Content: cdata
 Default: #REQUIRED

Name: ROWS
 Content: number
 Default: #REQUIRED

Name: COLS
 Content: number
 Default: #REQUIRED

TFOOT

Short Description: **[internal to tables]**

Content Type: element

CONTINUED

Contained in: TABLE

Contains: COLDEFS, ROWS

Attributes:

Name: TBLWD
Content: cdata
Default: #IMPLIED

Name: TBLHT
Content: cdata
Default: #IMPLIED

Name: TBLUNITS
Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)
Default: #IMPLIED

TH

Short Description: **Heading Cell [in a TABLE]**

Content Type: mixed

Contained in: TR, HDROW

Contains: #PCDATA, H1, H2, H3, H4, H5, H6, P, UL, OL, DIR

Attributes:

Name: ROWSEP
Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)
Default: #IMPLIED

Name: VALIGN
Content: (TOP | MIDDLE | BOTTOM)
Default: #IMPLIED

Name: COLSEP
Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)
Default: #IMPLIED

Name: HALIGN
Content: (LEFT | BOTH | CENTER | RIGHT | CHAR)
Default: #IMPLIED

Name: ALIGNCHR
Content: cdata
Default: #IMPLIED

Name: CHARPOS
Content: cdata
Default: #IMPLIED

Name: COLSTART
Content: number
Default: #IMPLIED

Name: COLSPAN
Content: number

CONTINUED

Default: 1

Name: ROWSTART
Content: number
Default: #IMPLIED

Name: ROWSPAN
Content: number
Default: 1

Name: AXIS
Content: cdata
Default: #IMPLIED

THEAD

Short Description: **[internal to tables]**

Content Type: element

Contained in: TABLE

Contains: COLDEFS, HDROWS

Attributes:

Name: TBLWD
Content: cdata
Default: #IMPLIED

Name: TBLHT
Content: cdata
Default: #IMPLIED

Name: TBLUNITS
Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)
Default: #IMPLIED

THSUB

Short Description: **Row Sub-Head Cell [in a TABLE]**

Content Type: mixed

Contained in: TR, HDROW

Contains: #PCDATA, H1, H2, H3, H4, H5, H6, P, UL, OL, DIR

Attributes:

Name: ROWSEP
Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)
Default: #IMPLIED

Name: VALIGN
Content: (TOP | MIDDLE | BOTTOM)
Default: #IMPLIED

Name: COLSEP
Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)

CONTINUED

Default: #IMPLIED

Name: HALIGN
 Content: (LEFT | BOTH | CENTER | RIGHT | CHAR)
 Default: #IMPLIED

Name: ALIGNCHR
 Content: cdata
 Default: #IMPLIED

Name: CHARPOS
 Content: cdata
 Default: #IMPLIED

Name: COLSTART
 Content: number
 Default: #IMPLIED

Name: COLSPAN
 Content: number
 Default: 1

Name: ROWSTART
 Content: number
 Default: #IMPLIED

Name: ROWSPAN
 Content: number
 Default: 1

Name: AXIS
 Content: cdata
 Default: #IMPLIED

TITLE

Short Description: **Document Title for browser; up to 64 chars**

Content Type: mixed

Contained in: HEAD

Contains: #PCDATA

TR

Short Description: **[internal to tables]**

Content Type: element

Contained in: ROWS

Contains: TH, THSUB, TD

Attributes:

Name: ROWSEP
 Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)
 Default: #IMPLIED

Name: VALIGN

CONTINUED

Content: (TOP | MIDDLE | BOTTOM)
Default: #IMPLIED

Name: ROWHT
Content: cdata
Default: #IMPLIED

Name: TBLUNITS
Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)
Default: #IMPLIED

Name: LEFTSEP
Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)
Default: #IMPLIED

TT

Short Description: **Teletype (fixed width) Font**

Content Type: mixed

Contained in:

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

UL

Short Description: **Unordered List**

Content Type: element

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, LI, DD

Contains: LI

Attributes:

Name: COMPACT
Content: (COMPACT)
Default: #IMPLIED

VAR

Short Description: **The name of a Variable**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

XMP

Short Description: **Example (obsolete, use PRE)**

Content Type: cdata

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

CONTINUED

Contains: