

```

//*****
//    Coach:   Template.wch
//    Author:  Paul Laing - WordPerfect Corporation
//    Creation: January 12, 1994
//*****

// Revision History
//
// Sept. 22, 1994  BRENTS - Added a control ID 65277 to the generic while for the
//                    Save Template dialog.

// May 31, 1994  PAULL - Changed to work with WordPerfect 6.1 and it's changes to the
//                    Template feature.
// May 20, 1994  PAULL - Updated coach to use the shared code and WPWin library files.

```

```
Application(A1;"WordPerfect";Default;"UK")
```

```

USE("SHCHUK.WPL")
USE("WPCH61UK.WPL")
//USE("DEBUG.LIB")
//Global(DebugTrace)
//DebugTrace:=FALSE
//*****

```

```

// Library Prototypes
//*****
PROCEDURE Prototype InitCoachVariables()
PROCEDURE Prototype FontSetup()
PROCEDURE Prototype PleaseWait(State)
PROCEDURE Prototype NoKeysFilterAdd(AppName)
PROCEDURE Prototype NoKeys(State)
PROCEDURE Prototype DisplayMessageBox(CurrentMessageNum)
PROCEDURE Prototype ProcessMenuSelection(PromptNum;AppName)
PROCEDURE Prototype WinHelpPrompt(PromptNum;&OPArray[])
PROCEDURE Prototype CloseWinPrompts(&OPArray[])
PROCEDURE Prototype QuitQuestion()
PROCEDURE Prototype QuitCoach()

```

```
FUNCTION Prototype Fstr(Num;Actions;MatchCriteria)
```

```

//*****
// Library Prototypes
//*****
PROCEDURE Prototype WPCoachInit()
PROCEDURE Prototype SubStructure()
PROCEDURE Prototype PositionCursor(State)
PROCEDURE Prototype MoreHelp(SearchString)

```

PROCEDURE Prototype DBMIsDBMDialog(NameOfCoach)

```
//*****  
// Library functions  
//*****  
WPCoachInit()  
InitCoachVariables()  
FontSetup()  
NoKeysFilterAdd("WordPerfect")  
NoKeys(True)  
  
//*****  
// Load DLL's  
//*****  
DLLLoad(CoachLink;"WPCH61.DLL")  
DLLLoad(SHWINLink;"?PathShared+"SHWIN20.DLL")  
DLLLoad(USERLink;"USER.EXE")  
  
//*****  
// Setup variables  
//*****  
GLOBAL(LstMsg;NxtMsg;TmpMsg;Width;Height;SelTmp;Create;PromptsMacro)  
GLOBAL(hWndTmp;BtnDef;DefBtn;PromptActive;DocumentSummaryChked;WhichOpen)  
DocumentSummaryChked:=FALSE  
SelTmp:=False  
Create:=True  
PromptsMacro:="prompts.wcm"  
WhichOpen:=0  
  
DllCall(USERLink;"GetSystemMetrics";Width:Word;{LoWord(0)})  
DllCall(USERLink;"GetSystemMetrics";Height:Word;{LoWord(1)})  
  
Msg:=0  
LstMsg:=0  
  
//*****  
// Main program  
//*****  
OnError Call(CoachError)  
OnCancel Call(QuitQuestion)  
  
PleaseWait(True)  
DialogText()  
  
ShowPromptsOnActivate:=False
```

```
CoachSetDialogFilter("WordPerfect.New";NewCB)
CoachSetDialogFilter("WordPerfect.Open";OpenCB)
CoachSetDialogFilter("WordPerfect.CopyRemoveTemplateObjects";CRTOCB)
CoachSetDialogFilter("WordPerfect.Associate";AssociateCB)
CoachSetDialogFilter("WordPerfect.SaveTemplate";SaveTempCB)
CoachSetDialogFilter("WordPerfect.MessageBox";MessageBoxCB)
```

```
Main:=True
SetupXtraCtrls(1)
```

```
PERSIST(CoachActive[2])
CoachActive[1]:="TEMPLATE.WCH"
CoachActive[2]:="Templates"
DBMIsDBMDialog(CoachActive[2])
PleaseWait(False)
DisplayMessageBox(1)
OverviewWhile()
ShowPromptsOnActivate:=True
If(?SubStructure = True)
    SubStructure()
    Main:=False
Endif
While(Main)
    If(Exists(MsgBx_OPArray[]) = 2)
        AnimateMouse()
        GenericWhile()
    Endif
    If(Msg <> 0 and Msg <> -1)
        If(Msg = 22 and SelTmp = True)
            FilePath:=?CurrentTemplate
            EightDot:=EightDot(FilePath)
            MsgArray[22,2]:="Template file \b"+EightDot+
                ?DefaultTemplateExtension+"\b is now ready to use.    "
        Endif
        If(MsgArray[Msg,8] div 16)
            SetupXtraCtrls(Msg)
        Endif
        DisplayMessageBox(Msg)
    Endif
    Switch(Msg)
    CaseOf 2;12;27:
        ProcessMenuSelection(1;"WordPerfect")

    CaseOf 3;4;5;21;34;35:
        AnimateMouse()
        GenericWhile()
```

CaseOf 7:
Options()

CaseOf 8:
If(LstMsg = 6)
 AnimateMouse()
Endif
CRTOWhile()

CaseOf 13:
While(EventID <> OKBtn)
EndWhile
CoachMessageBoxClose(0)
Msg:=16

CaseOf 16:
If(LstMsg = 6)
 AnimateMouse()
Endif
AssociateWhile()

CaseOf 9;10;25;26:
CRTOPrompts()
CRTOWhile()

CaseOf 17;18;29;31:
AssociatePrompts()
AssociateWhile()

CaseOf 11:
EditWhile()

CaseOf 20:
LstMsg:=Msg
If(Result = NoBtn)
 Msg:=22
Else
 SelTmp:=True
 Msg:=27
Endif

CaseOf 22:
Main:=False

Default:

```

    If(Msg = 0)
        Msg:=2
    Endif

    EndSwitch
EndWhile
QuitCoach()
//*****
// End Main program
//*****

//*****
// PROCEDURE: EditWhile
// DESC:
//*****
PROCEDURE EditWhile()
//DebugPrompt("Entering Edit While---Msg is "+Msg)
    CoachFilterAdd(
        Name:"Edit";
        Label:EditCB;
        LabelCondition:All!;
        Type:Token!;
        AppName:"WordPerfect";
        Command:Type
    )

    CoachFilterEnable(Command:"Edit")
    NoKeys(False)

    DllCall(USERLink;"GetFocus";hWPWin:Word;{})

    PromptActive:=0
    EventID:=0
    GotEvent:=FALSE
    While(NOT GotEvent)
        Switch(EventID)
        CaseOf ContinueBtn:
            CoachMessageBoxClose(0)
            LstMsg:=Msg
            Msg:=7
            GotEvent:=TRUE
        CaseOf QuitBtn:
            QuitQuestion()
            EventID:=0
        EndSwitch
    EndSwitch

```

```

DllCall(USERLink;"GetFocus";hCurWnd:Word;{})
If(hCurWnd <> hWPWin and PromptActive = 0)
    CoachMessageBoxClose(0)
    If(Msg <> 34 and Msg <> 11 and Msg <> 35)
        DisplayMessageBox(24)
    Endif
    PromptActive:=1
Else
    If(hCurWnd = hWPWIN and PromptActive = 1)
        CoachMessageBoxClose(0)
        DisplayMessageBox(Msg)
        PromptActive:=0
    Endif
Endif
EndWhile
NoKeys(True)
CoachFilterDisable(Command:"Edit")
//DebugPrompt("After Edit While---Msg is "+Msg)
ENDPROC

PROCEDURE EditCB()
    If(EditCB[2] = 0)
        EditCB:=0                // Allow event on match
    Else
        Switch(EditCB[5])
            CaseOf Value(FigureRetrieveDlg):
                EditCB:=0
                LstMsg:=Msg
                Msg:=35
                WhichOpen:=35
                CoachMessageBoxClose(0)
                GotEvent:=TRUE
            CaseOf 32992:
                EditCB:=0
                LstMsg:=Msg
                Msg:=34
                WhichOpen:=34
                GotEvent:=TRUE
            CaseOf 33113;241;32986; // Close, Coach
            33101;236;467;625; // New
            32979;33147; // Macro Play, Macro Pause
            33102;202;239;32991; // Save, Open
            33113;33102;239;241;625: // Exit template
                EditCB:=1 // Disallow event

            CaseOf 217;226;225;54284; // Styles and Style edit

```

```

32935;32965;33011;      // Abbr, Button, Keybrd
32966;32840;32933:    // Menu, Copy Object, Associate
  If(PromptActive)
    EditCB:=0          // Allow event
  Else
    EditCB:=1          // Disallow event
  Endif

Default:
  EditCB:=0            // Allow event

EndSwitch
Endif
ENDPROC

//*****
//  PROCEDURE: NewCB
//  DESC:
//*****
PROCEDURE NewCB()
  Switch(NewCB[5])      // Switch on message
  CaseOf 273:           // WM_COMMAND
    If(NewCB[8] = 2 and NewCB[6]=1006 and SelTmp = True)
      CloseWinPrompts(&New_OPArray[])
      CoachMessageBoxClose(0)
      GotEvent:=TRUE
      LstMsg:=Msg
      Msg:=22
    Else
      If(NewCB[8] = 2 and NewCB[6]=1006 and SelTmp = False)
        NewCB:=1
      Endif
    Endif

  Switch(NewCB[6])      // Switch on Control ID
  CaseOf 1;2;1002;12;13;14;15;8:
    // Select, Cancel, View, Delete, New Group, Rename Group, Delete Group, Help
    If(NewCB[6] = 1 and SelTmp = True)
      CloseWinPrompts(&New_OPArray[])
      CoachMessageBoxClose(0)
      LstMsg:=Msg
      Msg:=22
      GotEvent:=TRUE
    Else
      NewCB:=1          // Disallow event
    Endif

```

```

CaseOf 10;11:           // Create, Edit
  If(NewCB[6] = 10 and Create = True and SelTmp = False)
    CloseWinPrompts(&New_OPArray[])
    CoachMessageBoxClose(0)
    GotEvent:=TRUE
    LstMsg:=Msg
    Msg:=11
  Else
    If(NewCB[6] = 11 and Create = False and SelTmp = False)
      CloseWinPrompts(&New_OPArray[])
      CoachMessageBoxClose(0)
      GotEvent:=TRUE
      LstMsg:=Msg
      Msg:=7
    Else
      NewCB:=1
    Endif
  Endif
Endif

EndSwitch           //EndSwitch Control ID

CaseOf 3:           // WM_MOVE
  CloseWinPrompts(&New_OPArray[])
  NewPrompts()

CaseOf 272:         // WM_INITDIALOG
  If(Exists(New_OPArray[]) = 0) // Setup prompt array
    GLOBAL(New_OPArray[10])
  Endif
  New_OPArray[1]:=0 // initially no prompts are visible
  LstMsg:=Msg
  If(SelTmp = True)
    Msg:=21
  Else
    If(Create = True)
      Msg:=3
    Else
      Msg:=4
    Endif
  Endif

CaseOf 2:           // WM_DESTROY
  Discard(New_OPArray[])
  If(Create = False and SelTmp = False)
    LstMsg:=Msg

```



```

        Msg:=7
    Endif

    CaseOf 6:                // WM_ACTIVATE
        If(ShowPromptsOnActivate)
            Switch(NewCB[6])    // wParam is Inactive (0) or Active (1,2)
                CaseOf 0:      // Inactivate
                    CloseWinPrompts(&New_OPArray[])

                CaseOf 1;2:    // Activate
                    NewPrompts()

            EndSwitch          // EndSwitch Activation Type
        Endif
    EndSwitch                // EndSwitch Message
ENDPROC // End NewCB

/*****
// PROCEDURE: NewPrompts
// DESC:
*****/
PROCEDURE NewPrompts()
    If(Create = False or SelTmp = True)
        WinHelpPrompt(8;&New_OPArray[])
    Endif
    If(SelTmp = True)
        WinHelpPrompt(9;&New_OPArray[])
    Else
        WinHelpPrompt(10;&New_OPArray[])
    Endif
ENDPROC // EndNewPrompts

/*****
// PROCEDURE: CRTOCB
// DESC:
*****/
PROCEDURE CRTOCB()
    Switch(CRTOCB[5])        // Switch on message
        CaseOf 273:         // WM_COMMAND
            Switch(CRTOCB[6]) // Switch on Control ID
                CaseOf 8:    // Help
                    CRTOCB:=1 // Disallow the event

            CaseOf 1:        // Close
                CloseWinPrompts(&CRTO_OPArray[])
                CoachMessageBoxClose(0)

```

```

    LstMsg:=Msg
    Msg:=7
    GotEvent:=TRUE

    CaseOf 17:                // Remove
        CloseWinPrompts(&CRTO_OPArray[])
        CoachMessageBoxClose(0)

    EndSwitch                // EndSwitch Control ID

    CaseOf 3:                // WM_MOVE
        CloseWinPrompts(&CRTO_OPArray[])
        CRTOPrompts()

    CaseOf 272:              // WM_INITDIALOG
        If(Exists(CRTO_OPArray[]) = 0) // Setup prompt array
            GLOBAL(CRTO_OPArray[10])
        Endif
        CRTO_OPArray[1]:=0           // initially no prompts are visible
        GotEvent:=TRUE
        LstMsg:=Msg
        Msg:=8

    CaseOf 2:                // WM_DESTROY
        Discard(CRTO_OPArray[])

    CaseOf 6:                // WM_ACTIVATE
        If(ShowPromptsOnActivate)
            Switch(CRTOCB[6])        // wParam is Inactive (0) or Active (1,2)
                CaseOf 0:           // Inactivate
                    CloseWinPrompts(&CRTO_OPArray[])

                CaseOf 1;2:         //Activate
                    CRTOPrompts()

            EndSwitch                // EndSwitch Activation Type
        Endif
    EndSwitch                // EndSwitch Message
ENDPROC // End CRTOCB

//*****
//  PROCEDURE: CRTOPrompts
//  DESC:
//*****
PROCEDURE CRTOPrompts()
    Switch(Msg)

```

```

CaseOf 9:
    WinHelpPrompt(16;&CRTO_OPArray[])
CaseOf 25:
    WinHelpPrompt(17;&CRTO_OPArray[])
CaseOf 26:
    WinHelpPrompt(18;&CRTO_OPArray[])
CaseOf 10:
    WinHelpPrompt(19;&CRTO_OPArray[])

    EndSwitch
ENDPROC    // End CRTOPrompts

//*****
//  PROCEDURE: AssociateCB
//  DESC:
//*****
PROCEDURE AssociateCB()
    Switch(AssociateCB[5])        // Switch on message
    CaseOf 273:                    // WM_COMMAND
        Switch(AssociateCB[6])    // Switch on Control ID
        CaseOf 8:                  // Help
            AssociateCB:=1        // Disallow event

        CaseOf 1;2:                // OK, Cancel
            CloseWinPrompts(&Associate_OPArray[])
            CoachMessageBoxClose(0)
            LstMsg:=Msg
            Msg:=7
            GotEvent:=TRUE

    EndSwitch                    // EndSwitch Control ID

    CaseOf 3:                      // WM_MOVE
        CloseWinPrompts(&Associate_OPArray[])
        AssociatePrompts()

    CaseOf 272:                    // WM_INITDIALOG
        If(Exists(Associate_OPArray[]) = 0) // Setup prompt array
            GLOBAL(Associate_OPArray[10])
        Endif
        Associate_OPArray[1]:=0        // initially no prompts are visible
        GotEvent:=TRUE
        LstMsg:=Msg
        Msg:=13

    CaseOf 2:                      // WM_DESTROY

```

```

Discard(Associate_OPArray[])

CaseOf 6:                // WM_ACTIVATE
  If(ShowPromptsOnActivate)
    Switch(AssociateCB[6]) // wParam is Inactive (0) or Active (1,2)
      CaseOf 0:           // Inactivate
        CloseWinPrompts(&Associate_OPArray[])

      CaseOf 1;2:        // Activate
        AssociatePrompts()

    EndSwitch           // EndSwitch Activation Type
  Endif
EndSwitch               // EndSwitch Message
ENDPROC // End AssociateCB

//*****
// PROCEDURE: AssociatePrompts
// DESC:
//*****
PROCEDURE AssociatePrompts()
  Switch(Msg)
  CaseOf 17:
    WinHelpPrompt(20;&Associate_OPArray[])
    WinHelpPrompt(21;&Associate_OPArray[])
  CaseOf 18:
    WinHelpPrompt(22;&Associate_OPArray[])
    WinHelpPrompt(23;&Associate_OPArray[])
  CaseOf 29:
    WinHelpPrompt(24;&Associate_OPArray[])
  CaseOf 31:
    WinHelpPrompt(25;&Associate_OPArray[])

  EndSwitch
ENDPROC // End AssociatePrompts

//*****
// PROCEDURE: OpenCB
// DESC:
//*****
PROCEDURE OpenCB()
  Switch(OpenCB[5]) // Switch on message
  CaseOf 273:       // WM_COMMAND
    Switch(OpenCB[6]) // Switch on Control ID
      CaseOf 2:     // Cancel
        CloseWinPrompts(&Open_OPArray[])

```

```

CoachMessageBoxClose(0)
Msg:=TmpMsg
GotEvent:=TRUE
Msg:=11

CaseOf 39;           // Quick Finder
60;61;62;63;64;    // Copy, Move, Rename, Delete, Change Attrib
67;68;65;66;      // Print, Print File List, Create Dir, Remove Dir
108;109;110;115;  // Add Item, Edit, Delete, Print Quicklist
38;8:              // Setup, Help
    OpenCB:=1      // Disallow event

CaseOf 1:           // OK

    Filename:=""
    DllCall(USERLink;"SendMessage";Result:DWord;
        {LoWord(hWndFlnmEdit);LoWord(13);LoWord(1024);
        Address(AnsiString(Filename))})

    OutPath:=""
    OutName:=""
    DllCall(SHWINLink;"WfsDoesExist";Result:WORD;
        {Address(AnsiString(Filename));
        Address(AnsiString(OutPath));
        Address(AnsiString(OutName))})

    If(Result = 103 or Result = 101) // 101 is FS_ISFILENAME : The filename is valid
        CloseWinPrompts(&Open_OPArray[])
        CoachMessageBoxClose(0)
        Msg:=LstMsg
        GotEvent:=TRUE
        CoachSetDialogFilter("WordPerfect.MessageBox";MessageBoxCB)
    Endif

EndSwitch// EndSwitch Control ID

CaseOf 3:           // WM_MOVE
    CloseWinPrompts(&Open_OPArray[])
    WinHelpPrompt(14;&Open_OPArray[])
    WinHelpPrompt(15;&Open_OPArray[])

CaseOf 272:        // WM_INITDIALOG
    CoachRemoveDialogFilter("WordPerfect.MessageBox")
    If(Exists(Open_OPArray[]) = 0) // Setup prompt array

```

```

        GLOBAL(Open_OPArray[10])
    Endif
    Open_OPArray[1]:=0           // initially no prompts are visible

    If(Exists(hWndPath) = 0)
        GLOBAL(hWndPath)
    Endif
    CoachGetRegionInfo("WordPerfect.Open.CurrentDirStaticPath";Exist;hWndPath)
    If(Exists(hWndFlmEdit) = 0)
        GLOBAL(hWndFlmEdit)
    Endif
    CoachGetRegionInfo("WordPerfect.Open.FileNameEdit";Exist;hWndFlmEdit)
    TmpMsg:=Msg
    If(WhichOpen = 34)
        Msg:=34
    Else
        Msg:=35
    Endif
    GotEvent:=TRUE

CaseOf 2:                               // WM_DESTROY
    CoachSetDialogFilter("WordPerfect.MessageBox";MessageBoxCB@)
    Discard(Open_OPArray[])
    Discard(hWndPath)
    Discard(hWndFlmEdit)

CaseOf 6:                               // WM_ACTIVATE
    If(ShowPromptsOnActivate)
        Switch(OpenCB[6])               // wParam is Inactive (0) or Active (1,2)
        CaseOf 0:                       // Inactivate
            CloseWinPrompts(&Open_OPArray[])

            CaseOf 1;2:                 // Activate
                WinHelpPrompt(14;&Open_OPArray[])
                WinHelpPrompt(15;&Open_OPArray[])

            EndSwitch// EndSwitch Activation Type
        Endif
    EndSwitch// EndSwitch Message
ENDPROC // End OpenCB

//*****
//  PROCEDURE: SaveTempCB
//  DESC:
//*****
PROCEDURE SaveTempCB()

```

```

Switch(SaveTempCB[5]) // Switch on message
CaseOf 273: // WM_COMMAND
    Switch(SaveTempCB[6]) // Switch on Control ID
    CaseOf 2;116;8: // Cancel, Objects, Help
        SaveTempCB:=1 // Disallow event

    CaseOf 1: // OK
        CloseWinPrompts(&SaveTemp_OpArray[])
        CoachMessageBoxClose(0)
        GotEvent:=TRUE
        LstMsg:=Msg
        Msg:=-1

    EndSwitch // EndSwitch Control ID

CaseOf 3: // WM_MOVE
    CloseWinPrompts(&SaveTemp_OpArray[])
    SaveTempPrompts()

CaseOf 272: // WM_INITDIALOG
    If(Exists(SaveTemp_OpArray[]) = 0) // Setup prompt array
        GLOBAL(SaveTemp_OpArray[10])
    Endif
    SaveTemp_OpArray[1]:=0 // initially no prompts are visible
    LstMsg:=Msg
    Msg:=5
    DllCall(USERLink;"GetFocus";hWnd1:Word;{})
    hWndTmp:=hWnd1

CaseOf 2: // WM_DESTROY
    Discard(SaveTemp_OpArray[])
    LstMsg:=Msg
    Msg:=20
    If(DocumentSummaryChked)
        PrefDocSummary(CreateOnExit:Yes!)
    Endif

CaseOf 6: // WM_ACTIVATE
    If(ShowPromptsOnActivate)
        Switch(SaveTempCB[6]) // wParam is Inactive (0) or Active (1,2)
        CaseOf 0: // Inactivate
            CloseWinPrompts(&SaveTemp_OpArray[])

        CaseOf 1;2: // Activate
            SaveTempPrompts()

```

```

        EndSwitch                // EndSwitch Activation Type
    Endif
    EndSwitch                    // EndSwitch Message
ENDPROC // End SaveTempCB

//*****
// PROCEDURE: SaveTempPrompts
// DESC:
//*****
PROCEDURE SaveTempPrompts()
    Switch(Msg)
    CaseOf 5:
        WinHelpPrompt(11;&SaveTemp_OPArray[])
    CaseOf 6:
        WinHelpPrompt(12;&SaveTemp_OPArray[])
    CaseOf 23:
        WinHelpPrompt(26;&SaveTemp_OPArray[])
        WinHelpPrompt(13;&SaveTemp_OPArray[])

    EndSwitch// EndSwitch SaveTemp
ENDPROC // End SaveTempPrompts

//*****
// PROCEDURE: MessageBoxCB
// DESC:
//*****
PROCEDURE MessageBoxCB()
    Switch(MessageBoxCB[5]) // Switch on message
    CaseOf 273: // WM_COMMAND
        Switch(MessageBoxCB[6])
        CaseOf 1: // OK
            CloseWinPrompts(&MsgBx_OPArray[])
            CoachMessageBoxClose(0)
            Msg:=TmpMsg
            GotEvent:=TRUE

        CaseOf 2: // Cancel
            MessageBoxCB:=1 // Disallow event

        CaseOf 6: // Yes
            CloseWinPrompts(&MsgBx_OPArray[])
            CoachMessageBoxClose(0)
            Msg:=TmpMsg
            GotEvent:=TRUE

        CaseOf 7: // No

```



```

    If(LstMsg = 7 and Exists(CRTO_OPArray[]) = 0)
        MessageBoxCB:=1
    Else
        CloseWinPrompts(&MsgBx_OPArray[])
        CoachMessageBoxClose(0)
        Msg:=TmpMsg
        GotEvent:=TRUE
    Endif

EndSwitch

CaseOf 3:                                // WM_MOVE
    CloseWinPrompts(&MsgBx_OPArray[])
    MsgBxPrompts()

CaseOf 272:                               // WM_INITDIALOG
    If(Exists(MsgBx_OPArray[]) = 0)        // Setup prompt array
        GLOBAL(MsgBx_OPArray[10])
        TmpMsg:=Msg
        MsgBx_OPArray[1]:=0                // initially no prompts are visible
    //    TmpMsg:=Msg
// DebugPrompt("LstMsg is "+LstMsg+"  TmpMsg is "+TmpMsg)
    Switch(LstMsg)
    CaseOf 5;6;23:
        DllCall(USERLink;"GetNextWindow";hWnd:Integer;
            {LoWord(MessageBoxCB[4]);LoWord(5)})
        DllCall(USERLink;"GetDlgCtrlId";Result:Word;
            {LoWord(hWnd)})
        If(Result = 1)
            Msg:=14
            MsgBxPrompts()
        Else
            Msg:=15
        Endif

    CaseOf 7;8;9;10;11;25;26:
        If(LstMsg = 7 and Exists(CRTO_OPArray[]) = 0)
            DllCall(USERLink;"GetNextWindow";hWnd:Integer;
                {LoWord(MessageBoxCB[4]);LoWord(5)})
            DllCall(USERLink;"GetDlgCtrlId";Result:Word;
                {LoWord(hWnd)})
            If(Result = 1)
                Msg:=33
            Else
                Msg:=19
            Endif
            MsgBxPrompts()

```

```

Else
    DllCall(USERLink;"GetNextWindow";hWnd:Integer;
        {LoWord(MessageBoxCB[4]);LoWord(5)})
    DllCall(USERLink;"GetDlgCtrlId";Result:Word;
        {LoWord(hWnd)})
    If(Result = 1)
        Msg:=33
        MsgBoxPrompts()
    Else
        Msg:=32
    Endif
Endif

CaseOf 21:
    MsgArray[22,3]:= 10 // dialog ypos
    MsgArray[22,4]:= 50 // dialog xpos
    Msg:=33

    EndSwitch
    DisplayMessageBox(Msg)
    AnimateMouse()
Endif
CaseOf 2: // WM_DESTROY
    Discard(MsgBx_OArray[])
    CoachMessageBoxClose(0)

CaseOf 6: // WM_ACTIVATE
    Switch(MessageBoxCB[6] // wParam is Inactive (0) or Active (1,2)
    CaseOf 0: // Inactivate
        CloseWinPrompts(&MsgBx_OArray[])

    CaseOf 1;2: // Activate
        MsgBoxPrompts()

    EndSwitch // EndSwitch Activation Type
EndSwitch
ENDPROC // End MessageBoxCB

//*****
// PROCEDURE: MsgBoxPrompts
// DESC:
//*****
PROCEDURE MsgBoxPrompts()
    Switch(Msg)
    CaseOf 14;33:
        WinHelpPrompt(6;&MsgBx_OArray[])

```

```

CaseOf 19:
    WinHelpPrompt(7;&MsgBx_OPArray[])
EndSwitch
ENDPROC

//*****
//  PROCEDURE: GenericWhile
//  DESC:
//*****
PROCEDURE GenericWhile()
//DebugPrompt("Entering Generic While---Msg is "+Msg)
    NoKeys(False)
    PromptActive:=1
    EventID:=0
    GotEvent:=FALSE
    While(NOT GotEvent)
        Switch(EventID)
        CaseOf ContinueBtn:
            CoachMessageBoxClose(0)
            GotEvent:=TRUE
        CaseOf QuitBtn:
            If(Msg = 6)
                DllCall(USERLink;"GetFocus";hWnd2:Word;{})
            Endif
            If(DocumentSummaryChked)
                PrefDocSummary(CreateOnExit:Yes!)
                DocumentSummaryChked:=FALSE
            Endif
            QuitQuestion()
            If(?SaveDocumentSummaryOnExit)
                DocumentSummaryChked:=TRUE
                PrefDocSummary(CreateOnExit:No!)
            Endif
            If(Msg = 6)
                DllCall(USERLink;"SetFocus";hWnd0:Word;{LoWord(hWnd2)})
            Endif
            EventID:=0
        CaseOf ShowMeBtn:
            AnimateMouse()
            EventID:=0
        CaseOf HintBtn:
            If(Msg = 6)
                DllCall(USERLink;"GetFocus";hWnd2:Word;{})
            Endif
            CoachHint()
            If(Msg = 6)

```

```

        DllCall(USERLink;"SetFocus";hWnd0:Word;{LoWord(hWnd2)})
    Endif
    EventID:=0

EndSwitch
If(Msg = 5 or Msg = 6 or Msg = 23)
    DllCall(USERLink;"GetFocus";hWnd3:Word;{})
    DllCall(USERLink;"GetDlgCtrlId";Result:Word;
        {LoWord(hWnd3)})
//DebugPrompt("Control ID is "+Result)
    If(hWnd3 <> hWndTmp)
        Switch(Result)
        CaseOf 12:
            If(Msg <> 5)
                CloseWinPrompts(&SaveTemp_OPArray[])
                CoachMessageBoxClose(0)
                LstMsg:=Msg
                Msg:=5
                SaveTempPrompts()
                DisplayMessageBox(Msg)
            Endif
        CaseOf 10:
            If(Msg <> 6)
                CloseWinPrompts(&SaveTemp_OPArray[])
                CoachMessageBoxClose(0)
                LstMsg:=Msg
                Msg:=6
                SaveTempPrompts()
                DisplayMessageBox(Msg)
            Endif
        CaseOf 65277;11:
            If(Msg <> 23)
                CloseWinPrompts(&SaveTemp_OPArray[])
                CoachMessageBoxClose(0)
                LstMsg:=Msg
                Msg:=23
                SaveTempPrompts()
                DisplayMessageBox(Msg)
            Endif

        EndSwitch
        hWndTmp:=hWnd3
    Endif
EndWhile
NoKeys(True)

```

```
//DebugPrompt("Leaving Generic While---Msg is "+Msg)
ENDPROC
```

```
/**
// PROCEDURE: OverviewWhile
// DESC:
**
```

```
PROCEDURE OverviewWhile()
  NoKeys(False)
  EventID:=0
  GotEvent:=FALSE
  While(NOT GotEvent)
    Switch(EventID)
    CaseOf ContinueBbtn:
      CoachMessageBoxClose(0)
      LstMsg:=Msg
      If(?FeatureBar = 337)
        Msg:=7
      Else
        If(SelTmp)
          Msg:=27
        Else
          If(Create)
            Msg:=2
          Else
            Msg:=12
          Endif
        Endif
      Endif
      GotEvent:=TRUE
    CaseOf HelpBbtn:
      MoreHelp(2901400503)
      EventID:=0
    CaseOf QuitBbtn:
      DISCARD(CoachActive[])
      CoachMessageBoxClose(0)
      QuitCoach()
    CaseOf "RadBbtn1":
      Create:=True
      SelTmp:=False
      EventID:=0
    CaseOf "RadBbtn2":
      Create:=False
      SelTmp:=False
      EventID:=0
    CaseOf "RadBbtn3":
```

```

        SelTmp:=True
        EventID:=0

    EndSwitch
EndWhile
DISCARD(CoachActive[])
NoKeys(True)
ENDPROC

/**
// PROCEDURE: Options
// DESC:
**/
PROCEDURE Options()
    If(?SaveDocumentSummaryOnExit)
        DocumentSummaryChked:=TRUE
        PrefDocSummary(CreateOnExit:No!)
    Endif
    BbtnDef:=1

    If(Exists(TFB_OPArray[]) = 0) // Setup prompt array
        GLOBAL(TFB_OPArray[10])
        TFB_OPArray[1]:=0 // initially no prompts are visible
    Endif

    CoachFilterAdd(
        Name:"Options";
        Label:OptionsCB;
        LabelCondition:All!;
        Type:Token!;
        AppName:"WordPerfect";
        Command:33113 // Exit
    )

    CoachFilterEnable(Command:"Options")
    NoKeys(False)

    PromptActive:=0
    EventID:=0
    GotEvent:=FALSE
    While(NOT GotEvent)
        Switch(EventID)
        CaseOf ContinueBbtn:
            TFBPrompts()
            EventID:=0
        CaseOf QuitBbtn:

```

```

    If(DocumentSummaryChked)
        PrefDocSummary(CreateOnExit:Yes!)
    Endif
    QuitQuestion()
    If(?SaveDocumentSummaryOnExit)
        DocumentSummaryChked:=TRUE
        PrefDocSummary(CreateOnExit:No!)
    Endif
    EventID:=0
    CaseOf "RadBttn1":
        CloseWinPrompts(&TFB_OPArray[])
        BttnDef:=1
        EventID:=0
    CaseOf "RadBttn2":
        CloseWinPrompts(&TFB_OPArray[])
        BttnDef:=2
        EventID:=0
    CaseOf "RadBttn3":
        CloseWinPrompts(&TFB_OPArray[])
        BttnDef:=3
        EventID:=0
    CaseOf "RadBttn4":
        CloseWinPrompts(&TFB_OPArray[])
        BttnDef:=4
        EventID:=0
    CaseOf "RadBttn5":
        CloseWinPrompts(&TFB_OPArray[])
        BttnDef:=5
        EventID:=0
    EndSwitch
    If(PromptActive >= 1)
        PromptActive:=PromptActive + 1
        If(PromptActive > 30)
            CoachPromptClose("Path")
            PromptActive:=0
        Endif
    Endif
    If(Exists(PromptsMacroPlay) = 2)
        Discard(PromptsMacroPlay)
        PromptsMacro()
    Endif
EndWhile
Discard(TFB_OPArray[])
NoKeys(True)
CoachFilterDisable(Command:"Options")
ENDPROC

```

```

PROCEDURE OptionsCB()
  If(OptionsCB[2] = 0)
    CloseWinPrompts(&TFB_OPArray[])
    CoachMessageBoxClose(0)
    LstMsg:=Msg
    If(Create)
      Msg:=-1 // set to -1 to wait for init on Save Template dialog
    Else
      If(?TemplateFile = ?CurrentTemplate)
        Msg:=22
      Else
        Msg:=20
      Endif
    Endif
    CoachFilterDisable(Command:"Options")
    GotEvent:=TRUE
    OptionsCB:=0 // Allow event on match
  Else
    Switch(OptionsCB[5])
      CaseOf 32840;32933; // Copy Objects, Associate
      33102;239;241;625:
        CloseWinPrompts(&TFB_OPArray[])
        CoachMessageBoxClose(0)
        OptionsCB:=0 // Allow event

      CaseOf 33075:
        CloseWinPrompts(&TFB_OPArray[])
        GLOBAL PromptsMacroPlay
        PromptsMacroPlay:=True
        OptionsCB:=1 // Disallow event

      Default:
        OptionsCB:=1 // Disallow event

    EndSwitch
  Endif
ENDPROC

```

```

//*****
//  PROCEDURE: TFBPrompts
//  DESC:
//*****

```

```

PROCEDURE TFBPrompts()
  Switch(BtnDef)
  CaseOf 1:

```



```

    WinHelpPrompt(2;&TFB_OPArray[])
CaseOf 2:
    WinHelpPrompt(3;&TFB_OPArray[])
CaseOf 3:
    CoachPromptClose("Path")
    CoachMessageBoxClose(0)
    LstMsg:=Msg
    Msg:=11
    GotEvent:=TRUE
CaseOf 4:
    WinHelpPrompt(27;&TFB_OPArray[])
CaseOf 5:
    WinHelpPrompt(4;&TFB_OPArray[])

EndSwitch
ENDPROC

/*****
// PROCEDURE: PromptsMacro
// DESC: Check for existance of prompts.wcm and run if found
*****/
PROCEDURE PromptsMacro()
    PromptsPath:=""
    DllCall(SHWINLink;"WfsDoesFileExist";Result:Bool;
    {AnsiString(?PathMacros+PromptsMacro)})
    If(Result = True)
        PromptsPath:=?PathMacros
    Else
        DllCall(SHWINLink;"WfsDoesFileExist";Result:Bool;
        {AnsiString(?PathMacrosSupplemental+PromptsMacro)})
        If(Result = True)
            PromptsPath:=?PathMacrosSupplemental
        Endif
    Endif
    If(PromptsPath <> "")
        CoachMessageBoxClose(0)
        CoachFilterDisable(Command:"Options")
        Global(ActivateCoach)
        ActivateCoach:=PromptsMacro
        Run(PromptsPath+ActivateCoach)
        If(Exists(ActivateCoach) = 2)
            Discard(ActivateCoach)
            Display(On!)
            InhibitInput(Off!)
        Else
            QuitCoach()
    Endif
Endif

```

```

        Endif
        LstMsg:=Msg
        Msg:=7
        GotEvent:=TRUE
    Else
        CoachPromptClose("Path")
        CoachPrompt("Path";PromptArray[5,1];
        TextFontStyle;TextFontSize;;;Specify!;5;95)
        Beep
        PromptActive:=1
    Endif
ENDPROC

//*****
//  PROCEDURE: CRTOWhile
//  DESC:
//*****
PROCEDURE CRTOWhile()
    NoKeys(False)
    If(Msg = 8)
        DefBtn:=1
    Endif
    EventID:=0
    GotEvent:=FALSE
    While(NOT GotEvent)
        Switch(EventID)
        CaseOf ContinueBtn:
            CloseWinPrompts(&CRTO_OPArray[])
            CoachMessageBoxClose(0)
            LstMsg:=Msg
            Switch(Msg)
            CaseOf 8:
                If(DefBtn = 1)
                    Msg:=9
                Else
                    Msg:=25
                Endif
            CaseOf 9:
                Msg:=25
            CaseOf 10;26:
                Msg:=8
            CaseOf 25:
                If(DefBtn = 1)
                    Msg:=26
                Else
                    Msg:=10

```

```

        Endif

        EndSwitch
        EventID:=0
        GotEvent:=TRUE
    CaseOf QuitBtn:
        QuitQuestion()
        CRTOPrompts()
        EventID:=0
    CaseOf "RadBtn1":
        DefBtn:=1
        EventID:=0
    CaseOf "RadBtn2":
        DefBtn:=2
        EventID:=0

    EndSwitch
EndWhile
NoKeys(True)
ENDPROC

/*****
//  PROCEDURE: AssociateWhile
//  DESC:
*****/
PROCEDURE AssociateWhile()
    NoKeys(False)
    If(Msg = 16)
        DefBtn:=1
    Endif
    EventID:=0
    GotEvent:=FALSE
    While(NOT GotEvent)
        Switch(EventID)
        CaseOf ContinueBtn:
            CloseWinPrompts(&Associate_OPArray[])
            CoachMessageBoxClose(0)
            LstMsg:=Msg
            Switch(Msg)
            CaseOf 16:
                If(DefBtn = 1)
                    Msg:=17
                Else
                    Msg:=18
                Endif
            CaseOf 17:

```

```

        Msg:=29
    CaseOf 18:
        Msg:=31
    CaseOf 29;31:
        Msg:=16

    EndSwitch
    GotEvent:=TRUE
    CaseOf QuitBtn:
        QuitQuestion()
        AssociatePrompts()
        EventID:=0
    CaseOf HintBtn:
        CoachHint()
        If(Msg <> 8)
            AssociatePrompts()
        Endif
        EventID:=0
    CaseOf "RadBtn1":
        DefBtn:=1
        EventID:=0
    CaseOf "RadBtn2":
        DefBtn:=2
        EventID:=0

    EndSwitch
EndWhile

    NoKeys(True)
ENDPROC

//*****
//  PROCEDURE: AnimateMouse
//  DESC:
//*****
PROCEDURE AnimateMouse()
    Switch(Msg)
    CaseOf 3:
        CoachAnimate(Mouse!;"Move to WordPerfect.New.OptionsPopdown")

    CaseOf 4;21:
        CoachAnimate(Mouse!;"Move to WordPerfect.New.DescriptionStatic")

    CaseOf 5:
        CoachAnimate(Mouse!;"Click in WordPerfect.SaveTemplate.DescriptionEntry")

```

```
CaseOf 8:  
CoachAnimate(Mouse!;"Move to WordPerfect.CopyRemoveTemplateObjects")
```

```
CaseOf 14;33:  
CoachAnimate(Mouse!;"Move to WordPerfect.MessageBox.OKBbtn")
```

```
CaseOf 15;32:  
CoachAnimate(Mouse!;"Move to WordPerfect.MessageBox")
```

```
CaseOf 19:  
CoachAnimate(Mouse!;"Move to WordPerfect.MessageBox.YesBbtn")
```

```
CaseOf 16:  
CoachAnimate(Mouse!;"Move to WordPerfect.Associate")
```

```
CaseOf 30:  
CoachAnimate(Mouse!;"Move to WordPerfect.Associate.CancelBbtn")  
CloseWinPrompts(&Associate_OPArray[])  
CoachMessageBoxClose(0)  
CoachAnimate(Mouse!;"Click on WordPerfect.Associate.CancelBbtn")  
CoachAnimate(Mouse!;"Click on WordPerfect.TemplateFeatureBar.CopyObjectBbtn")  
LstMsg:=Msg  
Msg:=-1  
GotEvent:=TRUE
```

```
CaseOf 34:  
    CoachAnimate(Mouse!;"Move to WordPerfect.Open.FilelistboxListBx")
```

```
EndSwitch  
ENDPROC
```

```
*****  
// PROCEDURE: CoachHint  
// DESC:  
*****
```

```
PROCEDURE CoachHint()  
    TmpMsg:=Msg  
    Switch(Msg)  
    CaseOf 15:  
        Msg:=28  
    CaseOf 29;31:  
        Msg:=30  
  
EndSwitch  
If(Msg = 30)  
    SetupXtraCtrls(Msg)
```

```

Endif
DisplayMessageBox(Msg)
EventID:=0
While(EventID <> OKBtn)
    If(Msg = 30 and EventID = ShowMeBtn)
        AnimateMouse()
        TmpMsg:=Msg
        EventID:=OKBtn
    Endif
EndWhile

CoachMessageBoxClose(0)
Msg:=TmpMsg
ENDPROC

/*****
/* FUNCTION: EightDot
/* DESC:
/* INPUTS: FilePath
/* OUTPUTS: EightDot
*****/
FUNCTION EightDot(FilePath)
    StrPos(Dlmtr; ".";FilePath)
    If(Dlmtr = 0)
        FilePath:=FilePath + "."
        StrPos(Dlmtr; ".";FilePath)
    Endif
    SubStr(EightDot;1;Dlmtr;FilePath)
    Len:=StrLen(EightDot)
    If(Len >= 9)
        SubStr(EightDot;Len - 8;9;EightDot)
        StrPos(BkSlsh;"\";EightDot)
        If(BkSlsh >= 1)
            Len:=StrLen(EightDot)
            SubStr(EightDot;BkSlsh + 1;Len - BkSlsh;EightDot)
        Endif
    Endif
    RETURN(EightDot)
ENDFUNC

/*****
// PROCEDURE: CoachError
// DESC:
*****/
PROCEDURE CoachError()
// ErrorCount:=ErrorCount + 1

```

```

// If(ErrorCount = 1)
//   MacroStatusPrompt(On!;ErrorCount+" coach error has ocured.")
// Else
//   MacroStatusPrompt(On!;ErrorCount+" coach errors have ocured.")
// Endif
ENDPROC

*****
// PROCEDURE: SetupXtraCtrls
*****
PROCEDURE SetupXtraCtrls(Msg)
  // Clear Extra Controls Arrays
  For(i;1;i < MaxCtrls;i + 1)
    XtraCtrlsName[i]:= ""
    XtraCtrlsText[i]:= ""
    XtraCtrlsType[i]:= 0
  EndFor

  // Based on the message, set up names and types of extra controls
  Switch(Msg)
  CaseOf 1:
    XtraCtrlsName[1]:= "RadBtn1" // Radio Button1
    XtraCtrlsText[1]:= "Create a template"
    XtraCtrlsType[1]:= 1

    XtraCtrlsName[2]:= "RadBtn2" // Radio Button2
    XtraCtrlsText[2]:= "Edit a template"
    XtraCtrlsType[2]:= 1

    XtraCtrlsName[3]:= "RadBtn3" // Radio Button3
    XtraCtrlsText[3]:= "Select a template"
    XtraCtrlsType[3]:= 1

  CaseOf 7:
    XtraCtrlsName[1]:= "RadBtn1" // Radio Button1
    XtraCtrlsText[1]:= "Copy and remove objects"
    XtraCtrlsType[1]:= 1

    XtraCtrlsName[2]:= "RadBtn2" // Radio Button2
    XtraCtrlsText[2]:= "Associate objects with various program features"
    XtraCtrlsType[2]:= 1

    XtraCtrlsName[3]:= "RadBtn3" // Radio Button3
    XtraCtrlsText[3]:= "Edit the text, graphics, or format in the template"
    XtraCtrlsType[3]:= 1

```

```
XtraCtrlsName[4]:= "RadBtn4" // Radio Button4  
XtraCtrlsText[4]:="Add prompts for specific information"  
XtraCtrlsType[4]:= 1
```

```
XtraCtrlsName[5]:= "RadBtn5" // Radio Button5  
XtraCtrlsText[5]:="Exit and save the template"  
XtraCtrlsType[5]:= 1
```

CaseOf 8:

```
XtraCtrlsName[1]:= "RadBtn1" // Radio Button1  
XtraCtrlsText[1]:="Copy objects"  
XtraCtrlsType[1]:= 1
```

```
XtraCtrlsName[2]:= "RadBtn2" // Radio Button2  
XtraCtrlsText[2]:="Remove objects"  
XtraCtrlsType[2]:= 1
```

CaseOf 16:

```
XtraCtrlsName[1]:= "RadBtn1" // Radio Button1  
XtraCtrlsText[1]:="Associate Button Bars, menus, or keyboards"  
XtraCtrlsType[1]:= 1
```

```
XtraCtrlsName[2]:= "RadBtn2" // Radio Button2  
XtraCtrlsText[2]:="Associate macros"  
XtraCtrlsType[2]:= 1
```

CaseOf 29;31:

```
XtraCtrlsName[1]:= HintBtn // custom pushbutton1  
XtraCtrlsText[1]:=HintBtn  
XtraCtrlsType[1]:= 3
```

```
XtraCtrlsName[2]:= ContinueBtn // custom pushbutton2  
XtraCtrlsText[2]:=ContinueBtn  
XtraCtrlsType[2]:= 3
```

```
XtraCtrlsName[3]:= QuitBtn // custom pushbutton3  
XtraCtrlsText[3]:=QuitBtn  
XtraCtrlsType[3]:= 3
```

CaseOf 30:

```
XtraCtrlsName[1]:= OKBtn // custom pushbutton1  
XtraCtrlsText[1]:=OKBtn  
XtraCtrlsType[1]:= 3
```

```
XtraCtrlsName[2]:= ShowMeBtn // custom pushbutton2  
XtraCtrlsText[2]:=ShowMeBtn
```



```
XtraCtrlsType[2]:= 3
```

```
EndSwitch
```

```
ENDPROC // End SetupXtraCtrls
```

```
*****
```

```
// PROCEDURE: DialogText
```

```
// DESC:
```

```
*****
```

```
PROCEDURE DialogText()
```

```
GLOBAL MsgArray[35,9]
```

```
// MsgNum: 1 === Message Title ===
```

```
MsgArray[1,1]:= "\bCreating a Template\b"
```

```
MsgArray[1,2]:= "Every time you create a new document, you use a template \n"+  
"to set formatting and program options for the document. A\n"+  
"template is like a customised stencil you can use repeatedly\n"+  
"to create documents.\n\n"+  
"A template can contain text and graphics, as well as styles,\n"+  
"macros, abbreviations, Toolbars, and keyboards. A template \n"+  
"can be as simple as a to-do list you fill in frequently, or a \n"+  
"template can be as complex as a term paper containing \n"+  
"various formatting styles."
```

```
MsgArray[1,3]:= 50
```

```
MsgArray[1,4]:= 50
```

```
MsgArray[1,5]:= 6 // add'l bitmap position - topcenter
```

```
MsgArray[1,6]:= 105 // Coach
```

```
MsgArray[1,7]:= 563 // add'l bitmap ID
```

```
MsgArray[1,8]:= 9 // continue quit more help
```

```
MsgArray[1,9]:= 2 // modal, (none), centered
```

```
If(?FeatureBar <> 337)
```

```
MsgArray[1,2]:=MsgArray[1,2]+"\n\nChoose from the following tasks: "
```

```
MsgArray[1,8]:=MsgArray[1,8] + 48// + three extra ctrls
```

```
Endif
```

```
// MsgNum: 2 === Message Title ===
```

```
MsgArray[2,2]:= "To create a template,\n\n"+  
"► Choose \bNew\b from the \bFile\b menu. "
```

```
MsgArray[2,8]:= 2 // showme quit
```

```
MsgArray[2,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright
```

```
// MsgNum: 3 === Message Title ===
```

```
MsgArray[3,2]:= "► Choose \bOptions\b, then \n"+  
" choose \bNew Template\b. "
```

```

MsgArray[3,8]:= 4 // quit
MsgArray[3,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 4 === Message Title ===
MsgArray[4,2]:= "► Highlight a group. \n"+
               "► Highlight a template to edit.\n"+
               "► Choose \bOptions\b, then choose \bEdit Template\b. "
MsgArray[4,8]:= 4 // quit
MsgArray[4,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 5 === Message Title ===
MsgArray[5,2]:= "► Type a description for the template, \n"+
               " then press \bTab\b. "
MsgArray[5,8]:= 4 // quit
MsgArray[5,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 6 === Message Title ===
MsgArray[6,2]:= "► Type a name for the template, \n"+
               " then press \bTab\b. "
MsgArray[6,8]:= 4 // quit
MsgArray[6,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 7 === Message Title ===
MsgArray[7,2]:= "Choose from the following tasks: "
MsgArray[7,8]:= 1 + 80 // continue quit + 5 extra ctrls
MsgArray[7,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 8 === Message Title ===
MsgArray[8,2]:= "► Choose from the following tasks, then choose \bClose\b \n"+
               " when you are finished making changes:"
MsgArray[8,8]:= 1 + 32 // continue quit + 2 extra ctrls
MsgArray[8,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 9 === Message Title ===
MsgArray[9,2]:= "\n► Select a template to copy from. "
MsgArray[9,8]:= 1 // continue quit
MsgArray[9,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 10 === Message Title ===
MsgArray[10,2]:= "► Under \bDestination\b, select the object to remove, then choose
\n"+
               " \bRemove\b.\n"+
               " -or-\n"+
               "► Choose \bRemove All\b to remove all objects of this type from\n"+
               " the new template."
MsgArray[10,3]:= 10 // dialog xpos

```

```

MsgArray[10,4]:= 10 // dialog ypos
MsgArray[10,8]:= 1 // continue quit
MsgArray[10,9]:= 7 // modeless, (untitled/coach/no add'l), specify

If(Height <= 480)
MsgArray[10,3]:= 0 // dialog xpos
MsgArray[10,4]:= 50 // dialog ypos
Endif

// MsgNum: 11 === Message Title ===
MsgArray[11,2]:= "► Type any text you want to add to your template. \n"+
"► Use other WordPerfect features to insert any \n"+
" graphics, tables, or other items into your template. \n"+
"► When you are finished, choose \bContinue\b."
MsgArray[11,8]:= 1 // continue quit
MsgArray[11,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 12 === Message Title ===
MsgArray[12,2]:= "To edit a template,\n\n"+
"► Choose \bNew\b from the \bFile\b menu. "
MsgArray[12,8]:= 2 // showme quit
MsgArray[12,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 13 === Message Title ===
MsgArray[13,2]:= "\i\bHINT!\i\b\n"+
"You can associate objects to different parts of the program. \n"+
"For example, you can have a different Toolbar display only \n"+
"while you are creating an outline."
MsgArray[13,8]:= 3 // ok
MsgArray[13,9]:= 54 // modal, (untitled/hint/no add'l), centered

// MsgNum: 14 === Message Title ===
MsgArray[14,2]:= "You need to type a different name for your template. \n\n"+
"► Choose \bOK\b."
MsgArray[14,8]:= 4 // quit
MsgArray[14,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 15 === Message Title ===
MsgArray[15,2]:= "\n► Choose the desired replace option. "
MsgArray[15,8]:= 5 // hint quit
MsgArray[15,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 16 === Message Title ===
MsgArray[16,2]:= "Choose from the following tasks, then choose \n"+
"\bOK\b when you are finished making changes:\n"
MsgArray[16,8]:= 1 + 32 // continue quit + two extra ctrl

```

```

MsgArray[16,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 17 === Message Title ===
MsgArray[17,2]:= "To associate Toolbars, menus, and keyboards to particular \n"+
                "features,\n\n"+
                "\b Select \bFeatures\b, then select a feature below \bList\b."
MsgArray[17,8]:= 1 // continue quit
MsgArray[17,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 18 === Message Title ===
MsgArray[18,2]:= "To specify a macro to play at a particular time,\n\n"+
                "\b Select \bTriggers\b, then select a trigger describing when \n"+
                " you want the macro to play."

MsgArray[18,3]:=85
MsgArray[18,4]:=95
MsgArray[18,8]:= 1 // continue quit
MsgArray[18,9]:= 7 // modeless, (untitled/coach/no add'l), lowerright

If(Height <= 480)
MsgArray[18,3]:=100
MsgArray[18,4]:=95
Endif

// MsgNum: 19 === Message Title ===
MsgArray[19,2]:= "\n\b Choose \bYes\b to save the changes. "
MsgArray[19,8]:= 4 // quit
MsgArray[19,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 20 === Message Title ===
MsgArray[20,2]:= "\nDo you want to use the template right now? "
MsgArray[20,8]:= 6 // yes no
MsgArray[20,9]:= 37 // simple, (untitled/coach/no add'l), centered

// MsgNum: 21 === Message Title ===
MsgArray[21,2]:= "\b Highlight a group. \n"+
                "\b Highlight a template, then choose \bSelect\b. "
MsgArray[21,8]:= 4 // quit
MsgArray[21,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 22 === Message Title ===
MsgArray[22,2]:= "You have completed the Coach on templates. "
MsgArray[22,3]:= 50 // dialog ypos
MsgArray[22,4]:= 50 // dialog xpos
MsgArray[22,8]:= 3 // ok
MsgArray[22,9]:= 5 // simple, (untitled/coach/no add'l), specify pos

```

```

// MsgNum: 23 === Message Title ===
MsgArray[23,2]:=  "\n► Highlight a group, then choose \bOK\b.      "
MsgArray[23,8]:=  4           // quit
MsgArray[23,9]:=  103          // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 24 === Message Title ===
MsgArray[24,2]:=  "\nCoach will return when you finish.      \n"
MsgArray[24,8]:=  0           // custom button config
MsgArray[24,9]:=  103          // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 25 === Message Title ===
MsgArray[25,2]:=  "\n► Select an object type.      "
MsgArray[25,8]:=  1           // continue quit
MsgArray[25,9]:=  103          // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 26 === Message Title ===
MsgArray[26,2]:=  "► Under \bSource\b, select an object to copy, then choose \bCopy\b.      \
n"+
                " -or-\n"+
                "► Choose \bCopy All\b to copy all objects of this type to the new      \
n"+
                " template."
MsgArray[26,3]:=  85
MsgArray[26,4]:=  95
MsgArray[26,8]:=  1           // continue quit
MsgArray[26,9]:=  7           // modeless, (untitled/coach/no add'l), lowerright

If(Height <= 480)
MsgArray[26,3]:=  0
MsgArray[26,4]:=  50
Endif

// MsgNum: 27 === Message Title ===
MsgArray[27,2]:=  "To select a template,\n\n"+
                "► Choose \bNew\b from the \bFile\b menu.      "
MsgArray[27,8]:=  2           // showme quit
MsgArray[27,9]:=  103          // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 28 === Message Title ===
MsgArray[28,2]:=  "\i\bHINT!\i\b\n"+
                "Answering \bYes\b will overwrite the previous version of this file.      \
n"+
                "If you do not want to lose the previous version, choose \bNo\b and      \
n"+
                "you will be prompted for a new filename."
MsgArray[28,3]:=  15           // dialog ypos

```

```

MsgArray[28,4]:= 50 // dialog xpos
MsgArray[28,8]:= 3 // ok
MsgArray[28,9]:= 22 // modal, (untitled/hint/no add'l), specify pos

// MsgNum: 29 === Message Title ===
MsgArray[29,2]:= "► Select a Toolbar, menu, or keyboard to \n"+
" associate the feature with."
MsgArray[29,3]:= 85 // dialog xpos
MsgArray[29,4]:= 95 // dialog ypos
MsgArray[29,8]:= 48 // custom button config, 3 extra controls
MsgArray[29,9]:= 7 // modeless, (untitled/coach/no add'l), specify

If(Height <= 480)
MsgArray[29,3]:= 100 // dialog xpos
MsgArray[29,4]:= 0 // dialog ypos
Endif

// MsgNum: 30 === Message Title ===
MsgArray[30,2]:= "\i\bHINT!\i\b\n"+
"If there are no Toolbars, menus, or keyboards to associate \n"+
"the feature with, then you must copy objects to the template.\n\n"+
"Choose \bShow Me\b to copy objects."
MsgArray[30,8]:= 32 // showme ok
MsgArray[30,9]:= 54 // modal, (untitled/hint/no add'l), centered

// MsgNum: 31 === Message Title ===
MsgArray[31,2]:= "\n► Select a macro to associate with the trigger. "
MsgArray[31,3]:= 85 // dialog xpos
MsgArray[31,4]:= 95 // dialog ypos
MsgArray[31,8]:= 48 // custom button config, 3 extra controls
MsgArray[31,9]:= 7 // modeless, (untitled/coach/no add'l), specify

If(Height <= 480)
MsgArray[31,3]:= 100 // dialog xpos
MsgArray[31,4]:= 0 // dialog ypos
Endif

// MsgNum: 32 === Message Title ===
MsgArray[32,2]:= "\n► Choose \bYes\b or \bNo\b. "
MsgArray[32,8]:= 4 // quit
MsgArray[32,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

// MsgNum: 33 === Message Title ===
MsgArray[33,2]:= "\n► Choose \bOK\b. "
MsgArray[33,8]:= 4 // quit
MsgArray[33,9]:= 103 // modeless, (untitled/coach/no add'l), lowerright

```

```
// MsgNum: 34 === Message Title ===
MsgArray[34,2]:= "\n► Choose \bInsert\b when you are finished.    "
MsgArray[34,8]:= 4          // quit
MsgArray[34,9]:= 103       // modeless, (untitled/coach/no add'l), lowerright
```

```
// MsgNum: 35 === Message Title ===
MsgArray[35,2]:= "\n► Choose \bOK\b when you are finished.      "
MsgArray[35,8]:= 4          // quit
MsgArray[35,9]:= 103       // modeless, (untitled/coach/no add'l), lowerright
```

```
GLOBAL PromptArray[27,4]
GLOBAL(OPArray[10])
OPArray[1]:=0
```

```
// 1 === Prompt Title ===
PromptArray[1,1]:= "► Choose \bNew\b.    "
PromptArray[1,2]:= 3
PromptArray[1,3]:= "WordPerfect.Menu.TemplateDlg"
PromptArray[1,4]:= FStr(Value(TemplateDlg);59;0)
```

```
// 2 === Prompt Title ===
PromptArray[2,1]:= "► Choose \bCopy/Remove\b\n"+
" \bObject\b from the feature bar."
PromptArray[2,2]:= 4
PromptArray[2,3]:= "WordPerfect.TemplateFeatureBar.CopyObjectBttn"
PromptArray[2,4]:= 0
```

```
// 3 === Prompt Title ===
PromptArray[3,1]:= "► Choose \bAssociate\b\n"+
" from the feature bar."
PromptArray[3,2]:= 4
PromptArray[3,3]:= "WordPerfect.TemplateFeatureBar.AssociateBttn"
PromptArray[3,4]:= 0
```

```
// 4 === Prompt Title ===
PromptArray[4,1]:= "To save your template,\n\n"+
"► Choose \bExit Template\b from the feature bar."
PromptArray[4,2]:= 5
PromptArray[4,3]:= "WordPerfect.TemplateFeatureBar.ExitTemplateBttn"
PromptArray[4,4]:= 0
```

```
// 5 === Prompt Title ===
PromptArray[5,1]:= "Macro """"+PromptsMacro+"""" could not be found."
PromptArray[5,2]:= 3
PromptArray[5,3]:= "."
```

```
PromptArray[5,4]:= 0
```

```
// 6 ==== Prompt Title ====
```

```
PromptArray[6,1]:= ""
```

```
PromptArray[6,2]:= 6
```

```
PromptArray[6,3]:= "WordPerfect.MessageBox.OKBtn"
```

```
PromptArray[6,4]:= 0
```

```
// 7 ==== Prompt Title ====
```

```
PromptArray[7,1]:= ""
```

```
PromptArray[7,2]:= 6
```

```
PromptArray[7,3]:= "WordPerfect.MessageBox.YesBtn"
```

```
PromptArray[7,4]:= 0
```

```
// 8 ==== Prompt Title ====
```

```
PromptArray[8,1]:= ""
```

```
PromptArray[8,2]:= 6
```

```
PromptArray[8,3]:= "WordPerfect.New.DocumentTemplateListBx"
```

```
PromptArray[8,4]:= 0
```

```
// 9 ==== Prompt Title ====
```

```
PromptArray[9,1]:= ""
```

```
PromptArray[9,2]:= 3
```

```
PromptArray[9,3]:= "WordPerfect.New.OKBtn"
```

```
PromptArray[9,4]:= 0
```

```
// 10 ==== Prompt Title ====
```

```
PromptArray[10,1]:= ""
```

```
PromptArray[10,2]:= 3
```

```
PromptArray[10,3]:= "WordPerfect.New.OptionsPopdown"
```

```
PromptArray[10,4]:= 0
```

```
// 11 ==== Prompt Title ====
```

```
PromptArray[11,1]:= ""
```

```
PromptArray[11,2]:= 6
```

```
PromptArray[11,3]:= "WordPerfect.SaveTemplate.DescriptionStatic"
```

```
PromptArray[11,4]:= 0
```

```
// 12 ==== Prompt Title ====
```

```
PromptArray[12,1]:= ""
```

```
PromptArray[12,2]:= 6
```

```
PromptArray[12,3]:= "WordPerfect.SaveTemplate.TemplateNameStatic"
```

```
PromptArray[12,4]:= 0
```

```
// 13 ==== Prompt Title ====
```



```
PromptArray[13,1]:= ""
PromptArray[13,2]:= 3
PromptArray[13,3]:= "WordPerfect.SaveTemplate.OKBtn"
PromptArray[13,4]:= 0

// 14 ==== Prompt Title ====
PromptArray[14,1]:= ""
PromptArray[14,2]:= 6
PromptArray[14,3]:= "WordPerfect.Open.FilelistboxListBx"
PromptArray[14,4]:= 0

// 15 ==== Prompt Title ====
PromptArray[15,1]:= ""
PromptArray[15,2]:= 3
PromptArray[15,3]:= "WordPerfect.Open.OKBtn"
PromptArray[15,4]:= 0

// 16 ==== Prompt Title ====
PromptArray[16,1]:= ""
PromptArray[16,2]:= 6
PromptArray[16,3]:= "WordPerfect.CopyRemoveTemplateObjects.TemplatetoCopyFromCombo
Bx"
PromptArray[16,4]:= 0

// 17 ==== Prompt Title ====
PromptArray[17,1]:= ""
PromptArray[17,2]:= 6
PromptArray[17,3]:= "WordPerfect.CopyRemoveTemplateObjects.ObjectTypePopup"
PromptArray[17,4]:= 0

// 18 ==== Prompt Title ====
PromptArray[18,1]:= ""
PromptArray[18,2]:= 6
PromptArray[18,3]:= "WordPerfect.CopyRemoveTemplateObjects.CopyFromListBx"
PromptArray[18,4]:= 0

// 19 ==== Prompt Title ====
PromptArray[19,1]:= ""
PromptArray[19,2]:= 3
PromptArray[19,3]:= "WordPerfect.CopyRemoveTemplateObjects.CopytoListListBx"
PromptArray[19,4]:= 0

// 20 ==== Prompt Title ====
PromptArray[20,1]:= ""
PromptArray[20,2]:= 6
PromptArray[20,3]:= "WordPerfect.Associate.FeaturesRadioBtn"
```

```
PromptArray[20,4]:= 0

// 21 ==== Prompt Title ====
PromptArray[21,1]:= ""
PromptArray[21,2]:= 6
PromptArray[21,3]:= "WordPerfect.Associate.ListListBx"
PromptArray[21,4]:= 0

// 22 ==== Prompt Title ====
PromptArray[22,1]:= ""
PromptArray[22,2]:= 6
PromptArray[22,3]:= "WordPerfect.Associate.TriggersRadioBtn"
PromptArray[22,4]:= 0

// 23 ==== Prompt Title ====
PromptArray[23,1]:= ""
PromptArray[23,2]:= 6
PromptArray[23,3]:= "WordPerfect.Associate.ListListBx"
PromptArray[23,4]:= 0

// 24 ==== Prompt Title ====
PromptArray[24,1]:= ""
PromptArray[24,2]:= 3
PromptArray[24,3]:= "WordPerfect.Associate.ButtonBarsComboBox"
PromptArray[24,4]:= 0

// 25 ==== Prompt Title ====
PromptArray[25,1]:= ""
PromptArray[25,2]:= 3
PromptArray[25,3]:= "WordPerfect.Associate.MacrosComboBox"
PromptArray[25,4]:= 0

// 26 ==== Prompt Title ====
PromptArray[26,1]:= ""
PromptArray[26,2]:= 6
PromptArray[26,3]:= "WordPerfect.SaveTemplate.TemplateGroupStatic"
PromptArray[26,4]:= 0

// 27 ==== Prompt Title ====
PromptArray[27,1]:= "To build automated prompts,\n\n"+
    "► Choose \bBuild Prompts\b from the feature bar."
PromptArray[27,2]:= 4
PromptArray[27,3]:= "WordPerfect.TemplateFeatureBar.BuildPromptsBtn"
PromptArray[27,4]:= 0

ENDPROC
```

