

```
Application(A1;"WordPerfect";Default;"UK")
Display(On!)
InhibitInput(Off!) //allows wp to accept chars during macro
OnError Call(MacroError@)
Hndle := 0 //init vars
Txt1:=0
Txt2:=0
Txt3:=0
Txt4:=0
PMessage:=""
DllLoad(Hndle;"?PathShared+"wpch61.dll") //load dll that contains bmps
Call(PW@)
Call(GetVMode@)
Call(Text@)
```

```
//Filter Defines
CoachFilterAdd(
    "NoEntry";
    NoEntryLbl@;
    All!;
    Key!;
    "x";
    "WordPerfect"
)
CoachFilterAdd(
    "AlphaEntry";
    AlphaEntryLbl@;
    All!;
    Key!;
    "{Enter}";
    "WordPerfect"
)
CoachFilterAdd(
    "AlphaEntry";
    AlphaEntryLbl@;
    All!;
    Key!;
    "{Esc}";
    "WordPerfect"
)
CoachFilterAdd(
    "AlphaEntry";
    AlphaEntryLbl@;
    All!;
    Key!;
    "{Tab}";
    "WordPerfect"
)
CoachFilterAdd(
    "AlphaEntry";
    AlphaEntryLbl@;
    All!;
    Key!;
    "{Shift+Tab}";
    "WordPerfect"
)
CoachFilterAdd(
    "AlphaEntry";
    AlphaEntryLbl@;
    All!;
    Key!;
    "{Alt+w}";
    "WordPerfect"
)
CoachFilterAdd(
    "AlphaEntry";
    AlphaEntryLbl@;
    All!;
    Key!;
    "{Alt+o}";
    "WordPerfect"
)
```

```
)  
CoachFilterAdd(  
    "AlphaEntry";  
    AlphaEntryLbl@;  
    All!;  
    Key!;  
    "{Alt+l}";  
    "WordPerfect"  
)  
CoachFilterAdd(  
    "AlphaEntry";  
    AlphaEntryLbl@;  
    All!;  
    Key!;  
    "{Alt+s}";  
    "WordPerfect"  
)  
CoachFilterAdd(  
    "AlphaEntry";  
    AlphaEntryLbl@;  
    All!;  
    Key!;  
    "{Alt+h}";  
    "WordPerfect"  
)  
CoachFilterAdd(  
    "AlphaEntry";  
    AlphaEntryLbl@;  
    All!;  
    Key!;  
    "{Alt+v}";  
    "WordPerfect"  
)  
CoachFilterAdd(  
    "AlphaEntry";  
    AlphaEntryLbl@;  
    All!;  
    Key!;  
    "{Alt+t}";  
    "WordPerfect"  
)  
CoachFilterAdd(  
    "AlphaEntry";  
    AlphaEntryLbl@;  
    All!;  
    Key!;  
    "{Alt+d}";  
    "WordPerfect"  
)  
CoachFilterAdd(  
    "AlphaEntry";  
    AlphaEntryLbl@;  
    All!;  
    Key!;  
    "{Alt+n}";  
    "WordPerfect"
```

```
)  
CoachPromptClose("PW")
```

```
Label(Page1@)
Msg:=1
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page1@)
Else
    If(Result="BackButton")
        Go(End@)
    EndIf
EndIf
```

```
Label(Page2@)
Msg:=2
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page2@)
Else
    If(Result="BackButton")
        Go(Page1@)
    EndIf
EndIf
```

```
Label(Page3@)
Msg:=3
If(Txt1=0)
    Call(TType1@)
EndIf
HandPos:=3
Region:="WordPerfect.Caret"
Call(Point@)
Call(MsgBox@) //display standard msgbox
CoachPromptClose("One")
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page3@)
Else
    If(Result="BackButton")
        Go(Page2@)
    EndIf
EndIf
```

```
Label(Page4@)
Msg:=4
If(Txt2=0)
    Call(TType2@)
EndIf
PosDocTop()
PosLineDown()
PosLineDown()
PosLineEnd()
HandPos:=1
Region:="WordPerfect.Caret"
Call(Point@)
PosDocBottom()
Call(MsgBox@)
CoachPromptClose("One")           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page4@)
Else
    If(Result="BackButton")
        Go(Page3@)
    EndIf
EndIf
```



```

Label(Page5@)
Msg:=5
If(Txt3=0)
    Call(TType3@)
EndIf
//CoachFilterEnable(
//    ;
//    "NoEntry"
//    )
HandPos:=3
Region:="WordPerfect.Caret"
Call(Point@)
Call(MsgBoxMdlis@)
Choice:=0
loopbreak:=0
While(loopbreak=0)
    If(Choice=1)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
    If(Choice=2)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
    If(Choice=3)
        CoachMessageBoxClose(0)
        CoachPromptClose("One")
        Call(ErrorBox@)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
//CoachFilterDisable(
//    ;
//    "NoEntry"
//    )
If(Choice=2)
    Go(Page4@)
EndIf
If(Choice=3)
    Go(Page5@)
EndIf

```

```
Label(Page6@)
Msg:=6
If(Txt4=0)
    Call(TType4@)
EndIf
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page6@)
Else
    If(Result="BackButton")
        Go(Page5@)
    EndIf
EndIf
```

```
Label(Page7@)
Msg:=7
BookMarkFind("les1mark1")
HandPos:=1
Region:="WordPerfect.Caret"
PMessage:=MenuPromptA
Call(Point@)
PMessage:=""
PosDocBottom()
Call(MsgBoxMdlis@)
Choice:=0
loopbreak:=0
While(loopbreak=0)
    If(Choice=1)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
    If(Choice=2)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
    If(Choice=3)
        CoachMessageBoxClose(0)
        CoachPromptClose("One")
        Call(ErrorBox@)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
If(Choice=1)
    BookMarkFind("les1mark1")
EndIf
If(Choice=2)
    Go(Page6@)
EndIf
If(Choice=3)
    Go(Page7@)
EndIf
```

```
Label(Page8@)
Msg:=8
Call(MsgBoxMdlis@)
Choice:=0
loopbreak:=0
While(loopbreak=0)
    If(Choice=1)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
    If(Choice=2)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
    If(Choice=3)
        CoachMessageBoxClose(0)
        Call(ErrorBox@)
        loopbreak:=1
    EndIf
Endwhile
//CoachPromptClose("One")
If(Choice=2)
    Go(Page7@)
EndIf
If(Choice=3)
    Go(Page8@)
EndIf
```

```
Label(Page9@)
Msg:=9
BookMarkFind("les1mark2")
HandPos:=1
Region:="WordPerfect.Caret"
Call(Point@)
BookMarkFind("les1mark1")
Call(MsgBoxMdl@)
Choice:=0
loopbreak:=0
While(loopbreak=0)
  If(Choice=1)
    CoachMessageBoxClose(0)
    loopbreak:=1
  EndIf
  If(Choice=2)
    CoachMessageBoxClose(0)
    loopbreak:=1
  EndIf
  If(Choice=3)
    CoachMessageBoxClose(0)
    CoachPromptClose("One")
    Call(ErrorBox@)
    loopbreak:=1
  EndIf
Endwhile
CoachPromptClose("One")
If(Choice=1)
  BookMarkFind("les1mark2")
EndIf
If(Choice=2)
  Go(Page8@)
EndIf
If(Choice=3)
  Go(Page9@)
EndIf
```

```
Label(Page10@)
Msg:=10
Call(MsgBoxMdlis@)
Choice:=0
loopbreak:=0
While(loopbreak=0)
  If(Choice=1)
    CoachMessageBoxClose(0)
    loopbreak:=1
  EndIf
  If(Choice=2)
    CoachMessageBoxClose(0)
    loopbreak:=1
  EndIf
  If(Choice=3)
    CoachMessageBoxClose(0)
    Call(ErrorBox@)
    loopbreak:=1
  EndIf
Endwhile
If(Choice=2)
  Go(Page9@)
EndIf
If(Choice=3)
  Go(Page10@)
EndIf
```

```
Label(Page10a@)
Msg:=22
BookMarkCreate("temp")
BookMarkFind("les1mark3")
HandPos:=2
Region:="WordPerfect.Caret"
Call(Point@)
BookMarkFind("temp")
Call(MsgBoxMdl@)
Choice:=0
loopbreak:=0
While(loopbreak=0)
    If(Choice=1)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
    If(Choice=2)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
    If(Choice=3)
        CoachMessageBoxClose(0)
        CoachPromptClose("One")
        Call(ErrorBox@)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
If(Choice=1)
    BookMarkFind("les1mark3")
EndIf
If(Choice=2)
    Go(Page10@)
EndIf
If(Choice=3)
    Go(Page10a@)
EndIf
```

```
Label(Page11@)
Msg:=11
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page11@)
Else
    If(Result="BackButton")
        Go(Page10a@)
    EndIf
EndIf
```



```

Label(Page12@)
Msg:=12
Call(MsgBoxMdlMS@)
Flash:=0
Choice:=0
loopbreak:=0
HandPos:=5
Region:="WordPerfect.Menu.LayoutMenu"
Call(Point@)
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.LineMenu";ExistVar:exist)
    If(Exist=1 and Flash=0)
        CoachPromptClose("One")
        HandPos:=6
        Region:="WordPerfect.Menu.LineMenu"
        PMessage:=MenuPrompt1
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice=1)
        PosDocTop()
        CoachAnimate(1;"move to WordPerfect.Menu.LineMenu")
        Choice:=0
    EndIf
    If(Choice=2 or Choice=3)
        CoachPromptClose("One")
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
    CoachGetRegionInfo("WordPerfect.Menu.Center";ExistVar:exist2)
    If(Exist2=1)
        CoachPromptClose("One")
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
If(Flash=1)
    CoachPromptClose("One")
EndIf
If(Choice=2)
    Go(Page11@)
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page12@)
EndIf

```

```

//Label(Page14@)
Msg:=14
//PosDocTop()
Call(MsgBoxMdlMS@)
Flash:=0
UserDo:=0
Choice:=0
loopbreak:=0
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.Center";ExistVar:exist)
    If(Exist=1 and Flash=0)
        HandPos:=6
        Region:="WordPerfect.Menu.Center"
        PMessage:=MenuPrompt2
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
    If(?LeftCode=16608)           //If left code is center
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
If(Flash=1)
    CoachPromptClose("One")
EndIf
If(Choice=1)                   //If demo is clicked, bring back menu and click center
    CoachAnimate(1;"click on WordPerfect.Menu.Center")
EndIf
If(Choice=2)
    If(?LeftCode = 16608)       // if center has been put in - remove it
        DeleteCharPrevious()
    EndIf
    Go(Page12@)
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page12@)
EndIf

```

```
Label(Page15@)
Msg:=15
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page15@)
Else
    If(Result="BackButton")
        PosDocTop()
        DeleteCharNext()
        Go(Page12@)
    EndIf
EndIf
```

```
Label(Page16@)
Msg:=16
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page16@)
Else
    If(Result="BackButton")
        Go(Page15@)
    EndIf
EndIf
```

```

Label(Page17@)
Msg:=17
CoachFilterAdd(
    "SaveAs";
    SaveAsLbl@;
    All!;
    Token!;
    ;
    "WordPerfect";
    FileSaveAsDlg
)
Call(MsgBoxMdlMS@)
Flash:=0
Choice:=0
loopbreak:=0
HandPos:=4
Region:="WordPerfect.Menu.FileMenu"
Call(Point@)
CoachFilterEnable(
    Command:"SaveAs"
)
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.FileSaveAsDlg";ExistVar:Exist)
    If(Exist=1 and Flash=0)
        CoachPromptClose("One")
        HandPos:=3
        Region:="WordPerfect.Menu.FileSaveAsDlg"
        PMessage:=MenuPrompt3
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice=1)
        CoachPromptclose("One")
        CoachAnimate(1;"Move to WordPerfect.Menu.FileSaveAsDlg")
        Choice:=0
    EndIf
    If(Choice=2 or Choice=3)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
EndWhile
CoachPromptClose("One")
CoachFilterDisable(
    Command:"SaveAs"
)
If(Choice=2)
    Go(Page16@)
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page17@)

```

Endif
Go(Page18@)

```
Label(SaveAsLbl@)
If(SaveAsLbl[2]=0)
    CoachMessageBoxClose(0)
    CoachPromptClose("One")
    loopbreak:=1
    SaveAsLbl:=0
Else
    SaveAsLbl:=1
EndIf
Return
```

```

Label(Page18@)
Msg:=18
Call(MsgBoxMdlMS@)
MoveHand:=0
hwnd:=0
UserDo:=0
Choice:=0
loopbreak:=0
CoachGetRegionInfo("WordPerfect.SaveAs.OKBttn";ExistVar:exist;HwndVar:hwnd)
HandPos:=6
Region:="WordPerfect.SaveAs.FilenameEntry"
Call(Point@)
CoachFilterEnable(
    ;
    "AlphaEntry"
)
While(loopbreak=0)
    If(MoveHand=1)
        CoachPromptClose("One")
        HandPos:=2
        Region:="WordPerfect.SaveAs.OKBttn"
        Call(Point@)
        MoveHand:=2
    EndIf
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
    If(UserDo=1)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachFilterDisable(
    ;
    "AlphaEntry"
)
If(UserDo=1)
    CoachPromptClose("One")
    Choice:=0
    CoachAnimate(2;"{Esc}") //If user clicked Ok btnn, cancel dlg
EndIf
If(Choice=1)
    CoachAnimate(1;"doubleclick on WordPerfect.SaveAs.FilenameEntry")
    CoachPromptClose("One")
    Wait(2)
    CoachAnimate(2;"myletter") //DO NO TRANSLATE "myletter"
    HandPos:=3
    Region:="WordPerfect.SaveAs.OKBttn"
    Call(Point@)
    CoachAnimate(1;"move to WordPerfect.SaveAs.OKBttn")
    Wait(2)
    CoachPromptClose("One")
    CoachAnimate(2;"{Esc}")
EndIf
If(Choice=2)

```



```
        CoachPromptClose("One")
        CoachAnimate(2;"{Esc}")
        Go(Page17@)
EndIf
If(Choice=3)
    CoachPromptClose("One")
    CoachAnimate(2;"{Esc}")
    Call(ErrorBox@)
    Go(Page17@)
EndIf
Go(Page19@)
```

```
Label(AlphaEntryLbl@)
```

```
If(AlphaEntryLbl[1]=0)           //If mouse activated  
    If(AlphaEntryLbl[3]=hwnd)     //If clicked on Ok button  
        UserDo:=1                 //set "user accomplished" flag  
    EndIf  
    AlphaEntryLbl:=1              //throw out result no matter what (tutor only)  
Return  
EndIf
```

```
If(AlphaEntryLbl[1]=1)           //If key activated  
    If(AlphaEntryLbl[2]=0)        //If a match, throw it out  
        AlphaEntryLbl:=1  
    Else  
        If(AlphaEntryLbl[3]=82)  
            MoveHand:=1  
        EndIf  
        AlphaEntryLbl:=0         //if not a match, let it through  
    EndIf  
EndIf
```

```
Return
```

```
Label(Page19@)
Msg:=19
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page19@)
Else
    If(Result="BackButton")
        Go(Page17@)
    EndIf
EndIf
```

```

Label(Page20@)
Display(Off!)
PosDocVeryTop()
SelectMode(On!)
PosDocBottom()
DeleteCharNext()
Display(On!)
Msg:=20
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page20@)
Else
    If(Result="BackButton")
        Display(Off!)
        Call(PW@)
        Call(Ttype1@)
        Call(Ttype2@)
        Call(Ttype3@)
        Call(Ttype4@)
        PosDocTop()
        LineCenter()
        CoachPromptClose("PW")
        Display(On!)
        Go(Page19@)
    EndIf
EndIf

//Les1x:=" X "
Les1x:="[X] "

Go(End@)

```

```
Label(ErrMsg@)
Msg:=21
Call(PostOK@)
If(Result="MenuButton")
    Display(Off!)
    PosDocVeryTop()
    SelectMode(On!)
    PosDocBottom()
    DeleteCharNext()
    Display(On!)
    Go(End@)
EndIf
Return
```

Label(MacroError@)
Return

```
Label(MsgBox@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,3];
    Msg[Msg,4];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Simple!;
    ;
    Result;
    "MenuButton";
    Button!;
    "Menu";
    "BackButton";
    Button!;
    " << ";
    "ForwardButton";
    Button!;
    " >> ")
Return
```

```
Label(MsgBoxMdlMS@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,3];
    Msg[Msg,4];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Modeless!;
    MdlCallback@;
    ;
    "MenuButton";
    Button!;
    " Menu ";
    "BackButton";
    Button!;
    " << ";
    "ForwardButton";
    Button!;
    "Show Me >>")
```

Return


```
Label(MsgBoxMdl@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,3];
    Msg[Msg,4];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Modeless!;
    Mdl@CallBack@;
    ;
    "MenuButton";
    Button!;
    " Menu ";
    "BackButton";
    Button!;
    " << ";
    "ForwardButton";
    Button!;
    " >> ")
Return
```

```
Label(MdlsCallBack@)
  If(MdlsCallBack[3]="MenuButton")
    Choice:=3
    Return
  EndIf
  If(MdlsCallBack[3]="BackButton")
    Choice:=2
    Return
  EndIf
  If(MdlsCallBack[3]="ForwardButton")
    Choice:=1
    Return
  EndIf
Return
```

```
Label(PostOK@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,3];
    Msg[Msg,4];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Simple!;
    ;
    Result;
    "OKButton";
    Button!;
    "Return to Lesson";
    "MenuButton";
    Button!;
    " Menu ")
Return
```

```
Label(Point@)
CoachPrompt(
    "One";
    PMessage;
    "MS Sans Serif";
    10;
    Hndle;
    222;
    HandPos;
    0;
    0;
    Region
)
Return
```

```
Label(PW@)
  CoachPrompt(
    "PW";
    "\bPlease Wait\b ";
    "MS Sans Serif";
    10;
    Hndle;
    ;
    Specify!;
    50;
    50;
  )
Return
```

```
Label(NoEntryLbl@)
If(NoEntryLbl[1]=0)
    NoentryLbl:=1
    Choice:=1
    loopbreak:=1
    Return
EndIf
If(NoEntryLbl[1]=1)
    NoEntryLbl:=1
EndIf
Return
```

//1 = throw out event, 0 = pass through

```
Label(GetVMode@)
DllLoad(UserLink;"User.exe")
DllCall(UserLink;"GetSystemMetrics";Result:Word;{LoWord(0)})
NumStr(Width;0;Result)
DllCall(UserLink;"GetSystemMetrics";Result:Word;{LoWord(1)})
NumStr(Hight;0;Result)
VMode:=Width+"x"+Hight
DllFree(UserLink)
If(VMode="1024x768")
    LinePos1:="second"
    LinePos2:="third"
Else
    If(VMode="800x600")
        LinePos1:="second"
        LinePos2:="third"
    Else
        LinePos1:="second"
        LinePos2:="third"
    EndIf
EndIf
Return
```

Label(Text@)

Declare Msg[22,12]

// 06/24/94 Changed Msgs 3 and 11 to fix bugs

//=====

Msg[1,1]:= "\bLesson 1: Creating a Document\b" // Title

Msg[1,2]:= "Welcome to Lesson 1. This lesson lasts about ten\n"+
"minutes and explains the basics of the following tasks:\n"+
"\n"+
"• Inserting and deleting text\n"+
"• Using the menu bar to choose commands\n"+
"• Saving a document\n"+
"\n"+
"To proceed, choose \b>>\b. To return to the main menu,\n"+
"choose \bMenu\b."

Msg[1,3]:= 50 // X position
Msg[1,4]:= 50 // Y position
Msg[1,5]:= 8 // Addition BMP Position
Msg[1,6]:= 107 // Head BMP
Msg[1,7]:= 610 // Additional BMP
Msg[1,8]:= 0 // MsgBox Name (always 0)
Msg[1,9]:= "" // misc. controls
Msg[1,10]:= "" // misc. controls
Msg[1,11]:= "" // misc. controls
Msg[1,12]:= "" // misc. controls

//=====

Msg[2,1]:= ""
Msg[2,2]:= "Although working with a word\n"+
"processor may seem intimidating\n"+
"at first, you'll soon find WordPerfect\n"+
"as easy to use as a typewriter--easier,\n"+
"in fact, and much more powerful."

Msg[2,3]:= 95
Msg[2,4]:= 95
Msg[2,5]:= 8
Msg[2,6]:= 107
Msg[2,7]:= 611
Msg[2,8]:= 0
Msg[2,9]:= ""
Msg[2,10]:= ""
Msg[2,11]:= ""
Msg[2,12]:= ""

//=====

Msg[3,1]:= ""
Msg[3,2]:= "As you type, words appear on your computer screen\n"+
"just as they would on a piece of paper if you were typing \n"+
"on a typewriter."

Msg[3,3]:= 95
Msg[3,4]:= 95
Msg[3,5]:= 0


```

Msg[3,6]:= 107
Msg[3,7]:= 0
Msg[3,8]:= 0
Msg[3,9]:= ""
Msg[3,10]:= ""
Msg[3,11]:= ""
Msg[3,12]:= ""

//=====
Msg[4,1]:= ""
Msg[4,2]:=
    "Notice, however, how the words\n"+
    "automatically ""wrap"" to the next line.    "
Msg[4,3]:= 95
Msg[4,4]:= 95
Msg[4,5]:= 0
Msg[4,6]:= 107
Msg[4,7]:= 0
Msg[4,8]:= 0
Msg[4,9]:= ""
Msg[4,10]:= ""
Msg[4,11]:= ""
Msg[4,12]:= ""

//=====
Msg[5,1]:= ""
Msg[5,2]:=
    "You indicate where you want to insert\n"+
    "a new word using the \binsertion point\b.    "
Msg[5,3]:= 95
Msg[5,4]:= 95
Msg[5,5]:= 0
Msg[5,6]:= 107
Msg[5,7]:= 0
Msg[5,8]:= 0
Msg[5,9]:= ""
Msg[5,10]:= ""
Msg[5,11]:= ""
Msg[5,12]:= ""

//=====
Msg[6,1]:= ""
Msg[6,2]:=
    "One way to move the insertion    \n"+
    "point is to use your mouse."
Msg[6,3]:= 95
Msg[6,4]:= 95
Msg[6,5]:= 8
Msg[6,6]:= 107
Msg[6,7]:= 612
Msg[6,8]:= 0
Msg[6,9]:= ""
Msg[6,10]:= ""
Msg[6,11]:= ""
Msg[6,12]:= ""

```

```
//=====
Msg[7,1]:= ""
Msg[7,2]:=
    "► Move your mouse pointer to the beginning of\n"+
    " \bcomputers\b and click your mouse button once. "
Msg[7,3]:= 95
Msg[7,4]:= 95
Msg[7,5]:= 0
Msg[7,6]:= 107
Msg[7,7]:= 0
Msg[7,8]:= 0
Msg[7,9]:= ""
Msg[7,10]:= ""
Msg[7,11]:= ""
Msg[7,12]:= ""
```

```
//=====
Msg[8,1]:= ""
Msg[8,2]:=
    "Now insert some text.\n"+
    "\n"+
    "► Type \bpersonal\b in front of \bcomputers\b. "
Msg[8,3]:= 95
Msg[8,4]:= 95
Msg[8,5]:= 0
Msg[8,6]:= 107
Msg[8,7]:= 0
Msg[8,8]:= 0
Msg[8,9]:= ""
Msg[8,10]:= ""
Msg[8,11]:= ""
Msg[8,12]:= ""
```

```
//=====
Msg[9,1]:= ""
Msg[9,2]:=
    "► Move the insertion point to\n"+
    " the space after \bquick\b. "
Msg[9,3]:= 95
Msg[9,4]:= 95
Msg[9,5]:= 0
Msg[9,6]:= 107
Msg[9,7]:= 0
Msg[9,8]:= 0
Msg[9,9]:= ""
Msg[9,10]:= ""
Msg[9,11]:= ""
Msg[9,12]:= ""
```

```
//=====
Msg[10,1]:= ""
Msg[10,2]:=
    "► Use the \bBackspace\b key \n"+
    " to delete \bquick\b."
Msg[10,3]:= 5
Msg[10,4]:= 95
```

```
Msg[10,5]:= 8
Msg[10,6]:= 107
Msg[10,7]:= 613
Msg[10,8]:= 0
Msg[10,9]:= ""
Msg[10,10]:= ""
Msg[10,11]:= ""
Msg[10,12]:= ""
```

```
//=====
```

```
Msg[11,1]:= ""
Msg[11,2]:= "You make changes to a document by choosing \n"+
            "from a menu at the top of the document window. "
```

```
Msg[11,3]:= 95
Msg[11,4]:= 95
Msg[11,5]:= 8
Msg[11,6]:= 107
Msg[11,7]:= 614
Msg[11,8]:= 0
Msg[11,9]:= ""
Msg[11,10]:= ""
Msg[11,11]:= ""
Msg[11,12]:= ""
```

```
//=====
```

```
Msg[12,1]:= ""
Msg[12,2]:= "To centre text,\n"+
            "\n"+
            "► Choose \bLine\b from the \bFormat\b menu."
```

```
Msg[12,3]:= 95
Msg[12,4]:= 95
Msg[12,5]:= 8
Msg[12,6]:= 107
Msg[12,7]:= 615
Msg[12,8]:= 0
Msg[12,9]:= ""
Msg[12,10]:= ""
Msg[12,11]:= ""
Msg[12,12]:= ""
```

```
//=====
```

```
Msg[13,1]:= ""
Msg[13,2]:= "► Choose \bLine\b. "
```

```
Msg[13,3]:= 95
Msg[13,4]:= 95
Msg[13,5]:= 0
Msg[13,6]:= 107
Msg[13,7]:= 0
Msg[13,8]:= 0
Msg[13,9]:= ""
Msg[13,10]:= ""
Msg[13,11]:= ""
Msg[13,12]:= ""
```

//=====

Msg[14,1]:= ""
Msg[14,2]:= "► Choose \bCentre\b. "
Msg[14,3]:= 95
Msg[14,4]:= 95
Msg[14,5]:= 0
Msg[14,6]:= 107
Msg[14,7]:= 0
Msg[14,8]:= 0
Msg[14,9]:= ""
Msg[14,10]:= ""
Msg[14,11]:= ""
Msg[14,12]:= ""

//=====

Msg[15,1]:= ""
Msg[15,2]:= "\bMEMO\b is now centred."
Msg[15,3]:= 95
Msg[15,4]:= 95
Msg[15,5]:= 0
Msg[15,6]:= 107
Msg[15,7]:= 0
Msg[15,8]:= 0
Msg[15,9]:= ""
Msg[15,10]:= ""
Msg[15,11]:= ""
Msg[15,12]:= ""

//=====

Msg[16,1]:= ""
Msg[16,2]:= "At this point, your document appears on\n"+
"your screen but has not been saved to a disk.\n"+
"\n"+
"You need to save your document, or it will be lost \n"+
"when you exit WordPerfect."
Msg[16,3]:= 95
Msg[16,4]:= 95
Msg[16,5]:= 8
Msg[16,6]:= 107
Msg[16,7]:= 616
Msg[16,8]:= 0
Msg[16,9]:= ""
Msg[16,10]:= ""
Msg[16,11]:= ""
Msg[16,12]:= ""

//=====

Msg[17,1]:= ""
Msg[17,2]:= "To save your memo,\n"+
"\n"+
"► Choose \bSave As\b from the \bFile\b menu. "

```
Msg[17,3]:= 95
Msg[17,4]:= 95
Msg[17,5]:= 0
Msg[17,6]:= 107
Msg[17,7]:= 0
Msg[17,8]:= 0
Msg[17,9]:= ""
Msg[17,10]:= ""
Msg[17,11]:= ""
Msg[17,12]:= ""
```

```
//=====
```

```
Msg[18,1]:= ""
Msg[18,2]:= "The \bSave As\b dialog box appears so you can \n"+
" name your document.\n"+
"\n"+
"► Type \bmyletter\b, then choose \bOK\b."
```

```
Msg[18,3]:= 100
Msg[18,4]:= 100
Msg[18,5]:= 0
Msg[18,6]:= 107
Msg[18,7]:= 0
Msg[18,8]:= 0
Msg[18,9]:= ""
Msg[18,10]:= ""
Msg[18,11]:= ""
Msg[18,12]:= ""
```

```
//=====
```

```
Msg[19,1]:= ""
Msg[19,2]:= "Your document is now saved. You can now\n"+
" exit WordPerfect without fear of losing your work. "
```

```
Msg[19,3]:= 95
Msg[19,4]:= 95
Msg[19,5]:= 0
Msg[19,6]:= 107
Msg[19,7]:= 0
Msg[19,8]:= 0
Msg[19,9]:= ""
Msg[19,10]:= ""
Msg[19,11]:= ""
Msg[19,12]:= ""
```

```
//=====
```

```
Msg[20,1]:= ""
Msg[20,2]:= "This completes Lesson 1. You have been\n"+
" introduced to the basics of:\n"+
"\n"+
"● Inserting and deleting text\n"+
"● Using the menu bar to choose commands\n"+
"● Saving a document\n"+
"\n"+
"Lesson 2 teaches you more about editing text."
```

```
Msg[20,3]:= 50
Msg[20,4]:= 50
Msg[20,5]:= 8
Msg[20,6]:= 107
Msg[20,7]:= 610
Msg[20,8]:= 0
Msg[20,9]:= ""
Msg[20,10]:= ""
Msg[20,11]:= ""
Msg[20,12]:= ""
```

```
//=====
```

```
Msg[21,1]:= ""
Msg[21,2]:=
    "Choose Menu to return to the main      \n"+
    "Menu, or choose Return to Lesson."
Msg[21,3]:= 50
Msg[21,4]:= 50
Msg[21,5]:= 0
Msg[21,6]:= 107
Msg[21,7]:= 0
Msg[21,8]:= 0
Msg[21,9]:= ""
Msg[21,10]:= ""
Msg[21,11]:= ""
Msg[21,12]:= ""
```

```
//=====
```

```
Msg[22,1]:= ""
Msg[22,2]:=
    "► Now move the insertion point      \n"+
    "  to the beginning of \bMEMO\b."
Msg[22,3]:= 95
Msg[22,4]:= 95
Msg[22,5]:= 0
Msg[22,6]:= 107
Msg[22,7]:= 0
Msg[22,8]:= 0
Msg[22,9]:= ""
Msg[22,10]:= ""
Msg[22,11]:= ""
Msg[22,12]:= ""
```

```
MenuPromptA:="Click here"
MenuPrompt1:="► Choose \bLine\b."
MenuPrompt2:="► Choose \bCentre\b."
MenuPrompt3:="► Choose \bSave As\b."
```

Return

Label(TType1@)

```
BookmarkCreate (Name: "les1mark3") //DO NOT TRANSLATE BOOKMARK NAME
CoachAnimate(2;"MEMO")
CoachAnimate(2;"{Enter}{Enter}")
CoachAnimate(2;"Remember the bike team? ")
```

Txt1:=1
Return

Label(TType2@)
CoachAnimate(2;"Well, we've got ourselves a sponsor and ")
CoachAnimate(2;"this deal is too good to be true. ")
Txt2:=1

Return

Label(TType3@)
CoachAnimate(2;"Because our sponsor's line of business is ")
BookmarkCreate (Name: "les1mark1") //DO NOT TRANSLATE BOOKMARK NAME
CoachAnimate(2;"computers, they have outfitted us with ")
CoachAnimate(2;"this cool equipment. ")
Txt3:=1

Return

Label(TType4@)
CoachAnimate(2;"They are also working out a logo for our ")
CoachAnimate(2;"jerseys. I will draft up a quick ")
BookmarkCreate (Name: "les1mark2") //DO NOT TRANSLATE BOOKMARK NAME
CoachAnimate(2;"newsletter that will explain everything in detail. ")
CoachAnimate(2;"You will receive it soon. ")
CoachAnimate(2;"Thanks,")
CoachAnimate(2;"{Enter}{Enter}{Enter}")
CoachAnimate(2;"Chris")
Txt4:=1

Return

```
//*****  
// DO NOT TRANSLATE BELOW THIS POINT  
//*****
```

```
Label(End@)  
Chain(?pathprogram+"wpw61uk.tut")
```

```
//LOCALIZE TO CORRECT FILENAME
```