

```
Application(A1;"WordPerfect";Default;"UK")
Display(On!)
InhibitInput(Off!) //allows wp to accept chars during macro
OnError Call(MacroError@)
Hndle := 0 //init vars
PMessage:= ""
DllLoad(Hndle;"?PathShared+"wpch61.dll") //load dll that contains bmps
Call(PW@)
Call(Text@)
CoachPromptClose("PW")
```

```
Label(Page1@)
Msg:=1
Call(MsgBox@) //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page1@)
Else
    If(Result="BackButton")
        Go(End@)
    EndIf
EndIf
```

```

Label(Page2@)
Msg:=2
Call(MsgBoxMdlMS@)
CoachFilterAdd(
    "FileOpen";
    FileOpenLbl@;
    All!;
    Token!;
    ;
    "WordPerfect";
    FileOpenDlg
)
CoachFilterEnable(
    Command:"FileOpen"
)
Flash:=0
UserDo:=0
Choice:=0
loopbreak:=0
HandPos:=5
Region:="WordPerfect.Menu.FileMenu"
Call(Point@)
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.FileOpenDlg";ExistVar:Exist)
    If(Exist=1 and Flash=0)
        CoachPromptClose("One")
        HandPos:=3
        Region:="WordPerfect.Menu.FileOpenDlg"
        PMessage:=MenuPrompt1
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice=1)
        CoachAnimate(1;"Move to WordPerfect.Menu.FileOpenDlg")
        Choice:=0
    EndIf
    If(Choice=2 or Choice=3)
        loopbreak:=1
    EndIf
Endwhile
CoachMessageBoxClose(0)
CoachFilterDisable(
    Command:"FileOpen"
)
CoachPromptClose("One")
If(UserDo=1)
    dir:=?pathprogram
    CoachAnimate(2;dir)
    CoachAnimate(2;"{Enter}")
EndIf
If(Choice=2)
    Go(Page1@)
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page2@)
EndIf
dir:=?pathprogram
//CoachAnimate(2;dir)
//CoachAnimate(2;"{Enter}")
Go(Page3@)

```

```
//*****
Label(FileOpenLbl@)
If(FileOpenLbl[2]=0)
    CoachPromptClose("One")
    CoachMessageBoxClose(0)
    UserDo:=1
    FileOpenLbl:=0
    loopbreak:=1
Else
    FileOpenLbl:=1
EndIf
Return
//*****
```

```

Label(Page3@)
Msg:=3
Call(MsgBoxMdlMS@)
CoachGetRegionInfo("WordPerfect.Open.OKBbtn";HwndVar:OKhwnd)
CoachGetRegionInfo("WordPerfect.Open.FilelistboxListBx";HwndVar:Lsthwnd)
movehand:=0
UserDo:=0
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "OpenOK";
    OpenOKLbl@;
    All!;
    Mouse!;
    "doubleclick on WordPerfect.Open.FilelistboxListBx";
    "WordPerfect"
)
CoachFilterAdd(
    "OpenOK";
    OpenOKLbl@;
    All!;
    Mouse!;
    "click on WordPerfect.Open.OKBbtn";
    "WordPerfect"
)
HandPos:=1
Region:="WordPerfect.Open.FilelistboxListBx"
Call(Point@)
CoachFilterEnable(
    ;
    "OpenOK"
)
While(loopbreak=0)
    If(movehand=1)
        CoachPromptClose("One")
        HandPos:=3
        Region:="WordPerfect.Open.OKBbtn"
        Call(Point@)
        movehand:=2
    EndIf
    If(Choice<>0)
        loopbreak:=1
    EndIf
Endwhile
CoachMessageBoxClose(0)
CoachPromptClose("One")
CoachFilterDisable("OpenOK")
If(UserDo=1)
    CoachMessageBoxClose(0)
    CoachAnimate(2;"{Esc}")
    FileInsert(?pathprogram+"bikememo.";0;1)
    ViewPage()
EndIf
If(Choice=1)
    CoachAnimate(1;"Click on WordPerfect.Open.FilelistboxListBx")
    CoachAnimate(2;"bikememo")
    HandPos:=3
    Region:="WordPerfect.Open.OKBbtn"
    Call(Point@)
    CoachAnimate(1;"Move to WordPerfect.Open.OKBbtn")
    CoachPromptClose("One")
    CoachAnimate(1;"Move to WordPerfect.Open.OKBbtn")
    CoachAnimate(2;"{Esc}")
    FileInsert(?pathprogram+"bikememo.";0;1)
    ViewPage()
    // if in a higher resolution, adjust margins so document can be scrolled
EndIf

```

```
If(Choice=2)
  Call(PW@)
  CoachAnimate(2;"{Esc}")
  CoachPromptClose("PW")
  Go(Page2@)
```

```
EndIf
```

```
If(Choice=3)
  CoachAnimate(2;"{Esc}")
  Call(ErrorBox@)
  InvokeDialog(FileOpenDlg)
  Go(Page3@)
```

```
// bring down file open dialog
// if user returns to lesson
// raise file open dialog
```

```
EndIf
```

```
Go(Page4@)
```

```
Label(OpenOKLbl@)
If(OpenOKLbl[1]=0) //If it is a mouse action
  If(OpenOKLbl[2]=0)
    OpenOKLbl:=1 //If on OK button, throw it out
    UserDo:=1
    loopbreak:=1
    Return
  Else
    If(OpenOKLbl[3]=Listhwnd)
      If(movehand=0)
        movehand:=1
      EndIf
      OpenOKLbl:=0 //If on list box, let it through
      Return
    Else
      OpenOKLbl:=1
    EndIf
  EndIf
EndIf
Return
```

```
Label(Page4@)
Msg:=4
Call(MsgBox@)
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page4@)
Else
    If(Result="BackButton")
        Display(Off!)
        Call(PW@)
        PosDocVeryTop()
        SelectMode(On!)
        PosDocBottom()
        DeleteCharNext()
        CoachPromptClose("PW")
        Display(On!)
        Go(Page2@)
    EndIf
EndIf
```



```
Label(Page5@)
Msg:=5
Call(MsgBoxMdl@)
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "ScrollDown";
    ScrollDownLbl@;
    All!;
    Mouse!;
    "click on WordPerfect.Document.VScroll";
    "WordPerfect"
)
```

```
HandPos:=5
Region:="WordPerfect.Document.VScroll"
PMessage:=""
Call(Point@)
```

```
CoachFilterEnable(
    ;
    "ScrollDown"
)
While(loopbreak=0)
    If(Choice<>0)
        loopbreak:=1
    EndIf
Endwhile
```

```
CoachFilterDisable(
    ;
    "ScrollDown"
)
CoachPromptClose("One")
CoachMessageBoxClose(0)
```

```
If(Choice=2)
    PosDocTop()           // move cursor back to top of doc
    Go(Page4@)
```

```
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page5@)
```

```
EndIf
PosDocBottom()         // ensure cursor is at the bottom
```

```

Label(Page6@)
Msg:=6
HandPos:=1
Region:="WordPerfect.Document.VScroll"
PMessage:=""
Call(Point@)
CoachFilterEnable(
    ;
    "ScrollDown"
)
Call(MsgBoxMdlis@)
Choice:=0
loopbreak:=0

While(loopbreak=0)
    If(Choice<>0)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
CoachMessageBoxClose(0)
CoachFilterDisable(
    ;
    "ScrollDown"
)
If(Choice=2)
    PosDocTop()
//    CoachAnimate(2;"{Ctrl+Home}")           //Move back to top of doc
    Go(Page5@)                               //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page6@)                               //If returned from menu, restart this instruction
EndIf
PosDocTop()

```

```
Label(Page7@)
Msg:=7
Call(MsgBox@)
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page7@)
EndIf
If(Result="BackButton")
    PosDocBottom()
//    CoachAnimate(2;"{Ctrl+End}{Home}") //Pos cursor back at bottom of doc
    Go(Page6@)
EndIf
```

```
Label(Page8@)
Msg:=8
Call(MsgBox@)
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page8@)
EndIf
If(Result="BackButton")
    Go(Page7@)
EndIf
```

```

Label(Page9@)
Msg:=9
CoachGetRegionInfo("WordPerfect.Document";HwndVar:DochWnd)
Call(MsgBoxMdlis@)
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "BlockText";
    BlockTextLbl@;
    All!;
    Mouse!;
    "leftclick on WordPerfect.Document";
    "WordPerfect"
)
CoachFilterEnable(
    ;
    "BlockText"
)
While(loopbreak=0)
    If(Choice<>0)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
CoachMessageBoxClose(0)
CoachFilterDisable(
    ;
    "BlockText"
)
If(Choice=2)
    If(?BlockActive)
        SelectMode(Off!)
    EndIf
    Go(Page8@) //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page9@) //If returned from menu, restart this instruction
EndIf
If(?BlockActive=0) //If no block is on, select some for the user
    PosDocTop()
    PosLineDown()
    PosLineDown()
    PosLineBeg()
    SelectSentence()
EndIf
Go(Page10@)

```

```
Label(BlockTextLbl@)
If(BlockTextLbl[2]=0 or BlockTextLbl[2]=2)
    BlockTextLbl:=0
Else
    BlockTextLbl:=1
EndIf
//If(BlockTextLbl[3]=DochWnd)
//    BlockTextLbl:=0
//Else
//this should be fixed
//    BlockTextLbl:=0
//EndIf
Return
```

```
Label(Page10@)
Msg:=10
Call(MsgBoxMdl@)
Choice:=0
loopbreak:=0
While(loopbreak=0)
    If(Choice<>0)
        loopbreak:=1
    EndIf
Endwhile
CoachMessageBoxClose(0)
If(Choice=2)
    SelectMode(Off!)
    Go(Page9@) //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page10@) //If returned from menu, restart this instruction
EndIf
//Call(MsgBox@)
//If(Result="MenuButton")
//    Call(ErrorBox@)
//    Go(Page10@)
//EndIf
//If(Result="BackButton")
//    SelectMode(Off!) //Turn off block
//    Go(Page9@)
//EndIf
```

```

Label(Page11@)
Msg:=11
CoachGetRegionInfo("WordPerfect.Document";HwndVar:DochWnd)
Call(MsgBoxMdlis@)
Choice:=0
loopbreak:=0
CoachFilterEnable(
    ;
    "BlockText"
)
While(loopbreak=0)
    If(Choice<>0)
        loopbreak:=1
    EndIf
Endwhile
CoachMessageBoxClose(0)
CoachFilterDisable(
    ;
    "BlockText"
)
If(?BlockActive)
    SelectMode(Off!)
EndIf
If(Choice=2)
    If(?BlockActive=0)
        PosDocTop()
        PosLineDown()
        PosLineDown()
        PosLineBeg()
        SelectSentence()
    EndIf
    Go(Page10@)                                //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page11@)                                //If returned from menu, restart this instruction
EndIf

```



```
Label(Page12@)
Msg:=12
CoachGetRegionInfo("WordPerfect.Document";HwndVar:DochWnd)
Call(MsgBoxMdlis@)
Choice:=0
loopbreak:=0
CoachFilterEnable(
    ;
    "BlockText"
)
While(loopbreak=0)
    If(Choice<>0)
        loopbreak:=1
    EndIf
Endwhile
CoachMessageBoxClose(0)
CoachFilterDisable(
    ;
    "BlockText"
)
If(?BlockActive)
    SelectMode(Off!)
EndIf
If(Choice=2)
    Go(Page9@)
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page12@) //If returned from menu, restart this instruction
EndIf
Go(Page18@)
```

```

Label(Page13@)
Msg:=13
CoachGetRegionInfo("WordPerfect.Document";HwndVar:DochWnd)
Call(MsgBoxMdlis@)
Choice:=0
loopbreak:=0
CoachFilterEnable(
    ;
    "BlockText"
)
HandPos:=2
Region:="WordPerfect.Caret"
PosDocTop()
PosLineDown()
PosLineDown()
Call(Point@)
While(loopbreak=0)
    If(Choice<>0)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
CoachMessageBoxClose(0)
CoachFilterDisable(
    ;
    "BlockText"
)
If(?BlockActive)
    SelectMode(Off!)
EndIf
If(Choice=1)
    PosDocTop()
    PosLineDown()
    PosLineDown()
    // CoachAnimate(2;"{Ctrl+Home}{down}{down}")
    SelectParagraph()
    // CoachAnimate(2;"{Alt+E}{E}{A}") //Select first paragraph
EndIf
If(Choice=2)
    Go(Page12@) //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page13@) //If returned from menu, restart this instruction
EndIf

```

```
Label(Page14@)
Msg:=14
Call(MsgBox@)
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page14@)
EndIf
If(Result="BackButton")
    SelectMode(Off!) //Turn off block
    Go(Page13@)
EndIf
```

```
Label(Page15@)
Msg:=15
Call(MsgBoxMdl@)
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "DelKey";
    DelKeyLbl@;
    All!;
    Key!;
    "{Delete}";
    "WordPerfect"
)
CoachFilterEnable(
    ;
    "DelKey"
)
While(loopbreak=0)
    If(Choice<>0)
        loopbreak:=1
    EndIf
Endwhile
CoachMessageBoxClose(0)
CoachFilterDisable(
    ;
    "DelKey"
)
If(Choice=1)
    CoachAnimate(2;"{Delete}")
EndIf
If(Choice=2)
    Go(Page14@) //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page15@) //If returned from menu, restart this instruction
EndIf
Go(Page16@)
```

```
Label(DelKeyLbl@)
If(DelKeyLbl[2]=0)
    Choice:=1
EndIf
DelKeyLbl:=1
Return
```

```

Label(Page16@)
Msg:=16
Call(MsgBoxMdlMS@)
Flash:=0
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "Undo";
    UndoLbl@;
    All!;
    Token!;
    ;
    "WordPerfect";
    Undo
)
CoachFilterEnable(
    Command:"Undo"
)
HandPos:=5
Region:="WordPerfect.Menu.EditMenu"
Call(Point@)
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.Undo";ExistVar:Exist)
    If(Exist=1 and Flash=0)
        CoachPromptClose("One")
        HandPos:=3
        Region:="WordPerfect.Menu.Undo"
        PMessage:=MenuPrompt2
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice=1)
        CoachAnimate(1;"Move to WordPerfect.Menu.Undo")
        Choice:=0
    EndIf
    If(Choice=2 or Choice=3)
        loopbreak:=1
    EndIf
Endwhile
CoachMessageBoxClose(0)
CoachPromptClose("One")
CoachFilterDisable(
    Command:"Undo"
)
If(Choice=2)
    Call(PW@)
    Display(Off!)
    PosDocVeryTop()
    SelectMode(On!)
    PosDocBottom()
    DeleteCharNext()
    FileInsert(Filename:?pathprogram+"bikememo";0;1)
    Display(On!)
    CoachPromptClose("PW")
    Go(Page13@)                                //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page16@)                                //If returned from menu, restart this instruction
EndIf
Go(Page17@)

```

```
Label(UndoLbl@)
If(UndoLbl[2]=0)
    loopbreak:=1
    UndoLbl:=0
Else
    UndoLbl:=1
EndIf
Return
```

```
Label(Page17@)
Msg:=17
HandPos:=2
Region:="WordPerfect.Caret"
PosDocTop()
PosLineDown()
PosLineDown()
Call(Point@)
Call(MsgBox@)
CoachPromptClose("One")
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page17@)
EndIf
If(Result="BackButton")
    Go(Page13@)
EndIf
```



```

Label(Page18@)
Msg:=18
Call(MsgBoxMdl@)
Choice:=0
loopbreak:=0
CoachGetRegionInfo("WordPerfect.Document";HwndVar:DochWnd)
CoachFilterEnable(
    ;
    "BlockText"
)
HandPos:=2
Region:="WordPerfect.Caret"
PosDocTop()
PosLineDown()
PosLineDown()
Call(Point@)
While(loopbreak=0)
    If(Choice<>0)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
CoachMessageBoxClose(0)
CoachFilterDisable(
    ;
    "BlockText"
)
If(?BlockActive)
    SelectMode(Off!)
EndIf
If(Choice=1)
    PosDocTop()
    PosLineDown()
    PosLineDown()
    // CoachAnimate(2;"{Ctrl+Home}{down}{down}") //Move in front of formost
    SelectParagraph()
    // CoachAnimate(2;"{Alt+E}{L}{A}") // Edit | Select | Paragraph nmemonics
EndIf
If(Choice=2)
    Go(Page12@) //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page18@) //If returned from menu, restart this instruction
EndIf

```

```

Label(Page19@)
Msg:=19
Call(MsgBoxMdlMS@)
UserDo:=0
Flash:=0
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "TCut";
    TCutLbl@;
    Match!;
    Token!;
    ;
    "WordPerfect";
    EditCut
)
CoachFilterEnable(
    Command:"TCut"
)
HandPos:=5
Region:="WordPerfect.Menu.EditMenu"
Call(Point@)
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.EditCut";ExistVar:Exist)
    If(Exist=1 and Flash=0)
        CoachPromptClose("One")
        HandPos:=3
        Region:="WordPerfect.Menu.EditCut"
        PMessage:=MenuPrompt3
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice=1)
        CoachAnimate(1;"Move to WordPerfect.Menu.EditCut")
        Choice:=0
    EndIf
    If(Choice=2 or Choice=3)
        loopbreak:=1
    EndIf
Endwhile
CoachMessageBoxClose(0)
CoachPromptClose("One")
CoachFilterDisable(
    Command:"TCut"
)
If(UserDo=1)
    EditCut()
EndIf
If(Choice=2)
    SelectMode(Off!)           //Turn off block
    Go(Page18@)                //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page19@)                //If returned from menu, restart this instruction
EndIf

```

```
Label(Page20@)
Msg:=20
Call(MsgBoxMdl@)
Choice:=0
loopbreak:=0
//CoachFilterEnable(
//      ;
//      "ScrollDown"
//      )
While(loopbreak=0)
    If(Choice<>0)
        loopbreak:=1
    EndIf
Endwhile
CoachMessageBoxClose(0)
//CoachFilterDisable(
//      ;
//      "ScrollDown"
//      )
If(Choice=1)
    PosDocBottom()
EndIf
If(Choice=2)
    Undo()
    Go(Page18@)                                //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page20@)                                //If returned from menu, restart this instruction
EndIf
```

```

Label(Page21@)
Msg:=21
Call(MsgBoxMdlMS@)
UserDo:=0
Flash:=0
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "Paste";
    PasteLbl@;
    Match!;
    Token!;
    ;
    "WordPerfect";
    EditPaste
)
CoachFilterEnable(
    Command:"Paste"
)
HandPos:=5
Region:="WordPerfect.Menu.EditMenu"
Call(Point@)
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.EditPaste";ExistVar:Exist)
    If(Exist=1 and Flash=0)
        CoachPromptClose("One")
        HandPos:=3
        Region:="WordPerfect.Menu.EditPaste"
        PMessage:=MenuPrompt4
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice=1)
        CoachAnimate(1;"Move to WordPerfect.Menu.EditPaste")
        Choice:=0
    EndIf
    If(Choice=2 or Choice=3)
        loopbreak:=1
    EndIf
Endwhile
CoachMessageBoxClose(0)
CoachPromptClose("One")
CoachFilterDisable(
    Command:"Paste"
)
If(UserDo=1)
    EditPaste()
EndIf
If(Choice=2)
    Undo()
    Go(Page18@)                                //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page21@)                                //If returned from menu, restart this instruction
EndIf

```

```
Label(Page22@)
Msg:=22
DeleteCharPrevious()
DeleteCharPrevious()
PosParagraphPrevious()
//SearchString (StrgToLookFor: "[HRt][HRt]")
//MatchPositionAfter ()
//SearchPrevious ()
HandPos:=2
Region:="WordPerfect.Caret"
Call(Point@)
//PosDocBottom()
Call(MsgBox@)
CoachPromptClose("One")
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page22@)
EndIf
If(Result="BackButton")
    Call(PW@)
    PosDocVeryTop()
    SelectMode(On!)
    PosDocBottom()
    DeleteCharNext()
    FileInsert(?pathprogram+"bikememo";0;1)
    CoachPromptClose("PW")
    Go(Page18@)
EndIf
```

```
Label(Page23@)
Msg:=23
Display(Off!)
Call(PW@)
PosDocVeryTop()
SelectMode(On!)
PosDocBottom()
DeleteCharNext()
CoachPromptClose("PW")
Display(On!)
Call(MsgBox@)
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page23@)
EndIf
If(Result="BackButton")
    Call(PW@)
    FileInsert (Filename: ?pathprogram+"BIKEMEMO.";0;1)
    CoachPromptClose("PW")
    Go(Page18@)
EndIf

//Les2x:=" X "
Les2x:="[X] "

Go(End@)
```

```
Label(ErrMsg@)
tMsg:=Msg
Msg:=24
Call(PostOK@)
If(Result="QuitButton")
    If(tMsg >= 4)
        Display(Off!)
        PosDocVeryTop() // if past open doc portion - remove doc
        SelectMode(On!)
        PosDocBottom()
        DeleteCharNext()
        Display(On!)
    EndIf
    Go(End@)
EndIf
Return
```

Label(MacroError@)  
Return



```
Label(MsgBox@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,4];
    Msg[Msg,3];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Simple!;
    ;
    Result;
    "MenuButton";
    Button!;
    "Menu";
    "BackButton";
    Button!;
    " << ";
    "ForwardButton";
    Button!;
    " >> ")
Return
```

```
Label(MsgBoxMdlsMS@)
//      If(Msg=10)
//          Modality:=2           // for msg 10 make this a modal
//      Else
//          Modality:=3           // all others make it a modless
//      EndIf
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,4];
    Msg[Msg,3];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Modeless!;
    MdlsCallBack@;
    ;
    "MenuButton";
    Button!;
    " Menu ";
    "BackButton";
    Button!;
    " << ";
    "ForwardButton";
    Button!;
    "Show Me >>")
Return
```

```
Label(MsgBoxMdl@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,4];
    Msg[Msg,3];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Modeless!;
    MdlsCallBack@;
    ;
    "MenuButton";
    Button!;
    " Menu ";
    "BackButton";
    Button!;
    " << ";
    "ForwardButton";
    Button!;
    " >> ")
Return
```

```
Label(MdlsCallBack@)
  If(MdlsCallBack[3]="MenuButton")
    Choice:=3
  Else
    If(MdlsCallBack[3]="BackButton")
      Choice:=2
    Else
      If(MdlsCallBack[3]="ForwardButton")
        Choice:=1
      EndIf
    EndIf
  EndIf
EndIf
Return
```

```
Label(PostOK@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,4];
    Msg[Msg,3];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Simple!;
    ;
    Result;
    "OKButton";
    Button!;
    "Return to Lesson";
    "QuitButton";
    Button!;
    "Menu")
```

Return

```
Label(Point@)
CoachPrompt(
    "One";
    PMessage;
    "MS Sans Serif";
    10;
    Hndle;
    222;
    HandPos;
    0;
    0;
    Region
)
Return
```

```
Label(PW@)
  CoachPrompt(
    "PW";
    "\bPlease Wait\b ";
    "MS Sans Serif";
    10;
    Hndle;
    ;
    Specify!;
    50;
    50;
    )
Return
```

```
//Call Back Labels
//*****
Label(ScrollDownLbl@)
If(ScrollDownLbl[2]=0 or ScrollDownLbl[2]=2)
    ScrollDownLbl:=0
Else
    ScrollDownLbl:=1
Endif
Return
```

```
//*****
Label(PasteLbl@)
If(PasteLbl[2]=0)

    UserDo:=1
    loopbreak:=1
    PasteLbl:=1
Else
    PasteLbl:=1
Endif
Return
```

```
//*****
Label(TCutLbl@)
If(TCutLbl[2]=0)
    UserDo:=1
    loopbreak:=1
    TCutLbl:=1
Else
    TCutLbl:=1
Endif
Return
```



Label(Text@)

Declare Msg[24,12]

```
//=====
Msg[1,1]:=          "\bLesson 2: Editing Text\b"           // Title
Msg[1,2]:=          "Welcome to Lesson 2. This lesson lasts about ten\n"+
                    "minutes and helps you learn the basics of the following  \n"+
                    "tasks:\n"+
                    "\n"+
                    "● Opening a saved document\n"+
                    "● Scrolling through a document\n"+
                    "● Selecting text\n"+
                    "● Deleting text\n"+
                    "● Moving text\n"+
                    "\n"+
                    "To proceed, choose \b>>\b. To return to the main menu,\n"+
                    "choose \bMenu\b."
Msg[1,3]:=          50                                     // X position
Msg[1,4]:=          50                                     // Y position
Msg[1,5]:=          8                                     // Addition BMP Position
Msg[1,6]:=          107                                   // Head BMP
Msg[1,7]:=          620
// Additional BMP
Msg[1,8]:=          0
// MsgBox Name (always 0)
Msg[1,9]:=          ""
// misc. controls
Msg[1,10]:=         ""
// misc. controls
Msg[1,11]:=         ""
// misc. controls
Msg[1,12]:=         ""
// misc. controls

//=====
Msg[2,1]:=          ""
Msg[2,2]:=          "Lesson 1 showed you how to\n"+
                    "save a document. To edit a saved  \n"+
                    "document you first need to open it.\n"+
                    "\n"+
                    "► Choose \bOpen\b from the\n"+
                    "  \bFile\b menu."
Msg[2,3]:=          95
Msg[2,4]:=          95
Msg[2,5]:=          1
Msg[2,6]:=          107
Msg[2,7]:=          623
Msg[2,8]:=          0
Msg[2,9]:=          ""
Msg[2,10]:=         ""
Msg[2,11]:=         ""
Msg[2,12]:=         ""

//=====
Msg[3,1]:=          ""
Msg[3,2]:=          "Open a file.\n"+
                    "\n"+
                    "► Click \bbikememo\b in the files list box, \n"+
                    "  then choose \bOK\b."
Msg[3,3]:=          95
Msg[3,4]:=          95
Msg[3,5]:=          0
Msg[3,6]:=          107
Msg[3,7]:=          0
Msg[3,8]:=          0
Msg[3,9]:=          ""
```

```
Msg[3,10]:= ""
Msg[3,11]:= ""
Msg[3,12]:= ""
```

```
//=====
```

```
Msg[4,1]:= ""
Msg[4,2]:= "The file now appears on your screen and\n"+
           "is ready to be edited. However, before you edit it, \n"+
           "you may want to look it over."
Msg[4,3]:= 95
Msg[4,4]:= 95
Msg[4,5]:= 0
Msg[4,6]:= 107
Msg[4,7]:= 0
Msg[4,8]:= 0
Msg[4,9]:= ""
Msg[4,10]:= ""
Msg[4,11]:= ""
Msg[4,12]:= ""
```

```
//=====
```

```
Msg[5,1]:= ""
Msg[5,2]:= "To look over your entire document,\n"+
           "you can use the scroll bar on the right. \n"+
           "\n"+
           "► Place your mouse pointer on\n"+
           "  the bottom arrow and hold down the\n"+
           "  mouse button."
Msg[5,3]:= 95
Msg[5,4]:= 50
Msg[5,5]:= 1
Msg[5,6]:= 107
Msg[5,7]:= 624
Msg[5,8]:= 0
Msg[5,9]:= ""
Msg[5,10]:= ""
Msg[5,11]:= ""
Msg[5,12]:= ""
```

```
//=====
```

```
Msg[6,1]:= ""
Msg[6,2]:= "Moving through your document\n"+
           "in this way is called scrolling.\n"+
           "\n"+
           "► Scroll back up to the beginning \n"+
           "  of your memo."
Msg[6,3]:= 95
Msg[6,4]:= 95
Msg[6,5]:= 0
Msg[6,6]:= 107
Msg[6,7]:= 0
Msg[6,8]:= 0
Msg[6,9]:= ""
Msg[6,10]:= ""
Msg[6,11]:= ""
Msg[6,12]:= ""
```

```
//=====
```

```
Msg[7,1]:= ""
Msg[7,2]:= "In Lesson 1, you learned how to edit words\n"+
           "one letter at a time, inserting and deleting them. \n"+
           "You can also edit several words at once."
Msg[7,3]:= 95
Msg[7,4]:= 95
Msg[7,5]:= 0
Msg[7,6]:= 107
Msg[7,7]:= 0
```

```
Msg[7,8]:= 0
Msg[7,9]:= ""
Msg[7,10]:= ""
Msg[7,11]:= ""
Msg[7,12]:= ""
```

```
//=====
```

```
Msg[8,1]:= ""
Msg[8,2]:= "Before you can edit text, \n"+
           "you must first select it."
Msg[8,3]:= 95
Msg[8,4]:= 95
Msg[8,5]:= 8
Msg[8,6]:= 107
Msg[8,7]:= 625
Msg[8,8]:= 0
Msg[8,9]:= ""
Msg[8,10]:= ""
Msg[8,11]:= ""
Msg[8,12]:= ""
```

```
//=====
```

```
Msg[9,1]:= ""
Msg[9,2]:= "Try selecting some text.\n"+
           "\n"+
           "► Move your mouse pointer anywhere \n"+
           "   in the document.\n"+
           "► Press the mouse button and\n"+
           "   hold it down.\n"+
           "► Move your mouse pointer to a new\n"+
           "   position.\n"+
           "► Release your mouse button.\n"+
           "\n"+
           "This method of selecting text is called\n"+
           "dragging."
Msg[9,3]:= 95
Msg[9,4]:= 95
Msg[9,5]:= 0
Msg[9,6]:= 107
Msg[9,7]:= 0
Msg[9,8]:= 0
Msg[9,9]:= ""
Msg[9,10]:= ""
Msg[9,11]:= ""
Msg[9,12]:= ""
```

```
//=====
```

```
Msg[10,1]:= ""
Msg[10,2]:= "Notice that some text is highlighted\n"+
           "in a different colour. This indicates that the \n"+
           "text is ready for editing."
Msg[10,3]:= 95
Msg[10,4]:= 95
Msg[10,5]:= 0
Msg[10,6]:= 107
Msg[10,7]:= 0
Msg[10,8]:= 0
Msg[10,9]:= ""
Msg[10,10]:= ""
Msg[10,11]:= ""
Msg[10,12]:= ""
```

```
//=====
```

```
Msg[11,1]:= ""
Msg[11,2]:= "To deselect text,\n"+
           "\n"+
           "► Click anywhere on your text. "
```

Msg[11,3]:= 95  
Msg[11,4]:= 95  
Msg[11,5]:= 0  
Msg[11,6]:= 107  
Msg[11,7]:= 0  
Msg[11,8]:= 0  
Msg[11,9]:= ""  
Msg[11,10]:= ""  
Msg[11,11]:= ""  
Msg[11,12]:= ""

//=====

Msg[12,1]:= ""  
Msg[12,2]:= "Try selecting some text using \n"+  
"these other methods:\n"+  
"\n"+  
"● double-clicking a word\n"+  
"● triple-clicking a sentence\n"+  
"● quadruple-clicking a paragraph"

Msg[12,3]:= 95  
Msg[12,4]:= 95  
Msg[12,5]:= 0  
Msg[12,6]:= 107  
Msg[12,7]:= 0  
Msg[12,8]:= 0  
Msg[12,9]:= ""  
Msg[12,10]:= ""  
Msg[12,11]:= ""  
Msg[12,12]:= ""

//=====

Msg[18,1]:= ""  
Msg[18,2]:= "Now try moving text. Begin by\n"+  
"selecting the text you want to cut and \n"+  
"paste.\n"+  
"\n"+  
"▶ Select the paragraph beginning\n"+  
" with \bForemost\b."

Msg[18,3]:= 95  
Msg[18,4]:= 95  
Msg[18,5]:= 8  
Msg[18,6]:= 107  
Msg[18,7]:= 628  
Msg[18,8]:= 0  
Msg[18,9]:= ""  
Msg[18,10]:= ""  
Msg[18,11]:= ""  
Msg[18,12]:= ""

//=====

Msg[19,1]:= ""  
Msg[19,2]:= "Next, cut the text.\n"+  
"\n"+  
"▶ Choose \bCut\b from the \bEdit\b menu\n"+  
" or choose the Cut icon on the Toolbar. "

Msg[19,3]:= 95  
Msg[19,4]:= 95  
Msg[19,5]:= 8  
Msg[19,6]:= 107  
Msg[19,7]:= 621  
Msg[19,8]:= 0  
Msg[19,9]:= ""  
Msg[19,10]:= ""  
Msg[19,11]:= ""  
Msg[19,12]:= ""

//=====

```
Msg[20,1]:= ""
Msg[20,2]:= "Before pasting the text, place\n"+
"the insertion point at the new location. \n"+
"\n"+
"► Place the insertion point at the\n"+
" bottom of the document."
Msg[20,3]:= 95
Msg[20,4]:= 95
Msg[20,5]:= 0
Msg[20,6]:= 107
Msg[20,7]:= 0
Msg[20,8]:= 0
Msg[20,9]:= ""
Msg[20,10]:= ""
Msg[20,11]:= ""
Msg[20,12]:= ""
```

```
//=====
Msg[21,1]:= ""
Msg[21,2]:= "Now, paste the text.\n"+
"\n"+
"► Choose \bPaste\b from the \bEdit\b menu\n"+
" or choose the Paste icon on the Toolbar. "
Msg[21,3]:= 95
Msg[21,4]:= 95
Msg[21,5]:= 8
Msg[21,6]:= 107
Msg[21,7]:= 622
Msg[21,8]:= 0
Msg[21,9]:= ""
Msg[21,10]:= ""
Msg[21,11]:= ""
Msg[21,12]:= ""
```

```
//=====
Msg[22,1]:= ""
Msg[22,2]:= "The text has now been moved. "
Msg[22,3]:= 95
Msg[22,4]:= 95
Msg[22,5]:= 0
Msg[22,6]:= 107
Msg[22,7]:= 0
Msg[22,8]:= 0
Msg[22,9]:= ""
Msg[22,10]:= ""
Msg[22,11]:= ""
Msg[22,12]:= ""
```

```
//=====
Msg[23,1]:= ""
Msg[23,2]:= "This completes Lesson 2. You have been\n"+
"introduced to the basics of:\n"+
"\n"+
"● Opening a saved document\n"+
"● Scrolling through a document\n"+
"● Selecting text\n"+
"● Deleting text\n"+
"● Moving text\n"+
"\n"+
"Lesson 3 teaches you more about formatting. "
Msg[23,3]:= 50
Msg[23,4]:= 50
Msg[23,5]:= 8
Msg[23,6]:= 107
Msg[23,7]:= 620
Msg[23,8]:= 0
```

```
Msg[23,9]:= ""
Msg[23,10]:= ""
Msg[23,11]:= ""
Msg[23,12]:= ""
```

```
//=====
```

```
Msg[24,1]:= ""
Msg[24,2]:= "Choose Menu to return to the main      \n"+
             "Menu, or choose Return to Lesson."
Msg[24,3]:= 50
Msg[24,4]:= 50
Msg[24,5]:= 0
Msg[24,6]:= 107
Msg[24,7]:= 0
Msg[24,8]:= 0
Msg[24,9]:= ""
Msg[24,10]:= ""
Msg[24,11]:= ""
Msg[24,12]:= ""
```

```
MenuPrompt1:="▶ Choose \bOpen\b."
MenuPrompt2:="▶ Choose \bUndo\b."
MenuPrompt3:="▶ Choose \bCut\b."
MenuPrompt4:="▶ Choose \bPaste\b."
```

Return

```
//*****  
// DO NOT TRANSLATE BELOW THIS POINT  
//*****
```

```
Label(End@)  
Chain(?pathprogram+"wpw61uk.tut")  
//LOCALIZE TO CORRECT FILENAME
```