

```
Application(A1;"WordPerfect";Default;"UK")
Display(On!)
InhibitInput(Off!)
RevealCodes(Off!)
OnError Call(MacroError@)
Hndle := 0
Box:=0
FInserted:=0
PMessage:=""
DllLoad(Hndle;?PathShared+"wpch61.dll")
DllLoad(UserLink;"user.exe")
Call(PW@)
Call(Text@)
CoachPromptClose("PW")
```

```
Label(Page1@)
Msg:=1
Call(MsgBox@)
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page1@)
EndIf
If(Result="BackButton")
    Go(End@)
EndIf
If(FInserted=0)
    Display(Off!)
    Call(PW@)
    FileInsert (Filename: ?pathprogram+"BIKEMEMO";0;1)
    ViewPage()
    FInserted:=1
    CoachPromptClose("PW")
    Display(On!)
EndIf
```

```
Label(Page2@)
Msg:=2
Call(MsgBox@)
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page2@)
EndIf
If(Result="BackButton")
    Go(Page1@)
EndIf
```

```

Label(Page3@)
Msg:=3
Call(MsgBoxMdl@)
Choice:=0
loopbreak:=0
CoachGetRegionInfo("WordPerfect.Document";HwndVar:DochWnd)
CoachFilterAdd(
    "BlockText";
    BlockTextLbl@;
    All!;
    Mouse!;
    "click on WordPerfect.Document";
    "WordPerfect"
)
PosLineEnd()
HandPos:=2
Region:="WordPerfect.Caret"
Call(Point@)
PosLineBegin()
//CoachFilterEnable(
//    ;
//    "BlockText"
//    )
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile

//CoachFilterDisable(
//    ;
//    "BlockText"
//    )

CoachPromptClose("One")
If(Choice=1)
    SelectMode(Off!)
    PosDocTop()
    PosCharNext()
    SelectSentence()
EndIf
If(Choice=2)
    Go(Page2@)                                //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page3@)                                //If returned from menu, restart this instruction
EndIf

```

```

Label(Page4@)
Msg:=4
Call(MsgBoxMdlMS@)
Flash:=0
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "Font";
    FontLbl@;
    All!;
    Token!;
    ;
    "WordPerfect";
    FontDlg
)
CoachFilterEnable(
    Command:"Font"
)
HandPos:=5
Region:="WordPerfect.Menu.LayoutMenu"
Call(Point@)
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.FontDlg";ExistVar:Exist)
    If(Exist=1 and Flash=0)
        CoachPromptClose("One")
        HandPos:=3
        Region:="WordPerfect.Menu.FontDlg"
        PMessage:=MenuPrompt1
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice=1)
        CoachAnimate(1;"Move to WordPerfect.Menu.FontDlg")
        Choice:=0
    EndIf
    If(Choice=2 or Choice=3)
        loopbreak:=1
        CoachMessageBoxClose(0)
    EndIf
Endwhile
CoachPromptClose("One")
CoachFilterDisable(
    Command:"Font"
)
If(Choice=2)
    SelectMode(Off!)
    PosDocTop()
    Go(Page3@)
EndIf
If(Choice=3)
    Call(ErrorBox@)

```

//Go to previous instruction

```
        Go(Page4@)           //If returned from menu, restart this instruction
EndIf
Go(Page5@)
```

```
//*****  
Label(FontLbl@)  
If(FontLbl[2]=0)  
    CoachPromptClose("One")  
    CoachMessageBoxClose(0)  
    loopbreak:=1  
    FontLbl:=0  
Else  
    FontLbl:=1  
EndIf  
Return
```

```

Label(Page5@)
Msg:=5
Call(MsgBoxMdlMS@)
UserDo:=0
Choice:=0
loopbreak:=0
CoachGetRegionInfo("WordPerfect.FontDialog.OKBtn";HwndVar:OKhwnd)
CoachGetRegionInfo("WordPerfect.FontDialog.CancelBtn";HwndVar:Canhwnd)
CoachGetRegionInfo("WordPerfect.FontDialog.EditBtn";HwndVar:Edithwnd)
CoachGetRegionInfo("WordPerfect.FontDialog.DocumentBtn";HwndVar:Inithwnd)
CoachGetRegionInfo("WordPerfect.FontDialog.HelpBtn";HwndVar:Helphwnd)
CoachGetRegionInfo("WordPerfect.FontDialog.PaletteBtn";ExistVar:Exist;HwndVar:Palhwnd)
CoachFilterAdd(
    "FontBold";
    FontBoldLbl@;
    All;
    Mouse!;
    "click on WordPerfect.FontDialog.BoldBtn";
    "WordPerfect"
)
HandPos:=1
Region:="WordPerfect.FontDialog.BoldBtn"
Call(Point@)
CoachFilterEnable(
    ;
    "FontBold"
)
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachFilterDisable(
    ;
    "FontBold"
)
If(UserDo=1)
    CoachAnimate(2;"{Alt+B}") // mnemonic for bold check box
EndIf
If(Choice=1)
    CoachAnimate(1;"Click on WordPerfect.FontDialog.BoldBtn")
EndIf
CoachPromptClose("One")
CoachMessageBoxClose(0)
If(Choice=2)
    CoachAnimate(2;"{Esc}")
    Exist:=TRUE
    While(Exist=TRUE)
        DllCall(UserLink;"IsWindow";Exist:BOOL;{LoWord(OKhwnd)})
    EndWhile
    Go(Page4@) //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    CoachAnimate(2;"{Esc}")

```



```
Exist:=TRUE
While(Exist=TRUE)
  DllCall(UserLink;"IsWindow";Exist:BOOL;{LoWord(OKhwnd)})
EndWhile
Go(Page4@)           //If returned from menu, restart this instruction
EndIf
Go(Page8@)
```

```
//*****  
Label(FontBoldLbl@)  
If(FontBoldLbl[2]=0)  
    CoachMessageBoxClose(0)  
    CoachPromptClose("One")  
    UserDo:=1  
    loopbreak:=1  
    FontBoldLbl:=1  
    Return  
Else  
    FontBoldLbl:=1  
EndIf  
Return
```

```

Label(Page8@)
Msg:=8
Call(MsgBoxMdlMS@)
CoachGetRegionInfo("WordPerfect.FontDialog.OKBbtn";ExistVar:Exist;HwndVar:OKhwnd)
CoachGetRegionInfo("WordPerfect.FontDialog.SizePopup";ExistVar:Exist;HwndVar:Sizehwnd)
SizeDo:=0
UserDo:=0
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "FontOK";
    FontOKLbl@;
    All!;
    Mouse!;
    "click on WordPerfect.FontDialog.OKBbtn";
    "WordPerfect"
)
HandPos:=3
Region:="WordPerfect.FontDialog.SizePopup"
Call(Point@)
CoachFilterEnable(
    ;
    "FontOK"
)
While(loopbreak=0)
    If(SizeDo=1)
        CoachPromptClose("One")
        HandPos:=1
        Region:="WordPerfect.FontDialog.OKBbtn"
        Call(Point@)
        SizeDo:=2
    EndIf
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
CoachMessageBoxClose(0)
CoachFilterDisable(
    ;
    "FontOK"
)
If(UserDo=1)
    CoachMessageBoxClose(0)
    CoachAnimate(2;"{Esc}")
    AttributeRelativeSize (Size: Large!)
    AttributeAppearanceOn (Attrib: Bold!)
    Go(Page9@)
EndIf
If(Choice=1)
    CoachAnimate(1;"Click on WordPerfect.FontDialog.SizePopup")
    CoachAnimate(2;"{Space}")
    Wait(10)
    For(j;1;j<4;j+1)
        CoachAnimate(2;"{down}")
    
```

```
        Wait(4)
    EndFor
    Wait(3)
    CoachAnimate(2;"{Enter}")
    CoachAnimate(1;"Move to WordPerfect.FontDialog.OKBtn")
    CoachAnimate(2;"{Esc}")
    AttributeRelativeSize (Size: Large!)
    AttributeAppearanceOn (Attrib: Bold!)
EndIf
If(Choice=2)
    CoachAnimate(2;"{Esc}")
    Go(Page4@)                                //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page8@)                                //If returned from menu, restart this instruction
EndIf
Go(Page9@)
```

```
Label(FontOKLbl@)
If(FontOKLbl[3]=OKhwnd)
    CoachPromptClose("One")
    CoachMessageBoxClose(0)
    UserDo:=1
    loopbreak:=1
    FontOKLbl:=1
Else
    If(FontOKLbl[3]=Canhwnd OR
    FontOKLbl[3]=Edithwnd OR
    FontOKLbl[3]=Inithwnd OR
    FontOKLbl[3]=Helphwnd OR
    FontOKLbl[3]=Palhwnd)
        FontOKLbl:=1
    Else
        SizeDo:=1
        FontOKLbl:=0
    EndIf
EndIf
Return
```

```

Label(Page9@)
Msg:=9
Call(MsgBoxMdl@)
Choice:=0
loopbreak:=0
//CoachGetRegionInfo("WordPerfect.Document";HwndVar:DochWnd)
//CoachFilterEnable(
//      ;
//      "BlockText"
//      )
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
//CoachFilterDisable(
//      ;
//      "BlockText"
//      )
If(Choice=1)
    SelectMode(Off!)
EndIf
If(Choice=2)
    Display(Off!)
    PosDocTop()
    SelectSentence()
    AttributeRelativeSize (Size: NormalSize!)
    AttributeAppearanceOff (Attrib: Bold!)
    SelectMode(Off!)
    Display(On!)
    Go(Page3@)                                //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page9@)                                //If returned from menu, restart this instruction
EndIf

```

```
Label(Page10@)
Msg:=10
Call(MsgBoxMdlMS@)
Choice:=0
loopbreak:=0
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
If(Choice=1)
    Display(Off!)
    PosDocTop()
    PosParagraphNext()
    SelectLineBegin()
    SelectDelete()
    Tab()
    Display(On!)
EndIf
If(Choice=2)
    Display(Off!)
    PosDocTop()
    PosParagraphNext()
    SelectLineBegin()
    SelectDelete()
    PosDocTop()
    SelectSentence()
    Display(On!)
    Go(Page9@) //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page10@) //If returned from menu, restart this instruction
EndIf
```

```

Label(Page11@)
Msg:=11
Call(MsgBoxMdlMS@)
Choice:=0
loopbreak:=0
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
If(Choice=1)
    Display(Off!)
    PosDocTop()
    PosParagraphNext()
    PosParagraphNext()
    SelectLineBegin()
    SelectDelete()
    Tab()
    Display(On!)
EndIf
If(Choice=2)
    Display(Off!)
    PosDocTop()
    PosParagraphNext()
    SelectLineBegin()
    SelectDelete()
    PosParagraphNext()
    SelectLineBegin()
    SelectDelete()
    Display(On!)
    Go(Page10@)                                     //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page11@)                                     //If returned from menu, restart this instruction
EndIf

```



```
Label(Page12@)
Msg:=12
Call(MsgBoxMdlis@)
Choice:=0
loopbreak:=0
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
If(Choice=1)
    BookMarkFind(Name:"les3mark1")
EndIf
If(Choice=2)
    Display(Off!)
    PosDocTop()
    PosParagraphNext()
    PosParagraphNext()
    SelectLineBegin()
    SelectDelete()
    Display(On!)
    Go(Page11@) //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page12@) //If returned from menu, restart this instruction
EndIf
```

```

Label(Page13@)
Msg:=13
Call(MsgBoxMdlMS@)
Flash:=0
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "DbIndent";
    DbIndentLbl@;
    All!;
    Token!;
    ;
    "WordPerfect";
    IndentLeftRight
)
CoachFilterEnable(
    Command:"DbIndent"
)
HandPos:=5
Region:="WordPerfect.Menu.LayoutMenu"
Call(Point@)
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.IndentLeftRight";ExistVar:Exist)
    If(Exist=1 and Flash=0)
        CoachPromptClose("One")
        HandPos:=6
        Region:="WordPerfect.Menu.IndentLeftRight"
        PMessage:=MenuPrompt2
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice=1)
        CoachAnimate(1;"Move to WordPerfect.Menu.IndentLeftRight")
        Choice:=0
    EndIf
    If(Choice=2 or Choice=3)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
CoachFilterDisable(
    Command:"DbIndent"
)
If(Choice=2)
    Go(Page12@)                                //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page13@)                                //If returned from menu, restart this instruction
EndIf

```

Go(Page14@)

```
Label(Page14@)
Msg:=14
Call(MsgBoxMdlis@)
Choice:=0
loopbreak:=0
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
If(Choice=1)
    PosDocTop()
EndIf
If(Choice=2)
    Display(Off!)
    PosDocBottom()
    PosParagraphPrevious()
    PosParagraphPrevious()
    SelectLineBegin()
    SelectDelete()
    Display(On!)
    Go(Page13@) //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page14@) //If returned from menu, restart this instruction
EndIf
Go(Page15@)
```

```

Label(Page15@)
Msg:=15
Call(MsgBoxMdlMS@)
Flash:=0
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "Spacing";
    SpacingLbl@;
    All!;
    Token!;
    ;
    "WordPerfect";
    LineSpacingDlg
)
CoachFilterEnable(
    Command:"Spacing"
)
HandPos:=5
Region:="WordPerfect.Menu.LayoutMenu"
Call(Point@)
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.LineSpacingDlg";ExistVar:Exist)
    If(Exist=1 and Flash=0)
        CoachPromptClose("One")
        HandPos:=6
        Region:="WordPerfect.Menu.LineSpacingDlg"
        PMessage:=MenuPrompt3
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice=1)
        CoachAnimate(1;"Move to WordPerfect.Menu.LineSpacingDlg")
        Choice:=0
    EndIf
    If(Choice=2 or Choice=3)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachMessageBoxClose(0)
CoachPromptClose("One")
CoachFilterDisable(
    Command:"Spacing"
)
If(Choice=2)
    PosDocBottom()
    PosParagraphPrevious()
    PosParagraphPrevious()
    Go(Page14@)
EndIf
//Go to previous instruction

```

```
If(Choice=3)
    Call(ErrorBox@)
    Go(Page15@) //If returned from menu, restart this instruction
EndIf
```

```

//Label(Page16@)
Msg:=16
Call(MsgBoxMdlMS@)
MoveHand:=0
UserDo:=0
Choice:=0
loopbreak:=0
CoachSetDialogFilter("WordPerfect.LineSpacing";LineSpacDlgCB@)
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachRemoveDialogFilter("WordPerfect.LineSpacing")
CoachPromptClose("One")
If(UserDo=1)
    CoachAnimate(2;"{Esc}")
    CoachMessageBoxClose(0)
    CoachPromptClose("One")
    LineSpacing(2)
EndIf
If(Choice=1)
    CoachAnimate(1;"Doubleclick on WordPerfect.LineSpacing.SpacingCntr")
    Wait(5)
    CoachAnimate(2;"2")
    Wait(5)
    CoachAnimate(1;"Click on WordPerfect.LineSpacing.OKBttn")
    LineSpacing(2)
EndIf
If(Choice=2)
    CoachAnimate(2;"{Esc}")
    Go(Page15@)                                //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    CoachAnimate(2;"{Esc}")
    Go(Page15@)                                //If returned from menu, restart this instruction
EndIf
Go(Page18@)

```

```
Label(LineSpacDlgCB@)
  LineSpacDlgCB:=1
  Switch(LineSpacDlgCB[5])
    CaseOf 273:
      Switch(LineSpacDlgCB[6])
        CaseOf 1:
          Choice:=4
          UserDo:=1
          // OK button
          // break out of while loop
        EndSwitch
      EndSwitch
    EndSwitch
  Return
```



```

Label(Page18@)
Msg:=17
Call(MsgBoxMdlMS@)
Flash:=0
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "Margins";
    MarginsLbl@;
    All!;
    Token!;
    ;
    "WordPerfect";
    FormatMarginsDlg
)
CoachFilterEnable(
    Command:"Margins"
)
HandPos:=5
Region:="WordPerfect.Menu.LayoutMenu"
Call(Point@)
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.FormatMarginsDlg";ExistVar:Exist)
    If(Exist=1 and Flash=0)
        CoachPromptClose("One")
        HandPos:=6
        Region:="WordPerfect.Menu.FormatMarginsDlg"
        PMessage:=MenuPrompt4
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice=1)
        CoachAnimate(1;"Move to WordPerfect.Menu.FormatMarginsDlg")
        Choice:=0
    EndIf
    If(Choice=2 or Choice=3)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
CoachFilterDisable(
    Command:"Margins"
)
If(Choice=2)
    LineSpacing(1)
    Go(Page15@)                                //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page18@)                                //If returned from menu, restart this instruction

```

Endif
Go(Page19@)

```
Label(MarginsLbl@)
If(MarginsLbl[2]=0)
    CoachPromptClose("One")
    CoachMessageBoxClose(0)
    loopbreak:=1
    MarginsLbl:=0
Else
    MarginsLbl:=1
EndIf
Return
```

```

Label(Page19@)
Msg:=19
Call(MsgBoxMdlMS@)
MoveHand:=0
UserDo:=0
Choice:=0
loopbreak:=0
CoachSetDialogFilter("WordPerfect.Margins";MargDlgCB@)
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachRemoveDialogFilter("WordPerfect.Margins")
CoachMessageBoxClose(0)
If(UserDo=1)
    CoachAnimate(2;"{Esc}")
    CoachMessageBoxClose(0)
    MarginLeft (MarginWidth: 2.0")
    Choice:=0
EndIf
If(Choice=1)
    CoachAnimate(1;"doubleclick on WordPerfect.Margins.LeftMargin")
    Wait(5)
    CoachAnimate(2;"2")
    Wait(5)
    CoachAnimate(1;"click on WordPerfect.Margins.OkBttn")
    MarginLeft (MarginWidth: 2.0")
EndIf
If(Choice=2)
    CoachAnimate(2;"{Esc}")
    Go(Page18@)                                //Go to previous instruction
EndIf
If(Choice=3)
    Call(ErrorBox@)
    CoachAnimate(2;"{Esc}")
    Go(Page18@)                                //If returned from menu, restart this instruction
EndIf
Go(Page20@)

```

```
Label(MargDlgCB@)
  MargDlgCB:=1
  Switch(MargDlgCB[5])
    CaseOf 273:
      Switch(MargDlgCB[6])
        CaseOf 1:
          Choice:=4
          UserDo:=1
          // OK button
          // break out of while loop
        EndSwitch
      EndSwitch
    EndSwitch
  Return
```

```
Label(Page20@)
Msg:=20
Call(MsgBox@)
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page20@)
EndIf
If(Result="BackButton")
    MarginLeft(MarginWidth:1.0")
    Go(Page18@)
EndIf
```

```
Label(Page21@)
Msg:=21
Display(Off!)
Call(PW@)
PosDocVeryTop()
SelectMode(On!)
PosDocBottom()
DeleteCharNext()
CoachPromptClose("PW")
Display(On!)
Call(MsgBox@)
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page21@)
EndIf
If(Result="BackButton")
    Call(PW@)
    Display(Off!)
    FileInsert(FileName:?pathprogram+"bikememo";0;1)
    ViewPage()
    SelectSentence()
    AttributeRelativeSize (Size: Large!)
    AttributeAppearanceOn (Attrib: Bold!)
    SelectMode(Off!)
    PosDocTop()
    LineSpacing(2)
    MarginLeft (MarginWidth: 2.0")
    BookMarkFind("les3mark1")
    IndentLeftRight()
    PosDocTop()
    CoachPromptClose("PW")
    Display(On!)
    Go(Page20@)
EndIf

//Les3x:=" X "
Les3x:="[X] "

Go(End@)
```

```
Label(ErrMsg@)
tMsg:=Msg
Msg:=22
Call(PostOK@)
If(Result="QuitButton")
    If(tMsg = 5 OR tMsg = 8)
        CoachAnimate(2,"{Esc}")
    EndIf
    Display(Off!)
    PosDocVeryTop()
    SelectMode(On!)
    PosDocBottom()
    DeleteCharNext()
    Display(On!)
    Go(ErrMsg@)
EndIf
Return
```


Label(MacroError@)
Return

```
Label(MsgBox@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,4];
    Msg[Msg,3];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Simple!;
    ;
    Result;
    "MenuButton";
    Button!;
    "Menu";
    "BackButton";
    Button!;
    " << ";
    "ForwardButton";
    Button!;
    " >> ")
Return
```

```
Label(MsgBoxMdlMS@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,4];
    Msg[Msg,3];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Modeless!;
    MdlCallback@;
    ;
    "MenuButton";
    Button!;
    " Menu ";
    "BackButton";
    Button!;
    " << ";
    "ForwardButton";
    Button!;
    "Show Me >>")
Return
```

```
Label(MsgBoxMdl@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,4];
    Msg[Msg,3];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Modeless!;
    Mdl@CallBack@;
    ;
    "MenuButton";
    Button!;
    " Menu ";
    "BackButton";
    Button!;
    " << ";
    "ForwardButton";
    Button!;
    " >> ")
Return
```

```
Label(MdlsCallBack@)
  If(MdlsCallBack[3]="MenuButton")
    Choice:=3
  Else
    If(MdlsCallBack[3]="BackButton")
      Choice:=2
    Else
      If(MdlsCallBack[3]="ForwardButton")
        Choice:=1
      EndIf
    EndIf
  EndIf
EndIf
Return
```

```
Label(PostOK@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,4];
    Msg[Msg,3];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Simple!;
    ;
    Result;
    "OKButton";
    Button!;
    "Return to Lesson";
    "QuitButton";
    Button!;
    "Menu")
Return
```

```
Label(Point@)
CoachPrompt(
    "One";
    PMessage;
    "MS Sans Serif";
    10;
    Hndle;
    222;
    HandPos;
    0;
    0;
    Region
)
Return
```

```
Label(PW@)
  CoachPrompt(
    "PW";
    "\bPlease Wait\b ";
    "MS Sans Serif";
    10;
    Hndle;
    ;
    Specify!;
    50;
    50;
    )
Return
```



```
//*****
```

```
Label(BlockTextLbl@)  
If(BlockTextLbl[3]=DochWnd)  
    BlockTextLbl:=0  
Else  
    BlockTextLbl:=1  
EndIf  
Return
```

```
//*****
```

```
Label(DblIndentLbl@)  
If(DblIndentLbl[2]=0)  
    CoachMessageBoxClose(0)  
    loopbreak:=1  
    DblIndentLbl:=0  
Else  
    DblIndentLbl:=1  
EndIf  
Return
```

```
//*****
```

```
Label(SpacingLbl@)  
If(SpacingLbl[2]=0)  
    CoachMessageBoxClose(0)  
    loopbreak:=1  
    SpacingLbl:=0  
Else  
    SpacingLbl:=1  
EndIf  
Return
```

```
//*****
```

```
//*****
```

```
//*****
```

Label(Text@)

Declare Msg[22,12]

```
//=====
Msg[1,1]:=      "\bLesson 3: Formatting Text\b"           // Title
Msg[1,2]:=
    "Welcome to Lesson 3. This Lesson lasts about ten\n"+
    "minutes and explains the basics of the following topics:\n"+
    "\n"+
    "• Changing the appearance of text\n"+
    "• Adjusting the size of text\n"+
    "• Using tabs and indenting paragraphs\n"+
    "• Adjusting line spacing\n"+
    "• Changing margins\n"+
    "\n"+
    "To proceed, choose \b>>\b. To return to the main menu,\n"+
    "choose \bMenu\b."
Msg[1,3]:=      50                                     // X position
Msg[1,4]:=      50                                     // Y position
Msg[1,5]:=      8                                      // Addition BMP Position
Msg[1,6]:=      107                                    // Head BMP
Msg[1,7]:=      630                                    // Additional BMP
Msg[1,8]:=      0                                      // MsgBox Name (always 0)
Msg[1,9]:=      ""                                     // misc. controls
Msg[1,10]:=     ""                                    // misc. controls
Msg[1,11]:=     ""                                    // misc. controls
Msg[1,12]:=     ""                                    // misc. controls

//=====
Msg[2,1]:=      ""
Msg[2,2]:=
    "In Lesson 1 you learned how to\n"+
    "centre text. You may also want to change      \n"+
    "its appearance and size."
Msg[2,3]:=      85
Msg[2,4]:=      95
Msg[2,5]:=      8
Msg[2,6]:=      107
Msg[2,7]:=      636
Msg[2,8]:=      0
Msg[2,9]:=      ""
Msg[2,10]:=     ""
Msg[2,11]:=     ""
Msg[2,12]:=     ""

//=====
Msg[3,1]:=      ""
Msg[3,2]:=
    "► To change the appearance of\n"+
    "  \bNew Rules of the Road\b, first select      \n"+
    "  it either by dragging or by triple-clicking it."
Msg[3,3]:=      85
Msg[3,4]:=      95
Msg[3,5]:=      0
Msg[3,6]:=      107
```

```
Msg[3,7]:= 0
Msg[3,8]:= 0
Msg[3,9]:= ""
Msg[3,10]:= ""
Msg[3,11]:= ""
Msg[3,12]:= ""
```

```
//=====
```

```
Msg[4,1]:= ""
Msg[4,2]:= "► Now, choose \bFont\b from the \bFormat\b menu.    "
Msg[4,3]:= 85
Msg[4,4]:= 95
Msg[4,5]:= 0
Msg[4,6]:= 107
Msg[4,7]:= 0
Msg[4,8]:= 0
Msg[4,9]:= ""
Msg[4,10]:= ""
Msg[4,11]:= ""
Msg[4,12]:= ""
```

```
//=====
```

```
Msg[5,1]:= ""
Msg[5,2]:= "► Now, choose \bBold\b.    "
Msg[5,3]:= 90
Msg[5,4]:= 95
Msg[5,5]:= 0
Msg[5,6]:= 107
Msg[5,7]:= 0
Msg[5,8]:= 0
Msg[5,9]:= ""
Msg[5,10]:= ""
Msg[5,11]:= ""
Msg[5,12]:= ""
```

```
//=====
```

```
Msg[8,1]:= ""
Msg[8,2]:= "► Now, choose \bLarge\b from\n"+
" the \bRelative Size\b button, then \bOK\b.    "
Msg[8,3]:= 90
Msg[8,4]:= 95
Msg[8,5]:= 0
Msg[8,6]:= 107
Msg[8,7]:= 0
Msg[8,8]:= 0
Msg[8,9]:= ""
Msg[8,10]:= ""
Msg[8,11]:= ""
Msg[8,12]:= ""
```

```
//=====
```

```
Msg[9,1]:= ""
Msg[9,2]:= "► Click anywhere on the document\n"+
" text to deselect the heading.\n"+
"\n"+
```

```

                "The heading now appears larger and bold.    "
Msg[9,3]:=      85
Msg[9,4]:=      95
Msg[9,5]:=       0
Msg[9,6]:=     107
Msg[9,7]:=       0
Msg[9,8]:=       0
Msg[9,9]:=      ""
Msg[9,10]:=     ""
Msg[9,11]:=     ""
Msg[9,12]:=     ""

//=====
Msg[10,1]:=     ""
Msg[10,2]:=
    "Indent the first line in the first paragraph:\n"+
    "\n"+
    "► Move the insertion point to the beginning    \n"+
    "  of \bForemost\b, then press the \bTab\b key."
Msg[10,3]:=     85
Msg[10,4]:=     95
Msg[10,5]:=      8
Msg[10,6]:=    107
Msg[10,7]:=    631
Msg[10,8]:=      0
Msg[10,9]:=     ""
Msg[10,10]:=    ""
Msg[10,11]:=    ""
Msg[10,12]:=    ""

//=====
Msg[11,1]:=     ""
Msg[11,2]:=
    "As you can see, the first line in the\n"+
    "paragraph is now indented.\n"+
    "\n"+
    "► Indent the first line of the next paragraph."
Msg[11,3]:=     85
Msg[11,4]:=     95
Msg[11,5]:=      8
Msg[11,6]:=    107
Msg[11,7]:=    632
Msg[11,8]:=      0
Msg[11,9]:=     ""
Msg[11,10]:=    ""
Msg[11,11]:=    ""
Msg[11,12]:=    ""

//=====
Msg[12,1]:=     ""
Msg[12,2]:=
    "You may want to indent a long quotation.  Once\n"+
    "again, you must first move your insertion point to the    \n"+
    "right place.\n"+
    "\n"+
    "► Move your insertion point to the beginning of the\n"+

```

```

" quotation ""\bThere isn't one\b...""."
Msg[12,3]:= 85
Msg[12,4]:= 95
Msg[12,5]:= 0
Msg[12,6]:= 107
Msg[12,7]:= 0
Msg[12,8]:= 0
Msg[12,9]:= ""
Msg[12,10]:= ""
Msg[12,11]:= ""
Msg[12,12]:= ""

//=====
Msg[13,1]:= ""
Msg[13,2]:=
"► Now, choose \bParagraph\b from\n"+
" the \bFormat\b menu, then choose \n"+
" \bDouble Indent\b."
Msg[13,3]:= 85
Msg[13,4]:= 95
Msg[13,5]:= 8
Msg[13,6]:= 107
Msg[13,7]:= 633
Msg[13,8]:= 0
Msg[13,9]:= ""
Msg[13,10]:= ""
Msg[13,11]:= ""
Msg[13,12]:= ""

//=====
Msg[14,1]:= ""
Msg[14,2]:=
"The quotation is now indented. You\n"+
"may also want to double-space your text. \n"+
"\n"+
"► Move your insertion point to the top of\n"+
" the text."
Msg[14,3]:= 85
Msg[14,4]:= 95
Msg[14,5]:= 8
Msg[14,6]:= 107
Msg[14,7]:= 634
Msg[14,8]:= 0
Msg[14,9]:= ""
Msg[14,10]:= ""
Msg[14,11]:= ""
Msg[14,12]:= ""

//=====
Msg[15,1]:= ""
Msg[15,2]:= "► Now, choose \bLine\b from the\n"+
" \bFormat\b menu, then choose \bSpacing\b. "
Msg[15,3]:= 85
Msg[15,4]:= 95
Msg[15,5]:= 0
Msg[15,6]:= 107

```

Msg[15,7]:= 0
Msg[15,8]:= 0
Msg[15,9]:= ""
Msg[15,10]:= ""
Msg[15,11]:= ""
Msg[15,12]:= ""

//=====

Msg[16,1]:= ""
Msg[16,2]:= "► Type \b2\b"", then choose \bOK\b. "
Msg[16,3]:= 95
Msg[16,4]:= 95
Msg[16,5]:= 0
Msg[16,6]:= 107
Msg[16,7]:= 0
Msg[16,8]:= 0
Msg[16,9]:= ""
Msg[16,10]:= ""
Msg[16,11]:= ""
Msg[16,12]:= ""

//=====

Msg[17,1]:= ""
Msg[17,2]:= "Your text is now double-spaced. You may also\n"+
 "want to adjust the left margin of your document. \n"+
 "\n"+
 "► Choose \bMargins\b from the \bFormat\b menu."
Msg[17,3]:= 85
Msg[17,4]:= 95
Msg[17,5]:= 8
Msg[17,6]:= 107
Msg[17,7]:= 635
Msg[17,8]:= 0
Msg[17,9]:= ""
Msg[17,10]:= ""
Msg[17,11]:= ""
Msg[17,12]:= ""

//=====

Msg[19,1]:= ""
Msg[19,2]:= "► Type \b2\b"" for the left margin, then choose \bOK\b. "
Msg[19,3]:= 95
Msg[19,4]:= 95
Msg[19,5]:= 0
Msg[19,6]:= 107
Msg[19,7]:= 0
Msg[19,8]:= 0
Msg[19,9]:= ""
Msg[19,10]:= ""
Msg[19,11]:= ""
Msg[19,12]:= ""

//=====

Msg[20,1]:= ""
Msg[20,2]:= "Your document now has a wider left margin. "

```
Msg[20,3]:= 85
Msg[20,4]:= 95
Msg[20,5]:= 0
Msg[20,6]:= 107
Msg[20,7]:= 0
Msg[20,8]:= 0
Msg[20,9]:= ""
Msg[20,10]:= ""
Msg[20,11]:= ""
Msg[20,12]:= ""
```

```
//=====
```

```
Msg[21,1]:= ""
Msg[21,2]:=
    "This completes Lesson 3. You have now\n"+
    "been introduced to the basics of the following:  \n"+
    "\n"+
    "• Changing the appearance of text\n"+
    "• Adjusting the size of text\n"+
    "• Using tabs and indenting paragraphs\n"+
    "• Adjusting line spacing\n"+
    "• Changing margins\n"+
    "\n"+
    "Lesson 4 covers proofreading, previewing, and\n"+
    "printing your memo."
```

```
Msg[21,3]:= 50
Msg[21,4]:= 50
Msg[21,5]:= 8
Msg[21,6]:= 107
Msg[21,7]:= 630
Msg[21,8]:= 0
Msg[21,9]:= ""
Msg[21,10]:= ""
Msg[21,11]:= ""
Msg[21,12]:= ""
```

```
//=====
```

```
Msg[22,1]:= ""
Msg[22,2]:=
    "Choose Menu to return to the main      \n"+
    "Menu, or choose Return to Lesson."
```

```
Msg[22,3]:= 50
Msg[22,4]:= 50
Msg[22,5]:= 0
Msg[22,6]:= 107
Msg[22,7]:= 0
Msg[22,8]:= 0
Msg[22,9]:= ""
Msg[22,10]:= ""
Msg[22,11]:= ""
Msg[22,12]:= ""
```

```
MenuPrompt1:="▶ Choose \bFont\b."
MenuPrompt2:="▶ Choose \bDouble Indent\b."
MenuPrompt3:="▶ Choose \bSpacing\b."
MenuPrompt4:="▶ Choose \bMargins\b."
```

Return


```
//*****  
// DO NOT TRANSLATE BELOW THIS POINT  
//*****
```

```
Label(End@)  
DllFree(UserLink)  
Chain(?pathprogram+"wpw61uk.tut")
```

```
//LOCALIZE TO CORRECT FILENAME
```