

Diamond Stealth II S220 Windows 95 Drivers with InControl Tools 95

Version 4.10.01.0106

Release Notes

This is the Diamond Stealth II S220 Windows 95 Display Drivers with InControl Tools 95 version 4.10.01.0106.

Installation Notes

1. Click the "Start" button, then choose "Run...". Now insert the Diamond Stealth II S220 Windows 95 Display Drivers into the appropriate drive and within the "Run" dialog box type the following: "x:\INSTALL" where x is the corresponding letter of the drive containing the Diamond Stealth II S220 Windows 95 Display Drivers.

The following command line switches can be used with INSTALL:

- | | |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| /f | This forces a Full installation (Diamond Stealth II S220 Windows 95 Display Driver and InControl Tools 95). |
| /m | This forces a Minimal installation (Diamond Stealth II S220 Windows 95 Display Driver only). |
| /d"drive:\path" | This installs InControl Tools 95 into drive:\path. Note that the quotes, drive letter and path are required. In addition, either the /f or /m switch must be used in conjunction with this selection. |
| /r | This forces a system reboot after installation. Note that either the /f or /m switch must be used in conjunction with this selection. |
| /nr | This prevents a system reboot after installation. Note that either the /f or /m switch must be used in conjunction with this selection. |
| uninstall | This will completely uninstall the Diamond Stealth II S220 Windows 95 Display Driver and InControl Tools 95. |

2. Once the Diamond Setup Wizard dialog box appears you will be able to review the Readme file or continue on with the installation by selecting "Next".
3. The Setup Wizard will now check for Diamond components installed in your computer. Click "Next" to proceed.
4. A dialog box will appear containing the path where InControl Tools 95 will be installed. The default path is:

"C:\Program Files\Diamond"

Select "Next" or change the path as necessary.

5. The next dialog box selects the installation type. There are three installation types: Minimal, Full and Custom. They are defined as follows:

Minimal: This will install only the Diamond Stealth II S220 Display Driver.

Full: This will install both the Stealth II S220 Display Driver and InControl Tools 95.

Custom: This will allow installation of either the Diamond Stealth II S220 Display Driver or InControl Tools 95. At the minimum, the Diamond Stealth II S220 Display Driver must be installed during a first-time installation.

6. If "Custom" was selected in step 5, a dialog box will appear allowing the selection of various items. Select the items to be installed by clicking on them with the left mouse button. When finished, click "Next" to continue.
7. At the "Select Files to be copied" dialog box, click "Next" to begin the file copying process.
8. After the files have been copied you will want to click "Finish" in order to complete the installation. Note: If applicable, please remove the floppy diskette containing the Diamond Stealth II S220 Display Drivers prior to clicking "Finish".
9. Windows 95 will ask that the computer be restarted. Click on "Yes" to restart the computer.
10. Once Windows 95 restarts, you will have successfully installed the software for your Diamond Stealth II S220. The InControl Tools 95 Wizard will then guide you the rest of the way. Thank you for choosing Diamond!

Installation Notes

These drivers require the latest version of DirectX 5 to support Direct Draw and Direct3D Applications.

Known Limitations

1. Some monitors may not display properly at 640x480 with 85H vertical refresh rate. If you experience problems with this mode, restart Windows 95 in Safe Mode and select an alternate desktop resolution. Then restart Windows and select 640x480 and 75Hz with the Refresh tab in Display Properties. This problem should be fixed with the next version of the Stealth II S220 display driver.

Issues Addressed and Features Added

This Driver resolves two Windows 98 Release Candidate 3 problems:

1. Problem hanging on the DOS box and during shutdowns.
2. Resolutions that showed up on the popup menu that were not supported by the monitor no longer appear.

Contacting DIAMOND

Diamond can be reached through a number of ways:

Diamond - USA

Postal Service:
Diamond Multimedia Systems, Inc.
Headquarters
2880 Junction Avenue
San Jose, CA 95134 USA

Technical Support
7101 Supra Drive SW
Albany, OR 97321
USA

Telephone: (541) 967-2450
Fax: (541) 967-2401
BBS: (541) 967-2444
Email: techsupt@diamondmm.com
Web site: www.diamondmm.com

Germany
Moosstrasse 18B
D-82319 Starnberg, Germany

Tech Support Telephone: +49 8151 266 330
Tech Support Fax: +49 8151 266 331
Fax On Demand: +49 8151 266 332
Mailbox: +49 8151 266 333 (Modem, up to 33,6 kbps)
Mailbox: +49 8151 266 356 (Modem, k56flex / 56 Kbps)
Mailbox: +49 8151 266 334 (ISDN, x.75)
Office, Main Number: +49 8151 266 0
web site: www.diamondmm.de

United Kingdom
Diamond Multimedia Systems, Ltd.
610 Wharfedale Rd.
Winnersh Triangle
Wokingham, Berkshire,
RG41 5TY
England

Tech Support Telephone: +44-1189-44 4444
Tech Support Fax: +44-1189-44 4445
Mailbox: +44-1189-44 4415 (Modem, up to 33.6 Kbps)
Mailbox: +44-1189-44 1312 (Modem, k56flex / 56 Kbps)
Office, Main Number: +44-1189-44 4400
web site: www.diamondmm.de

Japan
Diamond Multimedia Systems
Maruchu-Nihonbashi Bldg 4F
10-14 Nihonbashi-Tomizawacho
Chuo-Ku, Tokyo 103
Japan

Tech Support Telephone: +81-466-28-5092
Main Fax: +81-3-5695-8403

Office, Main Number: +81-3-5695-8401
web site: www.diamondmm.co.jp

France
Diamond Multimedia Systems, Inc.
6 Boulevard General LeClerc - 15th Floor
92110 Clichy France

Tech Support Telephone: +44-1189-44 44 33
Tech Support Fax: +44-1189-44 44 45
Mailbox: +44-1189-44 4415 (Modem, up to 33.6 Kbps)
Mailbox: +44-1189-44 1312 (Modem, k56flex / 56 Kbps)
Office, Main Number: +33-1-47 56 11 57
Office, Main Fax: +33-1-47 56 11 39
web site: www.diamondmm.de

Singapore
51 Goldhill Plaza #16-06
Podium Block, Singapore 308900

Tel: +65-3539511
Fax: +65-3539510

Korea
27th Floor, Korea World Trade Center
159 Samsung-Dong Kangnam-Ku
Seoul, Korea 135-729

Telephone: +82-2-551-2743/2747
Fax: +82-2-551-2744/2720

Hong Kong
Suite 1111 , Tower II , Silvercord
30 Canton Road , T.S.T.
Kowloon, Hong Kong

Telephone: +852-23759023
Fax: +852-23759021

=====
Diamond Multimedia Systems, Inc. (c) 1993-97, All Rights Reserved
=====