

ID	Monitor	Zveřejněno	Obraz (50%)	Multimédia (5%)	Ostatní (20%)
###	1. SONY CPD-E100	Jun - 2000	107.6	0.0	89.3
###	2. MAG 570FD	Jun - 2000	107.2	0.0	64.3
###	3. PREMIO S570	Jun - 2000	88.0	0.0	89.3
###	4. ViewSonic M50	Jun - 2000	87.6	81.6	90.3
###	5. TARGA Economy 1569A	Jan - 2000	83.8	0.0	89.3
###	6. MAG 570V	Nov - 1999	82.0	0.0	61.8
###	7. ViewSonic G655	Jun - 2000	85.9	0.0	89.3
###	8. AXION CL-1570	Jun - 2000	81.1	0.0	61.8
###	9. PREMIO S560	Jun - 2000	72.0	0.0	89.3
###	10. TARGA Economy TM3854-2	Jul - 1999	67.3	0.0	89.3
###	11. SAMSUNG SyncMaster 550s	Nov - 1999	72.0	0.0	86.8
###	12. SAMSUNG SyncMaster 510b/T	Jul - 1999	83.3	0.0	86.8
###	13. ViewSonic E651	Jun - 2000	71.7	0.0	89.3
###	14. PC VIEW PV-1512	Jun - 2000	71.8	0.0	61.8

Cena (25%)	Body celkem	Cena vč. DPH	Firma
56.3	85.7	9,468 Kč	SONY Czech, s.r.o.
64.5	82.6	8,259 Kč	ABACUS Electronic, s.r.o.
71.9	79.8	7,405 Kč	AT Computers, a.s.
52.6	79.1	10,126 Kč	ELAP, s.r.o
75.2	78.5	7,088 Kč	Actebis Computer, s.r.o.
100.0	78.4	5,328 Kč	ABACUS Electronic, s.r.o.
60.7	76.0	8,784 Kč	ELAP, s.r.o
89.4	75.3	5,958 Kč	ABACUS Electronic, s.r.o.
77.4	73.2	6,881 Kč	AT Computers, a.s.
85.0	72.7	6,271 Kč	Actebis Computer, s.r.o.
72.9	71.6	7,305 Kč	LIBRA Electronics, s.r.o.
49.7	71.4	10,724 Kč	LIBRA Electronics, s.r.o.
69.3	71.0	7,686 Kč	ELAP, s.r.o
89.3	70.6	5,966 Kč	LINTEC, a.s.

Typ obrazovky	Rozteč bodů	Viditelná úhlopříčka
FD Trinitron	0.25 mm	13.94"
FD Trinitron	0.25 mm	13.94"
Delta	0.28 mm	13.78"
Delta	0.27 mm	13.78"
Delta	0.28 mm	13.98"
Delta	0.28 mm	13.86"
Delta	0.27 mm	13.94"
Delta	0.28 mm	13.82"
Delta	0.28 mm	13.70"
Delta	0.28 mm	13.86"
Delta	0.28 mm	13.78"
Delta	0.28 mm	13.78"
Delta	0.28 mm	14.02"
Delta	0.28 mm	13.70"

Horizontální frekvence	Vertikální frekvence	Maximální rozlišení	Max. ergo. rozlišení	Multimediální podpora	Konektory	Emisní certifikáty	Záruka
70 kHz	120 Hz	1280×1024	1024×768	-	VGA	MPR-II + TCO	36 měs.
70 kHz	130 Hz	1280×1024	1024×768	-	VGA	MPR-II + TCO	24 měs.
70 kHz	150 Hz	1280×1024	1024×768	-	VGA	MPR-II + TCO	36 měs.
70 kHz	160 Hz	1280×1024	1024×768	Stereo repro; Mikrofon	VGA	MPR-II + TCO	36 měs.
69 kHz	120 Hz	1280×1024	1024×768	-	VGA	MPR-II + TCO	36 měs.
70 kHz	150 Hz	1280×1024	1024×768	-	VGA	MPR-II	24 měs.
70 kHz	120 Hz	1280×1024	1024×768	-	VGA	MPR-II + TCO	36 měs.
70 kHz	120 Hz	1280×1024	1024×768	-	VGA	MPR-II	24 měs.
57 kHz	130 Hz	1024×768	800×600	-	VGA	MPR-II	36 měs.
54 kHz	120 Hz	1024×768	800×600	-	VGA	MPR-II	36 měs.
61 kHz	120 Hz	1024×768	1024×768	-	VGA	MPR-II	36 měs.
70 kHz	160 Hz	1280×1024	1024×768	-	VGA; USB Volitelný	MPR-II	36 měs.
56 kHz	120 Hz	1024×768	800×600	-	VGA	MPR-II	36 měs.
64 kHz	90 Hz	1280×1024	1024×768	-	VGA	MPR-II	24 měs.

