

ID	Novinka	Monitor	Obraz (70%)	Multimédia (5%)	Ostatní (15%)	Cena (10%)
###	Ne	1. NEC MultiSync LCD1510	109.8	0.0	82.0	43.4
###	Ne	2. ViewSonic ViewPanel VPA150	98.9	58.1	90.0	59.6
###	Ne	3. EIZO FlexScan L360	92.4	83.3	97.0	48.5
###	Ne	4. iiyama TXA3822JT	88.8	68.9	102.7	54.9
###	Ne	5. EIZO FlexScan L350	91.0	0.0	91.0	53.3
###	Ne	6. IIYAMA Pro Lite 3602	91.4	0.0	85.0	56.2
###	Ne	7. iiyama TXA3812JT	88.8	0.0	91.0	60.0
###	Ne	8. SAMSUNG SyncMaster 520TFT	85.8	85.0	90.0	39.4
###	Ne	9. SONY CPD-M151	91.7	0.0	82.0	50.6
###	Ne	10. NOKIA 500Xa	83.1	81.6	87.0	51.0
###	Ne	11. TARGA Image TD380-TFT	86.6	0.0	82.0	69.6
###	Ne	12. PROVIEW PT500	83.9	85.0	42.6	100.0
###	Ne	13. SONY CPD-150	88.1	0.0	82.0	47.1
###	Ne	14. IIYAMA Pro Lite 3601	80.4	0.0	85.0	78.7

Body celkem	Cena vč. DPH	Firma
93.5	72,590 Kč	IMPROMAT-Computer, s.r.o.
91.6	52,838 Kč	AT Computers, a.s.
88.2	64,947 Kč	Hayward, s.r.o.
86.5	57,339 Kč	iiyama Czech, s.r.o.
82.7	59,109 Kč	Hayward, s.r.o.
82.4	55,999 Kč	Logic CS Distribution, s.r.o.
81.8	52,459 Kč	iiyama Czech, s.r.o.
81.7	79,898 Kč	LIBRA Electronics, s.r.o.
81.5	62,208 Kč	SONY Czech, s.r.o.
80.4	61,731 Kč	A&A, a.s.
79.9	45,196 Kč	Actebis Computer, s.r.o.
79.4	31,476 Kč	Ben International, s.r.o.
78.7	66,883 Kč	SONY Czech, s.r.o.
76.9	39,999 Kč	Logic CS Distribution, s.r.o.

Typ obrazovky	Zobrazitelné barvy	Viditelná úhlopříčka
TFT XtraView - otočná	16,777,216	15.00"
TFT - otočná	16,777,216	15.00"
TFT	16,777,216	15.00"
TFT	16,777,216	15.00"
TFT	16,777,216	15.00"
TFT XtraView	16,777,216	14.09"
TFT	16,777,216	15.00"
TFT	16,777,216	15.12"
TFT	16,777,216	15.12"
TFT	262,144	15.00"
TFT	262,144	15.00"
TFT	16,777,216	15.00"
TFT	16,777,216	14.09"

Fyzické rozlišení	Zorný úhel [H/V]	Horizontální frekvence	Vertikální frekvence	Multimediální podpora	Konektory	Emisní certifikáty	Záruka
1024×1024	160° / 160°	60 kHz	85 Hz	-	VGA	MPR-II + TCO	36 měs.
1024×1024	140° / 120°	62 kHz	75 Hz	Stereo repro	VGA	MPR-II + TCO	36 měs.
1024×1024	140° / 120°	61 kHz	85 Hz	Stereo repro; Mikrofon	VGA; USB Hub	MPR-II + TCO	36 měs.
1024×1024	110° / 90°	61 kHz	75 Hz	Stereo repro	VGA; USB Hub	MPR-II + TCO	36 měs.
1024×1024	140° / 120°	61 kHz	75 Hz	-	VGA	MPR-II + TCO	36 měs.
1024×1024	160° / 160°	63 kHz	200 Hz	-	VGA	MPR-II + TCO	36 měs.
1024×1024	110° / 90°	61 kHz	75 Hz	-	VGA	MPR-II + TCO	36 měs.
1024×1024	110° / 120°	61 kHz	75 Hz	Stereo repro; Mikrofon	VGA	MPR-II + TCO	36 měs.
1024×1024	140° / 120°	61 kHz	75 Hz	-	VGA	MPR-II + TCO	36 měs.
1024×1024	100° / 120°	62 kHz	75 Hz	Stereo repro; Mikrofon	VGA	MPR-II + TCO	36 měs.
1024×1024	140° / 120°	60 kHz	85 Hz	-	VGA	MPR-II + TCO	36 měs.
1024×1024	110° / 120°	60 kHz	85 Hz	Stereo repro; Mikrofon	VGA	MPR-II + TCO	12 měs.
1024×1024	140° / 120°	70 kHz	85 Hz	-	VGA	MPR-II + TCO	36 měs.
1024×1024	100° / 45°	63 kHz	200 Hz	-	VGA	MPR-II + TCO	36 měs.

