

Pořadí	Novinka	Typ	Poprvé	Benchmark TC IDG	Výkon (20%)	Výbava (43%)
1	UMAX Actionbook 227T		December 99	488.8	93.6	63.7
2	Fujitsu LifeBook 780Tx		March 99	291.5	72.4	66.7
3	TwinHead Slimnote VX B		April 00	463.2	95.5	59.6
4	Umax ActionBook 220T		March 99	296.0	70.4	58.3
5	LEO 5680		December 99	461.9	73.9	57.1
6	NoteStar NP-6136TZC		September 99	450.4	91.7	54.8
7	NoteStar NP 5036 DC		April 00	440.2	65.3	54.0
8	Twinhead Slimnote VX26 TS		March 99	355.8	72.0	59.0
9	Twinhead Slimnote 9TE		December 98	316.0	59.4	58.2
10	Notestar NP-5140 D		December 99	225.6	52.1	60.0
11	Umax ActionBook 320T		January 99	335.9	61.7	55.5
12	NoteStar NP 8720T		March 99	243.6	56.5	52.6
13	Acer Extensa 710DX		March 99	340.1	80.4	53.5
15	NoteStar NP 8716T		September 98	204.6	56.9	45.8
16	Toshiba Satellite 2520 CDS		June 99	341.5	71.7	57.3
17	Toshiba Satellite 2140CDS		December 99	288.7	58.3	55.6
18	HPC Note 6033		March 99	332.7	66.4	53.5
19	Acer TravelMate 505T		December 99	467.6	79.0	50.6
20	Toshiba Satellite 4030 CDS		June 99	396.6	81.5	54.9
21	Siemens Scenic Mobile 510		April 98	219.9	60.1	61.8
22	Compaq Armada 1575D		March 99	251.7	60.5	45.6
23	Acer Extensa 367T		December 98	267.4	72.2	40.0
24	Acer TravelMate 312T		March 99	284.3	54.5	44.3
25	HP OmniBook 800CT		March 98	199.4	39.1	40.2
26	Dual MD6600		September 98	136.8	41.4	44.2
27	Toshiba Satellite 320CDS		September 98	248.0	66.5	46.9
28	NEC Versa 5060		June 98	203.9	45.8	48.4
29	Toshiba Satellite 300CDS		June 98	174.0	54.3	46.6
30	Toshiba Libretto 70CT		April 98	147.5	39.4	35.3
31	TI Extensa 620CD		January 98	162.8	48.1	30.7
32	Acer Extensa 355		January 98	86.9	35.7	27.9
33	Quartana Future 890 DSTN		March 98	181.3	55.5	54.3
34	Fujitsu LifeBook 735 dx		July 98	193.3	51.5	61.1
14	HP OmniBook XE2		April 00	484.3	74.4	55.9
35	Umax ActionBook 320T		September 98	280.2	52.6	54.1

	Podpora (12%)		Cena (25%)		Body celkem	Cena (Kč)	K testu poskytl
	75.9		69.8		83.1	64,648 Kč	ConQuest Computer
20.00 mm	86.8	7.65 mm	80.4	10.35 mm	82.6	56,108 Kč	AT Computers
	82.4		66.5		80.9	67,819 Kč	VT data
11.88 mm	82.5	6.51 mm	86.0	12.50 mm	80.1	52,448 Kč	ConQuest Computer
	75.9		86.2		79.4	52,338 Kč	ConQuest Computer
	78.2		74.0		78.9	60,988 Kč	VT data
	82.4		92.5		78.3	48,788 Kč	VT data
12.56 mm	95.7	10.00 mm	69.8	6.27 mm	78.2	64,648 Kč	VT Data
11.79 mm	95.7	10.00 mm	80.4	10.35 mm	77.9	56,108 Kč	VT Data
	78.2		91.2		77.7	49,471 Kč	VT data
9.18 mm	82.5	6.51 mm	86.0	12.50 mm	76.7	52,448 Kč	ConQuest Computer
6.38 mm	78.2	5.37 mm	94.9	15.92 mm	75.6	47,568 Kč	VT Data
7.25 mm	85.3	7.25 mm	72.1	7.15 mm	74.2	62,562 Kč	ACER Computer
- 0.19 mm	78.2	5.37 mm	100.0	17.88 mm	72.2	45,128 Kč	VT Data
10.92 mm	62.5	1.22 mm	74.0	7.88 mm	71.8	60,999 Kč	CHG Toshiba
	62.5		82.2		70.3	54,899 Kč	CHG Toshiba
7.25 mm	63.9	1.59 mm	69.5	6.15 mm	70.2	64,904 Kč	Hermes Plus
	72.0		69.5		70.1	64,904 Kč	ACER Computer
8.60 mm	62.5	1.22 mm	61.8	3.19 mm	69.9	73,078 Kč	CHG Toshiba
15.27 mm	98.1	10.63 mm	38.9	- 5.62 mm	69.7	115,888 Kč	Siemens Nixdorf IS
- 0.39 mm	80.5	5.98 mm	82.2	11.04 mm	67.9	54,876 Kč	Compaq
- 5.80 mm	85.3	7.25 mm	77.1	9.08 mm	66.4	58,548 Kč	ACER Computer
- 1.64 mm	85.3	7.25 mm	61.7	3.15 mm	62.2	73,188 Kč	ACER Computer
- 5.60 mm	81.3	6.19 mm	90.2	14.12 mm	62.3	50,020 Kč	Hewlett-Packard
- 1.74 mm	80.2	5.90 mm	76.7	8.92 mm	61.7	58,854 Kč	Datrontech Czech R
0.87 mm	58.0	0.03 mm	43.6	- 3.81 mm	57.3	103,578 Kč	CHG Toshiba
2.32 mm	98.1	10.63 mm	41.1	- 4.77 mm	58.2	109,788 Kč	Impromat Computers
0.58 mm	58.0	0.03 mm	57.0	1.35 mm	57.9	79,178 Kč	CHG Toshiba
- 10.34 mm	62.5	1.22 mm	61.8	3.19 mm	51.1	73,078 Kč	CHG Toshiba
- 14.78 mm	71.1	3.49 mm	56.1	1.00 mm	49.6	80,508 Kč	inWare
- 17.49 mm	72.0	3.73 mm	75.5	8.46 mm	50.3	59,768 Kč	PELL'S Praha
8.02 mm	63.4	1.46 mm	93.8	15.50 mm	0.0	48,105 Kč	TPC
14.59 mm	86.8	7.65 mm	92.5	15.00 mm	0.0	48,788 Kč	AT Computers
	81.3		69.4		0.0	65,000 Kč	Hewlett-Packard
7.83 mm	72.4	3.84 mm	67.3	5.31 mm	0.0	67,088 Kč	ConQuest Computer

	Procesor	Hmotnosť (kg)	Paměť; disk (MB)	Displej (typ; úhlopříčka)	Rozlišení; max. počet barev
	AMD K6-III 380	0.00	64;4600	TFT;12,1	800×600;
	Pentium MMX 233	0.00	32;3200	TFT;12,1	800×600;64K
	Celeron 400	0.00	64;4800	TFT;12,1	800×600;16M
	Pentium MMX 233	0.00	32;2100	TFT;12,1	800×600;64K
	Celeron 400	0.00	32;4600	DSTN;12,1	800×600;
	Celeron 366	0.00	64;4100	TFT;12,1	800×600;64K
	Celeron 400	0.00	64;4800	DSTN;12,1	800×600;16M
	Pentium II 266	0.00	32;2100	TFT;12,1	800×600;64K
	AMD K6-2 266	0.00	32;2100	TFT;12,1	800×600;64K
	AMD K6-2 400	0.00	64;4600	DSTN;12,1	800×600;
	AMD K6-2 300	0.00	32;3200	TFT;12,1	800×600;64K
	Pentium MMX 200	0.00	32;2100	TFT;12,1	800×600;64K
	Pentium II 233	0.00	64;2100	DSTN;12,1	800×600;16M
	Pentium MMX 166	0.00	16;2100	TFT;12,1	800×600;64K
	AMD K6-2 300	0.00	32;4300	DSTN;13	800×600;16M
	AMD K6-2 450	0.00	32;4100	DSTN;12,1	800×600;
	Pentium II 233	0.00	32;3200	TFT;13,3	1024×768;64K
	Celeron 400	0.00	32;4800	TFT;12,1	800×600;
	Celeron 300	0.00	64;4300	DSTN;13	800×600;16M
	Pentium MMX 166	2.62	16;1300	DSTN;12,1	800×600;256K
	Pentium MMX 266	0.00	32;3200	DSTN;12,1	800×600;16M
	Pentium MMX 200	0.00	32;2100	TFT;12,1	800×600;64K
	Pentium MMX 233	0.00	32;3200	TFT;8,4	800×600;64K
	Pentium MMX 166	0.00	16;2100	TFT;10,4	800×600;64K
epublic	Pentium MMX 133	0.00	16;2100	DSTN;12,1	800×600;16M
	Pentium MMX 233	0.00	32;4100	DSTN;12,1	800×600;16M
s	Pentium MMX 166	2.55	16;2100	TFT;12,1	800×600;64K
	Pentium MMX 166	2.98	16;2100	DSTN;12,1	800×600;256K
	Pentium MMX 120	0.85	16;1600	TFT;6,1	640×480;16M
	Pentium 133	0.00	16;1440	DSTN;11,3	800×600;64K
	Pentium 133	2.61	8;1440	DSTN;11,3	800×600;256
	Pentium 120	0.00	16;1440	DSTN;12,1	800×600;64K
	Pentium MMX 133	0.00	16;1600	DSTN;12,1	800×600;256K
	Celeron 433	0.00	64;4800	TFT;12,1	800×600;16M
	Pentium MMX 233	0.00	32;2100	TFT;12,1	800×600;64K

CD-ROM mechanika	Typ baterií	Výdrž baterií (hod.)	Záruka mat.;práce (měsíce)	Servisní síť	Podpora	
24x		0	2:21	12;12	prodejce	
20x	Li-ion		2:29	36;36	svět	WWW
24x	Li-ion		2:41	12;12	svět	WWW, BBS
24x	Ni-MH		2:18	12;36	prodejce	
24x		0	1:15	12;12	prodejce	
24x	Ni-MH		2:31	12;12	ČR	, BBS
24x	Ni-MH		0:52	12;12	svět	WWW, BBS
24x	Li-ion		1:56	36;36	svět	WWW, BBS
20x	Ni-MH		1:26	36;36	svět	WWW, BBS
24x	Ni-MH	#REF!		12;12	ČR	, BBS
24x	Ni-MH		1:25	12;36	prodejce	
24x	Ni-MH		1:48	12;12	ČR	, BBS
24x	Li-ion		2:38	36;36	svět	WWW
24x	Ni-MH		2:09	12;12	ČR	, BBS
24x	Li-ion		2:04	12;12	svět	WWW, FTP
24x		0	1:39	12;12	svět	WWW, FTP
24x	Ni-MH		1:46	12;12	prodejce	
24x	Ni-MH		1:33	12;12	svět	WWW
24x	Li-ion		2:15	12;12	svět	WWW, FTP
20x	Li-ion		2:14	36;36	svět	WWW, FTP, víkend
20x	Li-ion		2:00	36;36	ČR	WWW
20x	Ni-MH		2:39	36;36	svět	WWW
24x	Li-ion		1:20	36;36	svět	WWW
--	Li-ion		1:00	12;12	svět	WWW, víkend
20x	Ni-MH		1:40	36;36	Evropa	
20x	Li-ion		2:26	12;12	svět	WWW, FTP
20x	Li-ion		1:24	36;36	svět	WWW, FTP, víkend
16x	Li-ion		2:14	12;12	svět	WWW, FTP
--	Li-ion		1:26	12;12	svět	WWW, FTP
10x	Ni-MH		1:54	12;12	svět	WWW
--	Ni-MH		1:44	12;12	svět	WWW
15x	Li-ion		2:14	36;12	ČR	WWW
20x	Li-ion		1:52	36;36	svět	WWW
24x	Ni-MH		1:07	12;12	svět	WWW, víkend
20x	Ni-MH		1:15	12;36	prodejce	WWW