

Read me

Although there are many other CD label programs around, not one of them could do what it should to do. Many people I know use prefabricated cover sheets and are always having trouble positioning the images exactly where they wanted them.

Or if you use blank sheets of paper the front covers are always sliding out of the jewel case when you're opening it, because there is no way of changing the size of the covers.

For this reason CD Labeler Gold is capable not only of changing the size of the labels and covers with one tenth of a millimeter, but you can with the same accuracy move the labels and covers independently across the sheet. Because of this you can use any kind of brand label you want.

The covers on prefabricated sheets are usually not centered, so you can't slide them upside down in your printer to print just the bottom one. CD Labeler Gold however gives you the possibility to choose which label you want to print, the top one, the bottom one, or both of them.

What's new in version 2.0.3.

- Improved printing quality mainly, you should be able to see the difference clearly.

Further I must confess that because of this the program is a bit slower than it was, but I think the overall quality will make it you'll take it for granted.

Print the covers as shown on the preview sheet.

Before printing first calibrate the labels you would like to print.

Press the open file button to load a file from disk, or press the right mouse button to paste from the clipboard.

Images are automatically stretched to fit the CD label. Peaces of the image that overlap the cd label are stripped from the image.
The original file on disk is not affected.

Press the open file button to load a file from disk, or press the right mouse button to paste from the clipboard.

Images are automatically stretched to fit the front cover.

Press the open file button to load a file from disk, or press the right mouse button to paste from the clipboard.

Images are automatically stretched to fit the back cover.

Double click anywhere on the front cover to open the text editor. Type the text you would like to appear on the front. Press enter at the end of each line that wraps automatically.

You can load a background picture if you want to and change the font color and size.

To edit the spine text double click on either one of them. You can use approximately 40 characters. You can only use TrueType or scalable fonts.

Double click anywhere on the CD to open the text editor.
You can give the CD a title and there is room for five items.
The CD title font size can be changed separately. Click on
the archive check box to automatically fill in information
about date, time and creator of the backup.
You can load a background picture if you want to and
change the font color and size.

To edit text on the back of the cover double click anywhere on the backside.

You can load a background picture if you want to and change the font color and size. Images are not stretched into the spines.

The toolbar provides access to all the functions of CD Labeler Gold. Tool tips explain the buttons.

When checked two identical labels are printed on one sheet.

When checked a front and back cover are printed on one sheet. This option is for prefabricated sheets that are designed that way. But you can also use this option to print the front and back at once on a blank sheet of paper.

The label you where editing is selected automatically but you can change it if you want to.

Before printing the selected object you can change your printer settings.

With these up down controls you can adjust the size and position of the labels.

The values shown here are in micrometers or one tenth of a millimeter. You should be able to position any kind of label on any kind of sheet.

Check the label you would like to print.

If you have label sheets that can't be mirrored make sure that you have calibrated both upper and lower label

When you change the values, the example labels will move across the sheet so you can determine the direction you're moving them. The position of the example labels is rough representation of the actual position on the original sheet.

Prints a test page with the to labels currently visible.
Use it to see if it fits your label sheet.

Use this button to load previously saved values or to set values to the program default.

Save the current calibration settings to the system registry.

This folder will be opened when you press the open file button on the main window toolbar.

You can type a folder yourself or press the button to the right to browse for one.

This option will draw a black line around a cover. This can be useful incase the label contains a lot of white. When you have pictures loaded when you change this option you will have to reload them to take effect.

If checked window state, size and position are saved and restored at startup.

Click one of the buttons to view the desired label.

Double click to edit the spine text. With the default font size you can use approximately 40 characters. You can only use TrueType fonts.

The CD title font size can be changed separately, and can change Color and Font.

Calibrating is a time consuming job and can cost a lot of ink and paper. Because of this you can not only print your calibration values, but save them to a file too. An other advantage of this is that you can use different kinds of labels without recalibrating all the time. The currently loaded values are saved to the registry.

