

FortKnox Personal Firewall 2007

User Manual

Document version 1. 1 EN (18. 10. 2007)

Copyright (c) 2007 NETGATE Technologies s.r.o. All rights reserved.

Content

1. Introduction.....	3
1.1. Basic Protection Concepts.....	3
1.2. Used Technologies.....	3
1.3. Supported Operating Systems.....	3
2. Installation.....	3
2.1. Installation from website.....	3
2.2. Installation Process.....	4
3. Program Activation.....	8
3.1. Trial Version.....	8
3.2. Purchase.....	9
3.3. Registration.....	9
4. Working with FortKnox Personal Firewall 2007.....	9
4.1. System tray icon.....	9
4.2. Network connection confirmation.....	10
4.3. Process activity confirmation.....	11
4.4. Window handling icons.....	12
5. Application Interface.....	13
5.1. Statistics.....	13
5.2. Connections.....	14
5.3. Advanced.....	15
5.4. Options.....	17
5.5. Applications.....	22
5.6. Traffic Log.....	23
5.7. Buy/About.....	24
5.8. Technical support.....	25
6. Technical support.....	25

1. Introduction

This user manual introduces overview of all features and technologies provided by **FortKnox Personal Firewall 2007**.

1.1. Basic Protection Concepts

Most threats today use Internet to spread and download additional malware that may harm user's computers. Spyware can monitor user's activity and send collected data over Internet to its creator. Firewall is one of the most important barriers that protect systems from potential treats.

1.2. Used Technologies

FortKnox Personal Firewall 2007 uses the following technologies to protect your system:

- **Inbond traffic checking** – controls incoming traffic from the network.
- **Outbound traffic checking** – controls outgoing traffic to the network.
- **Statefull packet inspection** – analyze traffics for correctness and allow connections initiated by user only.
- **Intrusion prevention system** – analyze packet streams for suspicious activity.
- **Process defense system** – ensures integrity of all processes that have access to the network.

1.3. Supported Operating Systems

FortKnox Personal Firewall 2007 is compatible with Windows Vista (64-bit and 32-bit), Windows XP (32-bit), and Windows 2000 (32-bit) operating systems.

2. Installation

FortKnox Personal Firewall 2007 can be installed either from the installation file available on your installation CD, or can be downloaded from FortKnox Personal Firewall website: www.fortknox-firewall.com in download section. Latest version is always available on the mentioned website.

2.1. Installation from website


Visit **FortKnox Personal Firewall** website at www.fortknox-firewall.com, go to the **Download** section of the website and select appropriate **Download Now** link based on your language preferences. Save the installation file to your disk. Start the installation by

executing (double-clicking) the downloaded setup file.

2.2. Installation Process


Please note: It is recommended that you close all other running applications before starting the installation process; including other security applications that might block the installation. You have to start installation process under administrator account.

- a) Double-click on the installation setup file to begin the installation process.
- b) Select the preferred installation language and click on **OK** button.




Note: This is the language of the installation program. You can change the language of the **FortKnox Personal Firewall** later on the **Skin/Languages** setup wizard page. To change the language after installation, right-click the system tray icon and select the **Options** menu. Select from **Active Language** menu your preferred language and press the **Apply** button.


- c) When setup begins click on **Next** to view the **License Agreement** dialog. Click on **I accept the agreement** to accept FortKnox Personal Firewall License Agreements terms and conditions.




- d) Read the Installation Notes, and then click on **Next** button. You have to **uninstall** all other firewall programs before you continue with the installation process.




e) Choose the destination folder for the installation, and then click on **Next** button.




f) Select the **Start Menu** folder where the program's shortcuts will be located. Click on **Next** to continue.



- g) Check the additional tasks that should be performed. It is recommended to check all options. Click on **Next** to continue.



- h, FortKnox Personal Firewall Language and Skin wizard will be shown. Select preferred skin and language that matches your individual taste.



i, To complete the installation process your computer need to restarted. Click on **Finish** button to restart computer.



After the installation process is finished, **your system has to be restarted** to successfully start the **FortKnox Personal Firewall 2007**. First start may take a while on computers with Windows Vista operation systems.

3. Program Activation

3.1. Trial Version

From the FortKnox Personal Firewall website you can download the trial version of **FortKnox Personal Firewall 2007**. After the installation, this trial version will run for 15 days. This version is fully functional but no signature database updates are performed.

Within 15 days you have to register the program using registration information number to activate the full version of **FortKnox Personal Firewall 2007**. The purchased registration information can be entered at any time of this trial period or after this period.

3.2. Purchase

In the **Buy** menu select the **Buy Now** button. Default Internet browser will be launched with the registration page.

3.3. Registration

In the **Buy** menu select the **Enter serial** button. Registration dialog will show up. With purchase of **FortKnox Personal Firewall 2007** you have received registration information; **registration name, registration e-mail** and **serial number**. This information has to be exactly entered into registration dialog. Please note that serial number only contains characters **A-F** and **numbers**.




4. Working with FortKnox Personal Firewall 2007

After you have successfully installed **FortKnox Personal Firewall 2007** on your computer, the **FortKnox Personal Firewall 2007** icon will appear on your desktop. Double-clicking the icon will launch the **FortKnox Personal Firewall 2007**. This interface allows you to configure individual aspects of the application.

4.1. System tray icon

Once the application is started, you can see a small red/black icon in the system tray, indicating that the application is running. By right-clicking on the tray icon, a context menu will pop up:



The following options are available:

FortKnox Personal Firewall - click this option to hide or show the main application screen.

Block All - when set, this option will block all incoming and outgoing traffic.

Normal - when set, firewall will filter traffic based on firewall rules.

Allow All - when set, this option will allow all incoming and outgoing traffic.

Statistics - shows statistical information about incoming and outgoing traffic and attacks.

Connections - shows active network connections.

Advanced - allow to set extended user rules for filtering traffic.

Options - this option will open application configuration dialog.

Applications - shows individual application rules.

Traffic Log - show log of all network traffic inspected by firewall.

Enable Network Connections - enable all network interfaces in the system.

Disable Network Connections - disable all network interfaces in the system.

About - this option will show application about dialog.

Exit - this option will quit the application.

4.2. Network connection confirmation

FortKnox Personal Firewall 2007 allows network connection confirmation in real-time. Users have the option to allow or deny network connections for the individual applications.

When a connection is going to be established the following dialog will popup:



This dialog offers the following actions:

Yes – connection will be allowed.

No – connection will be denied.

Remember my answer and do not ask me next time for this application – firewall will save your decision and next time will not ask again. Rules for individual applications can be changed in the **Applications** menu.

4.3. Process activity confirmation

FortKnox Personal Firewall 2007 allows process confirmation for some suspicious activities. Users have the option to allow or deny such activity.

When an action is going to be happen the following dialog will popup:



This dialog offers the following actions:

Yes – action will be performed.

No – action will be denied.


Add to the Trusted Applications and do not ask me next time for this application – firewall will save your decision and next time will not ask again. To reset these rules press the **Reset Trusted** button in the **Options/Enhancements** menu (near the **Enable Process Defense System** option). Note: Process Defense System option has to be enabled to allow process activity confirmation.

Confirmation actions are:

- Writing to remote process
- Browser execution
- Active desktop background changes
- AppInit_DLLs registry key changes

4.4. Window handling icons


There are four icons at the right-top corner of the program interface. **Minimize** button (top-left) allows you to minimize application windows to the system tray. **Maximize/Restore** (top-right) button allow you to maximize application window to the maximum width and height of your desktop and restore it to the previous size. **Help** (bottom-left) button displays help information about currently open dialog. **Information** (bottom-right) button will show about dialog.



5. Application Interface


5.1. Statistics

The **statistics** dialog shows information about incoming and outgoing traffic history and history of happened attacks.



5.2. Connections

The **connection** dialog shows all active network connections in the system. Every item shows local and remote IP addresses or only local IP addresses for listening states, status of the connection and associated process.



Details – shows details about selected item.

Block Connection– denies selected network connection.

Trace Route – shows network route to the selected item's destination. (Note: this method use ICMP messages and some systems may block this kind of traffic)

WhoIs Lookup – lookups selected item's destination or entered domain name in the whois database.

Terminate Process – terminates selected item's process.

5.3. Advanced

The **advanced** dialog allows editing of extended application rules. These rules have **more priority** than application rules.



Add rule – adds new advanced rule.

Edit Rule – edits selected advanced rule.

Remove – deletes checked advanced rules.

Add/Edit Advanced Rules dialog:

FortKnox 2007
Personal Firewall

Add Advanced Rule: ?

Description: [Text Field] **Protocol:** TCP

Route: Outgoing **Action:** Deny

Process: [Text Field] ...

User: .. **Temporary restriction:** ..

Hour range: 8:00 - 8:00 **Date range:** 10.6.2007 - 10.6.2007

Local host:

- All addresses
- MAC address: [Field]
- IP address: [Field] Port: [Field]
- Subnet Mask: ..

Remote host:

- All addresses
- MAC address: [Field]
- IP address: [Field] Port: [Field]
- Subnet Mask: ..

OK Cancel

Description - field could be any text to identify the rule.

Protocol - is the type of protocol that is used to communicate between two computers, use **Any** protocol to match all protocols.

Action - action to be performed for the specified rule; **Allow** - allow connection, **Deny** - deny connection.

Route - could be incoming and outgoing, use 'Any' to match both directions.

Process - field could be empty to match all applications or use ... button to limit rule to a specific application only. To limit rule to a specific time period or specific user, use **User** and **Temporary restriction** lists.

Local host - is IP address of your computer. Your computer can have more than one network card. Use **All addresses** option to match all your network interfaces or you can specify individual network card/address by entering MAC address or IP address. When entering IP address you have the option to specify **Port** and **Subnet Mask**.

Remote host - is the IP or MAC address of the remote computer. Address **0.0.0.0** with mask **Any** means any IP address.

5.4. Options

The **Options** dialog allows configuration of individual functions of **FortKnox Personal Firewall 2007**.

General Tab:



Disable sharing of my files and printers - when option is active all access to your files and printers is blocked.

Disable network neighborhood browsing - active option disables browsing of shared resources of the network computers.

Set Password - button allows you to protect firewall settings from being changed by setting access password.

Show security applications notification messages in the system tray – when active, information balloon will popup when security message occurs.


Show blocked applications notification messages in the system tray – when active, information balloon will popup when application is blocked.

Automatically load firewall at Windows startup – when active, firewall will be launched at system startup.

To change language and skins settings that match your individual preference set **Active language** and **Active skin** lists.

To apply all changed settings on the **General** tab, press the **Apply** button.

Enhancements Tab:



Enable Intrusion Prevention System (IPS) – IPS is integrated Intrusion Detection System (IDS) which detects known threats in the packet stream and actively response to them. When a threat is detected based on a signature, user is automatically notified about it and depending on default action, threat is blocked.

Enable NETBIOS Protection - option automatically blocks all NETBIOS communication from computers located outside of local subnet range.

Block Universal Plug and Play traffic - option blocks UPnP traffic which is often used for distributed denial of service attacks. Note: you should disable this option if some of your application requires the UPnP protocol to operate.

Enable OS fingerprinting masquerading - option blocks common attackers methods to detect your operating system.

Enable anti-MAC spoofing - option blocks all unexpected ARP traffic which was not requested by your system. MAC spoofing is a way to hijack a communication session between two computers in order to hack one of the machines.

Enable anti-DNS spoofing - option blocks all unexpected DNS responses to your system to prevent DNS attacks.

Enable anti-IP spoofing - option randomize sequence number for each communication packet to prevent hijacking of communication session with IP spoofing attack. Note: some network cards could be incompatible with option.

Enable fingerprint authentication - option verify every application for file changes. To reset all fingerprints for all application use **Reset fingerprints** button.

Automatically block attacker for: - when option is enabled, all attacks to your system are automatically blocked for specified time period.

Block fragmented packets - when enabled, option drops all fragmented IP packets.

Enable Process Defense System - option ensures integrity of applications and confirms potentially suspicious process actions. When enabled **Confirm process action** dialog will popup when such activity is detected. To reset all Trusted applications use **Reset Trusted** button.

Enable AppInit DLL Protection – option notifies user about this registry change by applications.

Enable portscan detection - option detects, notify and block scanning of your ports which is common hacker action to find out if you have some ports open and usable for attacks.

Enable DoS detection - option checks all traffic for known Denial of Service (DoS) attacks which overload system services and block usage of services by common users.

Enable local network traffic - option allows traffic on local network subnet range.


Enable time synchronization - option allows traffic for time synchronization over Internet servers.

Enable DHCP - option allows the Dynamic Host Configuration Protocol traffic which can be used to automatically assign IP addresses and other TCP/IP configuration information. Note: if you disable this option and you need DHCP for correct functionality of your system, you must create an advanced rule for UDP packets on remote ports 67 and 68.

Enable DNS - option allows domain name resolution to IP addresses. Note: if you disable this option, you must create an advanced rule that allows UDP traffic for remote port 53.

To apply all changed settings on the **Enhancements** tab, press the **Apply** button.

Logging Tab:



Enable Security log - option enables logging of important and security events.

Enable System log - option enables logging of events related to firewall functionality.

Enable Traffic log - option enables logging of all inbound and outbound network traffic.

Enable Packet log - option enables logging of all communication packets including their data.


To limit size of the traffic and the packet log use **Maximum traffic log size** and **Maximum packet log size** options.

Delete old log files after - option sets number of days after which are the old log files deleted. Setting value to zero turns this option off.

Enable Notification - option turns on e-mail notification when security event occurs. To test your e-mail settings use the **Test E-Mail** button.

To apply all changed settings on the **Logging** tab, press the **Apply** button.

Miscellaneous Tab:



ICMP - settings for incoming and outgoing packets. Change these settings only if you are experienced user.


Notify me about newer version - option will notify you when a new version of FortKnox Personal Firewall is available.

Automatically update signatures – when option is enabled, new signatures will be automatically downloaded and installed from the server. To update signatures manually, press the Update button.

To apply all changed settings on the **Miscellaneous** tab, press the **Apply** button.

5.5. Applications

The **Applications** dialog shows all application specific rules. Every rule can have allow, deny or ask action set and every application connection that was confirmed by you is listed here.



Select All – selects all items in the list.

Deselect All - deselects all items in the list.

Allow – sets selected items to allow mode; such process traffic will be automatically allowed.

Deny – sets selected items to deny mode; such process traffic will be automatically blocked.

Ask – sets selected items to ask mode; confirmation for such process will popup.

Remove – this option deletes selected item/rule from the list.

5.6. Traffic Log

The **Traffic Log** dialog shows all the network traffic inspected by the FortKnox Personal Firewall 2007.



Details – shows details about selected item.

Trace Route – shows network route to the selected item's destination. (Note: this method use ICMP messages and some systems may block this kind of traffic)

WhoIs Lookup – lookups selected item's destination or entered domain name in the whois database.

Export... – save active log file to the file.

Delete – deletes saved log file/files.

To **switch** between different **types** of log files use the list near to the **Details** button.

5.7. Buy/About

In the trial version this dialog shows FortKnox Personal Firewall features; in the registered version this dialog shows information about registered user. After registration the **Buy** button will change to **About** button after next program start.



Enter serial – by pressing this button user has the option to enter registration information; the registration dialog will popup.

Buy Now – by pressing this button your default browser windows will be shown and the online shop web page will be displayed allowing purchasing the product.

5.8. Technical support

The **Technical support** dialog allows users to send e-mail message to the FortKnox Personal Firewall technical support team. To send a message fill in email, name and description and press the **Submit** button to send the message. User can additionally add attachment by pressing the ... button.



The screenshot shows a window titled "FortKnox 2007 Personal Firewall" with a sidebar on the left containing menu items: Statistics, Connections, Advanced, Options, Applications, Traffic Log, Buy, and Support. The main area is titled "FortKnox Personal Firewall Technical Support" and contains the following text: "The FortKnox Personal Firewall Technical Support service is here to help in problematic situations. Please contact our technical support team using this form:". Below this are four input fields: "Your email:*" (a single-line text box), "Your name:*" (a single-line text box), "Problem description:*" (a multi-line text area), and "Attachment:" (a single-line text box with a "... " button to its right). At the bottom, there is a "Submit" button and a note: "All fields marked with * are required. Please ensure that you are connected to the Internet before submitting."

6. Technical support

Technical support team can be reached at support@netgate.sk directly.

All other questions regarding sales or general information questions please direct to netgate@netgate.sk