Index

NOTE: Page numbers in italics refer to figures. Icons are grouped under the entry "icons." Keyboard commands indicated in the text by symbols are grouped under the entry "keyboard commands." Symbols are grouped under the entry "symbols."

A

Abort Output command, 3-4
active session, 3-1, 3-2
Alias option, 2-6
aliases, 1-3, 2-6, 3-2, 4-2
Allow linemode option, 2-7, 2-9
anonymous FTP server, NCSA software available via, *inside title page*, C-1 to C-2
Answerback Message option, 2-5
Apple Desktop Bus keyboard, emulating VT keyboard, 1-4
Apple Extended Keyboard, B-1
AppleTalk network, 5-4
archive server, NCSA software available via, C-1 to C-2
Are You There command, 3-4
ARPA standard telnet, *v*
arrow keys
  and cursor positioning with mouse, 3-1
  in EMACS editor, 2-4, 2-9, 3-1
ascii command, 4-6, 4-7, 4-8
ASCII files
  definition of, 4-1
  for ICR graphics, 6-5
  transferring files as, 4-7, 4-8
Authenticate box
  in Session Configuration Record dialog box, 2-7, 3-6 to 3-7
Authenticate option
  in Open Connection dialog box, 1-2, 3-6 to 3-7
authentication, 1-2, 2-7, 3-5, 3-6 to 3-7
auxiliary keypad codes, B-2

B

background
  applications running in, 2-2
  file transfers processed in, 4-2
backquote (`), as ESCape character, 1-4, 2-1
backslash (, for macros, 2-15 to 2-16
Backspace command, 1-3, 2-9
BACKSPACE/DELETE key, 1-3, 1-4, 2-7, 2-9, 2-16
Berkeley 4.3 CR Mode option, 2-7, 2-12, 4-6
`binary` (`bin`) command, 4-6, 4-7, 4-9
binary files, 4-1, 4-7, 4-8
Binary Filetype and **Creator** options, 4-4
Blink Cursor option, 2-2
Blinking background option
  in Color Selection dialog box, *2-13*
  in Terminal Configuration Record dialog box, 2-5
Blinking foreground option, in Terminal Configuration Record dialog box, 2-5
Blinking Text option, in Color Selection dialog box, *2-13*
Block option
  in Global Preferences dialog box, 2-2
  in Session Configuration Records dialog box, 2-6
bugs, corrected from Version 2.5, *vi. See also* error messages; warnings

C

C programming language, 2-15, 6-6 to 6-9
C shell, for setting UNIX-compatible terminal type, 1-4
"Can't get translation resource for national character set" error message, A-3
Capture File Creator option, 2-2
capture files, saving or creating, A-1
Capture Session to File option, 2-13
cd command, 4-6, 4-7
Change Default Directory option, 4-5
Change option, in Preferences dialog boxes, 2-3, 2-4, 2-6, 4-5
Change Password option, 3-6
Change Window Title... command, 3-3
checkmark (+), 3-2, 4-9
circle (~), 3-2
Clear Screen Saves Lines command, 2-10
cleared screens, 2-5, 5-1, 5-2
client/server model, definition of, 4-1
clipboard. *See* Macintosh clipboard
Close command, 1-5, 2-2
Close Connection dialog box, 1-5, 1-6
CNTL-COMND is EMACS meta option, 2-5
color
  ICR color maps, 6-5
  palette of, 6-3 to 6-4

setting screen colors, 2-5, 2-13
system color problems, 6-2
Color... option, 2-13
Color Selection dialog box, 2-13
Color Wheel dialog box, 2-5, 2-13
Command Keys option, 2-1
config.tel file, external configuration files discontinued in Version 2.6, *vi*, 2-3
configuration records
changing after session connection, 2-9 to 2-13
customizing, 2-1 to 2-16
defaults, 2-3
editing of session configuration record, 2-3, 2-5 to 2-8
editing of terminal configuration records, 2-3, 2-4 to 2-5, 2-8
Connect option, 1-2
Connection dialog box. *See* Open Connection dialog box
Connection Status dialog box, 3-3
Connection window, 1-3, 3-7
Connections menu, 1-3, 3-1, 3-2 to 3-3
connections to a host
aborting attempts at, 3-3
alternative, 1-3
closing, 1-5, 1-6, 4-7, 6-1
confirming terminal type in use, 2-5
emulating VT terminal keyboard, 1-4
error messages regarding, 2-2
as FTP client, 1-2
and FTP file transfers, 4-6, 4-8
logging on, 1-3
multiple, 1-2, 3-1 to 3-2
opening, 1-2 to 1-3, 3-1
port for, 2-6, 3-2, 4-2
problems with, A-3
response time of, 1-3
setting BACKSPACE/DELETE key, 1-3, 2-7, 2-9
setting VT terminal type, 1-3 to 1-4
specifying host and session name for, 1-2, 1-3, 2-3, 2-6, 3-2
suspension of, 3-4 to 3-5
verification of, 3-4
CONTROL key, 2-1
CONTROL-C (**Interrupt**) command, 2-7, 2-16, 3-4, 6-2
CONTROL-COMMAND-*anykey*, 2-5
CONTROL-D, macro for, 2-16
CONTROL-E, macro for, 2-16
CONTROL-H (BACKSPACE), macro for, 2-16
CONTROL-Q (**Resume**) command, 2-8
CONTROL-S (**Suspend**) command, 2-8
Copy command, 1-5, 5-4, 6-2
Copy Table command, 1-5, 2-2
Copy Table threshold option, 1-5, 2-2
copying
in **Edit** menu, 1-5
of ICR graphics windows, 6-2
of tables, 1-5, 2-2
of Tektronix graphics windows, 5-4
copyright, *inside title page*
Courier font, 2-12
creator type, 2-2
`.cshrc` file, 2-12
CTSS operating system, 6-5
cursor
blinking, block, underlined, or vertical options for, 2-2
I-beam, 4-6
positioning of, with mouse, 3-1
and VT escape keys, B-2
customization, of NCSA Telnet for the Macintosh configuration, 2-1 to 2-16

D

DEC All-in-One, 2-7
Default Directory option, 4-5
defaults
of BACKSPACE/DELETE key codes, 1-3
of configuration records, 2-3
of directories, 4-6, 4-7
for file transfers, 4-7
for interrupt, suspend, or resume telnet functions, 2-7
resetting Macbinary files to, 4-4
of session configuration record, 2-3, 2-6, 3-7
of tabs, 2-10
of terminal configuration record, 2-3, 2-4
of terminal type, 2-5
of VT terminal emulation settings, 2-11
for word wrapping, 2-4
`delete` codes, 1-3, 1-4, 2-7
Delete command, 1-3, 2-9
DELETE key, 1-3, 1-4, 2-7, 2-9
Delete Sends option, 2-7
deletion, of graphics windows, 5-3, 6-1
DES encryption, 3-5
detaching, of graphics windows, 5-2
diamond symbol ($), 3-2
`dir` command, 4-7
directories, and FTP commands, 4-6, 4-7
"Disk Full Error" error message, A-3
Domain Name Resolver (DNR). *See* MacTCP Domain Name Resolver (DNR)
Domain/Hostname...Realm option, 3-6

Domain/Hostname-to-Realm maps, 3-6
double-height characters, B-1
double-width characters, B-1

E

Edit menu
and controlling FTP access to your Macintosh, 4-4
copying in, 1-5, 5-4, 6-2
copying tables in, 1-5, 2-2
editing of configuration records in, 2-3
pasting in, 1-5
setting global preferences in, 2-1
setting macros in, 2-15
Edit%FTP Server command, 4-3
editing
local line editing, 2-7
of session configuration records, 2-3, 2-5 to 2-8
of set files, 2-15
of terminal configuration records, 2-3, 2-4 to 2-5
and VT escape keys, B-1
Eight bit connections option, 2-5
EMACS arrow keys option, 2-4, 3-1
EMACS arrow mapping command, 2-9, 3-1
EMACS editor, arrow keys in, 2-4, 2-9
Emulation option, 2-5
Encrypt option
in Open Connection dialog box, 1-2, 3-6 to 3-7
in Session Configuration Record dialog box, 2-7, 3-6 to 3-7
encryption, 1-2, 2-7, 3-5, 3-7 to 3-8, 4-5
END key, 2-5, 2-10
Erase Character command, 3-4
Erase Line command, 3-4
"Error deleting old file" error message, A-3
"Error in Sfwrite" error message, A-3
error messages
for fatal errors, *A-2*
for low level errors, 2-7
new system for, A-1 to A-2
for nonfatal errors, *A-1*
old-style, A-2 to A-3
regarding connections to a host, 2-2
for semifatal errors, *A-2*
ESC^ (escape, caret), 6-2
ESCape character
in ICR programs, 6-5
macro for, 2-16
remapping of, 1-4, 2-1
escape codes, for VT200, B-1 to B-3
escape sequences, for ICR graphics, 6-1, 6-2
/etc/termcap file (UNIX systems), 2-11
Example button (for identifying file type and file creator), 4-4
external configuration files, discontinued in Version 2.6, *vi*, 2-3

F

fatal errors, A-2
file creator type, 2-2, 4-4
File dialog box, 2-14, 2-15
File menu, *1-2*
closing a connection to a host in, 1-5, 1-6, 2-2
displaying Kerberos tickets in, 3-6
enabling and disabling MacBinary files in, 4-9
ending (quitting) a session in, 1-6
establishing page setup in, 1-5
establishing printing selections in, 1-5, 5-4
loading saved set from, 2-15
opening a connection to a host in, 1-2, 2-14, 4-2
saving sets in, 2-14
File Transfer Protocol (FTP)
configuring an FTP server, 4-3 to 4-4
controlling FTP access to your Macintosh, 4-4 to 4-5
definition of terms, 4-1
and NCSA Telnet, 4-1
transferring files via, 4-6 to 4-9
using an FTP client, 4-2 to 4-3
file transfer server (standard FTP), *v*
file transfers
definition of, 4-1
errors during, A-3
from a host to Macintosh, 4-7 to 4-8
of MacBinary files, 4-9
from Macintosh to a host, 4-8
of multiple files, 4-8
preparations for, 4-5 to 4-7
procedure for, 4-7 to 4-9
software for, *v*
file type, 2-2, 2-15, 4-4
files, saving sessions as, 2-13. *See also* ASCII files; binary files
Finder, loading saved sets from, 2-15
Font% command, 2-12
Font options, 2-5
fonts
proportionally spaced, 2-12
setting from Session menu, 2-12
setting in terminal configuration record, 2-5
Forcesave option, 2-7
form feed command, to clear TEK images, 2-10
4014 and **4015** options, 2-6, 5-1

FTP (File Transfer Protocol). *See* File Transfer Protocol (FTP)
FTP client, 1-2, 4-2 to 4-3
FTP client connection message, 4-2
FTP commands, 3-4, 4-6 to 4-7
FTP log, 4-3
FTP server, 4-3 to 4-4, 4-5, 4-6, A-3. *See also* anonymous FTP server
FTP Server Preferences dialog box, 4-3 to 4-4, 4-5
FTP Session option, 1-2, 4-2
FTP sessions, authentication and encryption of, 3-7
FTP Users Preferences dialog box, 4-4
function keys, B-3

G

`get` *filename* command, 4-7, 4-8
Global Preferences dialog box, 2-1
  and copying tables, 1-5, 2-2
  and file creator type, 2-2
  options for, 2-1 to 2-2
  and use of backquote (`) as ESC, 1-4, 2-1
graphics
  Interactive Color Raster (ICR), 6-1 to 6-9
  Tektronix, 5-2 to 5-4
graphics windows
  copying, 5-4, 6-2
  deleting, 5-3, 6-1
  detaching, 5-2
  pasting of, 6-2
  printing, 5-4
  resizing, 5-4
  zooming and unzooming, 5-3 to 5-4
grave accent (`)
  as ESCape character, 1-4, 2-1
  printing of, 2-1
grow icon, 5-4

H

Half duplex option, 2-7
hardware requirements, for running NCSA Telnet for the Macintosh software, *vi*
`help` FTP command, 4-7
HFS file system, A-2
HOME key, 2-5, 2-10
host, connections to. *See* connections to a host
"Host or gateway not responding" error message, A-3
Hostname option, 2-6
Host/Session Name option, 1-2, 2-6, 3-2

I

I-beam cursor, 4-6
icons
  file icon, *4-6*
  grow icon, 5-4
  NCSA Telnet application icon, *1-1*
  padlock icon, *3-7 to 3-8*
  for saved sets, *2-15*
ICR commands, 6-2 to 6-4
ICR protocol. *See* Interactive Color Raster (ICR) graphics
IETF draft AUTH_ENCRYPT option, 3-5
image files
  definition of, 4-1
  transferring files as, 4-7
IMCOMP compression scheme, 6-4
Inhibit option, 2-6, 2-10, 5-1
Interactive Color Raster (ICR) graphics
  creating an ICR program, 6-2 to 6-6
  sample ICR program in C, 6-6 to 6-9
  using ICR protocol, 6-1 to 6-2
International Standards Organization (ISO) character set, 4-4
Interrupt command, 2-7 to 2-8, 2-12
IP address
  for FTP file transfers, 4-6
  for host's domain name, 2-6, 3-2
  for your workstation, 1-1, 2-16, 3-3, 3-4

J

Jump Scroll command, 2-10

K

KConfig, 3-5
Kdriver package for Kerberos (Cornell), 3-5
Kerberos Client extension, 3-5
Kerberos Configuration dialog box, 3-6
Kerberos tickets, 3-5, 3-6
Kerberos Version 4 software, 3-5
key mapping, for VT terminals, B-1
keyboard commands
  *-` (grave accent), 2-1
  * key (for remapping CONTROL key), 2-1
  *-0 (for setting window size), 2-12
  *-F (for **Send FTP Comman**d), 4-6
  *-M (for defining macros), 2-15
  *-N (for next session), 3-1
  *-O (for **Open Connection** command), 2-14
  *-T (for **Copy Table** command), 2-2
keyboards. *See* Macintosh keyboard: Macintosh Plus keyboard; VT terminals
keypad codes, B-2

L

LaserWriter printers, 5-4
line feed, emulating VT terminal, 1-4
Load Set command, 2-15
Local Echo command, in Session menu, 2-9
local echo mode, 2-7, 2-9
Local Echo option, in Session Configuration dialog box, 2-7
local line editing, 2-7
Local Realm option, 3-6
logging on
    to a host, 1-3
    to a server, 4-2 to 4-3
Login button, 3-6
`.login` file, 2-12
login name, 1-1, 1-3, 4-2
Logout button, 3-6
`logout` command, 1-4
logout procedures, 1-4 to 1-5
low level errors, 2-7

M

MacBinary Enabled command, 4-9
MacBinary files
    definition of, 4-1
    enabling and disabling, 4-9
    resetting, 4-4
    transferring, 4-9
    use of, 4-4, 4-7
Macintosh clipboard
    and copying graphics windows, 6-2
    and copying tables, 2-2
Macintosh keyboard
    CONTROL key on, 2-1
    emulating VT keyboard, 1-4
    remapping backquote to ESC on, 1-4, 2-1
Macintosh Plus keyboard
    emulating VT keyboard, 1-4
    remapping backquote to ESC on, 1-4, 2-1
Macintosh System Software User's Guide, 2-5, 2-13
Macintosh Version 6.0 system software, *vi*, A-2
Macintosh workstations
    color screens at, 2-5, 2-13
    file transfers to, 4-8
    IP address of, 1-1
    system requirements for, *vi*, A-2
Macro Configuration dialog box, 2-15 to 2-16
macros
    (setting screen size), 2-12, 2-16
    03 (CONTROL-C), 2-16
    04 (CONTROL-D), 2-16
    05 (CONTROL-E), 2-16
    10 (for CONTROL-H OR BACKSPACE), 2-16
    33 (ESCape), 2-16
    for CONTROL-H (BACKSPACE), 2-16
    definition of, 2-15 to 2-16
    (for Internet address of current Mac), 2-16
    keys assigned to, 2-15 to 2-16
    reverting to previous, 2-16
    saving, 2-16
    (tabs), 2-16
MacTCP, *vi*, 3-4, A-2
MacTCP Domain Name Resolver (DNR), 2-6
magnification, of graphics windows, 5-3 to 5-4
Map PgUp, etc. option, in Terminal Configuration Record dialog box, 2-5
Map PgUp/PgDown/Home/End command, in **Session** menu, 2-10
memory
    insufficient, 6-1, A-1
    leaks plugged, *vi*
    for raster graphics, 6-1
META CONTROL keystrokes, 2-5
META-*anykey*, 2-5
mget command, 4-8
Microsoft Excel, copying tables into, 1-5
Microsoft Word, copying tables into, 1-5
Monaco (font), 2-12
mouse
    and **EMACS arrow keys** option, 2-4
    positioning cursor with, 3-1
    and resizing windows, 2-11
Multifinder, and memory, 6-1
multiple connections to a host, 1-2, 3-1 to 3-2
multiple file transfers, 4-9
multiple sessions, 2-13

N

NAWS (Negotiations About Window Size) option, 2-12
NCSA Contacts, *inside title page*
NCSA Orders, *inside title page*, C-2
NCSA software
    via anonymous FTP server, C-1 to C-2
    via archive server, C-2
    via U.S. mail, C-2
NCSA Software Development Group (SDG), address for, *inside title page*
NCSA TCP/IP drivers, discontinued, *vi*
NCSA Technical Resources Catalog, *inside title page*, C-2
NCSA Telnet application icon, *1-1*

NCSA Telnet for the Macintosh software
Version 2.5
bugs fixed from, *vi*
discontinued features of, *vi*
Version 2.6
beginning a session, 1-1
changes from Version 2.5, *v-vi*
closing a connection to a host, 1-5, 1-6, 4-8, 6-1
configuration of, *vi*, 2-3 to 2-13
copying with, 1-5, 2-2, 5-4, 6-2
copyright, *inside title page*
customization of, 2-1 to 2-16
emulating VT terminal keyboard, 1-4, B-1 to B-3
ending (quitting) a session, 1-5, 1-6
error messages in, A-1 to A-3
features of, v
getting started in, 1-1 to 1-6
installation of, 1-1
internal FTP server in, 4-1
logging on to the host, 1-3
memory allocation, 6-1
new error message system in, A-1 to A-2
old-style error messages in, A-2 to A-3
opening a connection to a host, 1-2 to 1-3, 3-1
pasting with, 1-5, 2-2, 2-6, 6-2
printing with, 1-5, 5-4
resource missing from, A-3
setting BACKSPACE/DELETE key, 1-3, 2-7, 2-9
setting VT terminal type, 1-3 to 1-4
system requirements for, *vi*, A-2
Network menu
aborting output in, 3-4
description of, 3-3
erasing current line in, 3-4
erasing last character in, 3-4
identifying IP address of your Macintosh in, 3-4
interrupting process in, 2-7, 3-4
network-related commands on, 3-4 to 3-5
telnet commands on, 3-4
verifying connection to a host in, 3-4
networking
displaying IP address of your Macintosh during, 3-5
software for, *v*
suspension of communications in, 3-4 to 3-5
New option, in Preferences dialog boxes, 2-3, 2-4, 2-6, 4-5
Next Session command, 3-1
bugs fixed, *vi*
nonechoing mode, 2-7
nonfatal errors, A-1
Normal background box
in Terminal Configuration Record dialog box, 2-5
Normal background option
in Color Selection dialog box, *2-13*
Normal foreground option, Terminal Configuration Record dialog box, 2-5
Normal Text option, in Color Selection dialog box, *2-13*
notational conventions, in the manual, *vi-vii*
number of print copies, 1-6
numeric keypad
Macintosh versus VT, 1-4
VT200, B-1

O

Off option (for FTP server mode), 4-3, 4-5
On, No passwords needed option, 4-3, 4-5
On, Username & Password required option, 4-3, 4-5
Open Connection... command, 1-2, 2-14, 4-2
Open Connection dialog box, 1-2, 2-3, 2-6, 3-2, 3-6 to 3-7, 4-2
Open File dialog box, and file creator type, 2-2
OPTION key, 3-1, 5-2
orders for NCSA software, *inside title page*

P

padlock icon, 3-7 to 3-8
PAGE DOWN key, 2-5, 2-10
page feed, in printing, 1-6
PAGE key (on Tektronix terminal), 2-10, 5-2
Page Setup command, 1-5
Page Setup dialog box, 1-5, 5-4
PAGE UP key, 2-5, 2-10
Password option, 4-5
passwords, 1-1, 1-3, 3-5, 3-6, 4-2, 4-3, 4-5, 4-6
Paste command, 1-5
Paste Method option, 2-6
pasting
in **Edit** menu, 1-5
of ICR graphics windows, 6-2
options for, 2-6
performance, **Timeslice** option for improving, 2-2
pixel data, 6-4
Please Select New Color heading, 2-13
Port option, 2-6
Preferences dialog box
for specifying terminals in configuration records, 2-3, 2-4, 2-6

Preferences dialog boxes, 2-3, 4-3, 4-4
for specifying FTP servers, 4-5
`Preferences` file, *vi*, 4-5, A-2
Preferences menu, 4-3
Preferences%FTP Users command, 4-4
Preferences%Global command, 2-1
Preferences%Session command, 2-3
Preferences%Terminal command, 2-3
Print dialog box, 1-6
Print Selection command, 1-5, 5-4
printers
and graphics output, 5-4
selection of, 1-6
printing
of grave accent (`), 2-2
procedure for, 1-5
of Tektronix graphics windows, 5-4
`put` *filename* command, 4-7 to 4-8
`pwd` command, 4-7

Q

Quick option, 2-6
Quit command, 1-6, A-2
`quote MACB DISABLE` command, 4-9
`quote MACB ENABLE` command, 4-9

R

raster graphics. *See* Interactive Color Raster (ICR) graphics
Reduce or Enlarge option, 5-4
Remap backquote to ESCape option, 1-4, 2-1
remote echo mode, 2-9
Remove option, in Preferences dialog boxes, 2-3, 4-4
Repair command, A-2
Reset Macbinary after each transfer option, 4-4
Reset Terminal option, 2-4, 2-10
resizing
of screen size, 2-11 to 2-12
of Tektronix graphics windows, 5-4
Resume command, 2-7 to 2-8, 2-12, 3-4
ROM, requirements for, A-2
run-length encoded (RLE) lines, 6-4, 6-5 to 6-6

S

Save button, in File dialog box, 2-14
Save cleared lines option, 2-5
Save File dialog box, 2-13
Save Set command, 2-14
saved sets
corruption of, A-1
macros saved in, 2-16
procedure for using, 2-13 to 2-15
saved-set icon, *2-15*
Screen Colors option, 2-5
Screen Height option, 2-5, 2-11
Screen Width option, 2-5, 2-11
screens
clearing TEK images from, 2-10
clear-screen command sequence, 5-1, 5-2
saving cleared, 2-5
setting colors of, 2-5, 2-13
setting size for VT emulation, 2-5, 2-10 to 2-12, 2-16
scrollback buffer
and jumping over scrolling text, 2-10
saving cleared screens in, 2-5, 2-10
saving screen with **Forcesave** option, 2-7
setting number of lines in, 2-5
setting PAGE UP, PAGE DOWN, HOME and END keys in, 2-5, 2-9
Scrollback option, 2-5
Select Application button
in Global Preferences dialog box, 2-2
in **Text Creator** box, 4-4
Select Screen Dimensions dialog box, 2-11
semifatal errors, A-2
Send "Abort Output" command, 3-4
Send "Are You There?" command, 3-4
Send "Erase Character" command, 3-4
Send FTP Command command, 3-3 to 3-4, 4-6
Send "Interrupt Process" command, 2-7, 3-4
Send IP Number command, 2-16, 3-4, 4-6
Send "Erase Line" command, 3-4
serial connection, discontinued in Version 2.6, *vi*
Server IP address...Realm option, 3-6
Server Mode options, 4-3, 4-5
Session Configuration Record dialog box, 2-4, 2-6 to 2-8, 3-6 to 3-7, 5-1
session configuration records, 2-3, 2-5 to 2-8, 3-2
Session menu
commands in, 2-9 to 2-13
setting BACKSPACE/DELETE key in, 1-3, 2-9
setting up keys in, 3-4
Tektronix-related commands in, 5-2
sessions
active, 3-1, 3-2
beginning (starting), 1-1
changing configuration after connection, 2-9 to 2-13
ending (quitting), 1-5, 1-6
multiple, 2-13
names of, 1-2, 1-3, 2-6, 3-2
saving as files, 2-13
setting configuration record for, 2-5 to 2-8

windows remain open after connections are terminated, 2-2
Sessions menu, *2-9*
Set Macros command, 2-15
Set Screen Size... command, 2-11 to 2-12, 2-16
sets. *See* saved sets
Setup Keys... command, 2-12, 3-4
Show Credentials command, 3-6
Show FTP log at startup option, 4-3
Show low level errors option, 2-7
Show Network Numbers command, 2-16, 3-4
Show Network Numbers dialog box, 3-5
size box, and resizing windows, 2-11
Size% command, 2-12 to 2-13
SLIP Connections, discontinued in Version 2.6, *vi*
software requirements for NCSA Telnet for the Macintosh, *vi*, A-2
special characters, macros for, 2-15 to 2-16
Staggered Windows option, 2-2, 3-2
stty program (Berkeley UNIX-based systems), 2-12
Suspend command, 2-7 to 2-8, 2-12, 3-4
Suspend Network command, 3-4
symbols
+ (checkmark), 3-2, 4-9
$ (diamond), 3-2
~ (circle), 3-2
system requirements
for Interactive Color Raster (ICR) graphics, 6-1
for NCSA Telnet for the Macintosh software, *vi*, A-2

T

tables, copying of, 1-5, 2-2
tabs
macro for, 2-16
resetting default of, 2-10
`TEK end` command, 5-1
TEK form feed clears screen command, 2-10, 5-2
TEK options, 2-6, 2-10, 5-1
TEK page clears screen option, 2-7
TEK Page... command, 2-10, 5-2
Tektronix 4014 or 4015 emulation, 2-6, 5-1 to 5-2
Tektronix emulation
and clear screen command, 2-7, 5-1
and form-feed command, 2-10
getting started in, 5-1
and manipulation of graphics, 5-2 to 5-4
options for, 2-6
and PAGE key, 2-10
termcap file (UNIX systems), 2-11
Terminal Configuration Record dialog box, 2-4 to 2-5
terminal configuration records, 2-3, 2-4 to 2-5, 2-8
Terminal Name option, 2-4
Terminal option, 2-4, 2-6, 2-8
Text Creator option, 4-4
TEXT file type, 2-15. *See also* file type
text files. *See* ASCII files
tickets, in Kerberos, 3-5, 3-6
Timeslice option, 2-2
timing-mark flush, 2-8
timing-mark operation, 2-8
timing-mark processing, 2-8
titles
of icons, 2-4
of windows, 2-4, 3-2, 3-3
Translation% command, 2-10
"Translation resource is corrupted" error message, A-3
Translation Table option, 2-8
typefaces. *See* fonts

U

UDP daytime server, 3-5
Underline option, 2-2
UNIX operating system
Berkeley version of (4.3 BSD), 2-7, 2-12, 4-6
and file transfers, 4-2
logout procedures, 1-5
and multiple file transfers, 4-8
online documentation for, 4-6
setting terminal types for, 1-4
termcap file in, 2-11
unzooming, of graphics windows, 5-3 to 5-4
U.S. mail, NCSA software available via, C-1 to C-2
Use ISO Translation option, 4-4
Use Macbinary II option, 4-3
Use VT wrap mode option, 2-4, 2-9
Username option, 4-5
usernames, 4-3, 4-6

V

VAX/VMS, setting terminal types for, 1-4
Vertical Bar option, 2-2
vi editor
and cursor positioning with mouse, 3-1
and screen size, 2-12
VMS environments, full-screen, 2-7
VT terminals
in autowrap mode, 2-4, 2-9
compatibility with, B-1
editing key codes, B-1
escape codes for, B-1 to B-3
key mapping, B-1

resetting, 2-10, 5-2
word wrapping with, 2-4, 2-9
VT52, B-1
VT100
emulating keyboard of, 1-4, 2-5
setting terminal type, 1-3 to 1-4
termcap files default, 2-11
VT102
connecting to host as, 1-3
emulating keyboard of, 1-4
setting terminal type, 1-3 to 1-4
VT200, B-1
VT220
connecting to host as, 1-3
emulating keyboard of, 1-4, 2-5
setting terminal type, 1-3 to 1-4

W

warnings
about access to FTP server without password, 4-3
about closing connection while transferring files, 4-7
about multiple file transfers, 4-9
about resizing windows, 2-11 to 2-12
about system color problems, 6-2
about trailing spaces, 6-5
insufficient memory for raster graphics, 6-1
warranty statement, *inside title page*
Watson, Rick, 3-5
wildcards, and file transfers, 4-1, 4-8
Window Name option, 1-2, 1-3, 3-2
windows
creation of, 6-3
destruction (removal) of, 6-3
of multiple sessions, 3-2
remaining open after connections are terminated, 2-2
resizing, 2-11 to 2-12, 2-16
staggered viewing of, 2-2, 3-2
for Tektronix images, 2-7, 2-10, 5-2 to 5-4
titles of, 2-4, 3-2, 3-3
Windows don't go away option, *vi*, 2-2
word wrapping, with VT terminals, 2-4, 2-9
Wrap Mode command, 2-9

X

Xterm escape sequences, 2-4
Xterm sequences option, 2-4

Z

zooming, of graphics windows, 5-3 to 5-4