

TextEngine

Nicholas Harvey

Copyright © 1995 Nicholas Harvey

COLLABORATORS

	<i>TITLE :</i> TextEngine		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Nicholas Harvey	July 25, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	TextEngine	1
1.1	TextEngine V5.0 documentation	1
1.2	Introduction	1
1.3	Shareware registration	2
1.4	TextEngine V5.0 features	2
1.5	TextEngine V5.0 system requirements	3
1.6	Installing TextEngine V5.0	3
1.7	Loading TextEngine	4
1.8	Setting up TextEngine	4
1.9	Program menus	5
1.10	Menu option - New...	6
1.11	Menu option - Open...	6
1.12	Menu option - Insert File...	6
1.13	Menu option - Save	6
1.14	Menu option - Save As...	7
1.15	Menu option - ASCII Save...	7
1.16	Menu option - Print Preview	7
1.17	Menu option - Print Document...	8
1.18	Print Control window	8
1.19	Menu option - About...	8
1.20	Menu option - Quit...	8
1.21	Menu option - Cut	9
1.22	Menu option - Copy	9
1.23	Menu option - Paste	9
1.24	Menu option - Find...	10
1.25	Menu option - Find Again	10
1.26	Menu option - Replace	10
1.27	Menu option - Bold	11
1.28	Menu option - Italic	11
1.29	Menu option - Underline	11

1.30 Menu option - Condensed	12
1.31 Menu option - Double Strike	12
1.32 Menu option - Elite	12
1.33 Menu option - Enlarged	12
1.34 Menu option - Pica	13
1.35 Menu option - Subscript	13
1.36 Menu option - Superscript	13
1.37 Menu option - Plain	13
1.38 Menu option - Word Count...	14
1.39 Menu option - Top Of File	14
1.40 Menu option - End Of File	14
1.41 Menu option - Centre Line	14
1.42 Menu option - Word Wrap	15
1.43 Menu option - Show borders	15
1.44 Menu option - Printer...	15
1.45 Menu option - Function Keys...	16
1.46 Menu option - Colours...	16
1.47 Menu option - Save Settings	17
1.48 Menu option - Open Dictionary	17
1.49 Menu option - Close Dictionary	18
1.50 Menu option - Update Dictionary	18
1.51 Menu option - Check Document...	18
1.52 Editing text	19
1.53 Using the keyboard	19
1.54 Adding text styles	19
1.55 Cutting, copying, and pasting text	20
1.56 Handling files	20
1.57 TextEngine file format	20
1.58 The spelling checker	21
1.59 Thanks to...	21

Chapter 1

TextEngine

1.1 TextEngine V5.0 documentation

TextEngine V5.0 Copyright © Nicholas Harvey 1991-95. "A user friendly solution to your word processing needs"	
Introduction	Welcome to TextEngine!
Shareware	How much does TextEngine cost?
Features	What can TextEngine do?
Requirements	What is needed to run TextEngine?
Installation	On either hard or floppy disks.
Loading TextEngine	Loading from Workbench or CLI.
User settings	Setting up TextEngine.
Program menus	A quick guide to TextEngine's menus.
Editing text	Text editing tools and features.
Handling files	Loading and saving your documents.
The spelling checker	Correcting typing and spelling mistakes.
Thanks to...	Friends and supporters.

1.2 Introduction

Introduction

Welcome to TextEngine V5.0, a shareware word processing system for the Amiga written in 100% assembly language.

TextEngine is a raw text processor allowing text to be entered, formatted, and then printed using standard built-in printer fonts. It has been designed with simplicity and speed in mind but still boasts a number of powerful features making it ideal for editing reports, E-Mail, and programs alike.

I have tried my best to make the program as easy to use as possible so that you can simply go ahead and use it without making constant references to the instructions. However, it is worth reading this entire document through at least once (even if you have upgraded from an older version) so that you

are aware of the subtler features which are contained within the program.

1.3 Shareware registration

Shareware registration

I have released TextEngine as a freely distributable shareware product, and it is not public domain. However, unlike some shareware offerings, this is the FULL program, not restricted or crippled in any way whatsoever. I feel that I would much rather people use and enjoy my program for free than for them to not use it at all.

So what reasons are there for you to register then? Well, along with receiving a personal reply from myself (guaranteed), you will also receive a free upgrade (if and when one appears), plus free advice on TextEngine related problems. Basically though, the bottom line is that I have given you a complete working program, and you have three options:

1. Format/trash/burn the floppy disk.
2. Use TextEngine for free.
3. Use TextEngine, and show your appreciation by becoming a registered user.

So, if you'd like to become a registered user, here's what to do. Simply send £5 to me at the following address:

Nicholas Harvey,
Hawthorns,
Sheringham Road,
West Beckham, Holt,
Norfolk. NR25 6PF
United Kingdom

I can also be reached by E-mail for comments and bug reports at the following address:

N.J.Harvey-93@student.lut.ac.uk

1.4 TextEngine V5.0 features

TextEngine V5.0 features

Since its last release (version 4.1), TextEngine has undergone a total rewrite. Although no major new additions have been made, every feature of TextEngine has been improved to increase useability and flexibility. Here then are some of the more significant features of this new version:

- The GUI has been brought bang up to date by replacing the old fixed font Intuition GUI with a fully font sensitive GadTools system. Since TextEngine now uses the Workbench screen instead of its own custom one, it adapts itself to your font, screen mode, and palette settings, blending in seamlessly with your working environment.
 - The length of a document is limited only by the amount of memory your machine contains, the same applying to the cut & paste buffers.
-

- 11 type styles are still available, but now they are represented within the document by more meaningful symbols (e.g. bold text is represented by an inverted B character). Also, page margins are now overlaid on the text editing window allowing for easier positioning of text on the page.
- BOOPSI slider gadgets in the window borders allow quick and easy movement around long documents.
- TextEngine now supports the Workbench AppWindow feature, allowing documents to be loaded by simply dragging their icons onto TextEngine's window.
- The 36,000 word spelling checker has been made more intelligent and now gives meaningful suggestions for the correct spelling of a word. Also, words can now be corrected automatically by the spelling checker instead of having to type corrections in by hand.

1.5 TextEngine V5.0 system requirements

TextEngine V5.0 system requirements

I have programmed and tested TextEngine on my 4MB A1200 and it appears to work fine. However, no Workbench 3.x specific routines have been used, so it should be happy running on a 1MB system with Workbench 2.x. However, more memory is recommended if the spelling checker is to be used whilst editing long documents.

TextEngine also requires the `asl.library` to be present in the LIBS drawer on your boot disk, and the `parallel.device` and `printer.device` correctly installed in the DEVS drawer for printing documents.

1.6 Installing TextEngine V5.0

Installing TextEngine V5.0

All of TextEngine's files are contained within its own drawer, and it requires no assigns to be made.

To install TextEngine onto either a floppy disk or a hard drive, simply create a drawer called TextEngine (or any other name you choose), and copy the following files into it:

TextEngine	- The program itself.
TextEngine.info	- The program icon.
TextEngine.guide	- This AmigaGuide documentation (optional).
TextEngine.guide.info	- The documentation icon (optional).
TextEngine5.0.dct	- The spell checker dictionary.
TextEngine5.0.cfg	- The configuration file (optional).

If the `.cfg` file is not present then TextEngine will use the default preferences.

Once installation is complete, it is important to ensure that your boot disk

contains the necessary system libraries and devices else TextEngine will not work correctly (see Requirements section for more details).

1.7 Loading TextEngine

Loading TextEngine

TextEngine can be loaded from either the CLI or Workbench.

Loading TextEngine from the CLI

1. Open a CLI window.
2. Type `cd <name of drawer TextEngine is stored in>`

e.g. `cd dhl:Business/TextEngine`
3. Type `TextEngine <filename>`
where `<filename>` is the optional filename of a file to be loaded automatically when TextEngine starts up.

e.g. `TextEngine s:startup-sequence`

Loading TextEngine from the Workbench

There are three ways TextEngine can be loaded from the Workbench.

1. Simply double click on its icon.
2. Click once on TextEngine's icon, and whilst holding down a shift key, double click on a project icon. The project will then be loaded automatically when TextEngine starts up.
3. Set TextEngine as a project's Default Tool (by using the Workbench icon information editor). When the project's icon is then double clicked on, TextEngine will be run and the project automatically loaded into it.

1.8 Setting up TextEngine

Setting up TextEngine

When TextEngine has been loaded up for the first time, or for some reason your TextEngine5.0.cfg file has been deleted, then the default settings will be used. These settings can be customised by choosing options from the Settings menu, and the following areas are covered:

- | | |
|---------------------|---|
| Word wrap | - This can be toggled by selecting the Word Wrap menu option. |
| Printer borders | - These can be toggled by selecting the Show Borders menu option. |
| Printer setup | - This can be adjusted by selecting the Printer menu option. |
| Function key macros | - These can be set by selecting the Function Keys menu option. |
| Edit window colours | - These can be chosen by selecting the Colours menu option. |
-

When you have finished adjusting TextEngine's settings, a configuration file can be saved by selecting the Save Settings menu option. Once this has been done, every time TextEngine is loaded it will be configured with your chosen settings.

1.9 Program menus

Program menus

Here are the menu options available in TextEngine.

Project:	New... Open... Insert File... Save Save As... ASCII Save... Print »Preview Document... About... Quit...
Edit:	Cut Copy Paste Find Find Again Replace
Format:	Bold Italic Underline Condensed Double Strike Elite Enlarged Pica Subscript Superscript Plain
Tools:	Word Count... Top Of File End Of File Centre Line
Settings:	Word Wrap Show Borders Printer... Function Keys... Colours... Save Settings
Spell:	Open Dictionary Close Dictionary

Update Dictionary
Check Document...

1.10 Menu option - New...

Menu option - New...

Menu: Project
Shortcut: Right-Amiga + N
Purpose: Clear current document and start a new one

Usage:

Selecting this option will open a requester querying your choice. Selecting OK will clear the current document, placing the cursor at the top of a blank document. The operation can be cancelled by clicking on Cancel.

1.11 Menu option - Open...

Menu option - Open...

Menu: Project
Shortcut: Right-Amiga + O
Purpose: Open a document from disk

Usage:

Selecting this option will open a standard ASL load requester from which a file can be chosen. Selecting Open will clear the current document, replacing it with the chosen disk file. The operation can be aborted by clicking on Cancel.

1.12 Menu option - Insert File...

Menu option - Insert File...

Menu: Project
Shortcut: None
Purpose: Insert a file into the current document

Usage:

Selecting this option will open a standard ASL load requester from which a file can be chosen. Selecting Insert will insert the selected file into the current document at the cursor position.

With this new version of TextEngine, ASCII format files can now be inserted as well as TextEngine format files.

1.13 Menu option - Save

Menu option - Save

Menu: Project
Shortcut: Right-Amiga + S
Purpose: Save the current document

Usage:

Selecting this option will immediately save the current document to disk under the filename it was loaded, or last saved, as. The document will be saved as a TextEngine format file, and it is important to note that no warning is given if a file is to be overwritten by this action.

1.14 Menu option - Save As...

Menu option - Save As...

Menu: Project
Shortcut: Right-Amiga + A
Purpose: Save the current document via a file requester

Usage:

Selecting this option will open a standard ASL save requester from which a file can be chosen. Clicking on Save will write the current document to disk as a TextEngine format file, and a warning will be given if a file will be overwritten in the process. The operation can be aborted by clicking on Cancel.

1.15 Menu option - ASCII Save...

Menu option - ASCII Save...

Menu: Project
Shortcut: None
Purpose: Save the current document in ASCII format

Usage:

Selecting this option will open a standard ASL save requester from which a file can be chosen. Clicking on Save will write the current document to disk as an ASCII format file, and a warning will be given if a file will be overwritten in the process. The operation can be aborted by clicking on Cancel.

1.16 Menu option - Print Preview

Menu option - Print Preview

Menu: Project
Shortcut: None
Purpose: Display a print preview within a window

Usage:

Selecting this option will open a the Print Control window, and a standard Console window in which a representation of how the document would look if

printed on paper is displayed.

The preview begins from the top of the document, and is useful in checking that the text is formatted correctly relative to the printer borders. The preview will finish when the end of the document is reached, or can be stopped sooner by clicking on Cancel within the Print Control window.

1.17 Menu option - Print Document...

Menu option - Print Document...

Menu: Project

Shortcut: Right-Amiga + P

Purpose: Print the current document to the printer or disk file

Usage:

Selecting this option will open the Printer Settings window where the printer set-up can be checked and altered if necessary. If at this stage you do not wish to print the document, click on Cancel within the Printer Settings.

Clicking on OK will close the Printer Settings window and, on successfully opening the printer file, the Print Control window will open and printing will commence. The operation can be stopped at any time by clicking on Cancel within the Print Control window.

1.18 Print Control window

Print Control window

Whilst a document is being printed, a small window is displayed showing the percentage of the file that has actually been printed. Also present in this window is a Cancel button which can be used to abort the printing at any point.

1.19 Menu option - About...

Menu option - About...

Menu: Project

Shortcut: Right-Amiga + ?

Purpose: Display TextEngine copyright notice

Usage:

Selecting this option will display TextEngine's copyright notice, as well as my postal and e-mail addresses, just in case you get that urge to become a registered user (go on, you know it makes sense)!

1.20 Menu option - Quit...

Menu option - Quit...

Menu: Project
Shortcut: Right-Amiga + Q
Purpose: Unload TextEngine

Usage:

Selecting this option will open a requester querying your choice. Selecting OK will quit TextEngine and unsaved changes made to your document will be lost. If you change your mind you can click on Cancel to return to the text editor window.

1.21 Menu option - Cut

Menu option - Cut

Menu: Edit
Shortcut: Right-Amiga + X
Purpose: Cut a block of text from the document

Usage:

Having marked a text block, selecting this option will copy the block into the cut buffer and then delete it from the document. The text block can then later be pasted back into the document elsewhere.

The maximum amount of text that can be cut is limited only by the amount of free memory there is available. Also, if a text block has not been marked then this option will have no effect.

1.22 Menu option - Copy

Menu option - Copy

Menu: Edit
Shortcut: Right-Amiga + C
Purpose: Copy a block of text from the document

Usage:

Having marked a text block, selecting this option will copy the block into the cut buffer with the block remaining in the document. The text block can then later be pasted into the document elsewhere.

The maximum amount of text that can be copied is limited only by the amount of free memory there is available. Also, if a text block has not been marked then this option will have no effect.

1.23 Menu option - Paste

Menu option - Paste

Menu: Edit
Shortcut: Right-Amiga + V
Purpose: Paste a block of text into the document

Usage:

Once a text block has either been cut or copied from the document, selecting this option will insert that text back into the document at the current cursor position.

If a text block has not previously been cut or copied then this option will have no effect.

1.24 Menu option - Find...

Menu option - Find...

Menu: Edit
Shortcut: Right-Amiga + F
Purpose: Input string to be found and optional replace string

Usage:

Selecting this option opens a window into which two text strings can be entered. The Find string contains the text to be searched for within the document. The Replace string is optional and contains the text with which matching occurrences of the Find string within the document may be replaced with.

Once these strings have been edited, clicking on OK will move the cursor to the next occurrence of the Find string within the document. When a match has been found, it can be replaced with the Replace string by selecting the Replace menu option. To move on to the next occurrence within the document, select the Find Again menu option.

If no matches are found then the screen will flash indicating an error.

1.25 Menu option - Find Again

Menu option - Find Again

Menu: Edit
Shortcut: Right-Amiga + G
Purpose: Find next occurrence of the find string

Usage:

Selecting this option will search through the document and place the cursor on the next occurrence of the Find string (as defined in the Find menu option).

If no matches are found then the screen will flash indicating an error.

1.26 Menu option - Replace

Menu option - Replace

Menu: Edit
Shortcut: Right-Amiga + R

Purpose: Replace currently found text with replace string

Usage:

After a match has been found to the Find string within the document, selecting this option will replace the found text with the Replace string (as defined in the Find menu option).

Once the text has been replaced, the next matching occurrence of the Find string will then be found automatically, or the screen will flash in error if no more matches are found.

1.27 Menu option - Bold

Menu option - Bold

Menu: Format

Shortcut: None

Purpose: Toggle bold text

Usage:

Selecting this option will insert a bold text (inverted B) control character into your document at the cursor position. Every occurrence of this character within the document will toggle bold text on or off when the document is printed.

1.28 Menu option - Italic

Menu option - Italic

Menu: Format

Shortcut: None

Purpose: Toggle italic text

Usage:

Selecting this option will insert an italic text (inverted I) control character into your document at the cursor position. Every occurrence of this character within the document will toggle italic text on or off when the document is printed.

1.29 Menu option - Underline

Menu option - Underline

Menu: Format

Shortcut: None

Purpose: Toggle underline text

Usage:

Selecting this option will insert an underline text (inverted U) control character into your document at the cursor position. Every occurrence of this character within the document will toggle underline text on or off when the document is printed.

1.30 Menu option - Condensed

Menu option - Condensed

Menu: Format
Shortcut: None
Purpose: Toggle condensed text

Usage:

Selecting this option will insert a condensed text (inverted C) control character into your document at the cursor position. Every occurrence of this character within the document will toggle condensed text on or off when the document is printed.

1.31 Menu option - Double Strike

Menu option - Double Strike

Menu: Format
Shortcut: None
Purpose: Toggle double strike text

Usage:

Selecting this option will insert a double strike text (inverted D) control character into your document at the cursor position. Every occurrence of this character within the document will toggle double strike text on or off when the document is printed.

1.32 Menu option - Elite

Menu option - Elite

Menu: Format
Shortcut: None
Purpose: Set elite text

Usage:

Selecting this option will insert an elite text (inverted e) control character into your document at the cursor position. This character can only turn elite text on when the document is printed, and is cancelled by the pica control character.

1.33 Menu option - Enlarged

Menu option - Enlarged

Menu: Format
Shortcut: None
Purpose: Toggle enlarged text

Usage:

Selecting this option will insert an enlarged text (inverted E) control character into your document at the cursor position. Every occurrence of

this character within the document will toggle enlarged text on or off when the document is printed.

1.34 Menu option - Pica

Menu option - Pica

Menu: Format
Shortcut: None
Purpose: Set pica text

Usage:

Selecting this option will insert a pica text (inverted p) control character into your document at the cursor position. This character can only turn pica text on when the document is printed, and is cancelled by the elite control character.

1.35 Menu option - Subscript

Menu option - Subscript

Menu: Format
Shortcut: None
Purpose: Toggle subscript text

Usage:

Selecting this option will insert a subscript text (inverted s) control character into your document at the cursor position. Every occurrence of this character within the document will toggle subscript text on or off when the document is printed.

1.36 Menu option - Superscript

Menu option - Superscript

Menu: Format
Shortcut: None
Purpose: Toggle superscript text

Usage:

Selecting this option will insert a superscript text (inverted S) control character into your document at the cursor position. Every occurrence of this character within the document will toggle superscript text on or off when the document is printed.

1.37 Menu option - Plain

Menu option - Plain

Menu: Format
Shortcut: None

Purpose: Set plain text

Usage:

Selecting this option will insert a plain text (inverted P) control character into your document at the cursor position. Every occurrence of this character within the document cancels all of the currently set text styles and can be used as a quick method of turning off many text styles at once.

1.38 Menu option - Word Count...

Menu option - Word Count...

Menu: Tools

Shortcut: Right-Amiga + W

Purpose: Display the number of words, lines and pages in the document

Usage:

After selecting this option TextEngine will pause for a short while to look through the document. When done, a requester will open displaying the number of words contained within the document, and the number of lines and pages the document spans.

1.39 Menu option - Top Of File

Menu option - Top Of File

Menu: Tools

Shortcut: Right-Amiga + T

Purpose: Place cursor at the top of the document

Usage:

Selecting this menu option will place the cursor on the first line of the document.

1.40 Menu option - End Of File

Menu option - End Of File

Menu: Tools

Shortcut: Right-Amiga + E

Purpose: Place cursor at the end of the document

Usage:

Selecting this menu option will place the cursor on the last line of the document.

1.41 Menu option - Centre Line

Menu option - Centre Line

Menu: Tools

Shortcut: Right-Amiga + Y

Purpose: Centralise the current line within the printer borders

Usage:

Selecting this option will insert or delete spaces from the beginning of the current line in order to centralise it relative to the left and right print borders.

If the current line extends past the right print margin then selecting this option will have no effect.

1.42 Menu option - Word Wrap

Menu option - Word Wrap

Menu: Settings

Shortcut: Right-Amiga + L

Purpose: Toggle the word wrapper on/off

Usage:

Selecting this option toggles the word wrapper on or off. When the word wrapper is switched off, lines can be edited up to 240 characters in length.

1.43 Menu option - Show borders

Menu option - Show Borders

Menu: Settings

Shortcut: Right-Amiga + H

Purpose: Show/hide the visible print border guides

Usage:

Selecting this option toggles the print border guides on or off. Please note that the word wrapper may still be switched on even when the print border guides are switched off.

1.44 Menu option - Printer...

Menu option - Printer...

Menu: Settings

Shortcut: Right-Amiga + D

Purpose: Edit the printer borders and other printer options

Usage:

Selecting this option will open a window containing various printer options, as follows:

Top margin: This value sets the number of blank spaces at the top of each printed page.

Bottom margin:	This value sets the number of blank spaces at the bottom of each printed page.
Page length:	This value must be set to the maximum number of lines that you printer can print on one page.
Left margin:	This value sets the left margin width, measured in characters.
Right margin:	This value sets the right margin width, measured in characters.
Page width:	This value must be set to the width of your paper, measured in characters (normally 80 for A4 paper).
Print destination:	Here you can enter the filename to which the document will be printed. e.g. PRT: - output to the printer.device. df0:print - output to a disk file.
Draft print:	Selecting this option will turn off NLQ printing.
Proportional spacing:	Selecting this option will turn on proportional character spacing.
Double line spacing:	Selecting this option will turn on double line spacing.
Number of copies:	This value determines the number of copies of the document that are printed.

When you have finished entering your printer settings, clicking on OK will make the changes effective. Selecting Cancel will return the printer settings to the previously entered values.

1.45 Menu option - Function Keys...

Menu option - Function Keys...

Menu: Settings

Shortcut: Right-Amiga + K

Purpose: Assign text strings to the ten function keys

Usage:

Selecting this option opens a window containing ten string gadgets. Using these you can assign text strings of up to 256 characters in length to each of the ten function keys (F1 - F10). Then, when editing your document, pressing a function key will automatically insert the corresponding text string.

1.46 Menu option - Colours...

Menu option - Colours...

Menu: Settings
Shortcut: Right-Amiga + M
Purpose: Alter the colours of the text editor window

Usage:

Selecting this option opens a window containing two palette gadgets. These give a choice of up to 8 different colours (depending on your screen mode) and can be used to choose the text and field colours of the text editor window.

1.47 Menu option - Save Settings

Menu option - Save Settings

Menu: Settings
Shortcut: None
Purpose: Save the settings to disk

Usage:

Selecting this option saves TextEngine's current preferences settings to the TextEngine5.0.cfg file. The settings saved within this file are as follows:

- Word wrap setting.
- Print border guides setting.
- Draft print setting.
- Proportional character spacing setting.
- Double line spacing setting.
- Number of print copies.
- Printer margin settings.
- Print destination filename.
- Text editor window colour settings.
- Function key text strings.

1.48 Menu option - Open Dictionary

Menu option - Open Dictionary

Menu: Spell
Shortcut: Right-Amiga + B
Purpose: Load the spelling checker's dictionary file

Usage:

When TextEngine is loaded, it does not automatically load in its dictionary file. Instead, if you want to use the spelling checker you must first select this option to load the dictionary into memory. If the operation is successful you will find that the Spell menu has been unghosted, and the other options are now available.

The dictionary requires at least 300KB free memory, so users with only 1MB total RAM may find they are unable to open the dictionary whilst they are editing a fairly long document. An error message will be displayed if there is not enough memory available.

1.49 Menu option - Close Dictionary

Menu option - Close Dictionary

Menu: Spell
Shortcut: None
Purpose: Close the spelling checker's dictionary file

Usage:

Selecting this option will remove the dictionary from memory, freeing about 300KB of RAM in the process.

1.50 Menu option - Update Dictionary

Menu option - Update Dictionary

Menu: Spell
Shortcut: None
Purpose: Save the dictionary (plus added words) back to disk

Usage:

After using the spelling checker to check your document, you may have added some words to the dictionary. Selecting this option saves the entire dictionary, plus your additions, back to disk.

1.51 Menu option - Check Document...

Menu option - Check Document...

Menu: Spell
Shortcut: Right-Amiga + J
Purpose: Check the document's spelling

Usage:

Selecting this option will open the Spelling Checker window, and TextEngine will begin checking the document from the current cursor position. When a potentially incorrect word is found, it is displayed in the Unknown text gadget and a list of suggestions as to its correct spelling are displayed in list gadget. If you wish to ignore the word, simply click on Ignore and the spelling checker will continue checking the document.

If the word is correctly spelt, it can be added to TextEngine's dictionary by clicking on Learn. This will store the word and then continue checking through the document. After the spelling checker has finished, you can select the Update dictionary menu option to permanently store any additions made to the dictionary on disk.

If the word is incorrectly spelt, you can select a replacement by simply clicking on one of the suggestions from the list. Alternatively you can type your own replacement into the Replace With string gadget. Once you have chosen a replacement, simply click on the Replace button to automatically correct the word in the document.

If you wish to stop the spelling checker, simply click on the Cancel button.

1.52 Editing text

Editing text

Using the keyboard	Editing a document
Adding text styles	
Cutting & Pasting text	Moving blocks of text around

1.53 Using the keyboard

Using the keyboard

Editing text in TextEngine is just like any other text editor you may have used in the past. Text can be entered with either the word wrap on or off. When switched on, the word wrap will wrap the last word of the current line onto the one below whenever the current line becomes wider than the width of the page (as defined in the printer settings menu option). With the word wrap switched off, the printer borders are ignored and lines up to 240 characters long can be edited.

The cursor keys can be used to move around the document, and holding down Shift whilst using the up and down cursor keys allows you to move up and down a page at a time.

Each of the ten function keys (F1 - F10) can be assigned a text string (as defined in the function keys settings menu option), and when one of these keys is pressed, its corresponding text will automatically be entered into your document.

1.54 Adding text styles

Adding text styles

TextEngine allows you to alter the way in which your text is printed so as to help you make your documents clearer and easier to read. It does this by allowing you to insert control characters into your document which set a style for the text which follows them.

Text styles are inserted by selecting options from the Format menu. The following styles are available, but it is important to note that not all printers support them all, so just try them out and see which ones work.

Style	Description	Control char
Bold	Doubles the thickness of text horizontally.	B
Italic	Slants text to the right.	I
Underline	Draws a line under text	U
Condensed	Sets character pitch to 17 characters per inch.	C
Double strike	Doubles the thickness of text vertically.	D
Elite	Sets character pitch to 12 characters per inch.	e
Enlarged	Doubles the width of text.	E
Pica	Sets character pitch to 10 characters per inch.	p
Subscript	Set subscripted text.	s
Superscript	Set superscripted text.	S
Plain	Cancel all previously set styles.	P

Using the text styles is very simple. When your document is printed, the first occurrence of a text style control character will switch on that style. It will then remain on until the next occurrence of that control character, which switches off the text style. This is true for all of the text styles except Elite and Pica (which cancel each other), and Plain.

Example

Say you entered the following text into TextEngine:

USHOCK HORROR!U

ITextEngineI can apply all kinds of Bstyles to your text.

When printed, the resulting output would look like this:

SHOCK HORROR!

TextEngine can apply all kinds of styles to your text.

1.55 Cutting, copying, and pasting text

Cutting, copying, and pasting text

TextEngine allows you to move large blocks of text around the document quickly and easily. To mark a text block, place the mouse pointer over the first line of the block. Then, while holding down the left mouse button, drag the mouse down to the last line of the block. You should now see your block of text highlighted in inverted type.

Once a text block has been marked, options in the Edit menu allow you to copy, or cut the block into the cut buffer. Once this has been done, the cursor can be moved to another part of the document, and the text pasted back in.

1.56 Handling files

Handling files

TextEngine supports two types of file format; TextEngine format files; and ASCII format files.

Files are handled by selecting the following options from the Project menu:

Open...	Load in and ASCII or TextEngine format file.
Insert file...	Insert an ASCII or TextEngine file into the document.
Save	Save the document as a TextEngine format file.
Save As...	Like Save, except a file requester is used.
ASCII Save...	Save the document as an ASCII format file.

Also, a new feature of TextEngine V5.0 allows files to be loaded from Workbench by simply dragging their icons onto TextEngine's window.

1.57 TextEngine file format

TextEngine file format

TextEngine's file format for version 5.0 is similar to ASCII, except that each file has a block of data attached to it containing the following information:

- Word wrap setting.
- Print border guides setting.
- Draft print setting.
- Proportional character spacing setting.
- Double line spacing setting.
- Number of print copies.
- Printer margin settings.
- Print destination filename.
- Text editor window colour settings.
- Function key text strings.

Saving your work as TextEngine format files allows each of your documents to have their own individual preferences settings which TextEngine configures to each time they are loaded. This can be useful if you want to change the printer set-up or window colours for one particular document without having to change TextEngine's main settings.

It is important to note that TextEngine V5.0 does not support TextEngine format files from previous versions. However, upgrading users can easily load their old documents into TextEngine V5.0 by saving them as ASCII format files first.

1.58 The spelling checker

The spelling checker

TextEngine features a fully functional spelling checker which is useful for checking documents for spelling and typing errors. Included is an English language dictionary file (TextEngine5.0.dct) which contains over 36,000 words. However, this by no means covers every word in existence, so it is always worth having a dictionary nearby in order to check words which TextEngine has not seen before!

To start the spelling checker up for the first time, you must select the open dictionary option from the Spell menu. If this operation is successful then the rest of the Spell menu becomes available, giving you full control over the spelling checker, as follows:

- | | |
|-------------------|---|
| Close dictionary | Release the memory used by the spelling checker. |
| Update dictionary | Save the additions made to the dictionary. |
| Check document... | Check the spelling of the document from the cursor. |

1.59 Thanks to...

Many thanks for the support I have had from the following people:

John Reece, Michael Amoah, Paul Burnham, M Rhodes, C Ralfe, Ian Rawlings, G Lambert, S May, Stan Davey, R Evans, P Sullivan, David McClay, E Berney,

John Ellis, J Jarret, Gary Shaw, R Chambers, P Berg, Peter Stubbs, Graeme McGibbon, D Simons, Len Mullenger, Alan Lingard, Christopher Jones, Sheila Walsh, Pauli Hietala (hello Finland!), Andrew Chambers, A Gravener, C Wellman, R Minns, Ken Spry, 17 Bit, Deltrax, David Aslett, Bill Sloan, Keith Pang, D Davies, Victor Hunt, J Bryer, B Wyatt, Ernest Wilson, Larry Cashill, Dennis Brunskill, Roy Pearson, N Peters, Colin Curtis, W Davies, Tony Campbell, T Dullage, Frank Mitchell, Jim Finney, Graham Adair, Tony Davies, R Robertson, Marcus Ong, Ian Ridehalgh, Cyril Stacey, Adrian Nudel, Paul Hayball, M F Sheard, John Perks, P L Hammour, P R Thomas, Gillian Beton, Denis Pycroft, Geoff Bowell, Richard Dockett, Mr & Mrs Dickinson, J Rimington, Jagdeep Lall, Piers Kurrein, Russell Tippet, Ian Seth, R Blayney, George Johnston, Peter Hind, Robert Iveson, J E Standley, Geoff Thomas, Rocky Daly, Adrian Back, William Mutch, Roger Coleman, Dave Hawley, Colin Standley, Archie Allison, Ricky Clarke, G M Nicholas, Turtle Lightning Amiga Software (Texas, USA!), Kate Simmonds, Michael Taylor, M Newsham, Colin Coomber, Alex Kane, Tony Green, Robert Lake, Jen Allen, D Mead, P G Rayner, Alan Holdsworth, Bill Heasman, Ian Ferris, Mark Jones, Kieran Foote, Jeff Fuller, John & Pat Bigland, B Thompson, Sam Holden (Viva Espana!), Walter Jones, G Holmes, Gerry Jowett, R H A Forrester, G R Bevan, Tim Bairstow, R R James, A Hodge, Michael Reynolds, Jan Moller Kristensen (hi Denmark!), Alexander Wingrove, Andrew Aldridge, A Marriott, Robert Beavan, Jim Wilkins, E A Hayles, Paul Roberts, R Walsh, P McDermott, Michael Hipgrave, Geoffrey Jones, Peter Harris, Keith Hyams, Ieuan Owen, Jamie Dunn, Anthony Kelly, Mark Hutchins, Lionel Kelly, Janet Thomas, Stewart Anderson, D W Daykin, Josh Hayles, Bryan Kelly, P A Edwards, Carol Biggs, David Self, A C J Whelton, Paul Whatton, Ian Aisbitt, Stan Whalley, and Mum and Dad.

Hello to:

Esher Racing: Mark Higgins, and Martin Guy.

Loughborough University: Steve Williamson, Mark Perry, Paul Hyde, Rob

"Chuzzle Papmore" Passmore, Dave Clay, and Emlyn 7.

The Bakery at Safeway Cromer: Emma, Janice, Claire, Lucy, Elizabeth, Naomi, Chris, Darren, and everyone else.

And hellos also to Scott Lewis, Phil Hicks, and Piers Bolton.

Which leaves me to say thanks a lot for taking a look at my program. Look out for TextEngine 95, due for release early next year (only kidding)!

Signed: Nick, 12 September 1995.