

## **AFD-Guide**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> AFD-Guide		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 25, 2024	

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>AFD-Guide</b>	<b>1</b>
1.1	AFD-Guide	1
1.2	AFD-Guide/Introduction to AFD-COPYRIGHT(TM)	1
1.3	AFD-Guide/Advantages of AFD-COPYRIGHT(TM)	2
1.4	AFD-Guide/About the Rules in AFD-COPYRIGHT(TM)	3
1.5	AFD-Guide/DefaultTools	4
1.6	AFD-Guide/Icons	5
1.7	AFD-Guide/Trademarks	6
1.8	AFD-Guide/Availability	6
1.9	AFD-Guide/People who support AFD-COPYRIGHT(TM)	7
1.10	AFD-Guide/Credits	8
1.11	AmigaGuide-Demo in German	9
1.12	AmigaGuide-Demo/Steuerbefehle	9
1.13	AmigaGuide-Demo/Fenstertitel zu TEXT	10
1.14	AmigaGuide-Demo/Fenstertitel zu LINK	11
1.15	AmigaGuide-Demo/Fenstertitel zu SYSTEM	11
1.16	AmigaGuide-Demo	11
1.17	My contribution to the World Wide Web	13
1.18	AFD-Guide/Index	14

# Chapter 1

## AFD-Guide

### 1.1 AFD-Guide

A F D - G u i d e

Welcome to AFD-Guide!

This AmigaGuide® document has two major purposes:

First of all I want to give you as developers more information about AFD-COPYRIGHT.

This includes	Motivation	- Why shall you use AFD-COPYRIGHT?
	Advantages	- What is so special about AFD-COPYRIGHT?
	Rules	- How can you use AFD-COPYRIGHT?
	Credits	- Who contributed to AFD-COPYRIGHT?

Second, I want to help developers who don't know how to make AmigaGuide® documents for their own software. Therefore I collected some information by reading several guides, written by other people, to show you as much possibilities of AmigaGuide® as possible. This includes also some demos:

AmigaGuide-Demo	- short English demonstration
AmigaGuide-Demo.de	- German demo for AmigaGuide documents

### 1.2 AFD-Guide/Introduction to AFD-COPYRIGHT(TM)

Why shall you use AFD-COPYRIGHT?

Well, why did I release it? - While I was reading several documentations of freely distributable Amiga software, I realized that there are several things I don't like. First of all, it is a waste of time to read those parts of the documentation telling me that I can copy and re-distribute the package, that there is no guarantee, and so on... Second, some documents are not so clear about what the actual status of the software is. On one hand it says it is freeware, on the other hand the author would like to receive a gift or a mail from each user. Third, most authors use their favourite text viewer as `DefaultTool` in the icons of the docs.

---

About 50% of these DefaultTools don't work, because I don't have the requested viewer or the path is incorrect.

Also, some users who realized these problems don't read this copyright and distribution stuff at all. Others don't understand it properly because of their limited knowledge of the English language.

Later, writing the documentation to my own FD-software, I realized that writing the copyright stuff myself is not so easy and is again a waste of time. Using a "pre-written" document would be much easier and I could use my time to improve my poor programming-abilities.

That's why I released this Standard Amiga FD-Software Copyright Note and used my contacts in the Internet to ask some people in different countries to make a translation in their language.

I hope I can stop writing stuff about © when this Guide is finished!

### 1.3 AFD-Guide/Advantages of AFD-COPYRIGHT(TM)

What are the Advantages of AFD-COPYRIGHT?

This Standard Copyright Note for Freely Distributable Amiga Software was inspired by the Standardized Amiga Shareware Group (SASG) and by the "GNU Public Licence" (created by the Free Software Foundation). There are no relations between the SASG, the FSF and AFD-COPYRIGHT!!!

- The "GNU Public Licence" is only for software placed in the "Public Domain" and every developer has to include the source code of the programs or (s)he has to make the sources available otherwise.
- The SASG is a group of developers who want to improve the image and success of the concept of Shareware. For this aim they set some standards for the products becoming "SASG" products.

AFD-COPYRIGHT is for all kinds of FD-Software the developers want to keep the copyright of - from Freeware to Shareware!!!

You as a developer don't have to think about copyright stuff yourself, because AFD-COPYRIGHT has already been written and translated.

So you can save a lot of time for more important things, for example

- improve your product
- fix more errors
- improve the instructions to your product
- make a bike tour...

The users of your product have to read AFD-COPYRIGHT only if they haven't done so before.

The more developers include AFD-COPYRIGHT in their software package, the better for this concept of a "standard licence"!

AFD-COPYRIGHT is available in several languages via Aminet.

---

So you can be quite sure that the users have read it at least once and did understand it. (The number in the name of this archive corresponds to the number of languages available in this release.)

This is also a first step to "localize" software.

Currently AFD-COPYRIGHT is available/under construction in

Danish	English	French	German	Italian
Luxembourgish	Norwegian	Polish	Spanish	Swedish

Read AFD-README to get the latest information of the status of AFD-Files in the paragraph Release Notes .

You help to set a standard for DefaultTools .

Did I convince you to use AFD-COPYRIGHT? Then have a look at the rules .

## 1.4 AFD-Guide/About the Rules in AFD-COPYRIGHT(TM)

If you want to include "AFD-COPYRIGHT"(TM) in your own Amiga(TM) FD-Software package you have to follow the rules stated in "AFD-COPYRIGHT"(TM), chapter 5 "DEVELOPERS INFORMATION".

In the following paragraph is further information about these rules. I hope my explanations are easy to understand.

- a. Read AFD-COPYRIGHT carefully and make sure that you agree with the whole text WITHOUT ANY EXCEPTIONS.

Chapter 1 explains the meaning of COPYRIGHT.

Chapter 2 states the rules for DISTRIBUTION of the software.

Chapter 3 is a DISCLAIMER.

Chapter 4 tells the user about the RETURN SERVICE (or EQUIVALENT) (s)he has to provide.

Chapter 5 is directed to all developers and invites them to become a member of the "AFD-Family" ;-)

Chapter 6 says that AFD-COPYRIGHT(TM) is itself COPYRIGHTED SOFTWARE!!!

- b. Use the stated DefaultTools in your icons !

- c. Include a paragraph like the following in the manual to your product:

```
-----8<-----
This software is subject to the "Standard Amiga FD-Software Copyright Note"
It is <type_of_software> as defined in paragraph 4<x>. [...]
For more information please read "AFD-COPYRIGHT" (Version 1 or higher).
-----8<-----
```

This is probably the most important rule. In this paragraph you tell the user of your product that it is copyrighted and what the status of the package is. Future versions of AFD-COPYRIGHT will keep the idea, but improve the rules, for example more DefaultTools or more FD categories. If you think there is a category missing in chapter 4 then please contact me!

You should write your address near this paragraph. Please do not forget to include your own address into the documentation of your product!  
 If you upload your software to Aminet you should include this paragraph in the .readme to make AFD-COPYRIGHT better known to the rest of the Amiga community. ←

The [...] says you can add further information here, but  
 DO NOT MODIFY AFD-COPYRIGHT IN ANY WAY. (see above at "Chapter 6").

- d. You have to include this file called "AFD-COPYRIGHT"(TM) (English).  
 IF you include an AmigaGuide® hypertext documentation you can link it to this file or include the whole text in the AmigaGuide® file just as you like. Please do not add more than two translations of this file to your package. So your package doesn't get too big.

Do not forget to add at least the English version of AFD-COPYRIGHT!!!  
 The files AFD-README and this "AFD-Guide" are only meant to help you as developers, please do not add them to your package!

## 1.5 AFD-Guide/DefaultTools

About the problem with different DefaultTools

When you de-archive freely distributable software you can find a lot of different DefaultTools for ASCII text files, for example

```
more,      C:More,      :c/more,      SYS:c/more,      MyDisk:c/more, ...
muchmore,  C:MuchMore, :c/muchmore,  SYS:c/muchmore,  YourCD:c/MuchMore, ...
multiview, ...
```

and so on with smore, most, less, ppmore, ... and MuchMuchMuchMore!!

The problem with this is that nobody has all these viewers, because you only need one of these to view ASCII-text files. So, what do you do now? Change all the "DefaultTools"? To much work! Make links for all the different entrys? Impossible - nobody can make enough links for all possibilities.

With AmigaGuide® hypertext files you have the choice between

```
AmigaGuide, :Utilities/AmigaGuide, SYS:Utilities/AmigaGuide
Multiview, ...
```

IFF-ILBM pictures can be displayed using

```
Display,    ... (AmigaOS 2.x)
Multiview,  ... (AmigaOS 3.0+)
Viewtek,    ...
```

It would be much better when you have only one DefaultTool for each filetype:

```
for ASCII text files:      More
for AmigaGuide® hypertext files: AmigaGuide
for AmigaOS scripts:      IconX
```

```

for ARexx scripts:           RX
for configuration files:      Ed
for Installer scripts:       Installer
for IFF-ILBM pictures:       Display

```

Note that each filetype has it's own DefaultTool entry.  
So each user can use the tools (s)he prefers:

More is available since AmigaOS 1.x.

AmigaGuide and Display are available since AmigaOS 2.0.

AmigaOS 3.0+ users can make links on their preferred tools. These are the links I installed on my system in the directory SYS:Utilities

```

More          -> MuchMore
AmigaGuide    -> Multiview
Display       -> Multiview

```

Here are a lot of possibilities to use the favourite tools for all users:

- AmigaOS 1.0+: Rename YourViewer More  
Probably the easiest way!
- AmigaOS 2.0+: Deft II (Freeware by Lionel Vinterat)  
Available on German-Disk #376, needs MUI 2.2+!
- AmigaOS 3.0+: MakeLink AmigaGuide Multiview  
List generates incorrect output!
- AmigaOS 3.0+: MagicCX (function "ToolAlias") (Shareware by Kai Iske/SASG)  
Costs DM 30, but has a lot of other functions!  
WARNING!!! ToolAlias changes the DefaultTool of your icons!!!  
Do NOT activate MagicCX while preparing your AFD-Product for release!  
This would cause trouble in fullfilling this standard!!!
- AmigaOS 3.0+: MCP (function "ToolAlias") (Mailware by ALiENDESIGN)  
MasterControlProgram is similar to MagicCX
- AmigaOS 3.0+: ExgExe (Exchange Executable) (Freeware by Stefan Hochmuth)  
Available on Saar-Disk #789!

## 1.6 AFD-Guide/Icons

About the icons in this archive

I included two different icons in this archive. Both icons are in "MagicWB"(TM) style and 3 bitplanes deep. The AFD text icon is my own work. You can add this one to your free-distributable package!

I took the "AmigaGuide" icon from the package "RomIcons1", painted by Roman Patzner. "RomIcons" is Mailware! Roman's addresses are:

```

Roman Patzner
Maschl 91

```



5600 St.Johann  
AUSTRIA/EUROPE

Internet:k3052e1@edvz.uni-linz.ac.at

NOTE: the archives "AFD-Files1-03/./07.lha" contained 8-bitplane-icons!  
I changed them using OptIcon, found in Aminet:util/wb/ITools\*

("MagicWB"(TM) © 1993 by Martin Huttenloher)

## 1.7 AFD-Guide/Trademarks

About the trademarks used in this archive

\* My opinions about the idea of trademarks are added behind the stars.  
I did not use any trademarks for making any profits from them. They  
were used to specify the terms under which AFD-COPYRIGHT may be used.

"Standard Amiga FD-Software Copyright Note" and  
"AFD-COPYRIGHT" are trademarks by Dietmar Knoll

\* I declared these names as trademarks to avoid misuse of the ideas of  
AFD-COPYRIGHT. AFD-COPYRIGHT is Freeware. The name "Amiga" was used  
to specify AFD-COPYRIGHT to be usable for Amiga software only, not  
for making any profits by producing hardware under this name. There-  
fore I hope it is ok.

"Amiga" is a registered trademark by ESCOM AG  
"AmigaGuide" is a registered trademark by ESCOM AG  
"AmigaDOS" is a trademark by ESCOM AG

\* These names were declared as trademarks and/or registered, because  
ESCOM and Amiga Technologies want to avoid others to make any  
profits from using them and imitating Amiga products.

"Aminet" is a registered trademark by Stefan Ossowskis Schatztruhe  
Gesellschaft für Software mbH

\* The name "Aminet" was registered because the makers of the Aminet  
CD-ROMs do not want other CD-ROM producers to imitate their discs,  
which could destroy the "quality image", and/or make any profits from  
this name.

"MagicWB"(TM) is a trademark by Martin Huttenloher

## 1.8 AFD-Guide/Availability

AFD-COPYRIGHT is available from the following sources:

The latest version of AFD-COPYRIGHT is available on Aminet:

/pub/aminet/docs/misc/AFD-Files1-xx.lha

---

AFD-COPYRIGHT is also available on the following CD-ROMs:

Aminet CD 5 (08.02.1995) contains AFD-Files1-04.lha  
 Aminet CD 6 (28.04.1995) contains AFD-Files1-05.lha  
 Aminet CD 8 (08.09.1995) contains AFD-Files1-06.lha  
 Aminet Set 2 (21.10.1995) contains AFD-Files1-06.lha

Meeting Pearls Vol. III contains AFD-Files1-06.lha (?)

Aminet CD 10 (03.01.1996) contains AFD-Files1-08.lha  
 Aminet CD 11 (02.03.1996) contains AFD-Files1-10.lha  
 Aminet Set 3 (24.06.1996) contains AFD-Files1-10.lha

## 1.9 AFD-Guide/People who support AFD-COPYRIGHT(TM)

Developers supporting AFD-COPYRIGHT

I know the following software to be subject to AFD-COPYRIGHT:

---

docs/misc	Various documents
AFD-Files	since version 1.0 (10-Dec-94) - Freeware by Dietmar Knoll ;-)
pix/icon	Icons and backdrops
ABC-Patterns	since version 1.2 (30-Dec-94) - Mailware by Dietmar Knoll
text/hyper	Hypertext tools
XPKGuide	since version 1.7 (11-Jan-95) - Mailware by Simon Dick
util/misc	Miscellaneous
Chooser	since version 1.0 (13-Jan-95) - Mailware by Simon Dick
util/cdity	Commodity type software
FTrash	since version 1.0 (01-Feb-95) - Freeware by Fionn Behrens
dev/misc	Misc development software
rcsgui	since version 1.41 (10-Jun-95) - Freeware by Tommy Svensson
Protomaker	since version 1.0 (11-Jun-95) - Freeware by Tommy Svensson
game/----	[TIME437]
Arctic Fire	since version 1.0 (30-Aug-95) - Shareware by Tom Wysoki
comm/mail	Mailing soft
ADMail	since version 1.6 (27-Sep-95) - Shareware by Simon Brown

I know the following software to be subject to AFD-COPYRIGHT 1.1+:

---

docs/misc	Various documents
AFD-Files	since version 1.1 (27-Feb-95) - Freeware by Dietmar Knoll ;-)
gfx/misc	Misc graphics software
PicView	since version 1.2 (05-Nov-95) - Giftware by Holger Papajewski
util/misc	Miscellaneous
IntuiCookie	since version 2.95 (12-Dec-95) - Giftware by Christian Kemp
ICookie_RT	since version 1.0 (17-Dec-95) - Mailware by Christian Kemp
ICookie_MUI	since version 2.96 (01-Jan-96) - Giftware by Christian Kemp
losung	since version 1.1 (19-Mar-96) - Mailware by Renate & Andreas ↔
Regitz	
losung.eng	since version 1.1 (19-Mar-96) - Mailware by Renate & Andreas ↔
Regitz	
PIEd	since version 1.0 (28-May-96) - Giftware by Thomas Igracki
comm/cnet	BBS CNET software

---

qwe\_Flut!      since version 4.0    (23-Mar-96) - Mailware by Michael Arlt

I know the following software to be subject to AFD-COPYRIGHT 1.2+:

---

docs/misc	Various documents
AFD-Files	since version 1.2    (27-Feb-96) - Freeware by Dietmar Knoll ;-)
pix/mwb	MagicWB icons and backdrops
UselessMWB	since version 2.0    (16-Mar-96) - Mailware by Christian Kemp
pix/icon	Icons and backdrops
ULPatterns	since version 3.0    (24-Mar-96) - Mailware by Christian Kemp
util/dir	Directory utilities
Smarty	since version 2.2    (11-May-96) - Shareware by Esteve Boix Sánchez
util/misc	Miscellaneous
Adagis	since version 4.0b   (31-May-96) - Cardware by Esteve Boix Sánchez
ICookie_BGUI	since version 1.0    (24-Mar-96) - Mailware by Christian Kemp
Pcb	since version 0.98ß   (17-Jun-96) - Shareware by Alessandro Zummo
ScrollTitle	since version 1.1    (18-Jun-96) - Mailware by Henrik Isaksson
Smartass	since version 2.0    (10-Jul-96) - Giftware by Christian Kemp

If you want your product to appear on this list - drop me a note !

## 1.10 AFD-Guide/Credits

### Credits

Thanks goes to all the developers who will use AFD-COPYRIGHT.

Additional thanks to Roman Patzner for the "AmigaGuide" icon .

Special thanks to all translators for their efforts and support!

Very special thanks to these persons:

Osma Ahvenlampi (Finland)

Osma was the first Amiga user I "met" on the Internet and he gave me a lot of important hints to use Email, FTP & World Wide Web .  
I had a little discussion with Osma about DefaultTools . I also took a lot of ideas from the copyright note in his package "TauIcons".

Marco Musso (Italy)

Marco created the Italian version of AFD-COPYRIGHT and maintains the "Amiga Developers Project", a World Wide Web list of all Amiga developers in Italy.

Marco asked me about the rule for DefaultTools . From this I took the inspiration to make this Guide to tell you more about the whole concept and the rules .

Simon Dick (United Kingdom)

Simon was the first to send me an Email concerning AFD-COPYRIGHT!  
He made the suggestion to add the DefaultTool "Installer".

Christian Kemp (Luxemburg)

Christian translated AFD-COPYRIGHT to French in 70 minutes! After this, he also tried to do the translation to Luxembourgish , but he is not quite

---

sure about his own language!  
 Christian asked to change the icons from 8 to 3 bitplanes, and  
 he suggested to add the version string and the trademark disclaimer .

Pål Løberg (Norway)  
 Pål is always a great help, maintaining the mirror of GAUHPIL in  
 Trondheim. He also created the Norwegian version of AFD-COPYRIGHT.  
 Pål suggested to put an online-HTML-version of AFD-COPYRIGHT in the  
 World Wide Web . This is still an option for the future...

Urban Dominik Müller (Switzerland) and Matthias Scheler (Germany)  
 for administrating the Aminet® main archive.

Stefan Schulz (Germany)  
 for including AFD-COPYRIGHT in the MeetingPearls CD .

## 1.11 Amigaguide-Demo in German

AmigaGuide-Demo  
 =====

Dies ist ein AmigaGuide-Demo, das die einzelnen Schlüsselwörter  
 des Hypertext-Formats erklären soll.

Alle Schlüsselwörter beginnen mit einem At-Sign "@" und dem Schlüsselwort  
 DIREKT dahinter. In diesem Demo mußte ich einen Trick anwenden, um die Texte  
 darstellen zu können. Die GROSS/klein-Schreibung ist anscheinend egal.

Format

Text

Gadget

DOS-Befehl

## 1.12 AmigaGuide-Demo/Steuerbefehle

Am Anfang des Dokumentes (1. Zeichen!) muß eine Kennung stehen, damit es  
 als Hypertext-Dokument erkannt werden kann. Dazu gibt es einige Optionen:

Format des Hypertext-Dokuments  
 ~~~~~

@DATABASE AmigaGuide.guide

Zweck:  
 ~~~~~

AmigaGuide-Kennung

@REMARK \$VER: AFD-Guide 1.0 (15.01.1995) optional: Bemerkungen

@REMARK Autor: Dietmar Knoll

@INDEX Indexnode

optional: Index

@MASTER <dateiname>

optional: Quelldatei (?)

@FONT topaz.font 11

optional: Schriftart

```
@WORDWRAP                                optional: Zeilenumbruch
@WIDTH <Breite>                          optional: Textbreite
```

Danach folgen ein oder mehrere Textknoten.

( @-Zeichen in die ERSTE SPALTE ! )

## 1.13 AmigaGuide-Demo/Fenstertitel zu TEXT

Text:

~~~~~

Der Text ist in Nodes (Knoten, also Seiten) aufgeteilt, die folgendes Format haben ( @-Zeichen muß in der ERSTEN SPALTE stehen! ):

```
@Node NodeName "Fenstertitel zu NodeName"
@Prev PrevNode                                [optional]
@Next NextNode                                [optional]
@TOC TOCNode                                  [optional]
```

... eingerückter Text ist übersichtlich ...

@EndNode

Der Hauptknoten, der als Startseite aufgerufen wird, heißt "Main"  
Daraus ergibt sich das Minimalformat des AmigaGuide®-Dokumentes:  
es besteht aus der AmigaGuide-Kennung und dem Hauptknoten.

Der Fenstertitel kann wegfallen, es wird dann der NodeName verwendet. Die  
Anführungszeichen sind nötig, falls der Fenstertitel Leerzeichen enthält.  
Der Fenstertitel kann auch in einer eigenen Zeile stehen:

```
@Node NodeName
@Title "Fenstertitel zu NodeName"
```

Wenn @Prev und @Next weggelassen werden, wird einfach in der Reihenfolge  
geblättert, in der die Knoten aneinandergefügt sind.

Wenn @TOC in einem Knoten fehlt, wird "Main" als Inhaltsseite (Table Of  
Contents) benutzt.

Im Textknoten kann man folgende Steuerzeichen verwenden:

```
@{b} bold @ub} ..... bold;          Fettschrift
@{u} underlined @uu} ... underlined;  Unterstreichung
@{i} italic @ui} ..... italic;       Kursivschrift

@fg back} .. foreground backgroundcolor; Schriftfarbe 0
@fg text} .. foreground textcolor; Schriftfarbe 1
@fg shine}.. foreground shinecolor; Schriftfarbe 2
@fg fill} .. foreground fillcolor; Schriftfarbe 3

@bg back} .. background backgroundcolor; Schriftfarbe 0
@bg text} .. background textcolor; Schriftfarbe 1
@bg shine}.. background shinecolor; Schriftfarbe 2
```

```
@{bg fill} .. background fillcolor; Schriftfarbe 3
```

## 1.14 AmigaGuide-Demo/Fenstertitel zu LINK

Link (Verbindung):

~~~~~

Innerhalb des Textes kann man mit

```
@{"GadgetText" link "Nodename" [Zeilennummer]}
```

eine Verbindung zu einem anderen Textknoten (Seite) herstellen.

Die Angabe der Zeilennummer ist optional. In der englischen Anleitung habe ich Links innerhalb einer Seite verwendet.

Der Nodename kann sich auch auf ein anderes Dokument beziehen, z.B.:

```
@{"GadgetText" link "Dokument2/Nodename" [Zeilennummer]}
```

Bei reinen ASCII-Texten muß man als Nodename "Main" verwenden.

Der Nodename kann zusätzlich "in Anführungszeichen" gesetzt werden.

Ungültige Nodennamen werden ignoriert.

## 1.15 AmigaGuide-Demo/Fenstertitel zu SYSTEM

System (Systembefehl):

~~~~~

Innerhalb des Textes kann man mit

```
@{"GadgetText" system "Befehl"}
```

einen AmigaDOS-Befehl (CLI-Befehl) aufrufen. Dabei wird das AmigaGuide-Dokument nicht verlassen.

Beispiel: @{" Öffne eine neue Shell " system "Run NewCLI"}

```
===> Öffne eine neue Shell
```

## 1.16 AmigaGuide-Demo

AmigaGuide-Demo

=====

This is an AmigaGuide demonstration written to explain the single keywords of this hypertext document format (short english version, please read the full source of this AmigaGuide® file using an ASCII viewer or editor).

All keywords begin with an at-sign "@" and the keyword DIRECTLY behind it, i.e. NO BLANK behind the "@!!! (I had to use a trick to show the @ below). The case (UPPER/lower) of the keyword seems to have no meaning.

---

## Format

## Text

## Gadgets for Links and DOS-Commands

Format: At the beginning of the document (1st sign!) has to be a keyword to tell the viewer program it is an AmigaGuide® hypertext document!

| Keyword of the hypertext dokument<br>~~~~~                                 | Meaning:<br>~~~~~        |
|----------------------------------------------------------------------------|--------------------------|
| @DATABASE AFD-Guide                                                        | AmigaGuide®-Keyword      |
| @REMARK \$VER: AFD-Guide 1.0 (15.01.1995)<br>@REMARK Author: Dietmar Knoll | optional: some remarks   |
| @INDEX Indexnode                                                           | optional: index          |
| @MASTER <filename>                                                         | optional: sourcefile (?) |
| @FONT topaz.font 11                                                        | optional: font           |
| @WORDWRAP                                                                  | optional: sic!           |
| @WIDTH <width>                                                             | optional: text width     |

( The @-sign has to be in the first column of the line! )

After this there follow one or more textnodes ...

Textnodes:

The text is devided in nodes (pages), which have the following format:

```
@Node Nodename "window title of nodename"
@Prev PrevNode [optional]
@Next NextNode [optional]
@TOC TOCNode [optional]
```

... indented text is easier to edit ...

@EndNode

( The @-sign has to be in the first column of the line! )

The node named "main" will be shown first!

If you leave away the window title, AmigaGuide® will use the nodename.

The "emphasis" is needed, if the window title contains blanks (" ").

The window title can be placed in a new line, using:

```
@Node Nodename
@Title "window title of nodename"
```

@Prev and @Next will change the behavior of "browsing". Without this, you can browse the nodes as they are joined together in the document.

If @TOC is missing, "main" will be used as "Table Of Contents".

Inside the textnode you can use the following control codes:

```
@{b} bold @{ub} ..... bold
@{u} underlined @{uu} ... underlined
@{i} italic @{ui} ..... italic

@{fg back} .. foreground backgroundcolor; font in color 0
@{fg text} .. foreground textcolor; font in color 1
@{fg shine}.. foreground shinecolor; font in color 2
@{fg fill} .. foreground fillcolor; font in color 3

@{bg back} .. background backgroundcolor; background in color 0
@{bg text} .. background textcolor; background in color 1
@{bg shine}.. background shinecolor; background in color 2
@{bg fill} .. background fillcolor; background in color 3
```

GADGETS

-----

Link: inside the text you can make a link to another node using:

```
@{"GadgetText" link "Nodename" [LineNumber]}
```

The LineNumber is optional. In this node I made links to different lines!  
The Nodename can be in another document:

```
@{"GadgetText" link "Document2/Nodename"}
```

For plain ASCII texts one has to use "Main" as Nodename.  
The nodename may be "emphasized".

Bad Nodenames will be ignored.

System Command: You can execute an AmigaOS command from inside  
AmigaGuide without leaving the help file using:

```
@{"GadgetText" system "command"}
```

Example: @{" Open a new shell " system "Run NewCLI"}

```
===> Open a new shell
```

## 1.17 My contribution to the World Wide Web

My contribution to the World Wide Web:

~~~~~

The World Wide Web is a hypertext-based information system on the Internet. It combines hyperlinks like AmigaGuide® but also includes pictures and sounds, even MPEG videos! The web-browsers Mosaic and Lynx can use HTTP, FTP, Gopher and other transfer protocols in one system!

If you have access to the Internet you can enter the World Wide Web (WWW) with Amiga Mosaic (Amiga Mosaic is Freeware and available on the Aminet). The information in the WWW is addressed by a Uniform Resource Locator (URL).



The URL of my WWW-homepage is:

`ftp://ftp.gwdg.de/pub/physik1/WWW/GAUHPIL/Welcome.html`

From there you can access my

"Geographical Amiga Users Home Page Internet List" (GAUHPIL)

(Mirror: `http://www.stud.unit.no/studorg/augunit/GAUHPIL/Amiga.html`)

Currently (27.02.1996) the list contains links to homepages of >450 Amiga users in 28 countries from A (Australia, Austria) to U (U.K., U.S.A.). Please try it out! Greetings to all web-surfers!

## 1.18 AFD-Guide/Index

A		
	Advantages	- What is so special about AFD-COPYRIGHT?
	AFD-README	- .readme file for the Aminet
	AFD-COPYRIGHT	- English version of AFD-COPYRIGHT
	AFD-COPYRIGHT.de	- German version of AFD-COPYRIGHT
	AFD-COPYRIGHT.dk	- Danish version of AFD-COPYRIGHT
	AFD-COPYRIGHT.es	- Spanish version of AFD-COPYRIGHT
	AFD-COPYRIGHT.fr	- French version of AFD-COPYRIGHT
	AFD-COPYRIGHT.it	- Italian version of AFD-COPYRIGHT
	AFD-COPYRIGHT.lu	- Luxembourgish version of AFD-COPYRIGHT
	AFD-COPYRIGHT.no	- Norwegian version of AFD-COPYRIGHT
	AFD-COPYRIGHT.pl	- Polish version of AFD-COPYRIGHT
	AFD-COPYRIGHT.se	- Swedish version of AFD-COPYRIGHT
	AmigaGuide-Demo	- English Demo for AmigaGuide Docs
	AmigaGuide-Demo.de	- German Demo for AmigaGuide Docs
	Availability	- Where can AFD-COPYRIGHT be found?
B		
C		
	CD-ROMs	- Which do contain AFD-COPYRIGHT?
	Credits	- People who contributed to AFD-COPYRIGHT
D		
	Danish	- Danish version of AFD-COPYRIGHT
	Developers	- People who support AFD-COPYRIGHT
	DefaultTools	- a new standard
E		
	English	- English version of AFD-COPYRIGHT
F		
	French	- French version of AFD-COPYRIGHT
G		
	GAUHPIL	- My contribution to the World Wide Web
	German	- German version of AFD-COPYRIGHT
H		
	History	- Latest notes about AFD-COPYRIGHT
I		
	Icons	
	Introduction	- Why shall you use AFD-COPYRIGHT?
	Italian	- Italian version of AFD-COPYRIGHT
J		

K		
L		
	Languages	- Which languages are available?
	Luxembourgish	- Luxembourgish version of AFD-COPYRIGHT
M		
N		
	Norwegian	- Norwegian version of AFD-COPYRIGHT
O		
P		
	Polish	- Polish version of AFD-COPYRIGHT
Q		
R		
	Release Notes	- Latest notes about AFD-COPYRIGHT
	Rules	- How can you use AFD-COPYRIGHT?
S		
	Sources	- Where AFD-COPYRIGHT can be found
	Spanish	- Spanish version of AFD-COPYRIGHT
	Swedish	- Swedish version of AFD-COPYRIGHT
T		
	Trademarks	- and Registered Trademarks
	Translators	- Who made the different translations?
U		
	Users	- Geographical Amiga Users Home Page Internet List
V		
	Versions	- Latest notes about AFD-COPYRIGHT
W		
	World Wide Web	
X		
Y		
Z		

---