

# **OctaMEDPlayer**

**COLLABORATORS**

	<i>TITLE :</i> OctaMEDPlayer		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 25, 2024	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>OctaMEDPlayer</b>	<b>1</b>
1.1	OctaMEDPlayer Guide . . . . .	1
1.2	OctaMEDPlayer File Formats . . . . .	1
1.3	Notes for MED V2.1 / MED V3 Modules . . . . .	2
1.4	System Compatibility . . . . .	2
1.5	HQ (High Quality) Mode . . . . .	2
1.6	Shell Usage . . . . .	3
1.7	Workbench Usage . . . . .	3
1.8	OctaMEDPlayer Window . . . . .	4
1.9	OctaMEDPlayer ARexx Interface . . . . .	5
1.10	About OctaMEDPlayer... . . . .	5
1.11	OctaMEDPlayer V6 History . . . . .	6

---

# Chapter 1

## OctaMEDPlayer

### 1.1 OctaMEDPlayer Guide

OctaMEDPlayer V6.0

~~~~~

OctaMEDPlayer is a stand-alone, freely distributable player program for OctaMED songs. It can be used from both Shell and Workbench LINK wb\_usage}.

Supported File Formats  
System Compatibility  
Shell Usage  
Workbench Usage  
OctaMEDPlayer Window  
ARexx Interface  
About Program...  
Changes

Document last changed: 17.1.1996.

### 1.2 OctaMEDPlayer File Formats

OctaMEDPlayer supports several MED/OctaMED file formats:

- \* Old Sng+Samples format (MED V2.1 - OctaMED V2). OctaMEDPlayer is probably the only external program capable of playing this format.
- \* MED/OctaMED modules of type MMD0 (MED V2.1 - OctaMED V6), MMD1 (OctaMED V3 - V6) and MMD2 (OctaMED V5 - V6).

OctaMEDPlayer is a MED/OctaMED-only player program. In particular, support of other music programs will NOT be added. There are more generic player programs for this purpose (e.g. MultiPlayer and PowerPlayer).

OctaMEDPlayer supports normal four-channel songs, MIDI, and the split (5-8) channel modes, as well as multi-modules. These compression methods

---

are supported:

- \* PowerPacker (requires powerpacker.library)
- \* SFCD/SFHD (requires lh.library)
- \* XPK (requires xpkmaster.library and the used compressor).

There are some special Notes for MED V2.1 / MED V3 Modules .

Note: I've seen "ripped" (Octa)MED modules around, which are severely malformed, due to ripper deficiency. (Octa)MED modules are not made to be ripped, so ripped modules are often likely to fail. In fact, you should never distribute ripped modules as such; at least load them into OctaMED and save them back to make sure that the file format is correct.

### 1.3 Notes for MED V2.1 / MED V3 Modules

MED V2.1 Modules

~~~~~

There may be problems with the playing speed. If the playing speed isn't correct, load the module into a newer MED/OctaMED, change the TPL (Ticks Per Line) tempo to 6, and save it back.

MED V3.00 Modules

~~~~~

There's an alignment bug in the module saving routine of MED V3.0. Some modules may crash when played (on 68000/68010-based Amigas). This problem can be fixed by loading the module into a newer MED/OctaMED and simply saving it back.

### 1.4 System Compatibility

OctaMEDPlayer is compatible with all versions of the operating system, even with the obsolete V1.3. Of course, OctaMEDPlayer is fully multitasking and OS-friendly.

OctaMEDPlayer uses the system standard ASL file requester, it is available only under Workbench 2.0 and later.

### 1.5 HQ (High Quality) Mode

The HQ Mode enhances the sound quality of 5-8 channel modes. It will, however, cause increased processor load. This mode is available in OctaMEDPlayer, as well as in OctaMED.

Due to the high processor load, the HQ mode in 7/8 channel modes may not usable on slow (7.14 MHz/68000) Amigas.

The HQ Mode gadget doesn't do anything when it's clicked. The change will take place next time Play or Cont is clicked. It's turned on by default, unless the NOHQ options is given.

## 1.6 Shell Usage

OctaMEDPlayer is started from Shell as follows:

~~~~~

```
OctaMEDPlayer <song> <number> <options>
```

<song> Optional, if not specified, OctaMEDPlayer Window appears and waits for your interaction. If <song> is present, the song is loaded. If it loaded OK, the playing will start. Ctrl-C quits.

<number> If <song> is a multi-module, this number specifies the song you want to play.

<options> Additional command line options. Currently supported are:

```
NOHQ   Deactivate the HQ mode (5-8 channel modes only).
WINDOW Open the OctaMEDPlayer Window .
MBEXIT Stop playing when both mouse buttons pressed
        (when started from Shell, also exits).
QUIET  Don't display any messages (in Shell mode only).
QUIT   Signals an already resident OctaMEDPlayer to quit.
```

Examples:

~~~~~

```
octamedplayer multimod 2 ;plays the second song of 'multimod'

octamedplayer eightchsong ;play 'eightchsong' (use HQ mode)

octamedplayer eightchsong window ;as above, but open the window

octamedplayer nohq window ;open the window and deactivate the HQ mode

octamedplayer quit ;if there's OctaMEDPlayer already in memory,
                   ;ask it to quit and exit as soon as it happens

octamedplayer song quit ;asks OctaMEDPlayer to quit (if one is
                       ;currently in memory), then play 'song'
```

## 1.7 Workbench Usage

Workbench usage:

~~~~~

You can run OctaMEDPlayer by double-clicking its icon. To automatically play a song when its icon is clicked, set the icon default tool (the default setting is "OctaMEDPlayer"). You can click the song icon and then shift-double click the OctaMEDPlayer icon to play that song. OctaMEDPlayer always opens its window when started from the WB.

You can also load modules by dragging their icons into OctaMEDPlayer's window.

## 1.8 OctaMEDPlayer Window

The OctaMEDPlayer Window:

~~~~~

When you start OctaMEDPlayer from WB or Shell without arguments, the window appears. There are gadgets for controlling the playing:

The string gadget    Holds the name of the current song. You can load a new song by typing its path and filename into this gadget, and pressing Enter.

Play                    Starts playing the song from the beginning. If shift-clicked and there's a multi-module in memory, all songs of the multi-module will be played.

Cont                    Plays the current song starting from the point where you stopped it.

Stop                    Stops the playing.

MIDI: Y/N              This gadget allows you to turn MIDI on/off. It has no effect when in 5 - 8 channel mode!

Load...                Allows you to load a song by using the ASL file-requester. This feature requires OS Release 2 or later.

< >                    With these gadgets you can select the song, if there's a multi-module in memory.

HQ                     This switch toggles the HQ mode . Affects only 5-8 channel songs. It has no effect when clicked during playing.

There's some information about the playing position displayed:

```
Sg:01/01 Sc#:001/010 Sec:002/005
Seq:002/009 B:000/140 L:0012
```

Sg: The number of the current song, and the total number of songs in the current module.

Sc#:    Current section list position. (MMD2 only)

Sec:    Current playing sequence/section. (MMD2 only)

Seq:    Current playing sequence position.

B:    Current block.

L:    Current line number.

The window is an AppWindow, so you can drag icons into it.

## 1.9 OctaMEDPlayer ARexx Interface

ARexx interface

~~~~~

OctaMEDPlayer has a small ARexx interface, which is useful for multimedia use, for example. The port name is OCTAMEDPLAYER. The following commands are recognized (not case sensitive):

PLAY           Plays the current module (equivalent to clicking the "Play" button).

PLAYALL       Plays all songs of the multi-module (= shift-click Play button).

CONT           Continue playing the current module.

STOP           Stop playing.

LOADMOD       Loads a module (e.g. loadmod 'module').

SONGNUM       Sets the multi-module song number (e.g. songnum 2).

GETSONGS      Returns the number of the songs in the current module (1) or multi-module (> 1).

WAITFOREND    Waits until the current song has reached its end (or the user has manually stopped it) and stops playing. An error is returned if nothing is being played.

QUIT           Quits OctaMEDPlayer

## 1.10 About OctaMEDPlayer...

OctaMEDPlayer copyright ©1991-1996 Teijo Kinnunen. All Rights Reserved. This program is Freely Distributable. You are encouraged to distribute OctaMEDPlayer and this document file.

OctaMEDPlayer supports all versions of OctaMED, copyright ©1991-1996 Teijo Kinnunen & Ray Burt-Frost (RBF Software). OctaMED is available from several retailers around the world.

Also, MED V2.10 and later PD versions are supported as well.

A freely distributable demo version of OctaMED is also available.

The author's address is:

~~~~~

Teijo Kinnunen  
Oksantie 19  
FIN-86300 OULAINEN  
FINLAND  
email: kinnunen@stekt.oulu.fi

The program is available from:

~~~~~

---

RBF Software  
169, Dale Valley Road,  
Hollybrook,  
Southampton.  
SO16 6QX  
England

(enclose an SAE or IRC for Enquiries)

email: rbfsoft@cix.compulink.co.uk  
email: ray@octamed.www.compulink.co.uk

We are also available on the World Wide Web and a lot of  
up to the minute information is available there.....

<http://www.compulink.co.uk/~octamed/>

Why not drop in????

## 1.11 OctaMEDPlayer V6 History

V6.0 (08.02.1995) (internal 6.1)

~~~~~

Initial release for V6. (The same as V5.12, with player routines  
upgraded.)

V6.01 (28.07.1995) (internal 6.2)

~~~~~

Added WAITFOREND ARexx command.

V6.02 (7.1.1995) (internal 6.3)

~~~~~

Fixed a bug affecting command 3 in blocks with multiple cmd pages.

V6.03 (8.1.1995) (internal 6.4)

~~~~~

OctaMEDPlayer is now an AppWindow.

Fixed a harmless Enforcer hit if trying to load garbage.

Fixed a cosmetic flaw (clicking Stop displayed "...- loading").

V6.04 (17.1.1995) (internal 6.5)

~~~~~

A new QUIT command line function<sup>\$^1\$</sup>

Fixed finetunes in 8 channel mode<sup>\$^2\$</sup>

<sup>\$^1\$</sup>Thanks for the idea Richard

<sup>\$^2\$</sup>Thanks go to MUG member Rob Moseley for bringing  
this to our attention, Many thanks Rob. (Ray)