

Default

Heiko Schröder

COLLABORATORS

	<i>TITLE :</i> Default		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Heiko Schröder	July 25, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	Default	1
1.1	FontLook-Auto 2.51e for Finalwriter	1
1.2	Requirements	1
1.3	Installation	2
1.4	How to use	2
1.5	Author	2
1.6	History	3
1.7	Whats coming up?	4

Chapter 1

Default

1.1 FontLook-Auto 2.51e for Finalwriter

»FontLook-Auto 2.51e«

is an ARexx-Script for Finalwriter to get an automatized overview about your fonts.

Requirements

Installation

How to use

Author

History

Future

Sorry, for my bad english. If you want, you can translate my german guide and send to me. You can find the german guide in the Aminet.

biz/swood/fw_font.lha

Thanks.

1.2 Requirements

- FinalWriter
FinalCopy, i dont know if all ARexx commands work
 - REXXMAST
 - REXXREQTOOLS.LIBRARY (© Nico François)
 - REQTOOLS.LIBRARY (© Nico François)
 - c:LIST (© Amiga Technologies)
-

- c:Sort (© Amiga Technologies)
- c>Delete (© Amiga Technologies)

1.3 Installation

1. Copy »FontLook-Auto.fw« in your FWMacros-Drawer.
2. Start programm »RexxMast«.
3. Start »Finalwriter«.
4. Open menu "User - Other - Preferences...".

- * "Action" - New
- * "Name of menu" - FontLook-Auto
- * "Command" - "Type" - ARexx-Script
- * "Command" - "Select" (FontLook-Auto.fw)
- * "HotKey" - Alt+F9
- * "Accept"
- * "Save"

1.4 How to use

Start the macro with the Shortcut Alt+F10.
Select if you want to have a codelist or a layout of
a font.
Select a font directory.

Thats all.

1.5 Author

Send improvements, tips or other problems with Finalwriter to me.

Heiko Schröder
Arnoldstr. 1
04299 Leipzig
E-Mail: s93324@fh-telekom-leipzig.de

Leipzig, 16. September 1996

Other projects in Aminet

util/libs/LibGuide.lha - overview about 799 Amiga-libraries
V799 - english
docs/hyper/FGP_1996.lha - dates, facts and results of Formula 1
- V14/16 - german

!!NEW!!

biz/swood/FW_Mef-eng.lha- Macro "Insert Several" for FW
- V1.00e - english

1.6 History

1.00	96/07/08	- first »FontLook.fw« release (german)
1.01	96/07/15	- second release (german)
2.00	96/07/25	- first »FontLook-Auto.fw« release (german)
2.00e	96/07/29	- first english release - optimized ARexxVersion with REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES * FontLook-Auto.fw.long - normal (5486 Bytes) * FontLook-Auto.fw - optimized (4418 Bytes)
2.10e	96/08/15	- not released
2.20e	96/08/30	- added the date-output at the end of paper - a better print layout - description of the ASCII-Code 255; sorry, i forgot this in V2.00e - error-output in FW - optimized ARexxVersion with REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES * FontLook-Auto.fw.long - normal (5501 Bytes) * FontLook-Auto.fw - optimized (4536 Bytes)
2.30e	96/09/04	- not released - added perforation signs (optional) - * FontLook-Auto.fw.long - normal (5455 Bytes) * FontLook-Auto.fw - optimized (4576 Bytes)
2.40e	96/09/05	- Font-Error -> no more »SoftSans«-Output - publication of non-FW-fonts - »Ctrl-C«-Break - optimized ARexxVersion with REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES * FontLook-Auto.fwrex long - normal (6631 Bytes) * FontLook-Auto.fwrex - optimiert (4958 Bytes)
2.50e	96/09/10	- automatized recognition of the correct FW-ARexx-port if more than one documents are open - better output before you clear the document - optimized ARexxVersion with REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES * FontLook-Auto.fwrex long - normal (6782 Bytes) * FontLook-Auto.fwrex - optimiert (5107 Bytes)
2.51e	96/09/16	- sorry, but in V2.50e dont work correctly the REXX-Port on some machines; now does it correct - optimized ARexxVersion with REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES

```
* FontLook-Auto.fwrexx.long - normal      (6798 Bytes)
* FontLook-Auto.fwrexx      - optimiert  (5120 Bytes)
```

1.7 Whats coming up?

The future...

- no more a »No Font«-requester
- new macro: »Align on objects«
(available in Aminet in a few days)
- ???

Send your improvements to me.
