

Default

Heiko Schröder

COLLABORATORS

	<i>TITLE :</i> Default		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Heiko Schröder	July 25, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	Default	1
1.1	FontLook 2.51e for Finalwriter	1
1.2	Installation	1
1.3	How to use	2
1.4	Author	2
1.5	History	2
1.6	Whats coming up?	3

Chapter 1

Default

1.1 FontLook 2.51e for Finalwriter

»FontLook 2.51e«

is an ARexx-Script for Finalwriter to get an overview about individual fonts.

Installation

How to use

Author

History

Future

Sorry, for my bad english. If you want, you can translate my german guide and send to me. You can find the german guide in the Aminet.

biz/swood/fw_font.lha

Thanks.

1.2 Installation

1. Copy »FontLook.fw« in your FWMacros-Drawer.
2. Start programm »RexxMast«.
3. Start »Finalwriter«.
4. Open menu "User - Other - Preferences...".

- * "Action" - New
 - * "Name of menu" - FontLook
 - * "Command" - "Type" - ARexx-Script
-

```
* "Command" - "Select" (FontLook.fw)
* "HotKey" - Alt+F10
* "Accept"
* "Save"
```

1.3 How to use

Start the macro with the shortcut Alt+F10.
Select if you want to have a codelist or a layout of
a font.

Thats all.

1.4 Author

Send improvements, tips or other problems with Finalwriter to me.

Heiko Schröder
Arnoldstr. 1
04299 Leipzig
E-Mail: s93324@fh-telekom-leipzig.de

Leipzig, 16. September 1996

Other projects in Aminet

util/libs/LibGuide.lha - overview about 799 Amiga-libraries
V799 - english
docs/hyper/FGP_1996.lha - dates, facts and results of Formula 1
- V14/16 - german

!! N E W !!

biz/swood/FW_Mef-eng.lha- Macro "Insert Several" for FW
- V1.00e - english

1.5 History

1.00	96/07/08	- first release (german)
1.01	96/07/15	- second release (german)
2.00	96/07/25	- third release (german)
2.00e	96/07/29	- first english release - optimized ARexxVersion with REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES * FontLook.fw.long - normal (3813 Bytes) * FontLook.fw - optimized (3461 Bytes)

- 2.20e 96/08/30 - shorter code
- added the date-output at the end of paper
- a better print layout
- description of the ASCII-Code 255;
 sorry, i forgot this in V2.00e
- optimized ARexxVersion with
 REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
 * FontLook.fw.long - normal (3548 Bytes)
 * FontLook.fw - optimized (3175 Bytes)
- 2.30e 96/09/04 - not released
- added perforation signs (optional)
- no Print-Requester; print with standard-preferences
- optimized ARexxVersion with
 REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
 * FontLook.fw.long - normal (3592 Bytes)
 * FontLook.fw - optimized (3274 Bytes)
- 2.40e 96/09/05 - Font-Error -> no more »SoftSans«-Output
- publication of non-FW-fonts
- »Ctrl-C«-Break
- optimized ARexxVersion with
 REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
 * FontLook.fwrex long - normal (4607 Bytes)
 * FontLook.fwrex - optimiert (3654 Bytes)
- 2.50e 96/09/10 - automatized recognition of the correct FW-ARexx-port
 if more than one documents are open
- better output before you clear the document
- optimized ARexxVersion with
 REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
 * FontLook.fwrex long - normal (4769 Bytes)
 * FontLook.fwrex - optimiert (3814 Bytes)
- 2.51e 96/09/16 - sorry, but in V2.50e dont work correctly the REXX-Port
 on some machines; but now does it correct
- optimized ARexxVersion with
 REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
 * FontLook.fwrex long - normal (4787 Bytes)
 * FontLook.fwrex - optimiert (3829 Bytes)

1.6 Whats coming up?

The future...

- no more a »No Font«-requester
- new macro: »Align on objects«
 (available in Aminet in a few days)
- ???

Send your improvements to me.
