in

COLLABORATORS

	TITLE : in		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		May 28, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "devices/keymap.m"
NOTE: don't use this output in your code, use the module instead.

(----) OBJECT keymapresource
(   0)    node:ln (or ARRAY OF ln)
(  14)    list:lh (or ARRAY OF lh)
(----) ENDOBJECT      /* SIZEOF=28 */

(----) OBJECT keymapnode
(   0)    node:ln (or ARRAY OF ln)
(  14)    keymap:keymap (or ARRAY OF keymap)
(----) ENDOBJECT      /* SIZEOF=46 */

(----) OBJECT keymap
(   0)    lokeymaptypes:PTR TO CHAR
(   4)    lokeymap:PTR TO LONG
(   8)    locapsable:PTR TO CHAR
(  12)    lorepeatable:PTR TO CHAR
(  16)    hikeymaptypes:PTR TO CHAR
(  20)    hikeymap:PTR TO LONG
(  24)    hicapsable:PTR TO CHAR
(  28)    hirepeatable:PTR TO CHAR
(----) ENDOBJECT      /* SIZEOF=32 */

CONST DP_2DINDEXMASK=15,
      KCF_CONTROL=4,
      KCB_CONTROL=2,
      KC_VANILLA=7,
      KCF_ALT=2,
      KCB_ALT=1,
      KCF_STRING=$40,
      KCB_STRING=6,
      DP_2DFACSHIFT=4,
      KCF_SHIFT=1,
      KCB_SHIFT=0,
      DPF_DEAD=8,
      DPB_DEAD=3,
```

```
KCF_DEAD=$20,
KCB_DEAD=5,
DPF_MOD=1,
DPB_MOD=0,
KC_NOQUAL=0,
KCF_DOWNUP=8,
KCB_DOWNUP=3,
KCF_NOP=$80,
KCB_NOP=7
```