

in

COLLABORATORS

	<i>TITLE :</i> in		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		May 28, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	ModuleInformation	1

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "devices/conunit.m"
NOTE: don't use this output in your code, use the module instead.
```

```
(----) OBJECT conunit
(  0)  mp:mp (or ARRAY OF mp)
( 34)  window:PTR TO window
( 38)  xcp:INT
( 40)  ycp:INT
( 42)  xmax:INT
( 44)  ymax:INT
( 46)  xysize:INT
( 48)  yysize:INT
( 50)  xrorigin:INT
( 52)  yrorigin:INT
( 54)  xrextant:INT
( 56)  yrextant:INT
( 58)  xminshrink:INT
( 60)  yminshrink:INT
( 62)  xccp:INT
( 64)  yccp:INT
( 66)  keymapstruct:keymap (or ARRAY OF keymap)
( 98)  tabstops[80]:ARRAY OF INT
(258)  mask:CHAR
(259)  fgpen:CHAR
(260)  bgpen:CHAR
(261)  aolpen:CHAR
(262)  drawmode:CHAR
(263)  obsolete1:CHAR
(264)  obsolete2:LONG
(268)  minterms[8]:ARRAY OF CHAR
(276)  font:PTR TO textfont
(280)  algostyle:CHAR
(281)  txflags:CHAR
(282)  txheight:INT
(284)  txwidth:INT
(286)  txbaseline:INT
(288)  txspacing:INT
```

```
( 290)    modes[3]:ARRAY OF CHAR
( 293)    rawevents[4]:ARRAY OF CHAR
(----) ENDOBJECT      /* SIZEOF=297 */

CONST CONU_STANDARD=0,
      PMB_ASM=21,
      CONU_CHARMAP=1,
      CONU_SNIPMAP=3,
      CONU_LIBRARY=-1,
      PMB_AWM=22,
      CONFLAG_DEFAULT=0,
      MAXTABS=$50,
      CONFLAG_NODRAW_ON_NEWSIZE=1
```
