

in

COLLABORATORS

	<i>TITLE :</i> in		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		May 28, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	ModuleInformation	1

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "hardware/blit.m"
NOTE: don't use this output in your code, use the module instead.
```

```
(----) OBJECT bltnode
(  0)   n:PTR TO bltnode
(  4)   function:LONG
(  8)   stat:CHAR
(  9)   dummy:CHAR
( 10)   blitsize:INT
( 12)   beamsync:INT
( 14)   cleanup:LONG
(----) ENDOBJECT      /* SIZEOF=18 */
```

```
CONST DEST=$100,
      BC0F_DEST=$100,
      BC0B_DEST=8,
      SRCA=$800,
      BC0F_SRCA=$800,
      BC0B_SRCA=11,
      SRCB=$400,
      BC0F_SRCB=$400,
      BC0B_SRCB=10,
      SRCC=$200,
      BC0F_SRCC=$200,
      BC0B_SRCC=9,
      VSIZEBITS=10,
      HSIZEBITS=6,
      BLITREVERSE=2,
      ABC=$80,
      OCTANT1=16,
      OCTANT2=0,
      OCTANT3=8,
      OCTANT4=20,
      OCTANT5=28,
      OCTANT6=12,
      OCTANT7=4,
      OCTANT8=24,
```

```
NANBNC=1,
ANBNC=16,
VSIZEMASK=$3FF,
HSIZEMASK=$3F,
NABC=8,
FILL_OR=8,
A_OR_B=$FC,
A_XOR_C=$5A,
A_OR_C=$FA,
A_TO_D=$F0,
CLEANUP=$40,
SUD=16,
MAXBYTESPERROW=$1000,
MINBYTESPERROW=$80,
MAXBYTESPERROW=$1000,
SUL=8,
NABNC=4,
ABNC=$40,
FILL_XOR=16,
SIGNFLAG=$40,
OVFLAG=$20,
BSHIFTSHIFT=12,
ASHIFTSHIFT=12,
CLEANME=$40,
AUL=4,
LINEMODE=1,
FILL_CARRYIN=4,
ONEDOT=2,
CLEANMEN=6,
NANBC=2,
ANBC=$20,
BC1F_DESC=2
```