

**in**

**COLLABORATORS**

	<i>TITLE :</i> in	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		May 28, 2025

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>in</b>	<b>1</b>
1.1	ModuleInformation . . . . .	1

# Chapter 1

in

## 1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%
now showing: "libraries/diskfont.m"
NOTE: don't use this output in your code, use the module instead.

(----) OBJECT afh
( 0)  numentries:INT
(----) ENDOBJECT      /* SIZEOF=2 */

(----) OBJECT taf
( 0)  type:INT
( 2)  attr:ttextattr (or ARRAY OF ttextattr)
(----) ENDOBJECT      /* SIZEOF=14 */

(----) OBJECT af
( 0)  type:INT
( 2)  attr:textattr (or ARRAY OF textattr)
(----) ENDOBJECT      /* SIZEOF=10 */

(----) OBJECT diskfontheader
( 0)  df:ln (or ARRAY OF ln)
( 14)  fileid:INT
( 16)  revision:INT
( 18)  segment:LONG
( 22)  name[32]:ARRAY OF CHAR
( 54)  tf:textfont (or ARRAY OF textfont)
(----) ENDOBJECT      /* SIZEOF=106 */

(----) OBJECT fch
( 0)  fileid:INT
( 2)  numentries:INT
(----) ENDOBJECT      /* SIZEOF=4 */

(----) OBJECT tfc
( 0)  filename[254]:ARRAY OF CHAR
( 254)  tagcount:INT
( 256)  ysize:INT
( 258)  style:CHAR
( 259)  flags:CHAR
```

```
(----) ENDOBJECT      /* SIZEOF=260 */  
  
(----) OBJECT fc  
( 0)   filename[256]:ARRAY OF CHAR  
( 256)  ysize:INT  
( 258)  style:CHAR  
( 259)  flags:CHAR  
(----) ENDOBJECT      /* SIZEOF=260 */  
  
CONST DFH_ID=$F80,  
      OFCH_ID=$F03,  
      TFCH_ID=$F02,  
      FCH_ID=$F00,  
      AFF_TTATTR=$10000,  
      MAXFONTPATH=$100,  
      AFF_TAGGED=$10000,  
      AFB_TAGGED=16,  
      DFH_TAGLIST=18,  
      AFF_SCALED=4,  
      AFB_SCALED=2,  
      AFF_MEMORY=1,  
      AFB_MEMORY=0,  
      AFF_DISK=2,  
      AFB_DISK=1,  
      AFF_BITMAP=8,  
      AFB_BITMAP=3,  
      MAXFONTNAME=$20
```