in

COLLABORATORS

	TITLE : in		
ACTION	*NAME*	*DATE*	*SIGNATURE*
WRITTEN BY		May 28, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "libraries/expansionbase.m"
NOTE: don't use this output in your code, use the module instead.

(----) OBJECT expansionbase
(   0)    lib:lib (or ARRAY OF lib)
(  34)    flags:CHAR
(  35)    private01:CHAR
(  36)    private02:LONG
(  40)    private03:LONG
(  44)    private04:currentbinding (or ARRAY OF currentbinding)
(  60)    private05:lh (or ARRAY OF lh)
(  74)    mountlist:lh (or ARRAY OF lh)
(----) ENDOBJECT     /* SIZEOF=88 */

(----) OBJECT bootnode
(   0)    ln:ln (or ARRAY OF ln)
(  14)    flags:INT
(  16)    devicenode:LONG
(----) ENDOBJECT     /* SIZEOF=20 */

CONST EE_OK=0,
      EBF_SILENTSTART=$40,
      EBB_SILENTSTART=6,
      EBF_START_CC0=$80,
      EBB_START_CC0=7,
      EBF_BADMEM=4,
      EBB_BADMEM=2,
      EBF_SHORTMEM=2,
      EBB_SHORTMEM=1,
      EE_BADMEM=$2C,
      EBF_KICKBACK33=16,
      EBB_KICKBACK33=4,
      EBF_KICKBACK36=$20,
      EBB_KICKBACK36=5,
      EBF_DOSFLAG=8,
      EBB_DOSFLAG=3,
      EBF_CLOGGED=1,
```

```
EBB_CLOGGED=0,
EE_NOMEMORY=$2A,
EE_NOEXPANSION=$29,
EE_NOBOARD=$2B,
EE_LASTBOARD=$28
```