

**in**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i>  in		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		May 28, 2025	

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>in</b>	<b>1</b>
1.1	ModuleInformation . . . . .	1

# Chapter 1

## in

### 1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "resources/card.m"
NOTE: don't use this output in your code, use the module instead.
```

```
(----) OBJECT amigaxip
(  0)   code:CHAR
(  1)   link:CHAR
(  2)   xiploc[4]:ARRAY OF CHAR
(  6)   xipflags:CHAR
(  7)   xipresrv:CHAR
(----) ENDOBJECT      /* SIZEOF=8 */

(----) OBJECT cardmemorymap
(  0)   commonmemory:PTR TO CHAR
(  4)   attributememory:PTR TO CHAR
(  8)   iomemory:PTR TO CHAR
( 12)   commonmemsize:LONG
( 16)   attributememsize:LONG
( 20)   iomemsize:LONG
(----) ENDOBJECT      /* SIZEOF=24 */

(----) OBJECT devicetdata
(  0)   dtsize:LONG
(  4)   dtspeed:LONG
(  8)   dttype:CHAR
(  9)   dtflags:CHAR
(----) ENDOBJECT      /* SIZEOF=10 */

(----) OBJECT cardhandle
(  0)   cardnode:ln (or ARRAY OF ln)
( 14)   cardremoved:PTR TO is
( 18)   cardinserted:PTR TO is
( 22)   cardstatus:PTR TO is
( 26)   cardflags:CHAR
(----) ENDOBJECT      /* SIZEOF=28 */

CONST CARDF_RESETREMOVE=1,
      CARDB_RESETREMOVE=0,
```

```
CISTPL_AMIGAXIP=$91,
CARD_INTB_DA=4,
CARD_STATUSB_DA=4,
CARDF_POSTSTATUS=8,
CARDB_POSTSTATUS=3,
CARD_VOLTAGE_12V=2,
CARD_INTB_SC=5,
CARD_STATUSB_SC=5,
CARD_DISABLEF_WP=8,
CARD_STATUSF_WR=8,
CARD_VOLTAGE_5V=1,
CARDF_IFAVAILABLE=2,
CARDB_IFAVAILABLE=1,
CARD_STATUSF_CCDET=$40,
CARD_STATUSB_CCDET=6,
CARD_INTF_BSY=4,
CARD_INTB_BSY=2,
CARD_STATUSF_BSY=4,
CARD_STATUSB_BSY=2,
CARD_ENABLEF_DIGAUDIO=2,
CARD_ENABLEB_DIGAUDIO=1,
CARDF_DELAYOWNERSHIP=4,
CARDB_DELAYOWNERSHIP=2,
CARD_INTF_BVD1=$20,
CARD_INTB_BVD1=5,
CARD_STATUSF_BVD1=$20,
CARD_STATUSB_BVD1=5,
CARDF_REMOVEHANDLE=1,
CARDB_REMOVEHANDLE=0,
CARD_INTF_BVD2=16,
CARD_INTB_BVD2=4,
CARD_STATUSF_BVD2=16,
CARD_STATUSB_BVD2=4,
CARD_DISABLEB_WP=3,
CARD_STATUSB_WR=3,
CARD_INTF_IRQ=4,
CARD_INTB_IRQ=2,
CARD_STATUSF_IRQ=4,
CARD_STATUSB_IRQ=2,
CARD_INTF_DA=16,
CARD_STATUSF_DA=16,
CARD_INTF_SETCLR=$80,
CARD_INTB_SETCLR=7,
XIPFLAGF_AUTORUN=1,
XIPFLAGB_AUTORUN=0,
CARD_INTF_SC=$20,
CARD_STATUSF_SC=$20,
CARD_VOLTAGE_0V=0,
CARD_INTERFACE_AMIGA_0=0
```

```
#define CARDRESNAME/0
```