

in

COLLABORATORS

	<i>TITLE :</i> in		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		May 28, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	ModuleInformation	1

Chapter 1

in

1.1 ModuleInformation

ShowModule v1.10 (c) 1992 \$#%!

now showing: "rex/rxslib.m"

NOTE: don't use this output in your code, use the module instead.

```
(----) OBJECT rxslib
(  0)  lib:lib (or ARRAY OF lib)
( 34)  flags:CHAR
( 35)  shadow:CHAR
( 36)  sysbase:LONG
( 40)  dosbase:LONG
( 44)  ieeeedpbase:LONG
( 48)  seglist:LONG
( 52)  nil:LONG
( 56)  chunk:LONG
( 60)  maxnest:LONG
( 64)  null:PTR TO nexxstr
( 68)  false:PTR TO nexxstr
( 72)  true:PTR TO nexxstr
( 76)  rexx:PTR TO nexxstr
( 80)  command:PTR TO nexxstr
( 84)  stdin:PTR TO nexxstr
( 88)  stdout:PTR TO nexxstr
( 92)  stderr:PTR TO nexxstr
( 96)  version:PTR TO CHAR
(100)  taskname:PTR TO CHAR
(104)  taskpri:LONG
(108)  taskseg:LONG
(112)  stacksize:LONG
(116)  rexxdir:PTR TO CHAR
(120)  ctable:PTR TO CHAR
(124)  notice:PTR TO CHAR
(128)  rexxport:mp (or ARRAY OF mp)
(162)  readlock:INT
(164)  tracefh:LONG
(168)  tasklist:lh (or ARRAY OF lh)
(182)  numtask:INT
(184)  liblist:lh (or ARRAY OF lh)
(198)  numlib:INT
```

```
( 200)    cliplist:lh (or ARRAY OF lh)
( 214)    numclip:INT
( 216)    msglist:lh (or ARRAY OF lh)
( 230)    nummsg:INT
( 232)    pgmlist:lh (or ARRAY OF lh)
( 246)    numpgm:INT
( 248)    tracecnt:INT
( 250)    avail:INT
(----) ENDOBJECT      /* SIZEOF=252 */
```

```
CONST RLFB_SUSP=2,
      RLFB_TRACE=0,
      RLFB_HALT=1,
      CTF_REXXSYM=8,
      CTB_REXXSYM=3,
      CTF_ALPHA=4,
      CTB_ALPHA=2,
      CTF_REXXOPR=16,
      CTB_REXXOPR=4,
      CTF_SPACE=1,
      CTB_SPACE=0,
      RXSTPRI=0,
      RLFBMASK=7,
      RLFB_STOP=6,
      CTF_REXXSPC=$20,
      CTB_REXXSPC=5,
      RLFB_CLOSE=7,
      RXSCHUNK=$400,
      RXSNEST=$20,
      CTF_UPPER=$40,
      CTB_UPPER=6,
      CTF_LOWER=$80,
      CTB_LOWER=7,
      CTF_DIGIT=2,
      CTB_DIGIT=1,
      RXSSTACK=$1000
```

```
#define RXSDIR/0
#define RXSTNAME/0
#define RXSNAME/0
```
