

**in**

|                      |
|----------------------|
| <b>COLLABORATORS</b> |
|----------------------|

|            |                   |              |           |
|------------|-------------------|--------------|-----------|
|            | TITLE :<br><br>in |              |           |
| ACTION     | NAME              | DATE         | SIGNATURE |
| WRITTEN BY |                   | May 28, 2025 |           |

|                         |
|-------------------------|
| <b>REVISION HISTORY</b> |
|-------------------------|

|        |      |             |      |
|--------|------|-------------|------|
| NUMBER | DATE | DESCRIPTION | NAME |
|        |      |             |      |

# Contents

|          |                             |          |
|----------|-----------------------------|----------|
| <b>1</b> | <b>in</b>                   | <b>1</b> |
| 1.1      | ModuleInformation . . . . . | 1        |

# Chapter 1

## in

### 1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now
showing: "utility/pack.m"
```

NOTE: don't use this output in your code, use the module instead.

```
CONST PKCTRL_FLIPBIT=$980000000,
      UTILITY_PACK_I=1,
      PSTF_EXISTS=$40000000,
      PSTB_EXISTS=26,
      PKCTRL_PACKUNPACK=0,
      PSTF_PACK=$200000000,
      PSTF_UNPACK=$400000000,
      PSTB_PACK=29,
      PSTB_UNPACK=30,
      PKCTRL_UBYTE=0,
      PKCTRL_BYTE=$800000000,
      PKCTRL_BIT=$180000000,
      PSTF_SIGNED=$800000000,
      PSTB_SIGNED=31,
      PKCTRL_UNPACKONLY=$200000000,
      PKCTRL_PACKONLY=$400000000,
      PKCTRL_ULONG=$100000000,
      PKCTRL_LONG=$900000000,
      PKCTRL_UWORD=$80000000,
      PKCTRL_WORD=$880000000
```