

**in**

<b>COLLABORATORS</b>
----------------------

	TITLE :  in		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 26, 2024	

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>in</b>	<b>1</b>
1.1	ModuleInformation . . . . .	1

# Chapter 1

## in

### 1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
no
w showing: "diskfont/diskfonttag.m"
```

NOTE: don't use this output in your code, use the module instead.

```
CONST OT_INDIRECT=$8000,
      OT_SPEC1=$80001101,
      OTS_MEDIUM=$88,
      OT_ISFIXED=$80002013,
      OTS_LEFTITALIC=2,
      OTS_ITALIC=1,
      OTH_NORMAL=$90,
      OTS_EXTRABOLD=$C8,
      OTS_BOLD=$B8,
      OTS_DEMIBOLD=$A8,
      OTS_SEMIBOLD=$98,
      OT_GLYPHCODE=$80000011,
      OT_LEVEL0=$80000000,
      OUTL_DOUBLEBROKEN=4,
      OTUL_BROKEN=2,
      OT_LEVEL1=$80001000,
      OT_LEVEL2=$80002000,
      OT_LEVEL3=$80003000,
      OTH_EXTRAEXPANDED=$F0,
      OTH_EXPANDED=$D0,
      OTH_SEMIEXPANDED=$B0,
      OTUL_DOUBLESOLID=3,
      OTUL_SOLID=1,
      OT_SHEARCOS=$8000000B,
      OT_FAMILY=$80009003,
      OT_SPACEFACTOR=$80002018,
      OT_YSIZEFACTOR=$80001011,
      OT_SETFACTOR=$80000009,
      OTS_BOOK=$78,
      OTH_CONDENSED=$70,
      OT_SHEARSIN=$8000000A,
      OT_STRIKETHROUGH=$80000025,
```

```
OT_FILEIDENT=$80001001,
OT_ENGINE=$80009002,
OT_EMBOLDENX=$8000000E,
OT_UNDERLINED=$80000024,
OT_EMBOLDENY=$8000000F,
OTH_COMPRESSED=$50,
OTH_EXTRACOMPRESSED=$30,
OTH_ULTRACOMPRESSED=16,
OT_INHIBITALGOSTYLE=$80002019,
OT_HORIZSTYLE=$80001017,
OT_SLANTSTYLE=$80001016,
OT_ROTATECOS=$8000000D,
OT_MAXAVAILSIZE=20,
OT_AVAILSIZE=$80009020,
OT_SERIFFLAG=$80001014,
OT_GLYPHCODE2=$80000012,
OT_OTAGPATH=$80008014,
OT_WIDTHLIST=$80008021,
OT_OTAGLIST=$80008015,
OT_GLYPHMAP=$80008020,
OTUL_NONE=0,
OTS_ULTRABLACK=$F8,
OTS_EXTRABLACK=$E8,
OTS_BLACK=$D8,
OT_ROTATESIN=$8000000C,
OT_SYMBOLSET=$80001010,
OTS_UPRIGHT=0,
OTS_SEMILIGHT=$68,
OTS_DEMILIGHT=$58,
OTS_LIGHT=$48,
OTS_EXTRALIGHT=$38,
OT_STEMWEIGHT=$80001015,
OT_POINTHEIGHT=$80000008,
OT_DESIGNKERNPAIR=$80008023,
OT_TEXTKERNPAIR=$80008022,
OT_SPECCOUNT=$80001100,
OT_SPEC=$80001100,
OTS_THIN=$28,
OTS_EXTRATHIN=24,
OTS_ULTRATHIN=8,
OT_SPACEWIDTH=$80002012,
OT_GLYPHWIDTH=$80000013,
OT_POINTSIZE=$80000010,
OT_DOTSIZE=$80000002,
OT_DEVICEDPI=$80000001,
OT_BINAME=$8000A007,
OT_INAME=$8000A006,
OT_BNAME=$8000A005
```

```
#define OTSUFFIX/0
#define OTE_BULLET/0
```

---