

in

COLLABORATORS

	<i>TITLE :</i> in		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 26, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	ModuleInformation	1

Chapter 1

in

1.1 ModuleInformation

ShowModule v1.10 (c) 1992 \$#%!
now showing: "reqtools.m"
NOTE: don't use this output in your code, use the module instead.

```
LIBRARY reqtoolsbase          /* informal notation */
  RtAllocRequestA(D0,A0)      /* -30 (1E) */
  RtFreeRequest(A1)           /* -36 (24) */
  RtFreeReqBuffer(A1)         /* -42 (2A) */
  RtChangeReqAttrA(A1,A0)     /* -48 (30) */
  RtFileRequestA(A1,A2,A3,A0) /* -54 (36) */
  RtFreeFileList(A0)          /* -60 (3C) */
  RtEZRequestA(A1,A2,A3,A4,A0) /* -66 (42) */
  RtGetStringA(A1,D0,A2,A3,A0) /* -72 (48) */
  RtGetLongA(A1,A2,A3,A0)     /* -78 (4E) */
  Dum()                       /* -84 (54) */
  Dum()                       /* -90 (5A) */
  RtFontRequestA(A1,A3,A0)    /* -96 (60) */
  RtPaletteRequestA(A2,A3,A0) /* -102 (66) */
  RtReqHandlerA(A1,D0,A0)     /* -108 (6C) */
  RtSetWaitPointer(A0)        /* -114 (72) */
  RtGetVScreenSize(A0,A1,A2)  /* -120 (78) */
  RtSetReqPosition(D0,A0,A1,A2) /* -126 (7E) */
  RtSpread(A0,A1,D0,D1,D2,D3) /* -132 (84) */
  RtScreenToFrontSafely(A0)   /* -138 (8A) */
  RtScreenModeRequestA(A1,A3,A0) /* -144 (90) */
  RtCloseWindowSafely(A0)     /* -150 (96) */
  RtLockWindow(A0)            /* -156 (9C) */
  RtUnlockWindow(A0,A1)       /* -162 (A2) */
  RtLockPrefs()               /* -168 (A8) */
  RtUnlockPrefs()             /* -174 (AE) */
ENDLIBRARY
```