

MiscKit Authors

This file details the authors of the MiscKit. Changes to a portion of the MiscKit should be forwarded to the appropriate author/manager, as listed. (To the manager, if one exists, otherwise to the author.) For history's sake, those who have contributed code are also listed. The information is presented below as follows:

Resource: (object, palette, documentation, app, whatever this includes)

a: original author, e-mail address

o: owner (copyright holder), e-mail address

m: manager (send changes, bug reports, and suggestions here), e-mail address

c: contributors (one per line, if any), e-mail address

In cases where the a, o, or m fields are the same person, you will see a line like this:

a, o, m: person, e-mail

Multiple maintainers are also possible, like this, though such arrangements are discouraged:

m: person, e-mail (object)

m: person, e-mail (palette)

m: person, e-mail (documentation)

If you have general comments about the MiscKit, or would like to recommend a resource (object, app, utility, whatever) to add to the MiscKit, contact the MiscKit mailing list at misckit@byu.edu. To get on or off the list, contact the list maintainer at misckit-request@byu.edu. For special concerns, contact the MiscKit administrator (moderator), Don Yacktman, at yackd@xmission.com.

Table of Contents

;Authors.rtf;MiscKit;¬MiscKit top level
;Authors.rtf;AutoDoc;¬AutoDoc ;Authors.rtf;BPM;¬BPM;Auth
ors.rtf;cnvwrap;¬cnvwrap ;Authors.rtf;ExtendedApp;¬ExtendedApp ;Authors.rtf;
FileBrowser;¬FileBrowser ;Authors.rtf;FileSearchTest;¬FileSearchTest ;Authors.rtf;f
ormat_comment;¬format_comment ;Authors.rtf;FREE.h;¬FREE.
h ;Authors.rtf;generate-makefile;¬generate-makefile ;Authors.rtf;getset;¬getset
;Authors.rtf;IBMole;¬IBMole ;Authors.rtf;IconTester;¬IconTester ;Authors.rtf;image2
m;¬image2m ;Authors.rtf;language.make;¬language.make ;Authors.rtf;
LazyScrollDir;¬LazyScrollDir ;Authors.rtf;list-misc;¬list-misc
;Authors.rtf;MiscAbstraction;¬MiscAbstraction ;Authors.rtf;MiscAnnouncer;¬
MiscAnnouncer ;Authors.rtf;MiscAppDefaults;¬MiscAppDefaults ;Auth
ors.rtf;ExtendedApp;¬MiscAppExtensions ;Authors.rtf;MiscAppFile;¬Mi
scAppFile ;Authors.rtf;MiscAppIcon;¬MiscAppIcon;Authors.rtf;MiscAp
plIconAnimator;¬MiscAppIconAnimator ;Authors.rtf;MiscArrowButton
;¬MiscArrowButton ;Authors.rtf;MiscBackWindow;¬MiscBackWindow ;Auth
ors.rtf;MiscBase;¬MiscBase ;Authors.rtf;MiscBundleLoader;¬MiscBundleLoader ;Auth

ors.rtf;MiscCalendarView;¬MiscCalendarView ;Authors.rtf;MiscCircularSlide
r;¬MiscCircularSlider ;Authors.rtf;MiscClassDecoder;¬MiscClassDecoder ;Auth
ors.rtf;MiscClassVariable;¬MiscClassVariable ;Authors.rtf;MiscClipTextPale
tte;¬MiscClipTextPalette ;Authors.rtf;MiscClockView;¬MiscClockView ;Authors.rtf;
MiscColor;¬MiscColor ;Authors.rtf;MiscColorView;¬MiscColorView ;Authors.rtf;
MiscColorWells;¬MiscColorWells ;Authors.rtf;MiscCoolButtons
;¬MiscCoolButtons ;Authors.rtf;Miscdaemon;¬Miscdaemon ;Authors.rtf;MiscDa
teView;¬MiscDateView ;Authors.rtf;MiscDependency;¬MiscDependency ;Auth
ors.rtf;MiscDictionary;¬MiscDictionary ;Authors.rtf;MiscDirectory;¬M
iscDirectory ;Authors.rtf;MiscDirectoryStream;¬_MiscDirectoryStream
;Authors.rtf;MiscDistributor;¬MiscDistributor ;Authors.rtf;MiscDocManage
r;¬MiscDocManager ;Authors.rtf;MiscDocType;¬MiscDocType ;Authors.rtf;
MiscDocument;¬MiscDocument ;Authors.rtf;MiscDragViews;¬
MiscDragViews ;Authors.rtf;MiscExplodingMenu;¬MiscExplodingMenu
;Authors.rtf;MiscFile;¬MiscFile ;Authors.rtf;MiscFileFinder;¬
MiscFileFinder ;Authors.rtf;MiscFindPanel;¬MiscFindPanel ;Authors.rtf;
MiscFramingView;¬MiscFramingView ;Authors.rtf;MiscGauge;¬Mis
cGauge ;Authors.rtf;MiscGISKit;¬MiscGISKit ;Authors.rtf;MiscHa
lftoneColor;¬MiscHalftoneColor ;Authors.rtf;MiscINETAddress;¬MiscINETAddress ;Auth

ors.rtf;MiscINETSocket;~MiscINETSocket ;Authors.rtf;MiscInfo;~MiscInf
o ;Authors.rtf;MiscInfoController;~MiscInfoController ;Authors.rtf;MiscInspectorKit;
~MiscInspectorKit ;Authors.rtf;MiscKeys;~MiscKeys ;Authors.rtf;MiscLi
nkedList;~MiscLinkedList ;Authors.rtf;MiscLinkedList;~MiscLinkedListNode ;Auth
ors.rtf;MiscList;~MiscList ;Authors.rtf;MiscListExtensions;~MiscListExtensions ;Auth
ors.rtf;MiscListIteration;~MiscListIteration ;Authors.rtf;MiscListSorting;~
MiscListSorting ;Authors.rtf;MiscLockFile;~MiscLockFile ;Authors.rtf;
MiscLogFile;~MiscLogFile ;Authors.rtf;MiscLogSlider;~MiscLogSlider ;Authors.rtf;
MiscMailApp;~MiscMailApp ;Authors.rtf;MiscMailSpeaker;~MiscMailSpeaker ;Auth
ors.rtf;MiscMatrix;~MiscMatrix ;Authors.rtf;MiscMergeKit;~MiscMergeKit ;Authors.rtf;
MiscNeXTdocumentFormat.frame;~MiscNeXTdocumentFormat ;Authors.rtf;MiscNibContr
oller;~MiscNibController ;Authors.rtf;MiscObjectRecycler;~MiscObjectRecycler
;Authors.rtf;MiscOrderForm;~MiscOrderForm ;Authors.rtf;MiscPaperView;~
MiscPaperView ;Authors.rtf;MiscParseTable;~MiscParseTable ;Authors.rtf;
MiscPriorityQueue;~MiscPriorityQueue ;Authors.rtf;MiscProgressPal
ette;~MiscProgressPalette ;Authors.rtf;MiscProtocols;~MiscProtocols ;Authors.rtf;
MiscQueue;~MiscQueue ;Authors.rtf;MiscReadOnlyColorWell;~MiscReadOnlyColor
Well ;Authors.rtf;MiscRecordParser;~MiscRecordParser ;Auth
ors.rtf;MiscRegistration;~MiscRegistration ;Authors.rtf;MiscRemoteAppl

ication;¬MiscRemoteApplication		;Authors.rtf;MiscRemoteSub
process;¬MiscRemoteSubprocess		;Authors.rtf;MiscRtMatrix;¬Mi
scRtMatrix	;Authors.rtf;MiscRuntimeExtensions;¬MiscRuntimeExtensi	ons
	;Authors.rtf;MiscSavePanel;¬MiscSavePanel	;Authors.rtf;
MiscScreenColor;¬MiscScreenColor		;Authors.rtf;MiscSearcher;¬
MiscSearcher	;Authors.rtf;MiscSelectionMatrix;¬MiscSelectionMatrix	
	;Authors.rtf;MiscSerialPort;¬MiscSerialPort	;Authors.rtf;MiscShell;¬Misc
Shell	;Authors.rtf;MiscSliderField;¬MiscSliderField	;Authors.rtf;
MiscSocket;¬MiscSocket	;Authors.rtf;MiscSortedList;¬MiscSortedList	;Authors.rtf;
MiscSortedList;¬MiscSortedList		;Authors.rtf;MiscSoundPalett
e;¬MiscSoundPalette	;Authors.rtf;MiscSplitView;¬MiscSplitView	;Authors.rtf;
MiscStack;¬MiscStack	;Authors.rtf;MiscStopWatch;¬MiscStopWatch	;Authors.rtf;
MiscStorage;¬MiscStorage	;Authors.rtf;MiscString;¬MiscString	;Authors.rtf;MiscStr
ingArray;¬MiscStringArray	;Authors.rtf;MiscString_ExtendedParsing;¬MiscStringExten	dedParsing
	;Authors.rtf;MiscStringPatternMatching;¬MiscStringPattern	Matching
	;Authors.rtf;MiscStringRegex;¬MiscStringRegex	;Auth
ors.rtf;MiscStringService;¬MiscStringService		;Authors.rtf;MiscSwapKit;¬Mi
scSwapKit	;Authors.rtf;MiscSubprocess;¬MiscSubprocess	;Auth
ors.rtf;MiscTableScroll;¬MiscTableScroll		;Authors.rtf;MiscTableSource

;¬MiscTableSource ;Authors.rtf;MiscTabMatrixPalette;¬MiscTabMatrixPalette
;Authors.rtf;MiscTaggedImage;¬MiscTaggedImage ;Authors.rtf;MiscTargetAction
View;¬MiscTargetActionView ;Authors.rtf;MiscTee;¬MiscTee ;Authors.rtf;MiscTextExt
nsions;¬MiscTextExtensions ;Authors.rtf;MiscThreadedObject;¬MiscThreadedObject
;Authors.rtf;MiscTime;¬MiscTime ;Authors.rtf;MiscTimedEntry;
¬MiscTimedEntry ;Authors.rtf;MiscTree;¬MiscTree ;Authors.rtf;MiscTree(Bro
wser);¬MiscTree(Browser) ;Authors.rtf;MiscTree(Search);¬MiscTree(Search) ;Auth
ors.rtf;MiscThreeStateButton;¬MiscThreeStateButton ;Authors.rtf;MiscUniqueStrin
gArray;¬MiscUniqueStringArray ;Authors.rtf;MiscUser;¬Misc
User ;Authors.rtf;MiscUserGroup;¬MiscUserGroup ;Authors.rtf;
MiscValueField;¬MiscValueField ;Authors.rtf;MiscWindowButt
ons;¬MiscWindowButtons ;Authors.rtf;MiscXmodem;¬MiscXmodem ;Authors.rtf;
mksubproj;¬mksubproj ;Authors.rtf;ProjectTemplates;¬ProjectTemplates ;Auth
ors.rtf;qlipos;¬qlipos ;Authors.rtf;receiptfilter;¬receiptfilter ;Authors.rtf;Robby;
¬Robby ;Authors.rtf;ScrollDir;¬ScrollDir ;Authors.rtf;SearchBench;
¬SearchBench ;Authors.rtf;SELECT.h;¬SELECT.h ;Authors.rtf;submis
sion.make;¬submission.make ;Authors.rtf;TinyTerm;¬TinyTerm ;Authors.rtf;TreeView;¬Tr
eeView ;Authors.rtf;UNIX-HatersTool;¬UNIX-HatersTool
;Authors.rtf;UsersAndGroups;¬UsersAndGroups

;Authors.rtf;TempFolder;¬ **Temp Area**

;Authors.rtf;DataStructures;¬DataStructures	;Authors.rtf;MiscClockViewExt
ensions;¬MiscClockViewExtensions	;Authors.rtf;MiscCompletionTe
xt;¬MiscCompletionText	;Authors.rtf;MiscPickList;¬MiscPickList
;Authors.rtf;MiscSerialPort2;¬MiscSerialPort2	;Authors.rtf;MiscTimeAdditions;¬MiscTimeAdditions
;Authors.rtf;NetImageFilter;¬NetImageFilter	;Authors.rtf;ObjCategories.rtf;
¬ObjCategories.rtf	;Authors.rtf;QuickProject;¬QuickProject
ore;¬Text_more	;Authors.rtf;Text_m
	;Authors.rtf;UniqueInstance;¬UniqueInstance

Author Listing

MiscKit;¬MiscKit top level: organization, README and other random explanatory documentation, makefiles

a, o, m: Don Yacktman, don@misckit.com

c: Mike Ferris, mike@lorax.com

Note: Makefiles loosely derived from NeXT internal Makefiles as found in the CCRMA MusicKit source code distribution

AutoDoc;~AutoDoc: example script

a, o, m: Adam Swift, aswift@its.com

c: Todd Anthony Nathan, todd@icebox.com

c: Bill Bumgarner, bbum@friday.com

c: Kim Shrier, kim@media.com

BPM;~BPM: example app

a, o, m: Don Yacktman, don@misckit.com

cnvwrap;~cnvwrap: example app

a, o, m: Carl Lindberg, lindberg@csnext.colgate.edu

c: Don Yacktman, don@misckit.com

FileBrowser;~FileBrowser: object, example app

a, o, m: Robert Todd Thomas, Todd_Thomas@fnbc.com

FileSearchTest;¬FileSearchTest: object, example app
a, o, m: Robert Todd Thomas, Todd_Thomas@fnbc.com

format_comment;¬format_comment: example script
a, o, m: Bill Bumgarner, bbum@friday.com
c: K. Lo Shih, lo@apdg.com

FREE.h;¬FREE.h: macros
a, o, m: Raf Schietekat, RfSchtk@maze.ruca.ua.ac.be

generate-makefile;¬generate-makefile: utility program
a, o, m: Darcy Brockbank, samurai@amber.hasc.ca

getset;¬getset: Perl script
a, o, m: Mark Onyschuk, Mark_Onyschuk@NeXT.COM

IBMole;¬IBMole: palette, examples
a, o, m: Montgomery Zukowski, monty@intuitiveedge.com
c: Art Isbell, art@cubicsol.com

IconTester;¬IconTester: example

a, o, m: Craig Laurent, t641@revco.com

image2m;¬image2m: palette, examples

a, o, m: Mark Onyschuk, Mark_Onyschuk@NeXT.COM

language.make;¬language.make: makefile extension

a, o, m: Stephan Wacker, stephan@rodion.muc.de

LazyScrollDir;¬LazyScrollDir: example app

a, o, m: Eric Sunshine, sunshine@mcgh.org

a, o: Paul S. McCarthy, zarnuk@mcgh.org

list-misc;¬list-misc: Perl script

a, o, m: Bill Bumgarner, bbum@friday.com

MiscAbstraction;¬MiscAbstraction: object

a, o, m: Michael T. H. Scott, mths@longshot.demon.co.uk

MiscAnnouncer;~MiscAnnouncer: object
a, o, m: H. Scott Roy , hsr@CS.Stanford.EDU

MiscAppDefaults;~MiscAppDefaults: category
a, o: Steve Hayman, shayman@objectario.com
c, m: Don Yacktman, don@misckit.com

ExtendedApp;~MiscAppExtensions: category, documentation
a, o, m: Don Yacktman, don@misckit.com
c: Steve Hayman, shayman@objectario.com
c: John Karabaic, John_Karabaic@NeXT.com
c: Thomas Engel, tomi@shinto.nbg.sub.org

MiscAppFile;~MiscAppFile: object, example app
a, o, m: Robert Todd Thomas, Todd_Thomas@fnbc.com

MiscAppIcon;~MiscAppIcon: Application category
a, o, m: Sean Luke, seanl@cs.UMD.EDU

MiscAppIconAnimator;~MiscAppIconAnimator: object
a, o, m: Craig Laurent, t641@revco.com

MiscArrowButton;~MiscArrowButton: object, palette
a, o, m: Robert Todd Thomas, Todd_Thomas@fnbc.com

MiscBackWindow;~MiscBackWindow: object
a, o, m: Dale Amon, amon@music.qub.ac.uk

MiscBase;~MiscBase: macros, constants
a, o: Drew Davidson, drew@its.com
c, m: Don Yacktman, don@misckit.com

MiscBundleLoader;~MiscBundleLoader: category, documentation
a, o: Mike Ferris, mike@lorax.com (category)
a, c, m: Don Yacktman, don@misckit.com (docs)

MiscCalendarView;~MiscCalendarView: object, palette, documentation

a, o, m: Jon Kutemeier, jkute@fnbc.com

MiscCircularSlider;~MiscCircularSlider: object, palette

a, o, m: Don Yacktman, don@misckit.com

a, o: Vince DeMarco, vince@whatnxt.cuc.ab.ca

c: Carl Lindberg, lindberg@csnext.colgate.edu

c: Laurent Daudelin, laurent@planon.qc.ca

MiscClassDecoder;~MiscClassDecoder: palette, bundle, example

a, o, m: Stephan Wacker, stephan@rodion.muc.de

MiscClassVariable;~MiscClassVariable: object, documentation

a, o: Mike Ferris, mike@lorax.com

c, m: Don Yacktman, don@misckit.com

MiscClipTextPalette;~MiscClipTextPalette: palette, objects

a, o, m: Balazs Pataki, pataki@next-1b.manuf.bme.hu

c: Don Yacktman, don@misckit.com

MiscClockView;~MiscClockView: object, IB Palette, PB subproj, documentation
a, o, m: Scott Anguish, sanguish@digifix.com
c: Don Yacktman, don@misckit.com
c: Stan Jirman, stan@atlantis104.Stanford.EDU
c: Constantin Szallies, tini@gurke.ping.de

MiscColor;~MiscColor: Object
a, o, m: Don Yacktman, don@misckit.com

MiscColorView;~MiscColorView: palletized object
a, o, m: Thomas Engel, tomi@shinto.nbg.sub.org

MiscColorWells;~MiscColorWells: Palette
a, o: Morgan D. Wise, wisem@statnextm.lakes.trenton.sc.us
c, m: Don Yacktman, don@misckit.com
c: Michael T. H. Scott, mths@longshot.demon.co.uk

MiscCoolButtons;~MiscCoolButtons: IB palette
a, o, m: Don Yacktman, don@misckit.com

c: Sean Luke, seanl@cs.umd.edu
c: Carl Lindberg, lindberg@csnext.colgate.edu

Miscdaemon;~Miscdaemon: functions
a, o, m: Christopher J. Kane, ckane@next.com

MiscDateView;~MiscDateView: object, palette, documentation
a, o, m: Hugh Ashton, hugh@furuike.twics.com
c: Rod Ragner, rragner@stallion.vm.iastate.edu

MiscDependency;~MiscDependency: protocol
a, o, m: H. Scott Roy, hsr@CS.Stanford.EDU

MiscDictionary;~MiscDictionary: object
a, o, m: Don Yacktman, don@misckit.com

MiscDirectory;~ MiscDirectory: object
a: Simson L. Garfinkel, simsong@pleasant.cambridge.ma.us (original)
a, o, m: Georg Tuparev, tuparev@EMBL-Heidelberg.DE

MiscDirectoryStream;¬MiscDirectoryStream: object, example app
a, o, m: Robert Todd Thomas, Todd_Thomas@fnbc.com

MiscDistributor;¬MiscDistributor: object, documentation, example app (see
MiscTee ;Authors.rtf;MiscTee;¬)
a, o, m: Don Yacktman, don@misckit.com

MiscDocManager;¬MiscDocManager: object, documentation, example app
a, o: Mike Ferris, mike@lorax.com
c, m: Don Yacktman, don@misckit.com

MiscDocType;¬MiscDocType: object, documentation, example app
a, o: Mike Ferris, mike@lorax.com
c, m: Don Yacktman, don@misckit.com

MiscDocument;¬MiscDocument: object, documentation, example app
a, o: Mike Ferris, mike@lorax.com
c, m: Don Yacktman, don@misckit.com

MiscDragViews;~MiscDragViews: objects, palette

- a, o, m: Robert Todd Thomas, Todd_Thomas@fnbc.com
- c: Don Yacktmann, don@misckit.com (Image resizing)
- c: Bruce McKenzie, bruce@trwlasd.com (bug fixes, archiving)
- c: Stephen Fitzpatrick, sfitzp@elegabalus.cs.qub.ac.uk (bug fix)
- c: Steve Hayman, shayman@Objectario.com (target/action)
- c: Bill Shirley, Bill_Shirley@WilTel.com (clean up)
- c: Chris Walters, ubs!zeus!walters@uunet.uu.net (bug fixes)
- c: Stefan Bohringer, Schroeer.Stefan@rz.ruhr-uni-bochum.de (accept images)

MiscExplodingMenu;~MiscExplodingMenu: object, documentation, test app

- a, o, m: Andrew Stone, andrew@stone.com

MiscFile;~MiscFile: object, example app

- a, o, m: Robert Todd Thomas, Todd_Thomas@fnbc.com
- c: Don Yacktmann, don@misckit.com
- c: Alastair Thomson, alastair@BlackAlbatross.otago.ac.nz

MiscFileFinder;¬MiscFileFinder: object

a, o, m: Dale Amon, amon@music.qub.ac.uk

MiscFindPanel;¬MiscFindPanel: object, documentation, example app, bundle, categories

a, o, m: Christopher J. Kane, ckane@next.com

c: Craig Kelley, craig_kelley@wiltel.com

MiscFramingView;¬MiscFramingView: object

a, o, m: Dale Amon, amon@music.qub.ac.uk

MiscGauge;¬MiscGauge: palette

a, o, m: Robert Todd Thomas, Todd_Thomas@fnbc.com

MiscGISKit;¬MiscGISKit: object kit

a, o, m: Dale Amon, amon@music.qub.ac.uk

c: Don Yacktmann, don@misckit.com

Note: Special thanks are due to the Genesis Project, Ltd.

MiscHalftoneColor;¬MiscHalftoneColor: Object
a, o, m: Don Yacktman, don@misckit.com

MiscINETAddress;¬MiscINETAddress: Object, Documentation
a, o, m: Christopher J. Kane, ckane@next.com

MiscINETSocket;¬MiscINETSocket: Object, Documentation
a, o, m: Christopher J. Kane, ckane@next.com

MiscInfo;¬MiscInfo: Object, Documentation
a, o, m: Don Yacktman, don@misckit.com

MiscInfoController;¬MiscInfoController: Object, Documentation
a, o, m: Don Yacktman, don@misckit.com

MiscInspectorKit;¬MiscInspectorKit: Objects
a, o, m: Thomas Engel, tomi@shinto.nbg.sub.org or
tsengel@cip.informatik.uni-erlangen.de

MiscKeys;~MiscKeys: macros

a, o, m: Don Yacktman, don@misckit.com

MiscLinkedList;~MiscLinkedList, MiscLinkedListNode: objects, documentation

a, o, m: Sean Luke, seanl@cs.umd.edu

c, m: Don Yacktman, don@misckit.com (docs, new methods)

MiscList;~MiscList: Object, Documentation

a, o, m: Doug McClure, ets!doug@uunet.UU.NET

MiscListExtensions;~MiscListExtensions: categories, documentation

a, o: Drew Davidson, drew@its.com (DeepCopy stuff only)

a, o: Don Yacktman, don@misckit.com (the rest)

c, m: Don Yacktman, don@misckit.com

c: Bill Bumgarner, bbum@thoughtport.com (sorting)

c: Robert Todd Thomas, Todd_Thomas@fnbc.com (searching)

MiscListIteration;~MiscListIteration: macros

a, o: Drew Davidson, drew@its.com
c, m: Don Yacktman, don@misckit.com

MiscListSorting;~MiscListSorting: object
a, o, m: Vince Demarco, vdemarco@bou.shl.com

MiscLockFile;~MiscLockFile: object, documentation, test app
a, o, m: Don Yacktman, don@misckit.com

MiscLogFile;~MiscLogFile: object, documentation, test app
a, o, m: Don Yacktman, don@misckit.com

MiscLogSlider;~MiscLogSlider: object, palette
a, o, m: Don Yacktman, don@misckit.com

MiscMailApp;~MiscMailApp: object
a, o, m: Don Yacktman, don@misckit.com

MiscMailSpeaker;~MiscMailSpeaker: object, palette

a, o, m: Don Yacktman, don@misckit.com

MiscMatrix;~MiscMatrix: object, documentation, bundle

a, o: Mike Ferris, mike@lorax.com

c, m: Georg Tuparev, tuparev@EMBL-Heidelberg.DE

c: Don Yacktman, don@misckit.com

c: Darrin Smart, darrin@research.canon.oz.au

c: Steve Quirk, steveq@telerate.com

c: Scott Violet, scott@nacm.com

c: Carl Lindberg, lindberg@csnext.colgate.edu

c: Mark Onyschuk, Mark_Onyschuk@NeXT.COM

c: Matt Jacobus, <unknown>

MiscMergeKit;~MiscMergeKit: object kit

a, o, m: Don Yacktman, don@misckit.com

c: Robert Todd Thomas, Todd_Thomas@fnbc.com

MiscNeXTdocumentFormat.frame;~MiscNeXTdocumentFormat.frame:
documentation template

a, o, m: J.B. Nicholson-Owens, jbn@uiuc.edu

MiscNibController;¬MiscNibController: object, documentation

a, o: Mike Ferris, mike@lorax.com

c, m: Don Yacktman, don@misckit.com

MiscObjectRecycler;¬MiscObjectRecycler: category, documentation

a, o, m: Don Yacktman, don@misckit.com

MiscOrderForm;¬MiscOrderForm: category, documentation

a, o, m: Don Yacktman, don@misckit.com

MiscPaperView;¬MiscPaperView: palletized object

a, o, m: Thomas Engel, tomi@shinto.nbg.sub.org

MiscParseTable;¬MiscParseTable: functions, categories, documentation

a, o, m: Don Yacktman, don@misckit.com

MiscPriorityQueue;¬MiscPriorityQueue: object, documentation, test app

a, o, m: Mark Onyschuk, Mark_Onyschuk@NeXT.COM

MiscProgressPalette;~MiscProgressPalette: objects, IB palette, PB subproj

a, o, m: James Heiser, jheiser@adobe.com

a, c: Don Yacktman, don@misckit.com

MiscProtocols;~MiscProtocols: Protocols (**MiscCompare, MiscEndCompare, MiscStorageCursorPositioning, MiscListCursorPositioning**)

a, o, m: Doug McClure, ets!doug@uunet.UU.NET

MiscQueue;~MiscQueue: object, documentation

a, o, m: Don Yacktman, don@misckit.com

MiscReadOnlyColorWell;~MiscReadOnlyColorWell: object, documentation

a, o, m: Morgan D. Wise, wisem@statnextm.lakes.trenton.sc.us

MiscRecordParser;~MiscRecordParser: object, documentation

a, o, m: Don Yacktman, don@misckit.com

MiscRegistration;~MiscRegistration: object, documentation
a, o, m: Don Yacktman, don@misckit.com

MiscRemoteApplication;~MiscRemoteApplication: object
a, o, m: Dale Amon, amon@music.qub.ac.uk

MiscRemoteSubprocess;~MiscRemoteSubprocess: macros, constants
a, o: Drew Davidson, drew@its.com
c, m: Don Yacktman, don@misckit.com

MiscRtMatrix;~MiscRtMatrix: object
a, o, m: Thomas Engel, tomi@shinto.nbg.sub.org

MiscRuntimeExtensions;~MiscRuntimeExtensions: category
a, o, m: Don Yacktman, don@misckit.com

MiscSavePanel;~MiscSavePanel: object
a, o, m: Peter Langston, psl@acm.org
c: Carl E. Lindberg, lindberg@BLaCKSMITH.com

MiscScreenColor;¬MiscScreenColor: object
a, o, m: Don Yacktman, don@misckit.com

MiscSearcher;¬MiscSearcher: object, documentation
a, o, m: Hugh Ashton, hugh@furuike.twics.com

MiscSelectionMatrix;¬MiscSelectionMatrix: object
a, o, m: Georg Tuparev, tuparev@EMBL-Heidelberg.DE

MiscSerialPort;¬MiscSerialPort: object
a, o, m: Matt Brandt, matt@drefla.mese.com
c: Carl E. Lindberg, lindberg@BLaCKSMITH.com

MiscShell;¬MiscShell: palette, object
a, o, m: Steve Hayman, shayman@Objectario.com

MiscSliderField;¬MiscSliderField: IB palette, object, documentation
a, o, m: David Fedchenko, max@chernobog.wa.com

MiscSocket;~MiscSocket: object, documentation
a, o, m: Christopher J. Kane, ckane@next.com

MiscSortedList;~MiscSortedList: object, documentation
a, o, m: Doug McClure, ets!doug@uunet.UU.NET
c: Constantin Szallies, tini@gurke.ping.de

MiscSortedStorage;~MiscSortedStorage: object, documentation
a, o, m: Doug McClure, ets!doug@uunet.UU.NET
c: Michael Giddings, giddings@sadie.chem.wisc.edu

MiscSoundPalette;~MiscSoundPalette: IB palette, objects (**MiscTapper**,
MiscSoundTracker, **MiscVolumeMeter**, **MiscVolumeLight**, **MiscSoundView**)
a, o, m: Sean Luke, seanl@cs.umd.edu

MiscSplitView;~MiscSplitView: example, object
a, o, m: Dwight D. Everhart, everhart@alterlife.com
c: Don Yacktman, don@misckit.com (included .tiff is now a .m)

MiscStack;~MiscStack: object, documentation
a, o, m: Don Yacktman, don@misckit.com

MiscStopWatch;~MiscStopWatch: object, documentation
a, o, m: Don Yacktman, don@misckit.com

MiscStorage;~MiscStorage: object, documentation
a, o, m: Doug McClure, ets!doug@uunet.UU.NET

MiscString;~MiscString: object, documentation, IB palette, test app
a, o, m: Don Yacktman, don@misckit.com
c: Carl Lindberg, lindberg@csnext.colgate.edu
c: David Lehn, dlehn@vt.edu
c: Mike Ferris, mike@lorax.com
c: Drew Davidson, drew@its.com
c: Bruce McKenzie, bruce@trwlasd.com
c: Darcy Brockbank, darcy@amber.hasc.ca
c: Scott Anguish, sanguish@digifix.com

MiscStringArray;~MiscStringArray: object, documentation

a, o: Drew Davidson, drew@its.com (object)

a, o: Don Yacktman, don@misckit.com (docs)

c, m: Don Yacktman, don@misckit.com

c: Juergen Zeller, zet@cip.e-technik.uni-erlangen.de

c: Jeff Martin, Jeff_Martin@next.com (some code from PAMStringList)

c: Steve Hayman, shayman@objectario.com

c: Bill Bumgarner, bbum@thoughtport.com

MiscString_ExtendedParsing;~MiscString_ExtendedParsing: category

a, o, m: Thomas Engel, tomi@shinto.nbg.sub.org

MiscStringPatternMatching;~MiscStringPatternMatching: category

a, o, m: Steve Hayman, shayman@objectario.com

MiscStringRegex;~MiscStringRegex: category, test app

a, o, m: Carl Lindberg, lindberg@csnext.colgate.edu

MiscStringService;~MiscStringService: example app

a, o, m: Carl Lindberg, lindberg@csnext.colgate.edu

MiscSwapKit;~MiscSwapKit: Palette, Objects, Documentation

a, o, m: Thomas Engel, tomi@shinto.nbg.sub.org or

tsengel@cip.informatik.uni-erlangen.de

c: Robert Todd Thomas, Todd_Thomas@fnbc.com

c: Don Yacktman, don@misckit.com (icon, makefiles)

MiscSubprocess;~MiscSubprocess: object

a, o: Drew Davidson, drew@its.com

c, m: Don Yacktman, don@misckit.com

c: Carl Lindberg, lindberg@csnext.colgate.edu

c: Steve Hayman, shayman@objectario.com

c: Nicolas Droux, droux@info.isbiel.ch

MiscTableScroll;~MiscTableScroll: object

a, o, m: Eric Sunshine, sunshine@mcgh.org

a, o: Paul S. McCarthy, zarnuk@mcgh.org

MiscTableSource;~MiscTableSource: object

a, o, m: Vince Demarco, vdemarco@bou.shl.com

c: Rohit Khare, khare@pest.w3.org

MiscTabMatrixPalette;~MiscTabMatrixPalette: palette

a, o, m: Bill Edney, bedney@firstsoft.com

c: Sean Hill, shill@iphsiol.unil.ch

c: Mark Onyschuk, Mark_Onyschuk@NeXT.COM

c: Don Yacktman, don@misckit.com

c: Art Isbell, art@cubicsol.com

c: Michael B. Johnson, wave@pixar.com

Note: Special thanks are due to McCaw Cellular.

MiscTaggedImage;~MiscTaggedImage: class

a, o, m: Don Yacktman, don@misckit.com

MiscTargetActionView;~MiscTargetActionView: object

a, o, m: Dale Amon, amon@music.qub.ac.uk

MiscTee;~MiscTee: IB palette, object, documentation

a, o, m: David Fedchenko, max@chernobog.wa.com

c: Don Yacktman, don@misckit.com

a, o, m: Don Yacktman, don@misckit.com (MiscDistributor object, documentation, example app, and inspector only)

MiscTextExtensions;~MiscTextExtensions: category

a, o: Scott Anguish, sanguish@digifix.com

c, m: Don Yacktman, don@misckit.com

MiscThreadedObject;~MiscThreadedObject: object

a, o, m: Steve Quirk, steveq@telerate.com

MiscThreeStateButton;~MiscThreeStateButton: object, IB palette, PB subproj

a, o, m: Don Yacktman, don@misckit.com

c: Trevor Pocock, trev@mcs.hanse.de

c: Carl Lindberg, lindberg@csnext.colgate.edu

MiscTime;¬MiscTime: object, documentation, test app

a, o, m: Don Yacktman, don@misckit.com

c: Steve Hayman, shayman@objectario.com

c: Kurt Werle, kurt@frsvnsvn.vip.best.com

c: Robert Todd Thomas, Todd_Thomas@fnbc.com

c: Carl Lindberg, lindberg@csnext.colgate.edu

MiscTimedEntry;¬MiscTimedEntry: object

a, o, m: James T. Romano, james@hbsd-im.telerate.com

MiscTree;¬MiscTree: object, documentation

a, o, m: Don Yacktman, don@misckit.com

c: Brian Glaeske, brian@gehenna.gps.com (documentation)

MiscTree(Browser);¬MiscTree(Browser): category, example app

a, o, m: Scott Anguish, sanguish@digifix.com

c: Brian Glaeske, brian@gehenna.gps.com (documentation)

MiscTree(Search);¬MiscTree(Search): category

a, o, m: Stefan Bohringer, Schroeer.Stefan@rz.ruhr-uni-bochum.de

MiscUniqueStringArray;~MiscUniqueStringArray: object, documentation

a, o, m: Bill Bumgarner, bbum@thoughtport.com

MiscUser;~MiscUser: object, example app

a, o, m: Robert Todd Thomas, Todd_Thomas@fnbc.com

c: Don Yacktman, don@misckit.com

MiscUserGroup;~MiscUserGroup: object, example app

a, o, m: Robert Todd Thomas, Todd_Thomas@fnbc.com

c: Don Yacktman, don@misckit.com

MiscValueField;~MiscValueField: Palette, object, documentation

a, o, m: David Fedchenko, max@chernobog.wa.com

MiscWindowButtons;~MiscWindowButtons: Category

a, o, m: John Randolph, jcr@SV.Legent.COM

MiscXmodem;¬MiscXmodem: object, documentation
a, o, m: Eric Norum, eric@skatter.usask.ca

mksubproj;¬mksubproj: utility
a, o, m: Carl Lindberg, lindberg@csnext.colgate.edu

ProjectTemplates;¬ProjectTemplates: example PB projects
a, o, m: Don Yacktman, don@misckit.com

qlipo;¬qlipo: utility program
a, o, m: Darcy Brockbank, samurai@amber.hasc.ca

receiptfilter;¬receiptfilter: example app
a: Steve Hayman, shayman@objectario.com (v1.1, original)
a: Paul Cardon, pmarc@zapotec.math.byu.edu (v1.2, overhaul)
c, o, m: Paul Cardon, pmarc@zapotec.math.byu.edu
c: Don Yacktman, don@misckit.com

Robby;¬Robby: example app

a, o, m: Sean Luke, seanl@cs.UMD.EDU

ScrollDir;¬ScrollDir: example app

a, o, m: Eric Sunshine, sunshine@mcgh.org

a, o: Paul S. McCarthy, zarnuk@mcgh.org

SearchBench;¬SearchBench: example app

a, o, m: Christopher J. Kane, ckane@next.com

SELECT.h;¬SELECT.h: macros

a, o, m: Raf Schietekat, RfSchtk@maze.ruca.ua.ac.be

submission.make;¬submission.make: makefile extension

a, o, m: Stephan Wacker, stephan@rodion.muc.de

TinyTerm;¬TinyTerm: example app

a, o, m: Matt Brandt, matt@drefla.mese.com

TreeView;¬TreeView: Example app (uses the MiscTree)

a, o, m: Don Yacktman, don@misckit.com
c: Bob Weiner, weiner@pts.mot.com
c: Robert Nicholson, robert@steffi.dgsys.com
c: Aleksey Sudakov, zander@cnext.crec.mipt.ru

UNIX-HatersTool;¬UNIX-HatersTool: Example app (uses MiscTabMatrix, MiscSwapKit, MiscShell)

a, o, m: Thomas Engel, tomi@shinto.nbg.sub.org or
tsengel@cip.informatik.uni-erlangen.de
c: Don Yacktman, don@misckit.com (Misc-ized, first aid->finger)
c: Steve Hayman, shayman@Objectario.com (some shell scripts)

UsersAndGroups;¬UsersAndGroups: Example app (uses MiscUser, MiscUserGroup classes)

a, o, m: Robert Todd Thomas, Todd_Thomas@fnbc.com

TempFolder;¬In Temp folder, works in

progress

Many of these objects need to have names changed and details worked out before they can be integrated with the rest of the kit. As this is done, they will migrate to the standard locations. They are here (with the author's permission) so that you can see where things are headed, and in an emergency, make use of the items here now, even though they aren't fully integrated and are subject to change in interface, etc. (The administrator also has a private Temp directory for other submissions that are pending; it tends to be 3-4 times the size of the Temp directory on average. Those submissions have been held back at the author's request.)

DataStructures;--DataStructures: objects

a, o, m: Don Yacktman, don@misckit.com (PriorityQueue)

a, o, m: Doug McClure, ets!dougm@uunet.UU.NET (MiscPriorityQueue)

Note: Well, we've already got a priority queue, but here are two other contenders. We have to figure out how to combine them into something a bit more useful. I think Doug's queue is perhaps a better approach to use, with its inheritance heirarchy, but Mark's queue has

the method to combine queues, which is handy. Also, my queue's ability to allow the object to provide its own priority should be implemented in a category of Doug's queue (which is in fact possible to do). Also, a dynamic subclass of Doug's queue which allows objects in the queue to change their priority on the fly would be nice.

MiscClockViewExtensions;~MiscClockViewExtensions: object

a, o, m: Jesse Tayler, jtayler@tmade.com

Note: Adds the ability to set a MiscClockView with a NSDate (and hence using EOF). [This isn't in the kit proper yet because we need to integrate it in such a way that those without EOF won't run into troubles. If you have EOF and need this functionality, just copy the source into your project for now. I'll eventually create a new library for all EOF extensions. --Don]

MiscCompletionText;~MiscCompletionText: object

a, o, m: Thomas Engel, tomi@shinto.nbg.sub.org

Note: We could probably add this right now, but I wanted to give it time to mature, especially since this will likely be combined with the

MiscEmacsText that is brewing behind the scenes...

MiscPickList;~MiscPickList: objects, test app

a, o, m: Don Yacktman, don@misckit.com

Note: This implements a ^achooser^o GUI which pops up a window with a scrolling list of choices which may be entered into a text field. The advantage of this over a pop-up button is that the user can enter in text that is not in the list and they can dynamically add or modify list entries. This wasn't finished in time for the release, but does work. The final version will be palettized and attached to a TextField (comes up automatically when the field is accessed) and a button, hopefully without the need for the controller class in between.

MiscSerialPort2;~MiscSerialPort2: object

a, o, m: Arnaud Meuret

Note: This is a major overhaul of Matt Brandt's object; not yet done, but open for comments, etc.

MiscTimeAdditions;~MiscTimeAdditions: contributions

Time_Stuff a, o, m: David Lehn, dlehn@vt.edu

Note: This will be folded into MiscTime (in the future) as a contribution.

getdate.y a, o, m: public domain, Steven M. Bellovin

(smb@research.att.com), Rich Salz (rsalz@bbn.com), and Jim Berets (jberets@bbn.com)

Note: This code, as it is public domain, will not fall under MiscKit license, but will be folded into the MiscTime object to allow for parsing/pretty printing, etc. in the future. Submitted by Mark Onyschuk along with the PriorityQueue.

NetImageFilter;~NetImageFilter: example of NEXTSTEP filter services (images)

a, o, m: Marco Scheurer, marco@sentenext1.epfl.ch

c: Bill Bumgarner, bbum@friday.com

Note: This requires the netpbm utilities to function. It supports the conversions that they support. This is still a work in progress.

ObjCategories.rtf;~ObjCategories.rtf: category

a, o, m: John Karabaic, John_Karabaic@next.com

Note: Host picker method¼ (I think I'll do something like the MiscValueField

to tie a textfiled and a button together to create a MiscHostField object.
Comments? I think that this would be nice to use in conjunction with
the MiscRemoteSubprocess... -don)

QuickProject;¬QuickProject: app

a, o, m: Steve Hayman, shayman@Objectario.com

Note: The feature set for this app is nowhere near nailed down, but it is
useful as-is. Please send in input as to what features you think might
be useful.

Text_more;¬Text_more: category (Text object)

a, o, m: Thomas Engel, tomi@shinto.nbg.sub.org

Note: Untested as of yet; adds cut/copy/paste of arbitrary pasteboards.

UniqueInstance;¬UniqueInstance: object

a, o, m: Michael T. H. Scott, mths@longshot.mpn.com

Note: Note from Michael: In order to be able to include an abstraction type
object in nib files what one really needs is a UniqueInstance. No
matter where, or how often it appears, its always the same object. As

you can see these [MiscAbstraction and this object. -- don] are not finished submissions. I intend to to ask the list for its opinion first. What particularly puzzles me is why doesn't IB call alloc? It would simplify matters if it did.