Index

Numbers

16-bit textures, 86
3D texture extension, 100
  mipmapping, 102
4Dwm, 1
60-Hz monitor, 214

A

ABGR extension, 125
accumulated multisampling, 159
accumulation buffer, 268
actions and translations, 34, 36
adding callbacks, 32
advanced multisampling options, 156
AllocAll, 42
AllocNone, 42
alpha blending, 244, 268, 275
alpha-blending transparency, 285
alpha component
  representing complex geometry, 243
alpha function, 268
alpha value used as multisample mask, 157
ancillary buffers, 11, 172, 179, 180, 182
animations, 51
  avoiding flickering, 51
  benchmarking, 220
  clear operations, 214
  controlling with workprocs, 53
  debugging, 207
  double buffering, 214
  frame rate, 214
  glXSwapBuffers, 215
  optimizing frame rates, 215
  speed, 214
  swapping buffers, 52
  tuning, 214
ANSI C
  prototyping subroutines, 230
  See also compiling
antialiased lines *See* antialiasing
antialiasing
  lines, 160, 268, 269, 274, 277, 283, 289
  multisampling, 154
app-defaults file, 29, 31, 35
arrays
  for geometric primitives, 151
  traversal, 227
  vertex array extension, 151
assembly code, 231, 237
Athena widget set, 14
attributes
  of drawing-area widget, 31
  of widgets, 29
available extensions, 10

B

backbuffer (IRIS GL), 287
backdrop, 236
backface removal, 244
backing store, 47
BadAlloc error, 63, 180
BadMatch error, 38, 43, 78, 180
  finding problem, 39
  make current read extension, 165
benchmarking, 218
  and glFinish(), 220
  background processes, 219
  basics, 219
  clock resolution, 219
  example program, 297
  libraries, 306
  loops, 220
  static frames, 220
billboards, 238
binding context to window, 22
bitmap fonts, 48
BlackPixel() color macro, 70
blank window, 206
blendcolor (IRIS GL), 287
blendfunction (IRIS GL), 287
blending
  and multisampling, 157
  extensions, 140-144
  See also minmax blending extension, logical operator blending, constant color blending, alpha blending
blending factors, 142
blend subtract extension, 144
block counting, 218
border clamping, 119
border pixel, 43
bottlenecks
  CPU, 226
  definition, 210
  finding, 212
  geometry subsystem, 212
  raster subsystem, 212
  See also optimizing, 210
buffer clobber events, 180, 181
buffers
  accessed by loops, 229
  accumulation, 268
  accumulation buffer for multisampling, 159
  avoiding simultaneous traversal, 217
  depth, 268
  pbuffer, 179
  See also ancillary buffers
  stencil, 268
  swapping, 52

C

cache
  definition, 216
  determining size, 217
  immediate mode drawing, 226
  line, 217
  minimizing misses, 217
  miss, 216, 226
calculating expected performance, 219
callbacks
  adding, 32
  and current context, 33
  drawing-area widget, 32, 34
  expose, 23, 33, 62
  init, 23, 33
  in overlay, 62
  input, 32, 33, 62
  resize, 32, 34, 62
Call Count menu command, 203

changing framezoom factor, 273
character strings, 47
checking for extensions, 82
choosing colormaps, 72
choosing visuals, 20
clamping
  border clamping, 119
  edge clamping, 119
clear
  and multisampling, 284
  for debugging, 206
  optimizing on low-end systems, 268
  optimizing on mid-range systems, 276
  performance tuning, 236
clearing bitplanes, 246
clipping
  debugging, 206
  mid-range systems, 274
  optimizing on IMPACT, 277
clock resolution, 219
color array, 153
color blending extension, 141
color buffer clear
  influence on performance, 219
  with depth buffer clear, 246
color component
  vertex array extension, 152
color index
  vertex array extension, 152
color-index mode, 70
color macros, 70
colormaps, 70
  and drawing-area widget, 14
  and overlays, 62
  choosing, 72
  creating, 42
  default, 70
  definition, 13, 70
  flashing, 68, 71
  installing, 44
  multiple, 71
  retrieving default, 71
  transparent cell, 59
  Xlib, 74
color matrix
  and color mask, 247
  and identity matrix, 247
  extension, 128
color space conversions
  IMPACT, 280
color table extension, 136
  and copy texture, 138
Commands menu (ogldebug), 203
compiling
  display lists, 225, 235
  -float option, 223
  -g option, 223
  -mips3, -mips4, 223
  -O2 option, 223
  optimizing, 223
  with -S, 237
complex structures, 225
concave polygons
  optimizing, 239
conditional statements, 230
configuration file for ogldebug, 196
constant color blending extension, 141
  blending factors, 142
container widgets, 30
contexts
  and visuals, 172
  binding to window, 22
  created with GLXFBConfig, 181
  current, 13
  retrieving current display, 170
  See also rendering contexts

convolution extension, 129
  and texture images, 131
  border mode, 130
  example, 129
  filter bias factors, 130
  filter image height, 130
  filter image width, 130
  filter scale factors, 130
  maximum filter image height, 130
  maximum filter image width, 130
  separable filter, 131
convolution kernels, 129
  on IMPACT, 280
convolve (IRIS GL), 288
coordinate system, 208
copy texture extension, 98
cpack IRIS GL format, 125
CPU bottlenecks
  checking in example program, 260
  eliminating from example program, 262
  from hierarchical data structures, 226
  memory paging, 216
  testing for, 212
CPU stage of the pipeline, 210
CPU usage bar, 213
creating drawing-area widgets, 28
creating pixmaps, 77
creating rendering contexts, 22
culling, 226, 243
current context, 13
customizing detail texture, 116
customizing sharpen texture, 109

D

data
  expansion in display lists, 225
  preprocessing, 232
  storage self-managed by display lists, 224
  word-aligned, 274
database
  optimizing by preprocessing, 232
  optimizing traversal, 227
data organization, 226
  balancing hierarchy, 226
  disadvantages of hierarchies, 226
data traversal, 223
  remote rendering, 224
data types used by packed pixels extension, 126
DBE, 53
dbx, 198
debugger *See* ogldebug
debugging, 195-208
  animations, 207
  blank window, 206
  depth testing, 207
  glOrtho(), 206
  glPerspective(), 206
  lighting, 207
  projection matrix, 206
decals and polygon offset, 145
default colormaps, 71
DefaultVisual() Xlib macro, 67
deleting unneeded display lists, 235
depth buffer clear, 219
depth buffering, 244, 268, 272, 305
  clearing depth and color buffer, 246
  debugging, 207
  in example program, 265
  lines, 269
  optimizing, 245

DepthBufferingIsFast(), 312
depth-queueing, 268
  lines, 269
depth testing, 207
depth values, 145
detail texture, 112-119, 283
  and texture object extension, 117
  customizing, 116
  example program, 117
  how computed, 115
  LOD interpolation function, 116
  magnification filters, 115
determining cache size, 217
DirectColor visuals, 67, 165, 172
direct rendering
  pbuffers, 179
direct rendering contexts, 79
dis command, 237
displacepolygon (IRIS GL), 288
display lists
  appropriate use, 235
  compiling, 225
  complex structures, 225
  contrasted with immediate mode, 224
  deleting unneeded, 235
  dependent on context, 208
  DMA, 281
  duplication, 235
  fonts and strings, 47
  for X bitmap fonts, 48
  IMPACT systems, 280
  optimizing, 234
  sharing, 208
  tuning, 234-235
displays
  retrieving, 170
dither (IRIS GL), 288
dithering, 268
  disabling, 275
  mid-range systems, 275
divided-screen stereo, 75
DMA, 272
  display lists, 281
  pixel formats on low-end systems, 272
double buffering, 51, 214
double buffering X extension, 53
drawables
  and GLXFBConfig, 171
  creating, 77
  definition, 12
  GLXVideoSourceSGIX, 183
  read drawable, 164
  write drawable, 164
drawing
  avoiding after screen clear, 215
  fast pixel drawing, 249
  lines, 269
  location in call tree, 231
  optimizing, 238-239
drawing-area widgets, 28
  and colormaps, 14
  attributes, 31
  callbacks, 32, 34
  creating, 28, 30
dynamic vertex array elements, 152

E

edge clamping, 119
edge flag array, 153
Elan
  fill operations, 244
  performance tuning, 274
end conditions of loops, 229
error handling, 31

errors
  calling glGetError(), 205
estimating performance, 221
events, 45
  buffer clobber, 181
  processing with callbacks, 34
  Xlib, 45
example programs
  benchmarking, 297
  checking for extensions, 82
  colormaps, 74
  default colormap, 71
  detail texture, 117
  drawing pixels fast, 249-250
  event handling with Xlib, 45
  fonts and strings, 48
  motif, 16
  mouse motion events, 35
  polygon offset, 146
  popup menu, 65
  sharpen texture extension, 110
  texture proxy mechanism, 90
  tuning example, 251-266
  video source extension, 183
  workproc, 54
  Xlib, 39
  Xlib event handling, 45
examples
  location of source code, 8
  pdbMeasureRate(), 309
  pdbWriteRate(), 310
expensive modes, 242-243
expose callback, 23, 33, 62
Expose event, 23
Expose events, 47
  batching, 80
exposing windows, 47
EXT, 6
EXT_abgr, 125
EXT_blend_color, 141
EXT_blend_logic_op, 143
EXT_blend_minmax, 142
EXT_blend_subtract, 144
EXT_convolution, 129
EXT_copy_texture, 98
EXT_histogram, 132
EXT_import_context, 169
EXT_packed_pixels, 125
EXT_polygon_offset, 145
EXT_subtexture, 96
EXT_texture, 85
EXT_texture_object, 93
EXT_texture3D, 100
EXT_vertex_array, 151
EXT_visual_info, 165
EXT_visual_rating, 167
extensions
  3D texture, 100
  ABGR, 125
  blend subtract, 144
  checking for availability, 82
  color blending, 141
  color matrix, 128
  color table, 136
  convolution, 129
  copy texture, 98
  detail texture, 112
  finding additional information, 84
  frame buffer configuration, 171
  GLX extension to X, 10
  hardware-accelerated on mid-range systems, 274
  histogram, 132
  import context, 169
  interlace, 139
  logical operator blending, 143
  make current read, 164
  minmax blending, 142

multisampling, 154
packed pixels, 125
pixel buffer, 179
polygon offset, 145
sample program location, 84
sharpen texture, 107
subtexture, 96
swap control, 168
texture border clamp, 119
texture color table, 105
texture edge clamp, 119
texture LOD, 121
texture object, 93
vertex array, 151
video source, 183
video sync, 167
visual info, 165
visual rating, 167
extensions available, 10
Extreme graphics
fill operations, 244
performance tuning, 274

F

fading
with constant color blending, 142
fallback resources, 29
fbsubtexload (IRIS GL), 288
File menu (ogldebug), 202
fill-limited code
definition, 212
IMPACT systems, 276
in example program, 263
tuning, 243-246
fill operations, 245
fill rates, 219
optimizing, 270
finding bottlenecks, 212
findvis, 12, 67
finowt bar (gr_osview), 268
fiwt bar (gr_osview, 268
flat shading, 239, 244, 264
flat-shading, 244
flickering in animations, 51
flight simulators, 245
floating point conversion, 269
flushing
and performance, 274
explicit, 274
implicit, 274
fog, 242, 268
optimizing, 275
fonts, 47, 48
form widget, 30, 61
framebuffer
efficient use, 247
framebuffer configuration extension, 171
frame rates
preferred by viewers, 53
tuning, 214
frame widget, 30, 61
framezoom extension, 273
framezoom factor, 273
frontbuffer (IRIS GL), 287
frontface removal, 244
functions affected by imaging extension, 125

G

gamma (IRIS GL), 288
-g compiler option, 223
generating texture names, 94

geometry-limited code
  finding bottlenecks, 212
  in example program, 264
  tuning, 238-243
getColormap(), 71
getgdesc (IRIS GL), 305
gethgram (IRIS GL), 289
getminmax (IRIS GL), 290
gettimeofday(), 220
gfxf bar (gr_osview), 268
gfxinfo, 267
gfxinit, 168
GL_(UN)PACK_IMAGE_HEIGHT_EXT, 101
GL_1PASS_SGIS, 159
GL_2PASS_0_SGIS, 159
GL_4PASS_0_SGIS, 159
GL_ABGR_EXT, 125
  on low-end systems, 272
GL_BLEND, 140
GL_CLAMP_TO_BORDER_SGIS, 120
GL_CLAMP_TO_EDGE_SGIS, 120
GL_COLOR_ARRAY_EXT, 153
GL_COMPILE_AND_EXECUTE, 235
GL_CONVOLUTION_BORDER_MODE_EXT, 130
GL_CONVOLUTION_FILTER_BIAS_EXT, 130
GL_CONVOLUTION_FILTER_SCALE_EXT, 130
GL_CONVOLUTION_FORMAT_EXT, 130
GL_CONVOLUTION_HEIGHT_EXT, 130
GL_CONVOLUTION_WIDTH_EXT, 130
GL_CULL_FACE, 271
GL_DEPTH_TEST, 207
GL_EDGE_FLAG_ARRAY_EXT, 153
GL_INDEX_ARRAY_EXT, 153
GL_INTENSITY8_EXT, 87
GL_INTERLACE_SGIX, 139
GL_LINE_SMOOTH, 160, 289
GL_LINE_SMOOTH_HINT, 277
GL_LINEAR_DETAIL_ALPHA_SGIS, 115
GL_LINEAR_DETAIL_COLOR_SGIS, 115
GL_LINEAR_DETAIL_SGIS, 115
GL_LINEAR_SHARPEN_ALPHA_SGIS, 108
GL_LINEAR_SHARPEN_COLOR_SGIS, 108
GL_LINEAR_SHARPEN_SGIS, 108
GL_LOGIC_OP, 144
GL_LUMINANCE*_ALPHA4_EXT, 87
GL_LUMINANCE8_EXT, 87
GL_MAX_CONVOLUTION_HEIGHT_EXT, 130
GL_MAX_CONVOLUTION_WIDTH_EXT, 130
GL_NORMAL_ARRAY_EXT, 153
GL_POST_COLOR_MATRIX_*_BIAS_SGI, 128
GL_POST_COLOR_MATRIX_*_SCALE_SGI, 128
GL_PROXY_TEXTURE_*D_EXT, 89
GL_RENDERER, 83, 267
GL_RGB*_EXT, 87
GL_RGB5_A1_EXT, 87, 248
GL_RGBA*_EXT, 87
GL_SAMPLE_ALPHA_TO_MASK_SGIS, 157
GL_SAMPLE_MASK_SGIS, 158
GL_SHININESS, 241
GL_TEXTURE_COLOR_TABLE_SGI, 106
GL_TEXTURE_COORD_ARRAY_EXT, 153
GL_TEXTURE_MAG_FILTER, 115
GL_TEXTURE_MAX_LOD_SGIS, 121
GL_TEXTURE_MIN_LOD_SGIS, 121
GL_TEXTURE_WRAP_R_EXT, 101
GL_UNSIGNED_BYTE_3_3_2_EXT, 126
GL_UNSIGNED_INT_10_10_10_2_EXT, 126
GL_UNSIGNED_INT_8_8_8_8_EXT, 126
GL_UNSIGNED_SHORT_4_4_4_4_EXT, 126
GL_UNSIGNED_SHORT_5_5_5_1_EXT, 126
GL_VERSION, 83

GL_VERTEX_ARRAY_EXT, 153
glAlphaFunc(), 243
glAreTexturesResidentEXT(), 95, 289
glArrayElementEXT(), 152
glBegin(), 230
glBlendColorEXT(), 141
glBlendEquationEXT(), 143
glBlendFunc(), 142
glCallList(), 235
glCallLists(), 48
glClear(), 206, 236
glColorMaterial(), 241
glColorPointerEXT(), 152
glColorTableSGI(), 106, 136
glcompat (IRIS GL), 288
glConvolutionFilter*DEXT(), 130
glCopyColorTableSGI(), 138
glCopyConvolutionFilter*DEXT(), 131
glCopyPixels()
  and minmax extension, 134
glCopyPixels() for scrolling, 272
glCopyTexImage*DEXT(), 98
glDeleteLists(), 235
glDepthRange(), 242
glDetailTexFuncSGIS(), 116
glDrawArraysEXT(), 151
glDrawPixels()
  optimizing, 249
glEdgeFlagPointerEXT(), 153
glEnd(), 230
glFinish(), 220, 221
glFlush(), 198
glFrameZoomSGIX(), 273
glGenTexturesEXT(), 94
glGetConvolutionFilterEXT(), 131
glGetError(), 205
glGetHistogramEXT(), 133, 289
glGetMinMaxExt(), 135
glGetMinmaxParameterEXT(), 135
glGetString, 83
glGetString(), 82, 267
glHistogramEXT(), 289
glHistogramExt(), 133
glIndexPointerEXT(), 152
glintro, 6
glListBase(), 48
glLoadIdentity(), 278
glLoadMatrix(), 278
glLogicOp(), 268
glMaterial(), 241
glMinmaxEXT(), 134
glNormalPointerEXT(), 152
glOrtho(), 206
glOrtho() performance, 269
glPerspective(), 206
glPixelMaps(), 279
glPolygonOffsetEXT(), 150
glPrioritizeTexturesEXT(), 95
glRect(), 270
glSampleAlphaToMaskSGIS(), 158
glSampleMaskSGIS(), 156, 158
glSamplePatternSGIS(), 159
glSeparableFilter2DEXT(), 130, 131
glShadeModel(), 270
  for performance tuning, 239
glSharpenTexFuncSGIS(), 109
glTagSampleBufferSGIX(), 161, 285
glTexCoordPointerEXT(), 153
glTexGen(), 282
glTexSubImage2DEXT(), 97

GLU header, 11
GLU include files, 10
GLU NURBS, 277
glUseXFont(), 208
glVertex3fv () performance, 269
glVertexPointerEXT(), 152
GLwCreateMDrawingArea(), 28
GLwDrawingAreaMakeCurrent(), 22
GLwDrawingAreaSwapBuffers(), 52
GLwMDrawingAreaMakeCurrent(), 28, 33
GLwMDrawingAreaSwapBuffers(), 28
GLwMDrawingArea widget, 28
  and popup, 64
  menus, 64
  overlays, 60
GLwMDrawingArea widget *See also* drawing-area widgets
GLwNexposeCallback, 33
GLwNginitCallback, 33
GLwNinputCallback, 33
GLwNresizeCallback, 34
GLX, 2, 10
  checking support, 20
  extensions to GLX, 163
  header, 11
  importing indirect context, 169
  systems supporting GLX 1.0, 20
  systems supporting GLX 1.1, 20
  trace files, 198
  using glXQueryExtension(), 20
GLX_BUFFER_SIZE, 78
GLX_CONTENTS_PRESERVED_SGIX, 180
GLX_DIRECT_COLOR_EXT, 165
GLX_DRAWABLE_TYPE_SGIX, 173
GLX_FBCONFIG_ID_SGIX, 173
GLX_GET_LARGEST_PBUFFER_SGIX, 180
GLX_PSEUDO_COLOR, 166
GLX_RENDER_TYPE_SGIX, 173
GLX_SAMPLE_BUFFERS_SGIS, 156
GLX_SAMPLES_SGIS, 155
GLX_SCREEN_EXT, 170
GLX_SHARE_CONTEXT_EXT, 170
GLX_SLOW_EXT, 167
GLX_STATIC_COLOR, 166
GLX_TRANSPARENT_TYPE_EXT, 166
GLX_TRUE_COLOR_EXT, 165
GLX_VISUAL_CAVEAT_EXT, 167, 178
GLX_VISUAL_ID_EXT, 170
GLX_X_RENDERABLE_SGIX, 173
GLX_X_VISUAL_TYPE_EXT, 165
glXChooseFBConfigSGIX(), 173, 175
glXChooseVisual(), 20, 31, 67, 165, 167
  and multisampling, 155
  using FBConfig instead, 171
GLXContext, 12
glXCreateContext(), 22
glXCreateContextWithConfigSGIX(), 177
glXCreateGLXPbufferSGIX(), 180
glXCreateGLXPixmap(), 78
glXCreateGLXPixmapWithConfigSGIX(), 177
glXCreateGLXVideoSourceSGIX(), 194, 288
glXDestroyGLXPbufferSGIX(), 181
glXDestroyGLXVideoSourceSGIX(), 194
GLX drawable, 12
GLX extension *See* GLX
GLXFBConfig, 171, 173
  attributes, 173
  how selected, 178
glXFreeGLXContext(), 169
glxGetCurrentDisplayEXT(), 170
glXGetFBConfigAttribSGIX(), 176, 177
glXGetGLXContextIDEXT(), 169
glXGetVisualFromFBConfigSGIX(), 176

glXImportGLXContextEXT(), 169
glxinfo, 12
glXMakeCurrent(), 22, 33, 172
  See also MakeCurrentRead extension
glXMakeCurrentReadSGI(), 164, 288
GLXPbuffer, 179
GLX pixmaps, 12, 78
  and exposing windows, 47
glXQueryContextInfoEXT(), 170
glXQueryExtension(), 20
glXQueryExtensionsString(), 84
glXSelectEventSGIX, 181
glXSwapBuffers(), 52, 198, 221, 236
  and tuning animations, 215
glXSwapIntervalSGI(), 168
glXUseXFont(), 47
GLXVideoSourceSGIX, 183
GLX visual, 11
glXWaitGL(), 80
glXWaitX(), 80
glyphs, 48
Gouraud shading, 244
gr_osview, 268
GrayScale visuals, 67, 166, 172
ground plane, 236
grouping primitives, 239

H

hardware configuration, 267
hardware-supported features (low-end), 268
header
  for OpenGL, GLU, GLX, 11
hgram (IRIS GL), 289
hidden-line images, 145
hierarchy
  data organization, 226
  memory, 215
High IMPACT, 276
highlighted edges, 145
high-performance drawing, 238-239
hints
  GL_NICEST smooth hint, 160
hinv command, 217
histogram extension, 132
  example, 133
  using proxy histograms, 135
hot spots, 210, 227

I

identity matrix, 247, 278
if-else-if statements, 230
ilbuffer (IRIS GL), 289
ildraw (IRIS GL), 289
images
  IMPACT, 279
imaging extensions, 123-144
  affected functions, 125
imaging pipeline, 123
  location of color table, 138
  optimizing, 285
  overview, 124
  tuning, 246-248
immediate mode
  contrasted with display lists, 224
  machine dependencies, 312
  tuning, 225-234
ImmediateModeIsFast(), 312
IMPACT
  color space conversion, 280
  convolution kernels, 280

display lists, 280
images, 279
performance tuning, 276-282
quad strips, 277
textures, 278
triangle strips, 277
import context extension, 169
shareable information, 169
include files
OpenGL and X, 11
index array, 153
Indigo^2 XL performance tuning, 267
Indigo Entry performance tuning, 267
indirect rendering, 79
pbuffers, 179
indirect rendering contexts
sharing with import context, 169
Indy
comparative performance costs, 244
performance tuning, 267-273
inheritance issues, 38
init callback, 23, 33
input callbacks, 32, 33, 34, 62
example, 35
private state, 34
when called, 34
input disappears, 38
input events
and overlays, 63
input extension (X), 45
input handling, 34
actions and translations, 34
interlace extension, 139
interleaving computation with graphics, 236
internal formats, 85
list of tokens, 87
Intrinsics, 15
IRIS GL, 5, 60
backbuffer, 287
blendcolor, 287
blendfunction, 287
convolve, 288
cpack format, 125
displacepolygon, 288
dither, 288
fbsubtexload, 288
frontbuffer, 287
gamma, 288
getdesc, 305
gethgram, 289
glcompat, 288
hgram, 289
ilbuffer, 289
ildraw, 289
istexloaded, 289
leftbuffer, 289
libsphere, 289
linesmooth, 289
msalpha, 290
msmask, 290
mspattern, 290
mssize, 290
mswapbuffers, 290
pixelmap, 291
pixmode, 291
pntsize, 292
polymode, 292
polysmooth, 292
popup planes, 292
porting, xxiv
readcomponent, 292
RGBwritemask, 292
rightbuffer, 289
setmonitor, 292
setvideo, 292
swapinterval(), 168
tevbind, 293
tevdef, 293

texbind, 293
texdef, 293
texture management, 289
tlutbind, 295
tlutdef, 295
IRIS GL (getminmax, 290
IRIS GL (minmax), 290
IRIS IM, 1
and Xt, 15
example program, 16
integrating with OpenGL, 15
keyboard traversal, 28
troubleshooting, 38
widgets, 14, 15
IRIS Performer, 8
IsFastOpenXDisplay(), 312
istexloaded (IRIS GL), 289

K

key bindings, 37
keyboard focus, 38
keyboards
virtual key bindings, 37
keyboard traversal, 28, 38

L

leftbuffer (IRIS GL), 289
level of detail *See* LOD
libisfast, 306, 311
libpdb, 306
libraries
how to link, 24
OpenGL and X, 11
libsphere (IRIS GL), 289
lighting, 268
and material parameters, 241
debugging, 207
expensive features, 241
mid-range systems, 275
nonlocal viewing, 240
optimizing, 240-243
performance penalty of advanced features, 240
shininess, 241
single-sided, 240
lines, 269
antialiased, 269, 274, 277, 283, 289
depth-buffering, 269
depth-queued, 269
optimizing for low-end systems, 269
patterned, 269
rendering with polygon offset, 145
shaded, 269
linesmooth (IRIS GL), 289
line strips, 239
link lines, 24
OpenGL and X, 24
loading
optimizing, 248
local lights, 241
location of example source code, 8
LOD
for performance tuning, 237
multisampling, 158
texture LOD extension, 121
LOD extrapolation function, 109
LOD interpolation curve, 116
logical operator blending extension, 143
loops
accessing buffers, 229
for benchmarking, 220
optimizing, 229
unrolling, 229

low-end systems
  hardware-supported features, 268
  optimizing lines, 269
  scissoring, 273
  software-supported features, 268

M

machine configuration, 267
macros, 231
magnification filters
  detail texture, 115
  sharpen texture, 108
magnification of textures, 107
make current read extension, 164
  BadMatch error, 165
  RealityEngine, 165
mapping windows, 23
masks
  multisample mask, 158
material parameters, 241
Maximum IMPACT, 276
memory
  limitations with display lists, 225
  optimizing display lists, 234
  paging, 216
  paging caused by hierarchical data structures, 226
  savings using several visuals, 69
  structure of, 215
menus
  GLwMDrawingArea widget, 64
  multi-visual applications, 69
meshes, 232
mid-range systems
  alpha blending, 275
  dithering, 275
  hardware-acccelerated extensions, 274
  lighting, 275
  optimizing clear oparations, 276
  performance tuning, 274
  texture mapping, 275
minimizing cache misses, 217
minmax (IRIS GL), 290
minmax blending extension, 142
minmax extension, 134
mipmapping
  and 3D textures, 102
  texture LOD extension, 121
-mips3, 223
mode changes
  fast on RealityEngine, 282
  slow on RealityEngine, 282
mode settings, 219
Motif, 1
  and Xt, 15
  See also IRIS IM, widgets
motif/simplest.c example program, 16
mouse events, 35, 45
msalpha (IRIS GL), 290
msmask (IRIS GL), 290
mspattern (IRIS GL), 290
mssize (IRIS GL), 290
mswapbuffers (IRIS GL), 290
multipass multisampling, 159
multiple colormaps, 71
multiple processes, 217
multiple processors, 237
multiple visuals, 68
multisample extension, 154
multisample mask, 158
multisampling, 154-161
  advanced options, 156
  and blending, 157
  choosing visual, 155
  clear, 284

comparative performance cost, 244
defining mask, 158
GL_LINE_SMOOTH, 160
introduction, 155
multipass multisampling, 159
on RealityEngine systems, 284
performance costs, 284
pixels, 161
points, 160
polygons, 161
screen-door transparency, 157
when to use, 155

N

nonlocal viewing, 240
normals, 269
vertex array extension, 152
NULL image, 97
NURBS, 277

O

O2 compiler option, 223
ogldebug
Commands menu, 203
configuration file, 196
control flow checkboxes, 200
Fast Mode checkboxes, 201
File menu, 202
Options menu, 203
References menu, 204
setup, 196
starting, 197
Trace checkboxes, 201
trace file, 198
ogldebug tool, 195-204
one-dimensional arrays, 227
OpenGL
coordinate system, 208
header, 11
include files, 11
integrating with IRIS IM, 15
rendering mode, 66
speed considerations with X, 23
visual, 11
OpenGL Porting Guide, xxiv
opening X displays, 19
Open Inventor, 4
optimizing
compilation, 223
concave polygons, 239
conditional statements, 230
database by preprocessing, 232
database traversal, 227
depth buffering, 245
display lists, 234
drawing, 238-239
fill rates, 270
fog, 275
frame rates, 215
glDrawPixels(), 249
imaging pipeline, 285
lighting, 240-243
loading, 248
loops, 229
pixel drawing, 249
polygons, 270
rasterization on RealityEngine, 283
RealityEngine performance, 282
rendering data, 226
rendering loops, 227
texture mapping, 271
zooming, 272
Options menu (ogldebug), 203
OS/2, 1

OSF/Motif, 1
  and Xt, 15
  See also widgets, IRIS IM
osview, 213, 217, 218, 219
overlays, 58
  clipped, 63
  colormaps, 62
  GLwMDrawingArea widget, 60
  input events, 63
  transparency, 59
  troubleshooting, 62
  using XRaiseWindow(), 62
  window hierarchy, 63
overloaded visuals, 11

P

packed pixels extension, 125
  pixel types, 126
paging, 216
parameters determining performance, 219
patterned lines, 269
pbuffers, 179
  and GLXFBConfig, 176
  preserved, 179, 180
  volatile, 179
  volatile, preserved pbuffer, 180
PC sampling, 218
pdbClose(), 308
pdbMeasureRate(), 309
pdbOpen(), 306, 307
pdb routines, 306
pdbWriteRate(), 310
perf.c discussion, 251-266
perf.c example program, 297
performance
  clearing bitplanes, 246
  determining parameters, 219
  estimates, 221
  estimating, 219
  influencing factors, 213
  multisampling, 284
  penalties with lighting, 240
  vertex array extension, 151
Performance DataBase(pdb) routines, 306
performance *See also* low-end systems, mid-range systems, IMPACT systems, RealityEngine
per-fragment operations, efficient use, 244
per-pixel operations, 212
per-polygon operations
  finding bottlenecks, 212
pipeline
  3-stage model, 210
  CPU stage, 210
  performance factors, 213
  raster subsystem, 212
  tuning, 210
pixel buffer extension, 179
pixel drawing
  optimizing with framezoom, 273
pixel formats
  using DMA on low-end systems, 272
pixelmap (IRIS GL), 291
pixel path *See also* imaging pipeline
pixel path tuning, 246-248
pixels
  multisampling, 161
  optimizing drawing, 249
  transparent, 165
pixel storage modes, 101, 126
  and import context, 169
pixel types using packed pixels, 126
pixmaps, 77, 78
  and exposing windows, 47
  and GLXFBConfig, 172, 177

and pbuffer, 179
as resources, 13
creating, 77
See also X pixmaps, GLX pixmaps
pixmode (IRIS GL), 291
planes
overlay, 58
popup, 60
pntsize (IRIS GL), 292
points
and multisampling, 160
GL_NICEST smooth hint, 160
polygon offset extension, 145
example program, 146
polygons
antialiasing, 277
clean outlines, 145
grouping primitives, 239
influencing performance, 219
large, 236
multisampling, 161
optimizing, 230, 238, 270
optimizing large polygons, 245
optimum size, 246
RealityEngine, 283
reducing number in example program, 264
polymode (IRIS GL), 292
polysmooth (IRIS GL), 292
popup menus, 64
code fragment, 65
GLwMDrawingArea widget, 64
popup planes, 60
IRIS GL, 292
porting, xxiv, 80
porting to Windows NT, 80
preprocessing
introduction, 232
meshes, 232
vertex loops, 233
preserved pbuffer, 179
buffer clobber event, 182
primitive length
RealityEngine, 282
prioritizing textures, 95
prof, 218
sample output, 261
profiler, 261
projection matrix debugging, 206
prototyping subroutines
in ANSI C, 230
proxy mechanism, 89
example, 90
proxy histograms, 135
PseudoColor visuals, 67, 73, 166, 172

Q

quad buffer stereo, 75
quads
RealityEngine, 283
quad strips, 239
IMPACT, 277

R

rasterization
optimizing on RealityEngine, 283
raster subsystem *See* fill-limited code, 212
readcomponent (IRIS GL), 292
read drawable, 164
RealityEngine
fast and slow mode changes, 282
make current read extension, 165
multisampling, 284
optimizing performance, 282
optimizing rasterization, 283

optimizing vertex arrays, 284
polygons, 283
primitive length, 282
quads, 283
transparency, 285
References menu (ogldebug), 204
refresh rate of screen, 214
remote rendering
advantage of display lists, 224
data traversal, 224
removing backfacing polygons, 244
rendering
direct and indirect, 79
optimizing data, 226
optimizing loops, 227
rendering contexts
creating, 22
definition, 12
resident textures, 95
resize callback, 32, 34, 62
Resource Manager, 13
resources, 13, 29
definition, 13
fallback, 29
two meanings of term, 13
widget properties, 29
RGBA mode, 70
and GLXFBConfig, 172
RGBwritemask (IRIS GL), 292
rightbuffer (IRIS GL), 289
rotation, 207
rubber banding, 63
RunTest(), 251

S

scene graph, 223, 226
scissoring, 268
on low-end systems, 273
-S compiler option, 237
screen clear
and animation performance, 214
screen-door transparency, 157, 285
screen refresh time, 214
scrolling
glCopyPixels(), 272
separable convolution filter, 131
setmon command, 76, 293
setmonitor (IRIS GL), 292
setting up ogldebug, 196
setting window properties, 44
setvideo (IRIS GL), 292
SGI_color_matrix, 128
SGI_color_table, 136
SGI_make_current_read, 164
SGI_swap_control, 168
SGI_texture_color_table, 105
SGI_video_sync, 167
SGIS_detail_texture, 112
SGIS_multisample, 154
SGIS_sharpen_texture, 107
SGIS_texture_border_clamp, 119
SGIS_texture_edge_clamp, 119
SGIS_texture_lod, 121
SGIS suffix, 6
SGI suffix, 6
SGIX_fbconfig, 171
SGIX_framezoom, 273
SGIX_interlace, 139
SGIX_pbuffer, 179
SGIX_video_source, 183
SGIX suffix, 6
shaded lines, 269

shading, 244, 264
sharing resources, 13
sharpen texture, 283
sharpen texture extension, 107
  customizing, 109
  example program, 110
  magnification filters, 108
Silicon Graphics X server, 10
simple lighting model, 240
single-buffer mode, 215
single-channel visuals, 176
single-sided lighting, 240
Sirius video, 288
smoke, 238
smooth shading, 264
software-supported features (low-end), 268
source code for examples, 8
speed considerations, 23
sphere example, 251-266
stack trace, 39
starting ogldebug, 197
StaticColor visuals, 67, 166, 172
StaticGray visuals, 67, 166, 172
static vertex array elements, 152, 154
stencil buffer, 268
StencillingIsFast(), 312
stereo rendering, 74
strings, 47
strips, 232
subimage, 113
subtexture extension, 96
subtextures
  and video, 96
  NULL image, 97
swap control extension, 168
swapinterval (IRIS GL), 168
swapping buffers, 52
switch statements, 230
-sync flag, 39

T

tessellation, 277, 289
Test(), 251
tevbind (IRIS GL), 293
tevdef (IRIS GL), 293
texbind (IRIS GL), 293
texbind(IRIS GL), 93
texdef (IRIS GL), 293
texdef(IRIS GL), 93
text handling, 47
texture border clamp extension, 119
texture color table extension, 105
texture coordinate array, 153
texture coordinates
  vertex array extension, 153
textured polygons, 238
texture edge clamp extensions, 119
texture extension, 85
  generating texture names, 94
  proxy mechanism, 89
texture generation, 282
texture images and convolution extension, 131
texture LOD extension, 121
texture magnification, 107
texture mapping, 312
  mid-range systems, 275
  optimizing, 271
TextureMappingIsFast(), 312
texture memory, 281
texture object extension, 93
  and detail texture, 117

textures
  IMPACT systems, 278
  internal format, 85
  optimizing, 242
  priorities, 95
  switching, 242
texture wrap modes, 101
texturing, 244, 268
  performance cost, 284
  See also textures
three-stage model of the graphics pipeline, 210
timing
  background processes, 219
  glFinish(), 220
  loops, 220
  measurements, 218, 219
TLB, 216
tlutbind (IRIS GL), 295
tlutdef (IRIS GL), 295
top-level widget, 30
trace file, 198
  GLX calls, 198
TRAM, 281
transform-limited code
  finding bottlenecks, 212
  tuning, 238-243
transform rate, 219
transforms, optimizing, 271
translation-lookaside buffer *See* TLB
translations *See* actions and translations
transparency, 245
  RealityEngine, 285
transparency in overlays, 59
transparent pixels, 42, 165
traversal, 28, 38
  remote rendering, 224
traversal of data, 223
triangle fans, 239
triangle strips, 233, 239, 270
  on IMPACT, 277
troubleshooting
  IRIS IM input disappears, 38
  overlays, 62
  widgets, 37
TrueColor visuals, 44, 67, 73, 165, 172
tuning
  advanced, 236-237
  animations, 214
  clear, 236
  display lists, 234-235
  Elan graphics, 274
  examining assembly code, 237
  example program, 251-266
  Extreme graphics, 274
  fill-limited code, 243-246
  fundamentals, 209-222
  immediate mode, 225-234
  IMPACT systems, 276-??, 276-282
  Indigo^2 XL, 267
  Indigo Entry, 267
  Indy, 267-273
  pipeline, 210
  pixel path, 246-248
  reducing frame rate, 214
  single-buffer mode, 215
  transform-limited code, 238-243
  using LOD, 237
  using textured polygons, 238
TV_COMPONENT_SELECT (IRIS GL), 293
two-sided lighting, 241

U

underlay planes, 60
unrolling, 228, 234
using Xlib, 39

V

vertex array extension, 151
  dynamic elements, 152
  edge flag array, 153
  optimizing for RealityEngine, 284
  static elements, 152, 154
  when to use, 151
vertex loops
  preprocessing, 233
vertical retrace, 214, 236
video
  and subtextures, 96
  dithering, 288
  interlace extension, 139
  stereo rendering, 74
video device control, 293
video source extension, 183
  example program, 183
video sync extension, 167
virtual key bindings, 37
visual info extension, 165
  used in overlay example, 61
visual rating extension, 167
visuals, 66, 67
  and colormaps, 42
  and contexts, 172
  choosing, 66
  colormaps, 66
  definition, 11
  for multisampling, 155
  memory savings, 69
  mutiple-visual applications, 68
  OpenGL visual, 11
  overloaded, 11
  selecting, 20
  single-channel, 176
  single-visual applications, 68
  visual info extension, 165
volatile pbuffers, 179, 180
  buffer clobber event, 182
volume rendering, 100
  and texture color table, 105

W

WhitePixel color macro, 70
widgets, 14
  callbacks, 34
  container, 30
  definition, 14
  drawing-area, 28
  error handling, 31
  form, 61
  frame, 61
  input handling, 34
  IRIS IM, 14, 15
  mapping window, 23
  properties, 29
  troubleshooting, 37
  with identical characteristics, 31
  XmPrimitive, 28
widget sets, 14
window manager
  4Dwm, 1
window properties
  setting, 44
windows
  and buffer clobber event, 182
  as resources, 13
  mapping, 23
Windows NT, 1, 80
window systems
  NT, 1
  OS/2, 1
word-aligned data, 274
work procedures *See* workprocs

workprocs, 53
  adding, 53
  example program, 54
  removing, 53
wrap modes for textures, 101
write drawable, 164

X

X
  bitmap fonts, 48
  color macros, 70
  coordinate system, 208
  fallback resources, 29
  opening display, 19
  pixmaps, 78
  resources, 13
  speed considerations, 23
XCreateColormap(), 42, 63
XCreatePixmap()., 78
XCreateWindow(), 42
X double buffering extension, 53
xdpyinfo, 10, 12, 67
X extensions
  double buffering, 53
  GLX, 10
XGetVisualInfo(), 21, 67
XID, 13, 169
  for pbuffer, 180
X input extension, 45
XInstallColormap(), 44
Xlib
  colormaps, 74
  event handling, 45
  example program, 39
XMapWindow(), 23
XMatchVisualInfo(), 67
XmCreateSimplePopupMenu(), 64
XmPrimitive widget, 28
XOpenDisplay(), 19
XRaiseWindow(), 60, 62
X server
  provided by Silicon Graphics, 10
XSetWMColormapWindows(), 44, 62, 71, 73
XSetWMProperties(), 43
XSGIvc extension, 75, 288, 293
XStoreName(), 44
XSynchronize(), 39
Xt, 15
XtAddCallback(), 32
XtAppAddWorkProc(), 53
XtCreateManagedChild(), 23
XtCreateManagedWidget(), 21
XtOpenApplication(), 19, 29
XtRealizeWidget(), 23
XtRemoveWorkProc(), 53
X visual *See* visuals
X Window System
  introduction, 9
  terminology, 9

Z

z axis, 206
zooming
  optimizing, 272