

**dms**

**COLLABORATORS**

	<i>TITLE :</i> dms		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		November 11, 2024	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>dms</b>	<b>1</b>
1.1	main . . . . .	1
1.2	dmsgeneral . . . . .	1
1.3	credits . . . . .	2
1.4	copyright . . . . .	3
1.5	copyright2 . . . . .	4
1.6	dms1 . . . . .	4
1.7	dmsnews . . . . .	4
1.8	dmsdevice . . . . .	5
1.9	sfxdms . . . . .	5
1.10	undms . . . . .	5
1.11	dmsupdate . . . . .	5
1.12	dmswb . . . . .	7
1.13	fms . . . . .	7
1.14	dmb . . . . .	8
1.15	dmscommand . . . . .	8
1.16	dms_prefs . . . . .	8
1.17	dms_sfx . . . . .	9
1.18	dms_read . . . . .	9
1.19	dms_write . . . . .	10
1.20	dms_repack . . . . .	10
1.21	dms_test . . . . .	11
1.22	dms_text . . . . .	11
1.23	dms_append . . . . .	11
1.24	dms_view . . . . .	12
1.25	dms_viewdiz . . . . .	12
1.26	dmsoption . . . . .	13
1.27	dms_from . . . . .	13
1.28	unnamed.1 . . . . .	14
1.29	dms_cmode . . . . .	14

---

---

1.30	dms_low	15
1.31	dms_high	15
1.32	dms_noval	15
1.33	dms_nozero	15
1.34	dms_encrypt	15
1.35	dms_decrypt	16
1.36	dms_nopause	16
1.37	dms_verify	16
1.38	dms_noverify	16
1.39	dms_notext	16
1.40	dms_hd	17
1.41	dms_sub_hd	18
1.42	dms_pc	18
1.43	dms_diztext	19
1.44	fmsoption	19
1.45	fms_makesfx	19
1.46	fms_addfiles	19
1.47	fms_extfiles	19
1.48	fms_vivfiles	20
1.49	fms_lstfiles	20
1.50	fms_tstfiles	20
1.51	dmsregister	20
1.52	index	21

---

# Chapter 1

## dms

### 1.1 main

DATE: 1.6.1994

Device-Masher System v2  
By ParCon Software

Table of contents:

About DMS  
DMS NEWS!  
DMS commands  
DMS options  
FMS options

Copyright

Credits

```
*****
*
*           Device-Masher System
*
*   DEVELOPED on the Amiga, FOR THE AMIGA AND MACINTOSH
*
* It's all about making the right choice, so when YOU have to choose.
*
*           CHOOSE D M S .
*
*****
```

### 1.2 dmsgeneral

The story.

DMS was originally written by SDS software and first release was made in 1991. Shortly after the release of DMS, WARP was quickly replaced by DMS, because of its advantage in compression and speed. Since DMS version v1.11, users have not seen any updates from SDS software. Registered users which got their v1.11 never got

anything else.

From different sources, We were told, that SDS software never replied to bug reports nor updates. We find that SDS software was ignoring all mail because the programmer didn't want to continue his work, or simply started working on another platform. We at ParCon software saw our chance to make DMS more powerful and make the necessary changes which were needed to keep up with the operating systems made for Amiga, and try to please those people who tried to notify SDS about problems with dms.

In 1993, DMS v1.51 was released through a source which was quite famous and working in group which was known for releasing powerful products. This early release version was made to test users ability to change from using the old dms v1.11 and upgrade to the new v1.51 . Soon after followed the v1.53 still released through this source. DMS got well received by the users all over the world, and We decided to follow up on the development of dms, and created the company "ParCon software" . We rewrote most routines in DMS, except for the compression algorithms which is very complex and efficient, and made dms perform better on disks which were unrecognized since the release of Kickstart 2.x. Several changes in DMS have made it possible for the user to compress different kinds of devices, such as highdensity and pc disks.

Registered users of the old dms v1.11, will once again have to register to get their updated version. As DMS v1.11 and DMS v2.x got only one thing in common, that is the compability of compressing and decompressing of DMS images. We have not ripped dms from the authors, they gave up in 1991. The Device-Masher System is made very similar to the old dms v1.11 because users have a hard time changing from one program to another, if the old one still works fine. And those who wished to use the new version had no problems installing their dms v2.x in their regular scripts, etc. The register fee you must pay is because we feel, that all the work and effort we have put in development of this updated/rewritten dms have taken us a lot of time. Commercial products are often much more expensive. So we urge you to register your dms, so we can continue the work, with our registered users in mind, so We feel that all our work hasn't been for nothing .

Other Products.

ParCon Software is also developing a few other products .  
If you have ideas for programs you would like see written, contact us at the address shown in REGISTER.

### **1.3 credits**

MACIEJ MARZEC,  
Giving endless supply of new ideas for improvements of DMS.

PETER NIELSEN,  
Making the new ANSI layout for DMSTEST v1.32

---



```

~
~ A full version of DMS WINDOW which is %40 faster in packing,
~ compared to previous DMSWIN versions.
~
~ Other utilities made by ParCon Software.
~
~ ParCon Software will send you the lastest updated version, for free.
~ If you want us to continue sending you updated versions, or
~ new programs made by us, you must add $5 to the registration fee,
~ for each package extra you want to receive.
~
~
~ READ THE REGISTER DOCUMENTATION FOR MORE INFORMATION ON REGISTER
~
~
~

```

## 1.5 copyright2

```

~
~ Evaluation limitations in DMS
~
~
~ In the Evaluation version, you have limited access to the some of the
~ options in DMS.
~
~
~

```

Device-Masher System (DMS)

How do I get a FULL version

## 1.6 dms1

- 1: DMS will run at aprox. 40% slower speed, when compressing disks.
- 2: DMS cannot make the High-Speed '.DMS' files, using the "DEVFIX" option.

## 1.7 dmsnews

DMS NEWS REGION

UPDATE Info on DMS/DMSWB (NEWEST VERSION ONLY)  
File-Masher System (FMS)  
File-Masher System WBench (DMS WB)  
DMS.DEVICE \*new updated version\* much faster  
UnDMS  
SFXDMS

Device-Masher Backup

## 1.8 dmsdevice

The device driver which can be found in the DEVS: directory on this disk is for the mounting of a virtual drive. But not as you normally would expect. Unlike FFx: FMx: , DMS-DEVICE is for mounting DMS files, and accessing files included in the archive without having to extract it. So the main difference between FMx/FFx and our DMx: device, is that FMS.device and FFx.device takes up 901120 bytes pr. disk, And DMS.device only uses the same space which your DMS file does.

## 1.9 sfxdms

SFXDMS is a part of DMS, which gives you the option of creating executable DMS files, which can be extracted without the need of the DMS program.

The executable file will only occupy memory for the main program.

Data will be loaded in one track at a time, and depacked.

The new option in DMS for this, is SFX.

Read more about this later in this documentation.

ADVANTAGE:

\*SIMPLE PATCH FILES WHICH WILL UNPACK WITHOUT NEED OF DMS.

## 1.10 undms

UNdms can only unpack DMS files.

The main reason for making this tool is for those who need to include DMS archives on their disk.

But because of the minimizing of the filesize, boottracks will not be tested for viruses nor shown.

UNdms works with all the supplied options as in the FULL DMS.

but unlike DMS, UNdms will not use verification of data written to disk as default. you must use the "VERIFY" option for verification.

ADVANTAGES:

\*MORE SPACE ON THE DISKS WHERE DMS, IS A PART OF THE TOOLS WHICH IS NEEDED TO EXTRACT PATCHES ETC.

\*SIMPLY MORE SPACE ON YOUR MODEM-DISK, IF YOU ARE A DISK USER

## 1.11 dmsupdate

Bugs in dmswb

-----

- DMSWB could not initialize PCx: drives.

Bugs in dms

---

-----

- The compression routine had a "serious" bug, which resulted in corrupted files, no crc error was shown, so you could only detect this error when you tried to unpack the disk once again. The problem is found and solved. It is still 100% compatible with the old v1.11!

Updated

-----

UNDMS

- Removed the bug which locked files from being deleted after unpacking.

DMS

- Added a preferences screen, which will be shown the first time you start dms. If you want to alter your selections later on, you can call the preferences window up, by doing this:  
dms prefs
- You will be shown a file\_id.diz text when you are unpacking disks, if one is added to the dms image.
- Language support!  
This is still on a early stage, but most of the text in dms have been translated into several languages. dms will be fully translated for next release version. You can select a new language with the installer. As dms is for all systems from ks 1.3 and upto 3.x, scripts is not "locale" based. (as this is a 2.x facility)
- When dms reported a read-error on a disk, you would not be told, if it was only a single sector. now will only sectors which are bad, be cleared. This modification is not compatible with older dms versions. You can break, the auto detecting of sectors marked bad, with CTRL-D.
- People use dms through "directory opus" mostly, and when a verify error occur, they have no chance of selecting new disks for writing, if they used a multiselection. DMS will prompt you for a new disk at the end of writing, if you get verify errors on a disk.

FMS

(FMS is a part of DMS , NOT a external program!)

- Added saving of file comments
  - Added saving of protection bits (HSPARWED)
  - Removed a checksum routine bug
-

- Removed the 60K file limit of filepacking for EVALUATION USERS!

#### DMS.DEVICE

- This device have been greatly improved this time.
- first of all , you will now be able to list dms files, without removing trk0 adds, bbs texts etc.
- the speed is about 4x the normal speed of a normal drive. Tests in sysinfo (made on an A1200:

Disk speed: 81K/sec (500K DMS FILE)  
Disk speed: 70K/sec (800K DMS FILE)

If you move the file to a RAM: and you try again you will double the speed once again.. So around 200K/sec. Even faster than a CDrom drive.

## 1.12 dmswb

DMS WB:

DMSWB is a Workbench based version of DMS. It works just like DMS but is iconbased.

DMSWB has more advantages, such as being multitasking, so you can write a DMS file, while you're viewing the information about it, or you can compress a disk using another drive. Because DMSWB can do 4 commands at a time, you have 4 information outputs on the right side of the DMSWB window.

DMSWB has been tested on, Kickstart 1.3 / 2.x / 3.x .

You can use either reqtools.library or asl.library, for filerequests.

Included on the disk are both asl.library and reqtools.library, just rename the needed reqtoolsXX.library for use on your kickstart version, to reqtools.library.

Note, DMSWB is limited in speed and some operations, so register and get a full version.

Read the REGISTER.ME file for more information.

## 1.13 fms

File-Masher System  
Version 2.01  
DOCUMENTATION

FMS is a part of DMS, which allows the user to pack files

---

and include those files to the .DMS file.

DMS and FMS, a 2-in-one file packing utility.

FMS is file compressor for data or executable files. its nothing new that LhA, already did quite a job on that. DMS shows that it can compete with LhA in file packing, and combining both Diskimages and files in one single file makes it even more powerful.

FMS will detect DMS images(tracks) and tell you its here, if found. and DMS will do the same when unpacking tracks.

When packing whole directories, FMS is very simple to use for that. Specify directory for packing, and the directory + subdirectories will be packed without doing anything, but specifying the directory.

## 1.14 dmb

Device-Masher Backup is basically a Harddrive backup system, which is able to pack the files with the mode used by DMS.

DMB will also be able to function without packing mode, but generally its made for the purpose of saving disks when making a backup.

## 1.15 dmscommand

Commands for DMS

```
READ
WRITE
APPEND
REPACK
VIEW
TEST
TEXT
VIEWDIZ
SFX
PREFS
```

## 1.16 dms\_prefs

Preferences window will be called when you use this option.

In the prefs menu you will be able to select several options for use with DMS.

The first time you start DMS, you will be shown the preferences menu and then you can select the options you want to use with DMS.

This window will not be shown again, unless you call it.

The basic usage for this command is:

---

## DMS Prefs

- You can exit the prefs window by clicking the closewindow icon.

## 1.17 dms\_sfx

You can make your .DMS file executable, by using this command. The DMS file executable file, have all the options which can be used with the normal DMS, the only difference is that you do not need the DMS program to unpack the file with when you have made the .DMS file executable.

The .DMS filesize will only be 17K larger, when the executable hunk is added to the .DMS file, which is not much.

so if you need the .DMS file and the DMS program together on one disk, you can simply make the .DMS file executable and put it on the disk.

The SFX file may look like it needs a lot of memory to be executed, but it will only allocate around 150K.

The DMS DATA, will be loaded into memory when needed.

So don't let yourself get scared when you have an executable file of 850K.

\*example:

```
DMS SFX <NAME>.DMS
```

## 1.18 dms\_read

This command will read and compress a disk.

The basic usage for this command is:

```
DMS Read file[.DMS] [FROM Dev:] [PC] [HD] [TEXT filetext] [DIZTEXT filetext]
      [CMODE mode] [LOW lowtrack] [HIGH hightrack] [ENCRYPT password]
      [NOVAL] [NOZERO] [RETRY value] [DEVFIX]
```

Where

```
file[.DMS]
```

- is the output file which will contain the archived disk. The output file can be either a previously written FMS file, or you can append tracks to an existing DMS archive.

READ EXAMPLES

-----

```
DMS READ myfile
```

- compress a disk inserted in DF0: and save the data as MYFILE.dms.

```
DMS READ myfile FROM df1: TEXT mytext LOW 0 HIGH 79
```

- compress a disk inserted in DF1: and save the compressed data as MYFILE.dms, include a text called MYTEXT and read tracks 0 to 79.

```
DMS READ myfile FROM PC1: PC HD LOW 0 HIGH 79 CMODE NONE
```

- compress a PC disk inserted in PC1: and save the data as MYFILE.dms, read tracks 0 to 79, and do not compress the data.

## 1.19 dms\_write

This command will write an archive to a device.

The basic usage for this command is:

```
DMS Write file[.DMS],,, [PC] [HD] [TO Dev:] [LOW lowtrack] [HIGH hightrack]
      [DECRYPT password] [NOVAL] [NOVERIFY] [NOTEXT] [NOPAUSE]
      [RETRY value]
```

Where

- file[.DMS] can be an DMS archive.  
Multiply files can be written at one time.

### WRITE EXAMPLES

-----

```
DMS WRITE myfile
```

- decompress myfile.dms to a disk in DF0:

```
DMS WRITE myfile TO df1: NOVERIFY NOTEXT
```

- decompress myfile.dms to a disk in DF1: , do not verify the data written, ignore text files added to this archive and leave out printing of the boottrack.

```
DMS WRITE myfile TO pc1: PC DECRYPT ParCon_Software
```

- decompress myfile.dms to a disk in PC1: , write data in PC disk format, and decrypt the archive with the password Parcon\_Software.

## 1.20 dms\_repack

This command will repack a previously compressed archive.

The basic usage for this command is:

```
DMS Repack file[.DMS] [TO file] [LOW lowtrack] [HIGH hightrack]
      [CMODE mode] [NOTEXT]
```

#### REPACK EXAMPLES

-----

```
DMS REPACK stuff LOW 20 HIGH 40 CMODE none
```

- Will extract tracks 20 through 40 from the archive stuff.DMS , recompress them using no compression and store the results in the file TEMP.DMS .

```
DMS REPACK old TO new
```

- Will recompress the archive old.DMS using the default compression mode and store the results in the file new.DMS

## 1.21 dms\_test

Test integrity of archive. DMS makes a basic CRC check of the archive. DMS will not report errors which is case of bad compression.

The basic usage for this command is:

```
DMS Test file[.DMS]
```

## 1.22 dms\_text

Show the text header which is added to a archive. DMS will show the first text information added to the archive.

The basic usage for this command is:

```
DMS Text file[.DMS]
```

## 1.23 dms\_append

(OPERATION OPTION)

:> MUST BE WRITTEN DIRECTLY AFTER THE "DMS" command name.

Sometimes you need to pack multiply track, ex. 2 and 5.

---

and the tracks is not followed by eachother, normally you would pack two or more files to do it....  
and join them into a .LhA archive.  
That is not nessessary anymore DMS can APPEND a single track to your DMS file.. and makes it easier for you to join single tracks into one DMS file.

The APPEND option supports all other available suboptions, like TEXT,NOZERO e.t.c..

\*example:           DMS APPEND <NAME>.DMS LOW <xx> HIGH <xx>

## 1.24 dms\_view

View information in archive. You can view information about the archive and the computer it was compressed on.

The basic usage for this command is:

```
DMS View file[.DMS] [FULL]
```

EXAMPLE OUTPUT OF A DMS FILE

```
-----
File: myfile.DMS  Size: 823928  Created: Thu Apr 07 10:33:03 1994
Lowtrack in Archive: 00  Hightrack in Archive: 79
Packed Bytes: 802486  UnPacked Bytes: 901120
Kickstart Version used : 39.106  AGA
Machine Used: AMIGA
Machine CPU: 68020
CPU Coprocessor: 68881
Time to Create Archive: 1 mins. 1 secs.
Version Number of Creator: 2.03
Version Needed to Extract: 1.11
Disktype of Archive: AMIGA OS 1.0 OFS
Compression Mode Used: HEAVY2
General Info: NOZERO
Info Header CRC: 3A65
```

When the option FULL is added, dms will after the information header show you the compression rates on tracks in the archive.

Track	Plength	Ulength	Cmode	USUM	HCRC	DCRC	Cflag
0	11264	11264	NOCOMP	026A	58CF	42A7	0

## 1.25 dms\_viewdiz

This command will read a archive and search for a file\_id.diz textfile which maybe have been added and show the file\_id.diz found.

The basic usage for this command is:

```
DMS viewdiz file[.DMS] [SAVE filename]
```

- If the SAVE option have been added, you can choose a filename for the file\_id.diz found in the archive, and it will be saved for future use.

## 1.26 dmsoption

Options for DMS

```
FROM  
TEXT  
CMODE  
LOW  
HIGH  
NOVAL  
NOZERO  
NOPAUSE  
ENCRYPT  
DECRYPT  
  
VERIFY  
NOVERIFY  
NOTEXT  
NOPAUSE  
HD  
PC  
DIZTEXT
```

## 1.27 dms\_from

Will read the disk from a different device. The default device is DF0:  
(internal drive).

Reading of HIGH-DENSITY DISKS needs the HD option added after the command.  
Reading of PC DOS DISKS need the PC option added after the command.

You may choose any device when the following specifications match.

```
ADOS DISK:  
    80 tracks,  
    2 sides,  
    11 sectors/track,  
    512 bytes per sector.
```

[Usually DF0:, DF1:, DF2:, DF3:, RAD:, FM0:, FF0:, etc.]

---

ADOS HIGH-DENSITY DISK:  
80 tracks,  
2 sides,  
22 sectors/track,  
512 bytes per sector.

[Usually DF0:, DF1:, DF2:, DF3: ]

Cross-Dos mounted devices.

PC DOS DISK:  
80 tracks,  
2 sides,  
9 sectors/track,  
512 bytes per sector.

[Usually PC0:, PC1:, PC2:, PC3: ]

PC DOS HIGH-DENSITY DISK:  
80 tracks,  
2 sides,  
18 sectors/track,  
512 bytes per sector.

[Usually PC0:, PC1:, PC2:, PC3: ]

## 1.28 unnamed.1

TEXT filetext

- Causes DMS to read in the file 'filetext' and add it to the archive. When the archive is extracted the text will be displayed before writing the disk. This is useful for identifying disks or giving other information about the archive. This option will only show the first identified TEXT file, found in the .dms archive.

## 1.29 dms\_cmode

CMODE mode

- Chooses the compression mode used. Mode is either NONE, HEAVY1, HEAVY2, or BEST

The default mode is BEST

Available modes are:

NONE - No Compression is performed (Straight Read).

---

HEAVY1 - Heavy compression, good speed/compression ratio.  
HEAVY2 - Best available compression. Only available with >1meg ram.  
BEST - Chooses Best compression method for available memory.

### 1.30 dms\_low

LOW lowtrack

- Specifies the starting track to read from. The default is track 0. Lowtrack must be a value from 0 to 79.

### 1.31 dms\_high

HIGH hightrack

- Specifies the ending track to stop at. The default is track 79. Hightrack must be a value from 0 to 79.

### 1.32 dms\_noval

NOVAL

- Stops DMS from inhibiting the disk validator when reading the disk.

### 1.33 dms\_nozero

NOZERO

- Normally DMS will read the AmigaDOS bitmap from the disk and archive only sectors which are being used. If the disk is a non-filing system disk or has a bad bitmap, DMS will automatically archive the whole disk. In EXTREME cases DMS will make a wrong assumption about the type of disk it is archiving. NOZERO will cause DMS to archive the whole disk totally ignoring the disk bitmap. Generally you will rarely if ever have to use this option.

### 1.34 dms\_encrypt

ENCRPYT password

- Causes DMS to encrypt the input from the disk using the password supplied. 'password' is any alphanumeric word you desire. Examples: Joe, Fred, ABC1234, ONLY-FOR-ME, etc.
-

### 1.35 dms\_decrypt

DECRPYT password

- Causes DMS to decrypt the archive with the password 'password'. This is only used if the archive was previously encrypted. 'password' must be the EXACT same one used when encrypting the file otherwise the archive will not be processed correctly.

### 1.36 dms\_nopause

- Stops DMS from pausing after displaying any text from the archive.

### 1.37 dms\_verify

We have all tried to unpack Disks and later found out , that the disk had read errors.

It's now possible to verify the written datas.

DMS will ALWAYS, unless specified, unpack with VERIFY on, why do it without?...

DMS will tell you IF an error occured, and report to you the BAD TRACK.

DMS will try to write the track 3 times, and after 3 error reports, DMS will continue writing and report to you the bad track.

### 1.38 dms\_noverify

You can disable the VERIFY , by adding the NOVERIFY option at the end of the command line.

But I do not recommend it! as DMS would then function in almost the same way as previous versions...

\*example:

```
DMS WRITE <NAME>.DMS NOVERIFY
```

### 1.39 dms\_notext

The NOTEXT option have been changed to ignore Track 0 (bootblock) advert texts to be shown, too...prefered?!...

\*example:

```
DMS WRITE <NAME>.DMS NOTEXT
```

---

## 1.40 dms\_hd

READING HD DISKS  
^^^^^^^^^^^^^^^^^^

NOTE TO USERS OF DMS v 1.5x: READHD

Since Kickstart 3.0, shipped with the A1200/A4000. The AmigaDos can read/write HighDensity(DUAL FORMAT) disks. But untill now, no Diskimploder/packer supports the option of packing those disk types. DMS can take those 1.7Meg disks now. Just remember that this version of DMS do not check IF you are unpacking to a normal doubledensity disk, and writing a Highdensity DMS file, to a normal disk will result in an error. And writing the HighDensity DMS files also needs a new WRITE option, explained later in this documentation.

The HD option supports all other available suboptions, like TEXT,NOZERO e.t.c..

NOTE: you cannot REPACK a HighDensity .DMS file.

\*example:  
DMS READ <NAME>.DMS HD

WRITING HD DISKS  
^^^^^^^^^^^^^^^^^^

NOTE TO USERS OF DMS v 1.5x: WRITEHD

If you want to unpack a DMS file which is packed using the HighDensity option, you must use this one to unpack the disk correctly again...

The HD option supports all other available suboptions, like NOTEXT,NOVAL,NOVERIFY e.t.c..

\*example:  
DMS WRITE <NAME>.DMS HD

>>NOTE:  
>>  
>>If you're using the option HD, the disk cannot be unpacked  
>>using previous versions of DMS, to be more exact.  
>>you cannot depack a .DMS file packed with V1.51, using V1.11  
>>

IT IS POSSIBLE TO READ A NORMAL DOS disk( 1.x/2.x ) WITH THIS OPTION  
BUT IF YOU REALLY WANT TO, THEN SPECIFY LOW 0 HIGH 39 AND  
IT WILL READ AS IT WAS AN 1.7Meg disk.  
IF YOU TRY THIS, YOU WILL SEE A SMALL ADVANCHE IN PACKING (10-20K), BUT!  
THESE FILES CANNOT BE UNPACKED WITH DMS v1.11 !!!!!!!!!!!!!!!

EXPLANATION WHY THIS WORKS:  
A normal DOS disk consists of 880K data, each track holds data of

---

11264 bytes length, where a HighDensity disk can take DOUBLE the size of datas stored on a normal DD disk, and therefor hold 11264 \*2 bytes on each track. So it IS POSSIBLE to read with the READHD option, but unless you need to make the file those 10-20K smaller, dont use it for that.. Generally most people still have the DMS v1.11. By some time, maybe most of the DMS users will have the updated version and then.. Thats up to you.

## 1.41 dms\_sub\_hd

As from DMS v2.x, the use of the HD option have been changed to be an option added after your command, instead of being a command. It makes reading of disks easier, and less commands to use.

But for those with old version left, and intends to continue using that version, the command explanation is still here.

READHD.  
^^^^^^

\*example:

DMS READHD <NAME>.DMS

WRITEHD.  
^^^^^^

\*example:

DMS WRITEHD <NAME>.DMS

The instructions is explained closer, in the previous chapter.

## 1.42 dms\_pc

Another option in DMS, is packing pc/ms-dos disks, on Amiga. You can pack those disks using the PCx: device (used by CrossDos), all you need to do is, tell DMS to read the disk as a PC disk. By adding the PC option at the end of the command line, DMS will work with the disk in the drive as it is pc/ms-dos disk.

People using DMS v1.xx will not be able to unpack these .dms files, but will be notified of using a newer version, when they try to unpack a PC packed .dms file.

\*example for reading a PC/MS-DOS disk:

DMS READ <NAME>.DMS PC

\*example for writing a .DMS file back as a PC/MS-DOS disk:

DMS WRITE <NAME>.DMS PC

---

## 1.43 dms\_diztext

Many bulletin boards support the use of FILE\_ID.DIZ texts nowadays. The only thing missing was that DMS supported it. The option works in the same way as TEXT.  
(for more info read below about TEXT)

\*example:

```
DMS READ <NAME>.DMS DIZTEXT FILE_ID.DIZ
```

## 1.44 fmsoption

Options for FMS

```
MAKESFX
A      (Add files to archive)
E      (Extract files from archive)
V      (View files in archive)
L      (List files in archive)
TEST  (Test files in archive)
```

## 1.45 fms\_makesfx

If you want people to be able to unpack your .FMS files, without needing the DMS program, you can use this command..

to make an .SFX file, write:

```
DMS MAKESFX <SOURCE[.FMS]>
```

## 1.46 fms\_addfiles

Add and compress files to archive.

With this option you can put files into a archive or you can join those files to a previous .DMS file.

NOTE: to add files to a existing .DMS file, add the .DMS extension

ex. 1: DMS A <SOURCE[.FMS][.DMS]> <FILE1> <FILE2> ....

## 1.47 fms\_extfiles

Extract files from archive.

With this option you extract files from a archive.

you can select a destination directory for the files.

When extracting, dms will search for .DMS and .FMS files.

---

ex. 1: DMS E <SOURCE[.FMS][.DMS]> <DESTINATION DIRECTORY>

## 1.48 fms\_vivfiles

View files in archive.

When viewing the compressed archive, dms will show, the most important info on the files, and full directory structure.

ex. 1: DMS V <SOURCE[.FMS][.DMS]>

## 1.49 fms\_lstfiles

List files in archive.

When viewing the compressed archive, dms will show, the most important info on the files, dms will show only the filename.

ex. 1: DMS L <SOURCE[.FMS][.DMS]>

## 1.50 fms\_tstfiles

For testing the .FMS file, use the "TEST" option, and specify the extension too. And dms will validate the .FMS file.

ex. 1: DMS TEST <SOURCE[.FMS]>

## 1.51 dmsregister

You can register your version of the Device-Masher System by filling out the registration text included with the package. It costs Dkr 200, to register DMS. Send only CASH or International Money Order(From your postoffice)

And by being a registered user, you will receive the latest updates of Device-Masher System(DMS), and other utilities made by Parcon.

Register form and suggestions/bug reports can be sent to:

ParCon software.  
v. Michael Pendec  
Islandsh0jparken 5, st.th.  
DK-2990 NIVAA  
DENMARK

We have received several letters, concerning registration. Often asked,

---



FMS options

MAKESFX

A (Add files to archive)

E (Extract files from archive)

V (View files in archive)

L (List files in archive)

TEST (Test files in archive)

REGISTRATION of DMS

Device-Masher System Documentation

---