

	A	B	C
1	IBM OS/2 LAN Server	V3.0 -- Configuration Worksheet	
2	Questions to Answer:	Response	
3	Tom Gordy -- TOMGORDY @ AUSVM1 (BCJS75A on PRC		
4	1. Server Name	SERVER01	(Machine Name)
5	2. Domain Name	DOMAIN01	
6	3. Advanced or Entry Server	A	(A/E)
7	3a) Any FAT drives Shared?	N	(Y/N)
8	3b) DC or Add'l Srvr?	DC	S/DC (DC=Domain Cntl
9	4. Total No. of DLR Reqs	0	(0 if none)
10	5. DLR Reqs. with Windows	0	(# out of total DLR)
11	6. OS/2 Requesters	0	(0 if none)
12	7. No. of Additional. Servers	0	(0 if none)
13	8. No. of Apps Shared	0	(3 Shares/App)
14	9. Memory in Server	12	(MB, eg, 12 or 14)
15	10. DLRINST used at SRV	N	(Y/N)
16	11a) No. of DOS RPL Req	0	(# out of total DLR)
17	11b) No. of OS/2 RPL Req	0	(# out of total OS/2 req)
18	12. No. of Home Directories	0	(# if assigned)
19	13. SRV used as Requester	N	(Y/N)
20	14. No. of File/Printer Aliases	0	(1 Share/Alias)
21	15. Application code on SRV	Y	(Y/N)
22	16. Appl I/O Seqtl or Random	S	(S/R)
23	PAGE DOWN FOR NETWORK ADAPTER OPTIONS		
24			
25	No. of LAN adapters used	1	(0--4)
26	Adapter 1 TRN or E-Net		(T/E)
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45	PAGE DOWN FOR COMMUNICATIONS OPTIONS		
46			
47	IBM OS/2 Communications Options		
48	Questions to Answer:	Response:	
49			

	A	B	C
50	Other NETBIOS applications	N	(Y/N)
51			
52			
53			
54			
55	LAN Netwk Manager on SRV?	N	(Y/N)
56			
57	SNA Gateway Support	N	(Y/N)
58			
59	APPC used on Server?	N	(Y/N)
60			
61	Server also RDS	N	(Y/N)
62			
63			
64	Other IEEE 802.2 API Appls.	0	0 if none, 1 for Em Wks
65			
66			
67	PAGE DOWN FOR ERROR MESSAGES		
68			
69			
70			
71			
72			
73	Adapter Number Check	OK	
74	NETBIOS Sessions	OK	
75	NETBIOS Commands	OK	
76	NETBIOS Names	OK	
77	Server RAM	OK	
78	NETBIOS Work Areas (386)	OK	
79	Adapter 1 (802.2 RAM)	OK	
80	Adapter 2 (802.2 RAM)	OK	
81	Adapter 3 (802.2 RAM)	OK	
82	Adapter 4 (802.2 RAM)	OK	
83	TL 802.2 RAM utilization(386)	OK	
84	802.2 Stations Required	OK	
85	802.2 Users Required	OK	
86	Potential Problems/Warnings	NONE	
87			
88	IF NO SIGNIFICANT ERRORS ARE DISPLAYED ABOVE (IN BLUE),		
89	PAGE DOWN FOR GENERATED IBMLAN.INI FILE AND CM CONFIG P.		
90			
91			
92			
93	; OS/2 LAN Server initialization file		
94			
95	[networks]		
96			
97			LANDD_NIF
98	NET1 = NETBEUI\$,0,LM10,32,51,14		

	A	B	C
148			
149	[netlogon]		
150			
151	SCRIPTS = D:\IBMLAN\REPL\IMPORT\SCRIPTS		
152	pulse = 60		
153	update = yes		
154			
155	[replicator]		
156			
157	replicate = IMPORT		
158	IMPORTPATH = D:\IBMLAN\REPL\IMPORT		
159	tryuser = yes		
160	password =		
161	interval = 5		
162	guardtime = 2		
163	pulse = 3		
164	random = 60		
165			
166	[dcdbrepl]		
167			
168	tryuser = yes		
169	password =		
170	interval = 5		
171	guardtime = 2		
172	pulse = 3		
173	random = 60		
174			
175	[server]		
176			
177	alertnames =		
178	auditing = no		
179	autodisconnect = 120		
180	maxusers = 32		
181	; The following parameters generally do not need to be		
182	; changed by the user. NOTE: srvnets= is represented in		
183	; the server info struct as a 16-bit lan mask. Srvnet names		
184	; are converted to indexes within [networks] for the named nets		
185	guestacct = guest		
186	accessalert = 5		
187	alertsched = 5		
188	diskalert = 5000		
189	erroralert = 5		
190	logonalert = 5		
191	maxauditlog = 100		
192	maxchdevjob = 6		
193	maxchdevq = 2		
194	maxchdevs = 2		
195	maxconnections = 32		
196	maxlocks = 64		

	A	B	C
197	maxopens = 250		
198	maxsearches = 50		
199	maxsessopens = 80		
200	maxsessreqs = 50		
201	maxsessvcs = 1		
202	maxshares = 32		
203	netioalert = 5		
204	numbigbuf = 12		
205	numfiletasks = 1		
206	numreqbuf = 64		
207	sizreqbuf = 4096		
208	srvanndelta = 3000		
209	srvanannounce = 60		
210	; The next lines help you to locate bits in the srvheuristics entry.		
211	;	1	
212	01234567890123456789		
213	srvheuristics = 11110141112313101331		
214	SRVSERVICES = NETLOGON,LSSERVER		
215	srvnets = net1		
216			
217	[alerter]		
218			
219	sizalertbuf = 3072		
220			
221	[netrun]		
222			
223	maxruns = 3		
224	runpath = C:\		
225			
226	[lsserver]		
227			
228	cleanup = yes		
229	srvpipes = 3		
230			
231	[services]		
232			
233	; Correlates name of service to pathname of service program.		
234	; The pathname must be either		
235	1) an absolute path (including the drive specification)		
236	OR		
237	2) a path relative to the IBMLAN root		
238	alerter = services\alerter.exe		
239	dcdbrepl = services\dcdbrepl.exe		
240	dlrinst = services\dlrinst.exe		
241	genalert = services\genalert.exe		
242	lsclient = services\lsclient.exe		
243	lsserver = services\lsserver.exe		
244	messenger = services\msrvinit.exe		
245	netlogon = services\netlogon.exe		

	A	B	C
246	netpopup = services\netpopup.exe		
247	netrun = services\runservr.exe		
248	remoteboot = services\rplservr.exe		
249	replicator = services\replicat.exe		
250	requester = services\wksta.exe		
251	server = services\netsvini.exe		
252	timesource = services\timesrc.exe		
253	ups = services\ups.exe		
254			
255	PAGE DOWN FOR GENERATED COMM MGR CONFIG PARAMETERS		
256			
257			
258			
259			
260			
261			
262			
263			
264			
265			
266			
267			
268	; IEEE 802.2 (if installed) - NOT REQUIRED BY SERVER		
269			
270			
271			
272			
273			
274			
275			
276	;NetBIOS		
277			
278	Adapter 1.		
279	GDT Selectors ->	50	
280	Maximum Sessions ->	40	
281	Maximum Commands ->	95	
282	Maximum Names ->	15	
283	Remote Names(namecache) -	20	
284	NETBIOS Retries ->	3	
285	I-Frame Descriptors(packets)	400	
286	UI-Frame Descriptors ->	2	
287	looppackets=	1	
288			
289			
290			
291			
292			
293			
294			

	A	B	C
295			
296			
297			
298			
299			
300			
301			
302			
303			
304			
305			
306			
307			
308			
309			
310			
311			
312			
313			
314			
315			
316			
317			
318			
319			
320			
321			
322	CONFIG.SYS -- NOTE: Statements below must		
323	be modified by the user. Drive letters shown as		
324	x: and/or d: must be updated!		
325			
326	IFS=x:\IBM386FS\HPFS386.IFS x:\IBM386FS\HPFS200.386		
327			
328			
329			
330			
331		END OF	
332		DATA	
333			
334			
335			
336			
337			
338			
339			
340			
341			
342			
343			

	A	B	C
883			
884			
885			
886			
887			
888			
889			
890			
891			
892			
893			
894			
895			
896			
897			
898			
899			
900			
901			
902			
903			
904			
905			
906			
907			
908			
909			
910			
911			
912			
913			
914			
915			
916			
917			
918			
919			
920			
921			
922			
923			
924			
925			
926			
927			
928			
929			
930			

	D	E	F	G	H
1	et 1.04				
2	Errors:			PROTOCOL.INI	
3	DDIGY)			IEEE 802.2 Results	
4				Maximum SAPS->	3
5				Maximum Link Stations->	0
6				802.2 Users ->	3
7				# Q Elements ->	800
8				Glbl Desc Tbl Selectrs->	30
9					
10				NETBIOS Results	
11				TOTAL RQMNTS	
12					
13				Maximum Sessions ->	32
14				Maximum Commands ->	51
15				Maximum Names ->	15
16					
17					
18				[netbeui_nif]	
19					1
20				Adapter 1.	
21				GDT Selectors ->	50
22				Maximum Sessions ->	40
23				Maximum Commands	95
24	PROTOCOL.INI entries			Maximum Names ->	15
25				Remote Names(name	20
26				NETBIOS Retries ->	3
27				I-Frame Descriptors(p	400
28				UI-Frame Descriptors	2
29				looppackets=	1
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48	Potential Errors:				
49					

	D	E	F	G	H
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					
61					
62					
63					
64				CONFIG.SYS -- NOTE: Statements in this file should not be modified by the user. Drive letters c: and/or d: must be updated!	
65					
66					
67					
68				IFS=x:\IBM386FS\HPFS386.	
69					
70					
71					
72					
73					
74					
75					
76					
77					
78		59350			
79		6040			
80					
81					
82					
83		44870			
84					
85					
86					
87					
88					
89	PARAMETERS				
90					
91					
92					
93					
94					
95					
96					
97					
98					

	D	E	F	G	H
99					
100					
101					
102	time.				
103					
104					
105					
106					
107					
108					
109					
110					
111					
112					
113					
114					
115					
116					
117					
118					
119					
120					
121					
122					
123					
124					
125					
126					
127					
128					
129					
130	.				
131	3				
132					
133					
134					
135					
136					
137					
138					
139					
140					
141					
142					
143					
144					
145					
146					
147					

	D	E	F	G	H
148					
149					
150					
151					
152					
153					
154					
155					
156					
157					
158					
159					
160					
161					
162					
163					
164					
165					
166					
167					
168					
169					
170					
171					
172					
173					
174					
175					
176					
177					
178					
179					
180					
181					
182					
183					
184					
185					
186					
187					
188					
189					
190					
191					
192					
193					
194					
195					
196					

	D	E	F	G	H
197					
198					
199					
200					
201					
202					
203					
204					
205					
206					
207					
208					
209					
210					
211					
212					
213					
214					
215					
216					
217					
218					
219					
220					
221					
222					
223					
224					
225					
226					
227					
228					
229					
230					
231					
232					
233					
234					
235					
236					
237					
238					
239					
240					
241					
242					
243					
244					
245					

	D	E	F	G	H
246					
247					
248					
249					
250					
251					
252					
253					
254					
255					
256					
257					
258					
259					
260					
261					
262					
263					
264					
265					
266					
267					
268					
269					
270					
271					
272					
273					
274					
275					
276					
277					
278					
279					
280					
281					
282					
283					
284					
285					
286					
287					
288					
289					
290					
291					
292					
293					
294					

	D	E	F	G	H
295					
296					
297					
298					
299					
300					
301					
302					
303					
304					
305					
306					
307					
308					
309					
310					
311					
312					
313					
314					
315					
316					
317					
318					
319					
320					
321					
322					
323					
324					
325					
326	I:\d:\IBMLAN /C:2240 /USEALLMEM				
327					
328					
329					
330					
331					
332					
333					
334					
335					
336					
337					
338					
339					
340					
341					
342					
343					

	I	J	K	L
1				
2				
3			Memory Calculations	
4		12288	<- Server RAM	
5		8704	<- Base Used	
6		3584	<- Available	
7		320	<- Memory used by INI options	
8		3264	<- Balance After INI options	
9		2240	<- Calculated HPFS Cache	
10		0	<- Calculated DISKCACHE	
11		1024	<- NET RUN, AT, print reserve	
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				

	I	J	K	L
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				
62				
63				
64	ts below must etters shown as			
65				
66				
67				
68	IFS x:\IBM386FS\HPFS200.386 /I:d:\IBMLAN /C:2240 /USEALLMEM			
69				
70				
71				
72				
73				
74				
75				
76				
77				
78				
79				
80				
81				
82				
83				
84				
85				
86				
87				
88				
89				
90				
91				
92				
93				
94				
95				
96				
97				
98				

	M	N	O
1			
2			
3	Result	IBMLAN.INI Paramters	Potential Errors
4	32	<- NET1, X1 operands total	OK
5	51	<- NET1, X2 operands total	OK
6	14	<- NET1, X3 operands	OK
7	32	<- MAXUSERS	OK
8	32	<- MAXSHARES	OK
9	64	<- MAXLOCKS	OK
10	250	<- MAXOPENS	OK
11	32	<- MAXCONNECTIONS	OK
12	64	<- NUMREQBUF	OK
13	12	<- NUMBIGBUF	OK
14	50	<- MAXSEARCHES	OK
15	1111014111231310133	<- SRVHEURISTICS	
16	3	<- SRVPIPES	OK
17	18	<- NUMSERVICES	OK
18	NETBIOS		OK
19	1216	<- Server RAM Check	OK
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

	M	N	O
197			
198			
199			
200			
201			
202			
203			
204			
205			
206			
207			
208			
209			
210			
211			
212			
213			
214			
215			
216			
217			
218			
219			
220			
221			
222			
223			
224			
225			
226			
227			
228			
229			
230			
231			
232			
233			
234			
235			
236			
237			
238			
239			
240			
241			
242			
243			
244			
245			

	P	Q	R	S	T
1					
2					
3		Memory Required			Assumptions:
4					
5		OS/2 2.0	2.75		If Busmaster - 32 bit Adapter is used
6		NTS/2	0.4		Messenger Service on SRV=
7		Adv Svr	5.4		numfiletasks=
8					NetBIOS names to requester
9					NetBIOS names to server
10					Default net1,X3 param
11					# of Group SAPs
12					LazyWrite Enabled
13					
14		Total	8.55		
15		INI+Cache	3.5		
16		MemUsed	12.05		
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					

	U	V	W	X	Y	Z
1						
2						
3			Work Area			
4			0	<- Total Requesters on Server		
5			0	<- Additional Servers		
6	1		0	<- User Logged onto Server (2=Yes, 0=No)		
7	1		0	<- Addit. Connections to servers if SRV us		
8	3		0	<- DLRINST used (1=Y, 0=N)		
9	4		0	<- Remote IPL used (2=Y,0=N)		
10	14		1	<- X1 Intermediate Result		
11	0		0	<- Additional NETBIOS Stations Required		
12	Yes		0	<- Additional NETBIOS Commands Required		
13			0	<- Additional NETBIOS Sessions Required		
14			0	<- Additional NETBIOS Names Required		
15			0	<- SNA SAP req'd (1=Y, 0=N)		
16			0	<- Constant, '0'		
17			0	<- SQLLOO SAP req'd (1=Y, 0=N)		
18			0	<- IBM LAN Manager SAP Req'd (1=Y,0=N)		
19			0	<- Other 802.2 Applications Requirements		
20			2	<- Total 802.2 SAPs req'd		
21			2	<- Number of 802.2 Transmit Buffers		
22			0	<- IBM LAN Manager Stations Required.		
23			0	<- SNA Gateway Stations Required		
24			0	<- APPC Stations Required		
25			0	<- RDS OS/2 Stations Required		
26			0	<- RDS DOS Stations Required		
27			0	<- IEEE 802.2 Applications Stations Required		
28			0	<- Total Additional Stations Required		
29			1	<- Total 802.2 Users Required (5 Max allowed)		
30			1	<- Sequential (1), or Random operations (0)		
31			3	<- Programs Loaded from Server (3=Y,1=N)		
32			32	<- NETBIOS Sessions (Intermediate result)		
33			0	<- Potential error check (part 1 of 3) 0=none		
34			0	<- Potential error check (part 2 of 3) 0=none		
35			N	<- DISKCACHE Required		
36			Y	<- HPFS cache Required		
37						
38						
39						
40						
41						
42						
43						
44						
45						
46						
47						
48						
49						

	U	V	W	X	Y	Z
50						
51						
52						
53					.	
54						
55						
56						
57						
58						
59						
60						
61						
62						
63						
64						
65						
66						
67						
68						
69						
70						; OS/2 LAN Se
71						
72						[networks]
73						
74						netlb = LOO
75						; This informat
76						
77						[requester]
78						
79						COMPUTER
80						DOMAIN = D
81						; The following
82						; changed by t
83						charcount =
84						chartime = 2
85						charwait = 30
86					keepconn = 600	
87					keepsearch = 600	
88						maxcmds = 2
89						maxerrorlog
90						maxthreads =
91						maxwrkcach
92						numalerts =
93						numcharbuf
94						numservices
95						numworkbuf
96						numdgrambu
97						
98						

	U	V	W	X	Y	Z
99						
100						
101						
102						sizworkbuf =
103						; The next line
104						;
105						;
106						wrkheuristics
107						WRKSERVIC
108						wrknets = NE
109						
110						[messenger]
111						
112						logfile = mes
113						sizmessbuf =
114						
115						[lsclient]
116						
117						multilogon =
118						timesync = y
119						logonverifica
120						logonwarning
121						
122						[netlogon]
123						
124						SCRIPTS = I
125						pulse = 60
126						update = yes
127						
128						[replicator]
129						
130						replicate = IN
131						IMPORTPAT
132						tryuser = yes
133						password =
134						interval = 5
135						guardtime =
136						pulse = 3
137						random = 60
138						
139						[dcdbrepl]
140						
141						tryuser = yes
142						password =
143						interval = 5
144						guardtime =
145						pulse = 3
146						random = 60
147						

	U	V	W	X	Y	Z
148						[server]
149						
150						alertnames =
151						auditing = no
152						autodisconne
153						maxusers = 3
154						; The following
155						; changed by t
156						; the server in
157						; are converte
158						guestacct = 0
159						accessalert =
160						alertsched =
161						diskalert = 50
162						erroralert = 5
163						logonalert = 3
164						maxauditlog
165						maxchdevjob
166						maxchdevq =
167						maxchdevs =
168						maxconnecti
169						maxlocks = 6
170						maxopens =
171						maxsearches
172						maxsessope
173						maxsessreqs
174						maxsessvcs
175						maxshares =
176						netioalert = 5
177						numbigbuf =
178						numfiletasks
179						numreqbuf =
180						sizreqbuf = 4
181						srvanndelta =
182						srvannounce
183						; The next line
184						;
185						;
186						srvheuristics
187						SRVSERVIC
188						srvnets = NE
189						
190						[alerter]
191						
192						sizalertbuf =
193						
194						[netrun]
195						
196						maxruns = 3

	U	V	W	X	Y	Z
197						runpath = C:
198						
199						[lsserver]
200						
201						cleanup = ye
202						srvpipes = 3
203						
204						[services]
205						
206						; Correlates na
207						; The pathnam
208						; 1) an abs
209						;
210						; 2) a path
211						alerter = serv
212						dcdbrepl = se
213						dlrinst = serv
214						genalert = se
215						lsclient = ser
216						lsserver = se
217						messenger =
218						netlogon = se
219						netpopup = s
220						netrun = serv
221						remoteboot =
222						replicator = s
223						requester = s
224						server = serv
225						timesource =
226						ups = service
227						
228						
229						
230						
231						IFS=x:\IBM
232						IFS=x:\OS2
233						
234						
235						
236						
237						
238						
239						
240						
241						
242						
243						
244						
245						

	AA	AB	AC	AD	AE	AF
1					Messages Values:	
2					<<- Exceeded or Equal to Max Value	
3					<<- Please Specify a Positive #	
4					<<- Too Many Specified	
5					<<- Not enough RAM to Start	
6)				<<- Too Many RIPLs Specified	
7	ed as Req				<<- Insufficient RAM for Configuration	
8					<<- Too Many NETBIOS Resources S	
9					<<- Adapter RAM Exceeded	
10					<<- Too Many DLR Requesters	
11					<<- Too Many OS/2 Requesters	
12	ed				<<- Too Many Requesters on Server	
13					<<- Please Enter Y or N	
14					<<- See Column O for More Informatio	
15					<<- Too Many Windows Reqs.	
16					<<- Please Enter S or R	
17					<<- Please Enter a Valid Number	
18	N)				<<- Enter a Minimum of One	
19	.				<<- Invlid Entry/Combination	
20					<<- 255 or More Stations Required pe	
21					<<- 255 or More Sessions Required p	
22					<<- Too Many Cmds Required for ada	
23					<<- Too Many Stations Required for a	
24					<<- 1016 or More Names Required!!!	
25					<<- Too Many, 12 Max	
26					<<- 16/4 or Busmaster Recommended	
27	red				<< - 16/4 or Busmaster REQUIRED	
28					<< - Additional Server RAM Recomm	
29	wed)				<< - Please Enter A or E	
30)), mainly				<< - Up to 4 adapters max.	
31	N)				<< - Please enter a positive number.	
32)				<< - Please Enter T or E	
33	e, 1=problem				<< - Please Enter 4, 16 or B	
34	e, 1=problem				<< - Busmaster Adapter Recommended	
35					EarlyRelease=yes XmitBufs=2	
36					EarlyRelease=yes Adapter=alternate	
37					<< - Busmaster Adapter REQUIRED	
38					<< - Invalid Entry - Must be B	
39					AdapBuffSize=2048 SizWorkBuf=2240	
40					MaxTransmits=49 MinRcvBufs=40	
41					ReceiveChains=24 MaxTransmits=24	
42					DriverName=ubnei\$ MaxTransmits=50	
43					DriverName=eInkii\$ MaxTransmits=40	
44					DriverName=eInkmc\$ MaxTransmits=	
45					<<- Invalid Response	
46					More Adapters REQUIRED!!!	
47						
48						
49						

	AA	AB	AC	AD	AE	AF
50						
51						
52						
53						
54						
55						
56						
57						
58						
59						
60						
61						
62						
63						
64						
65						
66						
67						
68						
69						
70	erver initialization file					
71						
72						
73						
74	PDRV\$,0					
75	tion is read by the redirector at device initialization time.					
76						
77						
78						
79	NAME = SERVER01					
80	DOMAIN01					
81	g parameters generally do not need to be					
82	he user.					
83	16					
84	50					
85	500					
86						
87						
88	16					
89	= 100					
90	= 10					
91	e = 64					
92	12					
93	= 10					
94	= 16					
95	= 15					
96	uf = 14					
97	othdomains =					
98	printbuftime = 90					

	AA	AB	AC	AD	AE	AF
99	sesstimeout = 45					
100	sizcharbuf = 512					
101	sizerror = 1024					
102	4096					
103	s help you to locate bits in the wrkheuristics entry.					
104	1		2	3		
105	0123456789012345678901234567890123					
106	s = 1111111121311111110001011120111221					
107	CES = LSCLIENT					
108	ETLB					
109						
110						
111						
112	sages.log					
113	= 4096					
114						
115						
116						
117	no					
118	es					
119	tion = domain					
120	jmsgs = all					
121						
122						
123						
124	D:\IBMLAN\REPL\IMPORT\SCRIPTS					
125						
126	;					
127						
128						
129						
130	IMPORT					
131	H = D:\IBMLAN\REPL\IMPORT					
132	;					
133						
134						
135	2					
136						
137						
138						
139						
140						
141	;					
142						
143						
144	2					
145						
146						
147						

	AA	AB	AC	AD	AE	AF
148						
149						
150						
151						
152	ect = 120					
153	32					
154	parameters generally do not need to be					
155	the user. NOTE: srvnets= is represented in					
156	to struct as a 16-bit lan mask. Srvnet names					
157	d to indexes within [networks] for the named nets.					
158	quest					
159	= 5					
160	5					
161	000					
162						
163	5					
164	= 100					
165	o = 6					
166	= 2					
167	= 2					
168	ons = 128					
169	4					
170	250					
171	s = 50					
172	ns = 80					
173	s = 50					
174	= 1					
175	= 16					
176						
177	12					
178	= 1					
179	36					
180	096					
181	= 3000					
182	= 60					
183	s help you to locate bits in the srvheuristics entry.					
184	1					
185	01234567890123456789					
186	= 111101411111311001331					
187	ES = NETLOGON,LSSERVER					
188	TLB					
189						
190						
191						
192	3072					
193						
194						
195						
196						

	AA	AB	AC	AD	AE	AF
197						
198						
199						
200						
201	s					
202						
203						
204						
205						
206	ame of service to pathname of service program.					
207	he must be either					
208	bsolute path (including the drive specification)					
209	OR					
210	relative to the IBMLAN root					
211	ices\alerter.exe					
212	ervices\dcdbrepl.exe					
213	ices\dlrinst.exe					
214	ervices\genalert.exe					
215	vices\lsclient.exe					
216	rvices\lsserver.exe					
217	services\msrvinit.exe					
218	ervices\netlogon.exe					
219	services\netpopup.exe					
220	ices\runservr.exe					
221	services\rplservr.exe					
222	ervices\replicat.exe					
223	services\wksta.exe					
224	ices\netsvini.exe					
225	services\timesrc.exe					
226	es\ups.exe					
227						
228						
229						
230						
231	386FS\HPFS386.IFS x:\IBM386FS\HPFS200.386 /l:d:\IBMLAN /C:2240 /USEA					
232	\HPFS.IFS /CACHE:2240 /CRECL:128					
233						
234						
235						
236						
237						
238						
239						
240						
241						
242						
243						
244						
245						

	AG	AH	AI	AJ	AK	AL	AM
1							
2							
3							
4							
5							
6							
7							
8	pecified						
9							
10							
11							
12							
13							
14	on						
15							
16							
17							
18							
19							
20	r adapter!!!						
21	er adapter!!!						
22	pter(s) to support						
23	dapter(s) to support						
24							
25							
26							
27							
28	ended						
29							
30							
31							
32							
33							
34	ed						
35							
36	XmitBufs=2						
37							
38							
39	D						
40							
41							
42	D						
43	D						
44	40						
45							
46							
47							
48							
49							

	AG	AH	AI	AJ	AK	AL	AM
50							
51							
52							
53							
54							
55							
56							
57							
58							
59							
60							
61							
62							
63							
64							
65							
66							
67							
68							
69							
70							
71							
72							
73							
74							
75							
76							
77							
78							
79							
80							
81							
82							
83							
84							
85							
86							
87							
88							
89							
90							
91							
92							
93							
94							
95							
96							
97							
98							

	AG	AH	AI	AJ	AK	AL	AM
197							
198							
199							
200							
201							
202							
203							
204							
205							
206							
207							
208							
209							
210							
211							
212							
213							
214							
215							
216							
217							
218							
219							
220							
221							
222							
223							
224							
225							
226							
227							
228							
229							
230							
231	ALLMEM						
232							
233							
234							
235							
236							
237							
238							
239							
240							
241							
242							
243							
244							
245							

	AN	AO	AP	AQ	AR	AS	AT
1							
2							
3							
4							
5							
6				FAR			
7				ENOUGH!			
8				No More Out There.			
9				'====>>			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	FC	FD	FE	FF	FG	FH	FI
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	FJ	FK	FL	FM	FN	FO	FP
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	FQ	FR	FS	FT	FU	FV	FW
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	FX	FY	FZ	GA	GB	GC	GD
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	GE	GF	GG	GH	GI	GJ	GK
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	GL	GM	GN	GO	GP	GQ	GR
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	GS	GT	GU
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

	GS	GT	GU
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68			
69			
70			
71			
72			
73			
74			
75			
76			
77			
78			
79			
80			
81			
82			
83			
84			
85			
86			
87			
88			
89			
90			
91			
92			
93			
94			
95			
96			
97			
98			