

Contents

Welcome to this help file for Mini NoteTab and Super NoteTab!

This program is Freeware and may be used by all (home users, schools, government organizations, businesses, etc.) for free.

Please note that there are three variants of this editor. As their features are nearly identical, this help file is shared between the three. Any differences between them are indicated in the text. All three programs are referred to as the *editor* or *program* in this help file.

Choose from the following topics to read more about the program...

[Introduction](#)

[One Program but Three Variants](#)

[Key Features](#)

[Installation](#)

[How to Uninstal](#)

[Using the Editor](#)

[Updates and Other Programs](#)

[A Note to Reviewers](#)

[Legal](#)

[Distribution License](#)

[Acknowledgments](#)

[Contacting the Author](#)

This editor was written with Delphi and uses components from a Shareware VCL package called the "Super Labeled Input Controls". The package, which I developed, is available for downloading from my web site at the following URL:

<http://www.unige.ch/sciences/terre/geologie/fookes/delphi.htm>

Delphi is a trademark of Borland International, Inc.

Introduction

This program is not *just another Windows Notepad replacement*! It is a feature-rich program with a selection of original productivity tools that you will find in no other editor (though some of the features will probably soon be copied by others). Special attention has been given to even the smallest detail. The editor has undergone extensive testing to ensure that it performs reliably under all circumstances. However, if a problem does arise and is reported to me, it is usually fixed in a matter of days.

The editor is capable of opening a very large number of files (the actual limit is determined by the amount of free system resources). Each document is displayed on a tabbed page making it easy to switch between them. A separate window, called the Document Selector, makes it easy to find a specific document when a large number of them are open.

One of the most significant productivity tools integrated in the editor is the multi-featured Clipbook. The Clipbook can be used to store any item of text, from a single character to multiple lines, that you may want to paste in other documents. Each text item is identified by a short header that is displayed in the Clipbook window. When you want to paste an item in your document, you just double-click on its header or drag-and-drop it (Super NoteTab only) to the desired location. You can easily create Clipbook templates for different tasks. For example, Web masters can create various templates for groups of HTML tags.

The Clipbook is also well suited to be used as a "shorthand" glossary. For example, if you add the text "Yours sincerely" in the Clipbook and give it the header "ys" (without the quotes), then next time you type "ys" in a document and hit the F2 function key, "ys" will be replaced by "Yours sincerely" what a time saver!

The editor is web enabled, which means that you can Ctrl+double-click on a link to open it in your browser. There is also a command to preview any HTML document you are working on. This feature, combined with the Clipbook, make the editor an ideal development tool for HTML experts.

The program can be configured to occupy a minimum of screen estate and stay on top of other applications. Context-sensitive shortcut menus provide access to all the editor's commands. The editor makes it easy to open frequently used files; it can even do so automatically each time you start the program. You can also open files by drag-and-dropping them from File Manager or Explorer. The editor can restore its size and position on the desktop from a previous session.

This program is Freeware! Thank you for sending me a message (E-mail, postcard, ...) if you find it useful.

And if you really like this program, why not contact the editors of your favorite computer magazine or newspaper, or web sites that review software, and tell them about it! That's a great way to make my work better known.

One Program but Three Variants

Please note that there are three variants of this editor:

1. **Super NoteTab**

- Works under Windows 95 and Windows NT4, or higher
- Can edit files as large as memory permits
- Not as fast as Mini NoteTab and requires slightly more resources

2. **Mini NoteTab 32-bit**

- Works under Windows 95 and Windows NT, or higher
- Uses a minimum amount of system resources
- Very fast
- Cannot edit files larger than about 41 kb *

3. **Mini NoteTab 16-bit**

- Works under Windows 3.1, or higher
- Uses a minimum amount of system resources
- Very fast
- Cannot edit files larger than 32 kb *

* this size limit is usually not a problem when editing HTML documents if they are larger than this limit, you should consider breaking them down into smaller parts.

Key Features

- Covers all features available in Notepad (including LOG).
- Open and edit many documents at once.
- Use files as large as memory permits (Super NoteTab).
- Web enabled (can open links and HTML documents in browser).
- Special Clipbook window with templates for HTML tags, acronyms, etc.
- Each document can have different settings such as font, tab widths, word wrap.
- Can search/replace text in all open documents; accepts search tokens.
- Context-sensitive shortcut menus.
- Options to set margins, page numbering, headers and footers for printing jobs.
- Text statistics (counts number of characters, words, and frequency of each word).
- Drag-and-drop files from File Manager or Explorer.
- Accepts file names, including wildcards, passed as command-line parameters to the program.
- Quickly open files from "Favorite Files" dialog box.
- Option to autoload files from "Favorite File" list or those opened during a previous session.
- Remembers its size and position on the desktop.
- Can stay on top of other applications.
- Can read and write files in DOS ASCII format.
- Uses Windows system resources sparingly and does not mess around with the Windows' system registry and INI files.
- And lots more...

Installation

There is no special procedure to follow. Just place the program and its associated files in the Windows directory or in a dedicated folder (directory).

*** *Windows 3.1 / NT3.5 users:***

If you want to add the editor to one of your Program Manager groups, the easiest way to do this is with File Manager. Just select the file MININOTE.EXE or NOTETAB.EXE and drag it from File Manager to the group where you would like its icon to appear. You can also run the program by double-clicking on it from File Manager.

*** *Windows 95 / NT4 users:***

The easiest way to set the program icon on your desktop is to use Explorer. Just select the file MININOTE.EXE or NOTETAB.EXE and drag it from Explorer to an unoccupied space on your desktop. You can also add a shortcut to it in your Start menu by choosing Settings / Taskbar...

How to Uninstal

If you have dedicated a folder for the editor, just delete that folder and all its files (except documents you may have saved there and want to keep!).

Otherwise, just delete NOTETAB.EXE, NOTETAB.INI, NOTETAB.HLP (for [Super NoteTab](#)), or MININOTE.EXE, MININOTE.INI, MININOTE.HLP (for [Mini NoteTab](#)), all files with the extensions ".FVR" and ".CLB" (in the program's directory), FILEPROP.INF, WHATSNEW.TXT, and the README.TXT file. NB: all these files are located in the same directory as the editor.

There is no need to delete items from Windows' system registry or INI files as the editor does not store any information in them.

Using the Editor

Almost every menu item, button, and input field in the program offers hint information. Whenever you highlight a menu item or place the mouse cursor over a dialog box element, its hint text is displayed in the programs status bar (at the bottom of the main program window).

Topics:

[Editor Shortcut Menus](#)

[Keyboard Shortcuts](#)

[Using the Clipboard](#)

[Clipboard Templates](#)

[Web Enabled](#)

[ASCII Documents](#)

[Document Selector](#)

[Favorite Files Dialog Box](#)

[Preferences Dialog Box](#)

[Document Properties](#)

[Find & Replace Dialog Boxes](#)

[Printer Dialog Box](#)

[Text Statistics Dialog Box](#)

[Keeping a Log](#)

[Date and Time filters](#)

[Command-line Parameters](#)

[Tips and How to...](#)

Editor Shortcut Menus

Click with the right button of the mouse inside the document and you will have access to a shortcut menu with clipboard and other useful editing commands.

Use the same mouse button on the tab bar and you will get a large choice of commands for managing the open documents and configuring the editor. If you have chosen to hide the button bar, then the commands they represent will also be listed in the menu.

Most of the editor's windows also have dedicated shortcut menus.

Look at the hint line for more information about a highlighted menu item.

Keyboard Shortcuts

Most of the editors commands are available though keyboard shortcuts. The shortcut keys and their meaning are detailed below:

Editing Text

Ctrl+Z	Undo changes
Ctrl+A	Select all text
Ctrl+X	Cut selection to clipboard
Ctrl+C	Copy selection to clipboard
Ctrl+V	Paste selection from clipboard
Ctrl+Y	Delete current line
Ctrl+K	Invert case of selected text
Ctrl+U	Change selected text to upper case
Ctrl+L	Change selected text to lower case
Shift+K	Capitalize; make a words first character upper case and the rest lower case
Ctrl+J	Append next line to current line, or join selected lines
Ctrl+Shift+J	Split into separate lines
Ctrl+I	Indent current line or all selected lines
Ctrl+Shift+I	Unindent current line or all selected lines
F2	Expand word; replaces selection or word preceding the caret with corresponding Clipbook item
F5	Insert current date/time

Handling Documents

Ctrl+O	Open a document from disk
Ctrl+N	Create a new document
Ctrl+S	Save changes made to document
Shift+Ctrl+S	Opens the Save As file dialog box
Ctrl+F4	Close the current document
Ctrl+P	Print the current document
Ctrl+Tab	Switch to next document
Ctrl+Shift+Tab	Switch to previous document
Ctrl+E	Shift focus to current document
Ctrl+W	Toggle word wrap

Finding and Replacing Text

Ctrl+F	Open find dialog box
Ctrl+R	Open Search/Replace dialog box
F3	Search again

Tools

Ctrl+double-click	Opens the clicked link in your browser
Ctrl+Alt+C	Copy selection to Clipbook (must be open!)
Shift+F2	Open "Favorite Files" dialog box
F4	Show or activate the Clipbook window
F6	Show or activate the Document Selector
F8	Show current HTML document in web browser
F9	Open a link (or URL)
F10	View text statistics

Other

Shift+F10	Makes a hidden menu visible again
F11	Increases size of text buffer. Only use when new text cannot be entered
F12	Refresh screen

Using the Clipbook

You can think of the Clipbook as a visible clipboard with multiple text items that can be pasted in any document. The pasteable text item can be anything from a single letter to multiple lines of text. Each item is identified by a header which is displayed in the Clipbook window. The header can either represent the actual text that is pasted, or a description of the text item.

To paste a Clipbook item, first position the caret in your document, then go to the Clipbook window and double-click (or press Return) on the item header. With Super NoteTab, you can also drag-and-drop items from the Clipbook to your document.

You can also copy an item to Windows' clipboard by selecting its header and pressing the Ins key or through the shortcut menu. This feature makes it easy for you to paste Clipbook items into other programs.

The Clipbook window size and position can be saved by opening its Control (or System) menu and clicking on Save Window State.

There are two ways to create templates and add items to the Clipbook. The easiest way to create a new template is by invoking the shortcut menu of the Clipbook's template combo box. Through this menu, you can create a new template, rename the current one, or delete it. The other way, is by creating (Tools | New Template) or opening (Tools | Open Template) a Clipbook template in the editor. For more information on editing them, see the [Clipbook Templates](#) topic.

If you don't want to edit Clipbook templates directly, you can add new items by selecting text in your document and then pressing Ctrl+Alt+C (or selecting Add to Clipbook from the editor's shortcut menu) to add it to the current Clipbook template. You will then be prompted to enter a header for the text, after which it is added to the Clipbook. If you type a header name that already exists (case sensitive!), the text of that item is replaced by the new selected text.

You can also add text from other applications by copying it to Windows' clipboard. Open the Clipbook's list box shortcut menu and select Add from Clipboard.

The Clipbook is also well suited to be used as a "shorthand" glossary. For example, if you add the text "Yours sincerely" in the Clipbook and give it the header "ys" (without the quotes), then next time you type "ys" in a document and hit the F2 function key, "ys" will be replaced by "Yours sincerely". You could create a template especially for this type of glossary. If you frequently use this feature, you may prefer to hide the Clipbook so it doesn't clutter your desktop. Open its Control (or System) menu and choose Hide Window. Just press F4 if you want to make the Clipbook visible again. If you close the Clipbook window instead of hiding it, you will no longer have access to this handy feature.

If you exit the editor when the Clipbook is open or hidden, its size, position and state will be restored next time you start the program.

The list-box shortcut menu lets you rename items, sort the list, save or undo changes. Note that when you close the Clipbook or change template from the combo box, all changes made to the template are automatically saved.

Useful Mouse and Keyboard Shortcuts

- *Insert* copies the selected Clipbook item to Windows' clipboard.
- *Delete* deletes the selected Clipbook item.
- *Enter* or *Double-click* pastes the item into the document.

- You can *drag-and-drop* items to change their order in the list.
- *Escape* closes the Clipbook window.
- *F4* makes a hidden Clipbook visible.
- *Ctrl+E* shifts the focus from the Clipbook to the editor.

Clipbook Templates

You can easily edit or create your own Clipbook templates directly in the editor. Choose Open Template from the Tools menu to edit an existing template, or New Template if you want to create a new one.

The template format is very simple and I suggest that you look at some of the samples that are provided with this program. Basically, there are two possible formats:

The simplest format has one text item per line and the header just duplicates the header. Empty lines are ignored.

The second format can have multi-line text items and each item can be identified with a descriptive header. This format must start with an equal sign (=) on the first line, followed by the text "MultiLine" (without quotes, character case does not matter). Each pasteable text item must be separated by an empty line. If you want to include an empty line in the item, just put a dot (.) at the beginning of the line and nothing else. If you want to specify a header, add "H=" (without the quotes) followed by your header. The header must be directly on the line above the item it describes.

By default, the headers are sorted in the Clipbook window. If you don't want the items to be sorted, place the text "NoSorting" (without quotes, character case does not matter) on the first line after the comma (this command applies to both template formats).

When you save a Clipbook template, the Clipbook window is immediately updated. You can create as many templates as you like; they will all appear in the Clipbook combo box.

Web Enabled

If your text contains a link, holding the control key down and double-clicking on it with the mouse will open it in your web browser. If this feature does not work, you will have to enter the path and file name of the browser in the Preferences dialog box (Miscellaneous tab) – if it does work, however, leave this field empty!

If the editor cannot resolve the URL from the text you double-clicked, it will open a dialog box so you can complete the address if necessary.

If you have an HTML file open or are editing a new document, you can view it in your web browser by choosing the View in Browser command (under the Tools menu). When you view a document that has been modified but not saved, the editor will first save a temporary copy which is then loaded in the browser. All temporary files are deleted once you quit the editor.

ASCII Documents

ASCII is the character set used under DOS and ANSI is used under Windows. If you don't use extended characters (such as äèüö etc.), there is no difference between the two. However, if you create a document under DOS that uses extended characters and want to display them correctly under Windows, the text must be "translated" from ASCII to ANSI in order to display the accented characters correctly. Also, if you create a Windows text document (ANSI) and want to use it in DOS, it must be converted to ASCII if it contains extended characters.

This editor has a built in filter that makes it easy to edit files of either format. Note, however, that a conversion between the two formats may not always translate all characters correctly. There are mainly two reasons for this: 1) the extended ANSI characters are not necessarily supported by all font types; 2) DOS has many different character sets available which means that extended characters are often quite different from one set to the other. The filter used in this program is based on ASCII 850 Multilingual (Latin I).

By default, the file filter list has an item for opening and saving DOS Ascii files. As you can change the order of the filters and edit them, the program just checks for the word ASCII (case does not matter) in the selected filter when you use the file dialog box. If it finds the word ASCII, it assumes that you want to open or save a file in the DOS Ascii format. So if you want to change the default file filters but also want to use ASCII documents, remember to put the word ASCII in the description part of at least one of the filter items! You can edit the filters by opening the Preferences dialog box and selecting the File Filters tab.

Document Selector

The Document Selector, makes it easy to find a specific document when a large number of them are open. It displays the document names (path and file name) in alphabetical order. Just click on a document name to make it appear in the editor window.

When selecting a document in the window, the focus does not shift to the editor. To do so, you now must double-click on the document name or press the *Enter* key.

The Document Selector window size and position can be saved by opening its Control (or System) menu and clicking on Save Window State. If you exit the editor when the Document Selector is open, its size and position will be restored next time you start the program.

The number of open documents is indicated in the window's caption next to the title.

The Document Selector's shortcut menu lets you close, delete, or shift the focus to the selected document, or close the window.

Useful Mouse and Keyboard Shortcuts

- *Delete* closes the selected document.
- *Enter* or *Double-click* shifts the focus the selected document.
- *Escape* closes the Document Selector window.
- *Ctrl+E* shifts the focus from the Document Selector to the editor.

Favorite Files Dialog Box

Many Windows users, like myself, have lots of text files stored in many different places on the hard disk. Using the file dialog box to search for them and open them can become a consuming task. That's why I created the Favorite Files dialog box.

The Favorite Files dialog box makes it easy to quickly open any file you have added to the list. You can easily add new files to the list using the integrated editor or by clicking on the Add button. The Add button opens the file dialog box from which you can select multiple files. The integrated editor also lets you add file names with wild cards. This is handy if, for example, you want to open all your HTML files in the editor to perform a global search and replace operation:

```
C:\Web\Homepage\*.html
```

One user recently reported to me that he had opened about 80 C++ source-code files to perform a global search and replace operation. The Favorite Files dialog box certainly makes the task easier.

By clicking on the New button, you can enter file names in the input field (below the list box) without using the File dialog box displayed by using the Add button. You can also use that method to specify file names with wild cards.

You can create separate lists for all kinds of different tasks. The names of all available lists are displayed in the list name combo box. Favorite Files lists are always stored in the program directory and have the extension FVR. These are text files that can also be edited in the editor like any other file. You should not, however, edit such a file if it is currently open in the Favorite Files dialog box.

You can reorder the list using drag-and-drop or sort the list by invoking the shortcut menu. You can select multiple files in the list and open them by clicking on the Open button. If you want to open all the files in the list, just click on the Open All button.

The shortcut menu also lets you undo any changes you have made to the list. Changes are permanently saved when the dialog box is closed or when a new list is selected from the list names combo box. You can create new lists by invoking the combo box shortcut menu. This menu also lets you rename lists or delete them.

The editor can be configured to open all the files from a Favorite Files list whenever you start it. If you want to open files from a different list from the one that was last used, you can specify its name from the command line.

The dialog box size and position can be saved by opening its Control (or System) menu and clicking on Save Window State.

Preferences Dialog Box

This dialog box lets you configure the main program settings. The settings are automatically saved when you quit the editor and used when you start the program again.

Program Tab:

Stay-on-top: you can make the program stay on top of others by enabling this option. When you choose this configuration, the Find and Replace dialog boxes cannot be modeless. Also, it is not recommended to maximize the editor when this option is checked. If another program needs to display a message, the editor will usually lose the focus to a window that is masked by itself.

Auto Save Position: when you enable this option, the editor will always restore its previous position and size when you start it.

Auto Save Files: if this option is enabled, the editor will no longer prompt you to confirm whether a modified file should be saved before it is closed. Note, however, that the File Save As dialog box is displayed if the file does not have a name or if it is Read Only on the disk.

Make Backups: When this option is enabled, the editor always attempts to make a backup copy of a file before it is overwritten by a new version when you choose the save command.

Auto Load Files: Use this option if you want the files that were open when you closed the editor to be reopened next time you start the editor.

Auto Load Favorites: Loads the files listed in the Favorite Files list (from current list or an alternative list indicated through the command line) whenever you start the editor.

Use System Tray: When enabled, the editor's icon is placed in the system tray instead of the task bar (Windows 95 and NT4 only).

Use Large Buttons: if this option is enabled, an alternative toolbar with large buttons is displayed.

Hide Menu: When enabled, the main program menu is hidden.

Hide Toolbar: When enabled, the program toolbar is hidden.

Hide Status Line: When enabled, the program status bar is hidden.

Auto Refresh: This option may fix a display problem on some systems. If you experience text disappearing when you scroll horizontally, toggle word wrap, or load a file, set this option to see if it solves the problem (thank you for informing me if it does help).

Documents Tab:

The options you set on this tab define the default document properties that will apply to all newly opened documents and those that have the Default option checked. You can define word wrap, tab width in pixels, font name and size.

File Filters Tab:

This tab provides a little editor that lets you define the file filters that are used in the File dialog boxes. You

can edit, delete and add new descriptions and wildcards, reorder them by using the Move Up / Move Down buttons or by drag-and-dropping items in the list. Note that there is a limit to the number of items you can create. The total size of descriptions and their wildcards cannot exceed approximately 250 characters.

By default, the file filter list has an item for opening and saving DOS Ascii files. The program checks for the word ASCII (case does not matter) in the selected filter when you use the file dialog box. If it finds the word ASCII, it assumes that you want to open or save a file in the DOS Ascii format. So if you want to change the default file filters but also want to use ASCII documents, remember to put the word ASCII in the description part of at least one of the filter items!

The default extension field is also used by the file dialog box.

Miscellaneous Tab:

You can set the background color of documents and the color of text by clicking on the Page Color and Text Color buttons respectively. To reset colors back to the Windows standard colors, just click in the Default check box. Enable the Color Tabs check box if you want the document tabs to reflect the colors of the documents.

The date filter is used by the Insert Date menu command and the Log feature. If you leave this field blank, the short date format defined in your Windows setup is used. The Date and Time filters topic gives you all the codes you can use to build a filter.

Indent Size is used to determine the number of blank spaces used to increase or decrease the indent of selected lines (Line Indent /Unindent commands).

The *Web Browser* field should only be used if the editor is unable to start it when you choose one of the web enabled functions. When you enter a browser name (path and file name), the editor will execute the browser according to this information. As a result, a new instance of the browser may be loaded each time you choose to display a link or document. When this field is left empty, the editor will try to retrieve information from the Windows registry and communicate with your browser using DDE. If this method is successful, the editor can detect if an instance is already loaded in memory and send the appropriate commands to the browser.

Document Properties

This dialog box lets you set properties for individual documents. You can define word wrap, tab width in pixels, font name and size, and character set for the currently selected document. If the Default option is checked, the settings defined in the Documents tab of the Preferences dialog box are applied.

There is an option to toggle the DOS ASCII flag for the document. Changing this flag will affect how the document is saved. If you want to convert the current text between ASCII and ANSI, use the "Convert to Ascii/Ansii Text" command under the Document menu.

Document Properties are saved whenever the document or the editor is closed. All settings for up to the 100 most recently opened files are stored in a file called FILEPROP.INF which is placed in the program directory. You can edit the MININOTE.INI or NOTETAB.INI file (the editor must not be running!) and set another value for the MaxStoreProperties item under the [Options] section.

Structure of FILEPROP.INF:

This is a text file that can be opened and modified in this editor. Each file entry is stored on a single line. The line starts with the path and file name followed by an equal sign (=), which is followed by a series of parameters separated by a semi colon (;). The first parameter is a number, either 0 or 1; 0 indicates that the file uses the ANSI character set and 1 that it uses the ASCII character set. The second parameter is also a number, either 0 or 1. 0 indicates that the document has its own property settings and 1 that it uses the default settings. If document properties have been defined, the next parameter is a 0 if word wrap is not used and 1 if it is. The next parameter indicates the tab size in pixels, followed by the font size, the font name, and finally the font style (B = Bold, I = Italic).

Find & Replace Dialog Boxes

If the selected text is between 2 and 200 characters long, it is placed in the Find field of the dialog box when it is opened (special characters are automatically replaced by their respective tokens – see below). Otherwise, the last searched item is displayed in the field. The maximum length for a search or replace text is 255 characters.

The Find and Replace dialog boxes accept tokens to represent special characters:

- ^T = Tab (\$09)
- ^B = Page break (\$12)
- ^P = Paragraph (carriage-return/line-feed pair)
- ^C = Carriage-return (\$0D)
- ^L = Line-feed (\$0A)

If you actually need to search characters that correspond to one of the tokens, just precede it with an extra ^ symbol (for example ^^T to search for ^T).

When the editor is configured to "stay-on-top", the Find and Replace dialog boxes are modal. In other words, you cannot return to the editor until you close the dialog box. When the program is not "stay-on-top", they are modeless (you can edit documents while the dialog boxes are open).

You can increase the width of the dialog box if necessary and save the new size by opening its Control (or System) menu and clicking on Save Window State.

Printer Dialog Box

Most settings in the Printer dialog box are kept and restored when you run the program again. However, each time you move to another document, the Title text is replaced by the document's name and Print Word Wrap is checked.

When you click on the Print button (in the tool bar), the dialog box is not displayed. Instead, its current settings are used and the document is immediately printed. If text is selected (more than 100 characters), then only the selected text is printed, otherwise the whole document is printed.

If you choose to print a document to a file, the lines will be wrapped at the same point as if they were printed on paper and page breaks are inserted accordingly. The file produced has the same name as the document but has the extension PRN; it is created in the same directory as the document.

Text Statistics Dialog Box

The Text Statistics dialog box provides information on the number of characters, words, and the number of occurrences of each different word within a text. If you select text, that information will be extracted from that portion of the document. If no text is selected, then the whole document is analyzed.

The first part of the dialog box displays the following fields:

- **Characters** The figure is based on the total number of characters encountered in the text, including spaces and tabs. Each tabs counts as one character only.
- **Words** Only words composed entirely of alphabetic characters are counted here.
- **Others** Any word that is not counted in the previous field is added here. For example numbers or words that are a mix of alphabetic characters and numbers.

To display the frequency of occurrences of individual words, click on the More button. Depending on the size of the text to analyze, this process may take some time to display the result. At the end of the list, you can read the total number of different words encountered in the text.

Keeping a Log

You can keep a log by using the same method as Notepad. Just add ".LOG" on the first line (without the quotation marks) and every time you open such a document, the editor will append the current date and time (as specified by your computer's clock). There is an option that lets you configure the format for the date and time text that is pasted with the corresponding command. The [Date and Time filters](#) topic gives you all the codes you can use to build a filter.

Date and Time filters

The editor has a command that lets you easily insert the current date and time in your documents. You can do so with the Insert Date command (in the Document menu) or automatically if you are using the [log feature](#). By default, it uses the format specified by the *ShortDateFormat* defined by Windows. You can, however, customize the date by creating a Date Filter — the field is available in the [Preferences dialog box](#) on the Miscellaneous tab. There is also a similar field in the [Print dialog box](#). The following format specifiers are supported:

Specifier	Displays
c	Displays the date using the format given by the ShortDateFormat global variable, followed by the time using the format given by the LongTimeFormat global variable. The time is not displayed if the fractional part of the DateTime value is zero.
d	Displays the day as a number without a leading zero (1-31).
dd	Displays the day as a number with a leading zero (01-31).
ddd	Displays the day as an abbreviation (Sun-Sat) using the strings given by the ShortDayNames global variable.
dddd	Displays the day as a full name (Sunday-Saturday) using the strings given by the LongDayNames global variable.
dddddd	Displays the date using the format given by the ShortDateFormat global variable.
dddddd	Displays the date using the format given by the LongDateFormat global variable.
m	Displays the month as a number without a leading zero (1-12). If the m specifier immediately follows an h or hh specifier, the minute rather than the month is displayed.
mm	Displays the month as a number with a leading zero (01-12). If the mm specifier immediately follows an h or hh specifier, the minute rather than the month is displayed.
mmm	Displays the month as an abbreviation (Jan-Dec) using the strings given by the ShortMonthNames global variable.
mmmm	Displays the month as a full name (January-December) using the strings given by the LongMonthNames global variable.
yy	Displays the year as a two-digit number (00-99).
yyyy	Displays the year as a four-digit number (0000-9999).
h	Displays the hour without a leading zero (0-23).
hh	Displays the hour with a leading zero (00-23).
n	Displays the minute without a leading zero (0-59).
nn	Displays the minute with a leading zero (00-59).
s	Displays the second without a leading zero (0-59).
ss	Displays the second with a leading zero (00-59).
t	Displays the time using the format given by the ShortTimeFormat global variable.
tt	Displays the time using the format given by the LongTimeFormat global variable.
am/pm	Uses the 12-hour clock for the preceding h or hh specifier, and displays 'am' for any hour before noon, and 'pm' for any hour after noon. The am/pm specifier can use lower, upper, or mixed case, and the result is displayed accordingly.
a/p	Uses the 12-hour clock for the preceding h or hh specifier, and displays 'a' for any hour before noon, and 'p' for any hour after noon. The a/p specifier can use lower, upper, or mixed case, and the result is displayed accordingly.
ampm	Uses the 12-hour clock for the preceding h or hh specifier, and displays the contents of the TimeAMString global variable for any hour before noon, and the contents of the TimePMString global variable for any hour after noon.
/	Displays the date separator character given by the DateSeparator global variable.
:	Displays the time separator character given by the TimeSeparator global variable.

'xx' Characters enclosed in single quotes are displayed as-is, and do not affect formatting.

Format specifiers may be written in upper case as well as in lower case letters--both produce the same result.

Command-line Parameters

You can specify as many parameters as the command line can take. Each parameter must be separated by a space.

-NS	Don't show splash screen (must be first parameter).
<i>FileName</i>	Opens specified file in the editor. File name can also include wildcards.
<i>/F=FavoriteFileName</i>	Specify an alternative " <u>Favorite Files</u> " list file name (without extension or path). The file name must follow the equal sign. Do not use any spaces before or after the equal. "Favorite Files" lists must be in the same folder as the editor. If the file does not exist, it will be created.
<i>/P</i>	Print the files following this parameter.
<i>//</i>	Don't print the files after this parameter.
<i>/R</i>	Open the files following this parameter as Read-Only.
<i>/INI=FileName</i>	Specify an alternative INI file. If you don't indicate a path, the program's directory is assumed. You do not need to specify an extension (it is always INI).

Tips and How to...

To replace *Windows' Notepad* with this editor: 1. make a backup copy of *Notepad* (optional); 2. install this editor and its related files in the Windows folder (directory); 3. Rename the MININOTE.EXE or NOTETAB.EXE program file to NOTEPAD.EXE.

In Super NoteTab, you can drag-and-drop selected text. To move text to another part of your document, first select it, then click on the selection with the left mouse button and drag it to the desired location. If you want to duplicate text rather than move it, follow the same procedure but with the Control key pressed down.

When you have several documents open, you can drag-and-drop page tabs to reorder them any way you like. If you have many documents open so that all page tabs are not visible, you might prefer to use the Document Selector (in the Search menu).

Whenever you modify a file, an asterisk (*) appears after the corresponding document name in the page tab. It disappears after you save the file or undo the changes. This cue is useful when you are editing several open files at the same time, as you can immediately see which files may need saving. The editor does, however, always prompt you to save or discard changes before closing a document or the program (unless you check the Auto Save Files option in the Preferences dialog box).

When you open a new document with the File dialog box, it starts in the same directory as the selected editor document (unless you have specified a default directory in the Preferences dialog box).

The indent function does not use tabs but just adds the specified number of spaces at the beginning of each selected line (irrespective of paragraph blocks).

The tab size, which you can set through the Preferences dialog box or document properties, is measured in pixels.

The main program menu can be hidden by choosing the Options | Hide Menu command. To show it again, invoke the document-tabs shortcut menu and choose the Show Menu command (or use the keyboard shortcut Shift+F10).

Use the Options | Multiple Copies menu command if you want to open multiple copies of the editor in memory.

The Clipbook window and Document Selector will always stay-on-top if the editor is not also configured to stay-on-top. If, however, the editor is stay-on-top, then there is no way to enforce the Clipbook and Document Selector to stay-on-top of the editor. In this situation, the window that has the focus will be on top of the other. If the Clipbook has disappeared behind the editor, press F4 to make it reappear. With the Document Selector, press F6.

You can set up different icons (or shortcuts) of the program for different tasks. For example, if you have created several "Favorite File" lists, you can configure each icon with a command line pointing to a different file. If you have enabled the Auto Load Favorites option, then the editor will automatically open all the files included in the list.

A splash screen is displayed each time you start the program. This splash screen does not slow the loading of the program. It takes a fraction of a second to display and is a good visual cue that the program is in the process of loading. You can, however, disable the splash screen by using "-NS" (without the quotes) as a command-line parameter.

The Split Lines command in the 16-bit version of Mini NoteTab is only available when word wrap is

enabled.

Some operations, mainly in Mini NoteTab, cannot be undone even though the Undo command becomes enabled. The Undo feature is implemented through Windows API calls. This problem is being investigated...

Updates and Other Programs

You can find updates of Super NoteTab, Mini NoteTab and other Freeware/Shareware programs by visiting my web site at the following address:

<http://www.unige.ch/sciences/terre/geologie/fookes/>

There is also a portfolio with high-resolution photographs of beautiful landscapes from Switzerland and the Nordic countries.

A Note to Reviewers

If you intend to review this program, whether it be for a journal, a newspaper, or a web site, please check if you have the most up-to-date version of the program. You can visit [my web site](#) or [contact me](#) directly to find out if you have the most recent update. Also, keep in mind that there are three different versions of the editor. Don't hesitate to contact me if you need any further information.

Although I don't require this, I would certainly appreciate receiving a photocopy (or URL) of any review or article that is written about this software. It doesn't matter if it is in English, French, German, or any other language. Thanks in advance!

Legal

The author of this program accepts no responsibility for damages resulting from its use and makes no warranty or representation, either express or implied, including but not limited to, any implied warranty of merchantability or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume all risks when using it.

Distribution License

I encourage you to freely copy and distribute this Freeware program to any and all who are interested in obtaining a copy, including distribution through the Internet, BBS's, Shareware distribution libraries, CD-ROMs, etc. The package is subject to the following restrictions:

The editor must be distributed as a complete package including the following 9 files:

- | | | |
|-----------------|---|---|
| 1. README.TXT | – | program's Readme text file |
| 2. WHATSNEW.TXT | – | text file with details of new features |
| 3. FILE_ID.DIZ | – | standard ID file |
| 4. NOTETAB.EXE | – | the program (Super NoteTab) |
| or MININOTE.EXE | – | the program (Mini NoteTab) |
| 5. NOTETAB.HLP | – | this file (Super NoteTab) |
| or MININOTE.HLP | – | this file (Mini NoteTab) |
| 6. HTML.CLB | – | Clipbook template with main HTML tags |
| 7. HTML-1.CLB | – | Clipbook template with special character tags |
| 8. ACRONYMS.CLB | – | Clipbook template with common Internet acronyms |
| 9. SMILIES.CLB | – | Clipbook template with common Internet smilie (or smiley) representations |

If any of these files are missing, then the package is not complete and distribution is forbidden.

- The package - including all related program files and documentation files CANNOT be modified in any way and must be distributed as a complete package, without exception.
- You may charge a distribution fee for the package, but you must not represent in any way that you are selling the software itself.
- You shall not use, copy, rent, lease, sell, modify, decompile, disassemble, otherwise reverse engineer, or transfer the licensed program except as provided in this agreement. Any such unauthorized use shall result in immediate and automatic termination of this distribution license.

All rights not expressly granted here are reserved by Eric G.V. Fookes.

Acknowledgments

First of all, I would like to thank my colleague and friend **Christophe Nussbaumer** for having encouraged me to develop this editor and for pushing me to release it on the Internet. Also, many people – too many to mention here – have contributed to make this editor a much better program through their helpful feedback. In particular, I would like to thank **Mike Arst** who has helped me identify some very subtle faults in the program, as well as **Judith, Jose Maria Fernandez Alvarez, Mat Davis, Bob Dolan, Dennis Gallagher, Chris Glockler, Tobias Graening, Leonardo Herzenberg, Staffan Höijer, Rob McGee, Mark Paciga, Helmut Reimer,** and **Frank Thurber**.

Contacting the Author

You are welcome to send me comments and suggestions. If you are submitting a bug report, please remember to indicate which program variant and version number you are using. I can be reached by E-mail at:

fookes@sc2a.unige.ch

or by snail mail at the following address:

**Eric G.V. Fookes
Av. Eugène-Pittard 22 Ter
CH - 1206 Geneva
Switzerland**

or by fax at the following number:

+41/ (22) - 789 58 44

I will be looking for contracts/career opportunities towards the end of 1997 once I have completed my Ph.D. thesis at the University of Geneva. Potential employers/contractors will find my CV by visiting my web site, or can contact me directly for more information.

Do not hesitate to contact me if you would like a customized version of this editor for your company, organization, institution, etc. Customization can be anything from a Splash Screen with your company logo to new menu commands for specialized tasks. The fee will depend on the amount of work involved to implement the proposed features and the size of the site where the program will be used.

You can use the program without paying the author or registering! Contributions, however, are very welcome and encourage the author to develop more programs of this nature.

