

Crystal Reports Technical Document

Subject: SQL SERVER / SYBASE Q + E
Date: July 29, 93
Versions: 2.0 Professional

Description:

Must have a datasource name to access SQL SERVER.

Datasource names are added by editing QEX.INI file.

An Example QEX.INI file is supplied by us and installed if one is not found in the WINDOWS directory. This QEX.INI file is used by the driver libraries and shouldn't need editing.

W3DBLIB should be locatable (Time stamp should be noted). A copy of this file should be found in the SQLSERVER\BIN\ directory (on a default install). Add this directory to your path or copy W3DBLIB.DLL to your windows\system directory

Remarks:

Do not want to find a QESS.DLL. This may be found due to other products such as Excel.

Ensure PDSSYBAS.DLL is located in the Crystal Reports directory and the the Q + E libraries are locatable.

Make sure all of the above have a 2.01am time stamp.

W3DBLIB.DLL must be dated May 1992 or later.

Communcation errors are associated with the W3DBLIB.DLL.

CRPE.DLL

2.01am

CRW.EXE

2.01am

PDSSYBAS.DLL

2.01am

QEX.INI

QELIB.DLL

2.01am

QEUTIL.DLL

2.01am

QLSS.DLL (Must not find QESS.DLL)

2.01am

W3DBLIB.DLL (Not shipped)

SQLQE.DOC

