

PictureClip Control

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbobjPicClipC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbobjPicClipX":1} {ewc HLP95EN.DLL,DYNALINK,"Properties":"vbobjPicClipP"}  
{ewc HLP95EN.DLL,DYNALINK,"Methods":"vbobjPicClipM"} {ewc  
HLP95EN.DLL,DYNALINK,"Events":"vbobjPicClipE"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbobjPicClipS"}
```

The **PictureClip** control allows you to select an area of a source bitmap and then display the image of that area in a form or picture box. **PictureClip** controls are invisible at run time. This is a typical bitmap that might be used in the **PictureClip** control:

File Name

PICCLP32.OCX

Class Name

PictureClip

Remarks

The **PictureClip** control provides an efficient mechanism for storing multiple picture resources. Instead of using multiple bitmaps or icons, create a source bitmap that contains all the icon images required by your application. When you need to display an individual icon, use the **PictureClip** control to select the region in the source bitmap that contains that icon.

For example, you could use this control to store all the images needed to display a toolbox for your application. It is more efficient to store all of the toolbox images in a single **PictureClip** control than it is to store each image in a separate picture box. To do this, first create a source bitmap that contains all of the toolbar icons. The picture at the top of this topic is an example of such a bitmap.

Note For international localized applications, resource files are sometimes a more useful way to store bitmaps. For more information, refer to Chapter 16, "International Issues," in the *Visual Basic Programmer's Guide*.

You can specify the clipping region in the source bitmap in one of two ways:

- Select any portion of the source bitmap as the clipping region. Specify the upper-left corner of the clipping region using the **ClipX** and **ClipY** properties. Specify the area of the clipping region using the **ClipHeight** and **ClipWidth** properties. This method is useful when you want to view a random portion of a bitmap.
- Divide the source bitmap into a specified number of rows and columns. The result is a uniform matrix of picture cells numbered 0, 1, 2, and so on. You can display individual cells using the **GraphicCell** property. This method is useful when the source bitmap contains a palette of icons that you want to display individually, such as in a toolbar bitmap.

Load the source bitmap into the **PictureClip** control using the **Picture** property. You can load only bitmap (.bmp) files into the **PictureClip** control.

Distribution Note When you create and distribute applications that use the **PictureClip** control, you should install PicClp32.ocx in the customer's Microsoft Windows System or System32 subdirectory. The Setup Kit included with Visual Basic provides tools to help you write setup programs that install your applications correctly.

Clip Property (PictureClip Control)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproClip_PClipC"} {ewc HLP95EN.DLL,DYNALINK,"Example":"vbproClipPClipX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies To":"vbproClip_PClipA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproClip_PClipS"}

Returns a bitmap of the area in the **PictureClip** control specified by the **ClipX**, **ClipY**, **ClipWidth**, and **ClipHeight** properties. This property is read-only at run time.

Syntax

[*form.*]PictureClip.Clip

Remarks

Use this property to specify a random clipping region from the selected bitmap.

When assigning a **Clip** image to a picture control in Visual Basic, make sure that the **ScaleMode** property for the picture control is set to 3 (pixels). You must use pixels because the **ClipHeight** and **ClipWidth** properties that define the clipping region are measured in pixels.

Data Type

Integer

Clip Example (PictureClip Control)

Visual Basic Example

The following example displays a **Clip** image in a picture box when the user specifies X and Y coordinates and then clicks a form. **First** create a form with a **PictureBox**, a **PictureClip** control, and two **TextBox** controls. At design time, use the Properties sheet to load a valid bitmap into the **PictureClip** control.

```
Private Sub Form_Click ()
    Dim SaveMode As Integer
    ' Save the current ScaleMode for the picture box.
    SaveMode = Picture1.ScaleMode
    ' Get X and Y coordinates of the clipping region.
    PicClip1.ClipX = Val(Text1.Text)
    PicClip1.ClipY = Val(Text2.Text)
    ' Set the area of the clipping region (in pixels).
    PicClip1.ClipHeight = 100
    PicClip1.ClipWidth = 100
    ' Set the picture box ScaleMode to pixels.
    Picture1.ScaleMode = 3
    ' Set the destination area to fill the picture box.
    PicClip1.StretchX = Picture1.ScaleWidth
    PicClip1.StretchY = Picture1.ScaleHeight
    ' Assign the clipped bitmap to the picture box.
    Picture1.Picture = PicClip1.Clip
    ' Reset the ScaleMode of the picture box.
    Picture1.ScaleMode = SaveMode
End Sub
```

ClipHeight Property (PictureClip Control)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproClipHgt_PClipC"} {ewc HLP95EN.DLL,DYNALINK,"Example":"vbproClipHgt_PClipX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies To":"vbproClipHgt_PClipA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproClipHgt_PClipS"}

Specifies the height of the bitmap section to be copied by the **Clip** property. This property is not available at design time.

Syntax

[*form.*]PictureClip.**ClipHeight**[= *Height%*]

Remarks

This property is measured in pixels.

Data Type

Integer

ClipWidth Property (PictureClip Control)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproClipWid_PClipC"} {ewc
HLP95EN.DLL,DYNALINK,"Example":"vbproClipWid_PClipX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies
To":"vbproClipWid_PClipA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproClipWid_PClipS"}

Specifies the width of the bitmap section to be copied by the **Clip** property. This property is not available at design time.

Syntax

[*form.*]PictureClip.**ClipWidth**[= *Width*%]

Remarks

This property is measured in pixels.

Data Type

Integer

ClipX Property (PictureClip Control)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproClipX_PClipC"} {ewc
HLP95EN.DLL,DYNALINK,"Example":"vbproClipX_PClipX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies
To":"vbproClipX_PClipA"} {ewc HLP95EN.DLL,DYNALINK,"Specifcs":"vbproClipX_PClipS"}

Specifies the x-coordinate of the upper-left corner of the bitmap section to be copied by the **Clip** property. This property is not available at design time.

Syntax

[*form.*]PictureClip.**ClipX**[= *X%*]

Remarks

This property is measured in pixels.

Data Type

Integer

ClipY Property (PictureClip Control)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproClipY_PClipC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproClipY_PClipX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproClipY_PClipA"} {ewc HLP95EN.DLL,DYNALINK,"Specifcs":"vbproClipY_PClipS"}
```

Specifies the y-coordinate of the upper-left corner of the bitmap section to be copied by the **Clip** property. This property is not available at design time.

Syntax

[*form.*]PictureClip.ClipY[= Y%]

Remarks

This property is measured in pixels.

Data Type

Integer

Cols, Rows Properties (PictureClip Control)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproColsRows_PClipC"} {ewc HLP95EN.DLL,DYNALINK,"Example":"vbproColsRows_PClipX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies To":"vbproColsRows_PClipA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproColsRows_PClipS"}

Set or return the total number of columns or rows in the picture.

Syntax

[*form*.]PictureClip.**Cols**[= *cols*%]
[*form*.]PictureClip.**Rows**[= *rows*%]

Remarks

Use these properties to divide the source bitmap into a uniform matrix of picture cells. Use the **GraphicCell** property to specify individual cells.

A **PictureClip** control must have at least one column and one row.

The height of each graphic cell is determined by dividing the height of the source bitmap by the number of specified rows. Leftover pixels at the bottom of the source bitmap (caused by integer rounding) are clipped.

The width of each graphic cell is determined by dividing the width of the source bitmap by the number of specified columns. Leftover pixels at the right of the source bitmap (caused by integer rounding) are clipped.

Data Type

Integer

GraphicCell Property (PictureClip Control)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproGraphicCell_PClipC"} {ewc HLP95EN.DLL,DYNALINK,"Example":"vbproGraphicCell_PClipX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies To":"vbproGraphicCell_PClipA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproGraphicCell_PClipS"}

A one-dimensional array of pictures representing all of the picture cells. This property is not available at design time and is read-only at run time.

Syntax

[*form.*]PictureClip.**GraphicCell** (*Index%*)

Remarks

- Use the **Rows** and **Cols** properties to divide a picture into a uniform matrix of graphic cells.
- The cells specified by **GraphicCell** are indexed, beginning with 0, and increase from left to right and top to bottom.
- When reading this property, an error is generated when there is no picture or when the **Rows** or **Cols** property is set to 0.

Data Type

Integer

Height, Width Properties (PictureClip Control)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproHgtWid_PClipC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproHgtWid_PClipX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproHgtWid_PClipA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproHgtWid_PClipS"}
```

Return the height and width (in pixels) of a bitmap contained in the control. These properties are not available at design time and are read-only at run time.

Syntax

```
[form.]PictureClip.Height  
[form.]PictureClip.Width
```

Remarks

These properties are only valid when the control contains a bitmap.

You can load a bitmap into a **PictureClip** control at design time using the Properties sheet. In Visual Basic, you can also load a bitmap into a **PictureClip** control at run time by using the **LoadPicture** function.

Data Type

Integer

Picture Property (PictureClip Control)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproPicture_PClipC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproPicture_PClipX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproPicture_PClipA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproPicture_PClipS"}
```

This property is the same as the standard Visual Basic **Picture** property except that it supports only bitmap (.bmp) files.

StretchX, StretchY Properties (PictureClip Control)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproStretchXY_PClipC"} {ewc HLP95EN.DLL,DYNALINK,"Example":"vbproStretchXY_PClipX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies To":"vbproStretchXY_PClipA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproStretchXY_PClipS"}

Specify the target size for the bitmap created with the **Clip** property. These properties are not available at design time.

Syntax

[*form*.]PictureClip.**StretchX**[= *X*%]
[*form*.]PictureClip.**StretchY**[= *Y*%]

Remarks

Use these properties to define the area to which the Clip bitmap is copied. When the bitmap is copied, it is either stretched or condensed to fit the area defined by **StretchX** and **StretchY**.

StretchX and **StretchY** are measured in pixels.

Note In Visual Basic, the default **ScaleMode** for forms and picture boxes is twips. Set **ScaleMode** = 3 (pixels) for all controls that display pictures from a **PictureClip** control.

Data Type

Integer

CellHeight, CellWidth Properties (PictureClip Control)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproCellHgtC"} {ewc
HLP95EN.DLL,DYNALINK,"Example":"vbproCellHeightX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies
To":"vbproCellHeightA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproCellHeightS"}

Returns the height and width, in pixels, of a **PictureClip** control's **GraphicCell** property.

Syntax

object.**CellHeight**

object.**CellWidth**

The *object* placeholder represents an object expression that evaluates to a **PictureClip** control.

Remarks

The **CellHeight** and **CellWidth** properties are dependent upon the **Cols** and **Rows** properties of a **PictureClip** control. For example, dividing a picture into four columns and four rows would result in a **GraphicCell** that is twice the size of the same picture divided into eight columns and eight rows.

Error Messages (PictureClip Control)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"PictureClipControlErrsC;vbproBooksOnlineJumpTopic"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"PictureClipControlErrsS"}

The following table lists the trappable errors for the **PictureClip** control.

Error Number	Constant	Description - Message Explanation
7	picOutOfMemory	Out of memory.
383	picSetNotPermitted picSetNotSupported	Property can't be set on this control. Property is read-only.
394	picGetNotSupported	Property is write-only.
32000	picInvalidPictureFormat	Picture format not supported. You can load only bitmap (.bmp) files into the PictureClip control.
32001	picDisplayContext	Unable to obtain display context.
32002	picMemDevContext	Unable to obtain memory device context.
32003	picBitmap	Unable to obtain bitmap.
32004	picSelBitmapObj	Unable to select bitmap object.
32005	picIntPicStruct	Unable to allocate internal picture structure.
32006	picBadIndex	Bad GraphicCell Index. The <i>index</i> argument for the GraphicCell property is out of range. This argument must be in the range 0 to (PicClip.Rows * PicClip.Cols)1.
32007	picNoPicSize	No GraphicCell picture size specified.
32008	picBitmapsOnly	Only bitmap GraphicCell pictures allowed.
32010	picBadClip	Bad GraphicCell PictureClip property request.
32012	picGetObjFailed	GetObject() Windows function failure. A call to the Windows function GetObject () failed.
32014	pic	GlobalAlloc() Windows function failure. A call to the Windows function GlobalAlloc () failed.
32015	picClipBounds	Clip region boundary error. The ClipHeight and ClipWidth properties specify coordinates which are outside the boundary of the bitmap loaded in the PictureClip control.
32016	picCellTooSmall	Cell size too small (must be at least 1 by 1 pixel).
32017	picRowNotPositive	Rows property must be greater than zero.
32018	picColNotPositive	Cols property must be greater than zero.
32019	picStretchXNegative	StretchX property cannot be negative.
32020	picStretchYNegative	StretchY property cannot be negative.
32021	picNoPicture	No picture assigned.

Change Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtChangeEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtChangeEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtChangeEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtChangeEventControlsPlaceholderS"}
```

Click Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtClickEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtClickEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtClickEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtClickEventControlsPlaceholderS"}
```

DbClick Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtDbClickEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtDbClickEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtDbClickEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtDbClickEventControlsPlaceholderS"}
```

DragDrop Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtDragDropEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtDragDropEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtDragDropEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtDragDropEventControlsPlaceholderS"}
```

DragOver Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtDragOverEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtDragOverEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtDragOverEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtDragOverEventControlsPlaceholderS"}
```

KeyDown Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtKeyDownEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtKeyDownEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtKeyDownEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtKeyDownEventControlsPlaceholderS"}
```

KeyPress Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtKeyPressEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtKeyPressEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtKeyPressEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtKeyPressEventControlsPlaceholderS"}
```

KeyUp Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtKeyUpEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtKeyUpEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtKeyUpEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtKeyUpEventControlsPlaceholderS"}
```


MouseDown Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtMouseDownEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtMouseDownEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtMouseDownEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtMouseDownEventControlsPlaceholderS"}
```

MouseMove Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtMouseMoveEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtMouseMoveEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtMouseMoveEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtMouseMoveEventControlsPlaceholderS"}
```

MouseUp Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtMouseUpEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtMouseUpEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtMouseUpEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtMouseUpEventControlsPlaceholderS"}
```

OLECompleteDragEvent (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbevOLECompleteDragEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}

HLP95EN.DLL,DYNALINK,"Example": "vbevOLECompleteDragEventControlsPlaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbevOLECompleteDragEventControlsPlaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbevOLECompleteDragEventControlsPlaceholderS"}

{ewc

{ewc

{ewc

OLEDragDrop Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtOLEDragDropEventPHolderC;vbproBooksOnlineJumpTopic"} {ewc
HLP95EN.DLL,DYNALINK,"Example":"vbevtOLEDragDropEventPHolderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtOLEDragDropEventPHolderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtOLEDragDropEventPHolderS"}
```

OLEDragOver Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtOLEDragOverEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtOLEDragOverEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtOLEDragOverEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtOLEDragOverEventControlsPlaceholderS"}
```

OLEGiveFeedback Event (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbevtOLEGiveFeedbackEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}

HLP95EN.DLL,DYNALINK,"Example": "vbevtOLEGiveFeedbackEventControlsPlaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbevtOLEGiveFeedbackEventControlsPlaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbevtOLEGiveFeedbackEventControlsPlaceholderS"}

{ewc

{ewc

{ewc

OLESetData Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtOLESetDataEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtOLESetDataEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtOLESetDataEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtOLESetDataEventControlsPlaceholderS"}
```


OLEStartDrag Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtOLEStartDragEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtOLEStartDragEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtOLEStartDragEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtOLEStartDragEventControlsPlaceholderS"}
```

Refresh Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthRefreshMethodControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbmthRefreshMethodControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthRefreshMethodControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthRefreshMethodControlsPlaceholderS"}
```

OLEDrag Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthOLEDragMethodControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbmthOLEDragMethodControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthOLEDragMethodControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthOLEDragMethodControlsPlaceholderS"}
```

Appearance Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproAppearancePropertyControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproAppearancePropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproAppearancePropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproAppearancePropertyControlsPlaceholderS"}
```

BackColor Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBackColorPropertyControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproBackColorPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproBackColorPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproBackColorPropertyControlsPlaceholderS"}
```

Caption Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproCaptionPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproCaptionPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproCaptionPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproCaptionPropertyControlsPlaceholderS"}
```

Enabled Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":vbproBooksOnlineJumpTopic;vbproEnabledPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":vbproEnabledPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":vbproEnabledPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":vbproEnabledPropertyControlsPlaceholderS"}
```

Font Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproFontPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproFontPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontPropertyControlsPlaceholderS"}
```


ForeColor Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproForeColorPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproForeColorPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproForeColorPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproForeColorPropertyControlsPlaceholderS"}
```

IntegralHeight Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproIntegralHeightPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproIntegralHeightPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproIntegralHeightPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproIntegralHeightPropertyControlsPlaceholderS"}
```

Locked Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproLockedPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproLockedPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproLockedPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproLockedPropertyControlsPlaceholderS"}
```

Mouselcon Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproMouselconPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproMouselconPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMouselconPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMouselconPropertyControlsPlaceholderS"}
```

MousePointer Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproMousePointerPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproMousePointerPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMousePointerPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMousePointerPropertyControlsPlaceholderS"}
```

OLEDragMode Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbproBooksOnlineJumpTopic;vbproOLEDragModePropertyControlsPlaceholderC"}

HLP95EN.DLL,DYNALINK,"Example": "vbproOLEDragModePropertyControlsPlaceholderX": 1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbproOLEDragModePropertyControlsPlaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbproOLEDragModePropertyControlsPlaceholderS"}

{ewc

{ewc

{ewc

OLEDropMode Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbproBooksOnlineJumpTopic;vbproOLEDropModePropertyControlsPlaceholderC"}

HLP95EN.DLL,DYNALINK,"Example": "vbproOLEDropModePropertyControlsPlaceholderX": 1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbproOLEDropModePropertyControlsPlaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbproOLEDropModePropertyControlsPlaceholderS"}

{ewc

{ewc

{ewc

SelLength Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproSelLengthPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproSelLengthPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproSelLengthPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproSelLengthPropertyControlsPlaceholderS"}
```


SelStart Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproSelStartPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproSelStartPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproSelStartPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproSelStartPropertyControlsPlaceholderS"}
```

SelText Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproSelTextPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproSelTextPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproSelTextPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproSelTextPropertyControlsPlaceholderS"}
```

Style Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproStylePropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproStylePropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproStylePropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproStylePropertyControlsPlaceholderS"}
```

Text Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":vbproBooksOnlineJumpTopic;vbproTextPropertyControlsPlaceholderC}  
{ewc HLP95EN.DLL,DYNALINK,"Example":vbproTextPropertyControlsPlaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":vbproTextPropertyControlsPlaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":vbproTextPropertyControlsPlaceholderS"}
```

Keyword Not Found

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic"}

The keyword you've selected can't be found in Visual Basic Help. It's possible that:

- The keyword is misspelled
- You selected too much or too little text
- You asked for help on a word that is not a valid Visual Basic keyword.

The easiest way to get help on a specific keyword is to position the insertion point anywhere within the keyword you want help on and press F1. You do not need to select the keyword. In fact, if you select only a portion of the keyword, or more than a single word, Help will not find what you're looking for.

To use the built-in Help search dialog box, press the **Help Topics** button on the toolbar.

One option to possibly find what you're looking for is to view the ReadMe file that comes with Visual Basic. This document contains information regarding last-minute changes, additions, and deletions that did not make it into the final documentation.

Left, Top Properties (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproLeftTopPropertiesPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproLeftTopPropertiesPlaceholderS"}

{ewc

Height, Width Properties (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproHeightWidthPropertiesPlaceholderC"}

{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproHeightWidthPropertiesPlaceholderS"}

Tag Property (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproTagPropertyPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproTagPropertyPlaceholderS"}

{ewc

ToolTipText Property (Placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproToolTipTextPropertyPlaceholderC"}  
{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproToolTipTextPropertyPlaceholderS"}
```

Count Property (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproCountPropertyPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproCountPropertyPlaceholderS"}

{ewc

Item Method (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproItemMethodPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthItemMethodPlaceholderS;vbproItemMethodPlaceholderS"}

{ewc

Hwnd Property (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproHwndPropertyPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHwndPropertyPlaceholderS"}

{ewc

TabStop Property (Placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproTabStopPropertyPlaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproTabStopPropertyPlaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproTabStopPropertyPlaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproTabStopPropertyPlaceholderS"}
```

Visible Property (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproVisiblePropertyPlaceholderC"} {ewc
HLP95EN.DLL,DYNALINK,"Example":"vbproVisiblePropertyPlaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies
To":"vbproVisiblePropertyPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproVisiblePropertyPlaceholderS"}

Picture Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproPicturePropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproPicturePropertyplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproPicturePropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproPicturePropertyplaceholderS"}
```

Max, Min Properties (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproMaxMinPropertiesplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproMaxMinPropertiesplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMaxMinPropertiesplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMaxMinPropertiesplaceholderS"}
```


Add Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthAddMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthAddMethodplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthAddMethodplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthAddMethodplaceholderS"}
```

Clear Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthClearMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthClearMethodplaceholderX":-1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthClearMethodplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthClearMethodplaceholderS"}
```

Container Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproContainerPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproContainerPropertyplaceholderX":1}          {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproContainerPropertyplaceholderA"}          {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproContainerPropertyplaceholderS"}
```

Controls Collection (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcolControlsCollectionplaceholderC;vbproBooksOnlineJumpTopic"} {ewc
HLP95EN.DLL,DYNALINK,"Example":"vbcolControlsCollectionplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Properties":"vbcolControlsCollectionplaceholderP"} {ewc
HLP95EN.DLL,DYNALINK,"Methods":"vbcolControlsCollectionplaceholderM"} {ewc
HLP95EN.DLL,DYNALINK,"Events":"vbcolControlsCollectionplaceholderE"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbcolControlsCollectionplaceholderS"}
```

Copies Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproCopiesPropertyplaceholderC"} {ewc
HLP95EN.DLL,DYNALINK,"Example":"vbproCopiesPropertyplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies
To":"vbproCopiesPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproCopiesPropertyplaceholderS"}

DataBinding Object (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbobjDataBindingObjectplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbobjDataBindingObjectplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Properties":"vbobjDataBindingObjectplaceholderP"} {ewc
HLP95EN.DLL,DYNALINK,"Methods":"vbobjDataBindingObjectplaceholderM"} {ewc
HLP95EN.DLL,DYNALINK,"Events":"vbobjDataBindingObjectplaceholderE"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbobjDataBindingObjectplaceholderS"}
```

DataBindings Collection (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcolDataBindingsCollectionplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbcolDataBindingsCollectionplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Properties":"vbcolDataBindingsCollectionplaceholderP"} {ewc
HLP95EN.DLL,DYNALINK,"Methods":"vbcolDataBindingsCollectionplaceholderM"} {ewc
HLP95EN.DLL,DYNALINK,"Events":"vbcolDataBindingsCollectionplaceholderE"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbcolDataBindingsCollectionplaceholderS"}
```

Filename Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproFilenamePropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFilenamePropertyplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFilenamePropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFilenamePropertyplaceholderS"}
```


FontBold, FontItalic, FontStrikeThru Properties (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See  
Also":"vbproBooksOnlineJumpTopic;vbproFontBoldFontItalicFontStrikeThruPropertiesplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFontBoldFontItalicFontStrikeThruPropertiesplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontBoldFontItalicFontStrikeThruPropertiesplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontBoldFontItalicFontStrikeThruPropertiesplaceholderS"}
```

FontName Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproFontNamePropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproFontNamePropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontNamePropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontNamePropertyplaceholderS"}
```

FontSize Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproFontSizePropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFontSizePropertyplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontSizePropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontSizePropertyplaceholderS"}
```

GetData Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthGetDataMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthGetDataMethodplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthGetDataMethodplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthGetDataMethodplaceholderS"}
```

GetFormat Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthGetFormatMethodplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbmthGetFormatMethodplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthGetFormatMethodplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthGetFormatMethodplaceholderS"}
```

HelpFile Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproHelpFilePropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproHelpFilePropertyplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproHelpFilePropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHelpFilePropertyplaceholderS"}
```

Item Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproItemPropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproItemPropertyplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproItemPropertyplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproItemPropertyplaceholderS"}
```

Remove Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthRemoveMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthRemoveMethodplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthRemoveMethodplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthRemoveMethodplaceholderS"}
```


SetData Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthSetDataMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthSetDataMethodplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthSetDataMethodplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthSetDataMethodplaceholderS"}
```

Align Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproAlignPropertyplaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproAlignPropertyplaceholderS"}

{ewc

DragIcon Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproDragIconPropertyplaceholderC"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDragIconPropertyplaceholderS"}

{ewc

DragMode Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproDragModePropertyplaceholderC"}

{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproDragModePropertyplaceholderS"}

HelpContextID Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproHelpContextIDPropertyplaceholderC"}  
{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproHelpContextIDPropertyplaceholderS"}
```

TabIndex Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproTabIndexPropertyplaceholderC"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproTabIndexPropertyplaceholderS"}

{ewc

Alignment Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstAlignmentConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Border Property Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstBorderPropertyConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

BorderStyle Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstBorderStyleConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

BorderStyle Property (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbproBooksOnlineJumpTopic;vbproBorderStylePropertyActiveXControlsplaceholderC"}

HLP95EN.DLL,DYNALINK,"Example": "vbproBorderStylePropertyActiveXControlsplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbproBorderStylePropertyActiveXControlsplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbproBorderStylePropertyActiveXControlsplaceholderS"}

{ewc

{ewc

{ewc

Clear Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthClearMethodActiveXControlsplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbmthClearMethodActiveXControlsplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthClearMethodActiveXControlsplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthClearMethodActiveXControlsplaceholderS"}
```

Clipboard Object Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstClipboardObjectConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Color Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstColorConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

CommonDialog Control Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbcsCommonDialogControlConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

CommonDialog Error Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstCommonDialogErrorConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Control Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstControlConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

DataBindings Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproDataBindingsPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproDataBindingsPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproDataBindingsPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproDataBindingsPropertyplaceholderS"}
```

DDE Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstDDEConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Drag-and-Drop Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstDragandDropConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Drawing Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstDrawingConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

FetchVerbs Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthFetchVerbsMethodC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthFetchVerbsMethodX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthFetchVerbsMethodA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthFetchVerbsMethodS"}
```

Form Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstFormConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Graphics Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstGraphicsConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Grid Control Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstGridControlConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Help Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstHelpConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

HideSelection Property (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbproBooksOnlineJumpTopic;vbproHideSelectionPropertyActiveXControlsplaceholderC"}

HLP95EN.DLL,DYNALINK,"Example": "vbproHideSelectionPropertyActiveXControlsplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbproHideSelectionPropertyActiveXControlsplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbproHideSelectionPropertyActiveXControlsplaceholderS"}

{ewc

{ewc

{ewc

HideSelection Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproHideSelectionPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproHideSelectionPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproHideSelectionPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHideSelectionPropertyplaceholderS"}
```

Image Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproImagePropertyActiveXControlsplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproImagePropertyActiveXControlsplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproImagePropertyActiveXControlsplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproImagePropertyActiveXControlsplaceholderS"}
```

ImageList Property (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also":"vbproBooksOnlineJumpTopic;vbproImageListPropertyActiveXControlsplaceholderC"}

HLP95EN.DLL,DYNALINK,"Example":"vbproImageListPropertyActiveXControlsplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To":"vbproImageListPropertyActiveXControlsplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics":"vbproImageListPropertyActiveXControlsplaceholderS"}

{ewc

{ewc

{ewc

Index Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproIndexPropertyActiveXControlsplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproIndexPropertyActiveXControlsplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproIndexPropertyActiveXControlsplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproIndexPropertyActiveXControlsplaceholderS"}
```

Index Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproIndexPropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproIndexPropertyplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproIndexPropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproIndexPropertyplaceholderS"}
```

Key Code Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstKeyCodeConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Key Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproKeyPropertyActiveXControlsplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproKeyPropertyActiveXControlsplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproKeyPropertyActiveXControlsplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproKeyPropertyActiveXControlsplaceholderS"}
```

Menu Accelerator Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstMenuAcceleratorConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Menu Control Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstMenuControlConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Miscellaneous Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstMiscellaneousConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

MousePointer Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstMousePointerConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

OLE Container Control Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstOLEContainerControlConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Picture Object Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstPictureObjectConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Printer Object Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstPrinterObjectConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

RasterOp Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstRasterOpConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Remove Method (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbmthRemoveMethodActiveXControlsplaceholderC;vbproBooksOnlineJumpTopic"}

HLP95EN.DLL,DYNALINK,"Example": "vbmthRemoveMethodActiveXControlsplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbmthRemoveMethodActiveXControlsplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbmthRemoveMethodActiveXControlsplaceholderS"}

{ewc

{ewc

{ewc

ShowInTaskbar Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstShowInTaskbarPropertyplaceholderC;vbproBooksOnlineJumpTopic"}

ShowTips Property (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also":"vbproBooksOnlineJumpTopic;vbproShowTipsPropertyActiveXControlsplaceholderC"}

HLP95EN.DLL,DYNALINK,"Example":"vbproShowTipsPropertyActiveXControlsplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To":"vbproShowTipsPropertyActiveXControlsplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics":"vbproShowTipsPropertyActiveXControlsplaceholderS"}

{ewc

{ewc

{ewc

ShowWhatsThis Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthShowWhatsThisMethodplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbmthShowWhatsThisMethodplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthShowWhatsThisMethodplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthShowWhatsThisMethodplaceholderS"}
```

Text Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproTextPropertyActiveXControlsplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproTextPropertyActiveXControlsplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproTextPropertyActiveXControlsplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproTextPropertyActiveXControlsplaceholderS"}
```

Value Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproValuePropertyActiveXControlsplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproValuePropertyActiveXControlsplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproValuePropertyActiveXControlsplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproValuePropertyActiveXControlsplaceholderS"}
```

Variant Type Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstVariantTypeConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

Visual Basic Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstVisualBasicConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

WhatsThisButton Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproWhatsThisButtonPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproWhatsThisButtonPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproWhatsThisButtonPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproWhatsThisButtonPropertyplaceholderS"}
```

WhatsThisHelp Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproWhatsThisHelpPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproWhatsThisHelpPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproWhatsThisHelpPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproWhatsThisHelpPropertyplaceholderS"}
```

WhatsThisHelpID Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproWhatsThisHelpIDPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproWhatsThisHelpIDPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproWhatsThisHelpIDPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproWhatsThisHelpIDPropertyplaceholderS"}
```

WhatsThisMode Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthWhatsThisModeMethodplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbmthWhatsThisModeMethodplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthWhatsThisModeMethodplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthWhatsThisModeMethodplaceholderS"}
```

Windows 95 Control Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstWindows95ControlConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

CollsVisible Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproCollsVisiblePropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproCollsVisiblePropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproCollsVisiblePropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproCollsVisiblePropertyplaceholderS"}
```

ColPos Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproColPosPropertyplaceholderC"}

HLP95EN.DLL,DYNALINK,"Example":"vbproColPosPropertyplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To":"vbproColPosPropertyplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics":"vbproColPosPropertyplaceholderS"}

{ewc

{ewc

{ewc

DataObject Object (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproDataObjectObjectplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproDataObjectObjectplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDataObjectObjectplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbobjDataObjectObjectplaceholderS;vbproDataObjectObjectplaceholderS"}
```

DataObjectFiles Collection (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbcolDataObjectFilesCollectionplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbcolDataObjectFilesCollectionplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Properties": "vbcolDataObjectFilesCollectionplaceholderP"} {ewc
HLP95EN.DLL,DYNALINK,"Methods": "vbcolDataObjectFilesCollectionplaceholderM"} {ewc
HLP95EN.DLL,DYNALINK,"Events": "vbcolDataObjectFilesCollectionplaceholderE"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbcolDataObjectFilesCollectionplaceholderS"}
```

DataSource Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproDataSourcePropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproDataSourcePropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDataSourcePropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDataSourcePropertyplaceholderS"}
```

Drag Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthDragMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthDragMethodplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthDragMethodplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthDragMethodplaceholderS"}
```

DrawMode Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproDrawModePropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproDrawModePropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDrawModePropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDrawModePropertyplaceholderS"}
```

FixedAlignment Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproFixedAlignmentPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproFixedAlignmentPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFixedAlignmentPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFixedAlignmentPropertyplaceholderS"}
```

GotFocus Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbevtGotFocusEventplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example": "vbevtGotFocusEventplaceholderX": 1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To": "vbevtGotFocusEventplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics": "vbevtGotFocusEventplaceholderS"}
```

GridLineWidth Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproGridLineWidthPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproGridLineWidthPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproGridLineWidthPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproGridLineWidthPropertyplaceholderS"}
```


Index Property (Control Array) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproIndexPropertyControlArrayplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproIndexPropertyControlArrayplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproIndexPropertyControlArrayplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproIndexPropertyControlArrayplaceholderS"}
```

LostFocus Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtLostFocusEventplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbevtLostFocusEventplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtLostFocusEventplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtLostFocusEventplaceholderS"}
```

Move Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthMoveMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthMoveMethodplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthMoveMethodplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthMoveMethodplaceholderS"}
```

Name Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproNamePropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproNamePropertyplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproNamePropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproNamePropertyplaceholderS"}
```

Object Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproObjectPropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example": "vbproObjectPropertyplaceholderX": 1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To": "vbproObjectPropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics": "vbproObjectPropertyplaceholderS"}
```

Parent Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproParentPropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproParentPropertyplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproParentPropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproParentPropertyplaceholderS"}
```

RowColChange Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtRowColChangeEventplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtRowColChangeEventplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtRowColChangeEventplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtRowColChangeEventplaceholderS"}
```

RowsVisible Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproRowsVisiblePropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproRowsVisiblePropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproRowsVisiblePropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproRowsVisiblePropertyplaceholderS"}
```


RowPos Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproRowPosPropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproRowPosPropertyplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproRowPosPropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproRowPosPropertyplaceholderS"}
```

SetFocus Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthSetFocusMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthSetFocusMethodplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthSetFocusMethodplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthSetFocusMethodplaceholderS"}
```

ZOrder Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthZOrderMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthZOrderMethodplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthZOrderMethodplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthZOrderMethodplaceholderS"}
```

Files Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthFilesMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthFilesMethodplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthFilesMethodplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthFilesMethodplaceholderS"}
```

Connect Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproConnectEventplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproConnectEventplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproConnectEventplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproConnectEventplaceholderS"}
```

HScrollSmallChange, VScrollSmallChange Properties (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also":"vbproBooksOnlineJumpTopic;vbproHScrollSmallChangeVScrollSmallChangePropertiesplaceholderC"} {ewc

HLP95EN.DLL,DYNALINK,"Example":"vbproHScrollSmallChangeVScrollSmallChangePropertiesplaceholderX":1} {ewc

HLP95EN.DLL,DYNALINK,"Applies To":"vbproHScrollSmallChangeVScrollSmallChangePropertiesplaceholderA"} {ewc

HLP95EN.DLL,DYNALINK,"Specifics":"vbproHScrollSmallChangeVScrollSmallChangePropertiesplaceholderS"} {ewc

MinHeight, MinWidth Properties (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproMinHeightMinWidthPropertiesplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproMinHeightMinWidthPropertiesplaceholderX": 1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproMinHeightMinWidthPropertiesplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproMinHeightMinWidthPropertiesplaceholderS"}
```

Property Pages Dialog Box (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproPropertyPagesDialogBoxplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproPropertyPagesDialogBoxplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproPropertyPagesDialogBoxplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproPropertyPagesDialogBoxplaceholderS"}
```


RemoteHost Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproRemoteHostPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproRemoteHostPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproRemoteHostPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproRemoteHostPropertyplaceholderS"}
```

RemotePort Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproRemotePortPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproRemotePortPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproRemotePortPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproRemotePortPropertyplaceholderS"}
```

ViewportHeight, ViewportLeft, ViewportTop, ViewportWidth Properties (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See  
Also":"vbproBooksOnlineJumpTopic;vbproViewportHeightViewportLeftViewportTopViewportWidthPropertiesplaceholderC"}  
{ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproViewportHeightViewportLeftViewportTopViewportWidthPropertiesplaceholderX":1}  
{ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproViewportHeightViewportLeftViewportTopViewportWidthPropertiesplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproViewportHeightViewportLeftViewportTopViewportWidthPropertiesplaceholderS"}
```

Resync Method (Remote Data) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthResyncMethodRemoteDataplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbmthResyncMethodRemoteDataplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthResyncMethodRemoteDataplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthResyncMethodRemoteDataplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

ContainedVBControls Collection (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcolContainedVBControlsCollectionplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbcolContainedVBControlsCollectionplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbcolContainedVBControlsCollectionplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbcolContainedVBControlsCollectionplaceholderS"}
```

Member Object (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMemberObjectplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproMemberObjectplaceholderX":1}  
To":"vbproMemberObjectplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMemberObjectplaceholderS"}
```

```
{ewc  
{ewc HLP95EN.DLL,DYNALINK,"Applies
```

Members Collection (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMembersCollectionplaceholderC"}

HLP95EN.DLL,DYNALINK,"Example":"vbproMembersCollectionplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To":"vbproMembersCollectionplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics":"vbproMembersCollectionplaceholderS"}

{ewc

{ewc

{ewc

VBComponentsEvents Object (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproVBComponentsEventsObjectplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproVBComponentsEventsObjectplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproVBComponentsEventsObjectplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproVBComponentsEventsObjectplaceholderS"}
```


VBProjectsEvents Object (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproVBProjectsEventsObjectplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproVBProjectsEventsObjectplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproVBProjectsEventsObjectplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproVBProjectsEventsObjectplaceholderS"}
```

Files Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscFilesPropertyplaceholderC"}

Alignment Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscAlignmentPropertyplaceholderC"}

AboutBox Method (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscAboutBoxMethodplaceholderC"}

Col, Row Properties (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscColRowPropertiesplaceholderC"}

RowHeight Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscRowHeightPropertyplaceholderC"}

Scroll Event (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscScrollEventplaceholderC"}

ScrollBars Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscScrollBarsPropertyplaceholderC"}

SelEndCol, SelStartCol, SelEndRow, SelStartRow Properties (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscSelEndColPropertiesplaceholderC"}

ScrollBars Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscScrollBarsPropertyplaceholderC"}

Appearance Property (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproAppearancePropertyActiveXControlsplaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproAppearancePropertyActiveXControlsplaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproAppearancePropertyActiveXControlsplaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproAppearancePropertyActiveXControlsplaceholderS"}

{ewc
{ewc
{ewc

BackColor, ForeColor Properties (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBackColorForeColorPropertiesActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproBackColorForeColorPropertiesActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproBackColorForeColorPropertiesActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproBackColorForeColorPropertiesActiveXControlsplaceholderS"}
```

BorderStyle Constants (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBorderStyleConstantsActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproBorderStyleConstantsActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproBorderStyleConstantsActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproBorderStyleConstantsActiveXControlsplaceholderS"}
```

Caption Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproCaptionPropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproCaptionPropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproCaptionPropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproCaptionPropertyActiveXControlsplaceholderS"}
```

Change Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproChangeEventActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproChangeEventActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproChangeEventActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproChangeEventActiveXControlsplaceholderS"}
```

Clear Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproClearMethodActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproClearMethodActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproClearMethodActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproClearMethodActiveXControlsplaceholderS"}
```


Click Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproClickEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproClickEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproClickEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproClickEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

Clipboard Object Constants (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproClipboardObjectConstantsActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproClipboardObjectConstantsActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproClipboardObjectConstantsActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproClipboardObjectConstantsActiveXControlsplaceholderS"}
```

Count Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproCountPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproCountPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproCountPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproCountPropertyActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

DataObject Object (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproDataObjectObjectActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproDataObjectObjectActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDataObjectObjectActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDataObjectObjectActiveXControlsplaceholderS"}
```

DataObjectFiles Collection (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproDataObjectFilesCollectionActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproDataObjectFilesCollectionActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDataObjectFilesCollectionActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDataObjectFilesCollectionActiveXControlsplaceholderS"}
```

DataSource Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproDataSourcePropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproDataSourcePropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDataSourcePropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDataSourcePropertyActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

DblClick Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproDblClickEventActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproDblClickEventActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDblClickEventActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDblClickEventActiveXControlsplaceholderS"}
```

Drag-and-Drop Constants (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproDragandDropConstantsActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproDragandDropConstantsActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDragandDropConstantsActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDragandDropConstantsActiveXControlsplaceholderS"}
```


Enabled Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproEnabledPropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproEnabledPropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproEnabledPropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproEnabledPropertyActiveXControlsplaceholderS"}
```

FetchVerbs Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproFetchVerbsMethodActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFetchVerbsMethodActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFetchVerbsMethodActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFetchVerbsMethodActiveXControlsplaceholderS"}
```

Files Method (ActiveX Controls) (placeholders)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproFilesMethodActiveXControlsplaceholdersC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFilesMethodActiveXControlsplaceholdersX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFilesMethodActiveXControlsplaceholdersA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFilesMethodActiveXControlsplaceholdersS"}
```

Font Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproFontPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproFontPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontPropertyActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

FontName Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproFontNamePropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFontNamePropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontNamePropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontNamePropertyActiveXControlsplaceholderS"}
```

FontSize Property (ActiveX placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproFontSizePropertyActiveXPlaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFontSizePropertyActiveXPlaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontSizePropertyActiveXPlaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontSizePropertyActiveXPlaceholderS"}
```

GetData Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproGetDataMethodActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproGetDataMethodActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproGetDataMethodActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproGetDataMethodActiveXControlsplaceholderS"}
```

GetFormat Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproGetFormatMethodActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproGetFormatMethodActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproGetFormatMethodActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproGetFormatMethodActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```


HideSelection Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproHideSelectionPropertyActiveXControlscomplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproHideSelectionPropertyActiveXControlscomplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproHideSelectionPropertyActiveXControlscomplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHideSelectionPropertyActiveXControlscomplaceholderS"}
```

hWnd Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproHWNDPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproHWNDPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproHWNDPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHWNDPropertyActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

Item Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproItemMethodActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproItemMethodActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproItemMethodActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproItemMethodActiveXControlsplaceholderS"}
```

Key Code Constants (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproKeyCodeConstantsActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproKeyCodeConstantsActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproKeyCodeConstantsActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproKeyCodeConstantsActiveXControlsplaceholderS"}
```

{ewc

{ewc

{ewc

Key Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproKeyPropertyActiveXControlscomplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproKeyPropertyActiveXControlscomplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproKeyPropertyActiveXControlscomplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproKeyPropertyActiveXControlscomplaceholderS"}
```

KeyDown, KeyUp Events (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproKeyDownKeyUpEventsActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproKeyDownKeyUpEventsActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproKeyDownKeyUpEventsActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproKeyDownKeyUpEventsActiveXControlsplaceholderS"}
```

KeyPress Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproKeyPressEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproKeyPressEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproKeyPressEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproKeyPressEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

Max, Min Properties (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMaxMinPropertiesActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproMaxMinPropertiesActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMaxMinPropertiesActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMaxMinPropertiesActiveXControlsplaceholderS"}
```


MouseDown, MouseUp Events (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMouseDownMouseUpEventsActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproMouseDownMouseUpEventsActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMouseDownMouseUpEventsActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMouseDownMouseUpEventsActiveXControlsplaceholderS"}
```

Mouselcon Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMouselconPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproMouselconPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMouselconPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMouselconPropertyActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

MouseMove Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMouseMoveEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproMouseMoveEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMouseMoveEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMouseMoveEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

MousePointer Constants (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMousePointerConstantsActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproMousePointerConstantsActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMousePointerConstantsActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMousePointerConstantsActiveXControlsplaceholderS"}
```

MousePointer Property (ActiveX Controls) (placeholder

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMousePointerPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproMousePointerPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMousePointerPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMousePointerPropertyActiveXControlsplaceholderS"}
```

{ewc

{ewc

{ewc

OLECompleteDrag Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLECompleteDragEventActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLECompleteDragEventActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLECompleteDragEventActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLECompleteDragEventActiveXControlsplaceholderS"}
```

OLEDrag Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEDragMethodActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDragMethodActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDragMethodActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDragMethodActiveXControlsplaceholderS"}
```

OLEDragDrop Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEDragDropEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDragDropEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDragDropEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDragDropEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```


OLEDragMode Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEDragModePropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDragModePropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDragModePropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDragModePropertyActiveXControlsplaceholderS"}
```

OLEDragOver Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEDragOverEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDragOverEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDragOverEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDragOverEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

OLEDropMode Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEDropModePropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDropModePropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDropModePropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDropModePropertyActiveXControlsplaceholderS"}
```

OLEGiveFeedback Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEGiveFeedbackEventActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEGiveFeedbackEventActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEGiveFeedbackEventActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEGiveFeedbackEventActiveXControlsplaceholderS"}
```

OLESetData Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLESetDataEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLESetDataEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLESetDataEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLESetDataEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

OLEStartDrag Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEStartDragEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEStartDragEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEStartDragEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEStartDragEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

Picture Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproPicturePropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproPicturePropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproPicturePropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproPicturePropertyActiveXControlsplaceholderS"}
```

Property Pages Dialog Box (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproPropertyPagesDialogBoxActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproPropertyPagesDialogBoxActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproPropertyPagesDialogBoxActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproPropertyPagesDialogBoxActiveXControlsplaceholderS"}
```


RemoteHost Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproRemoteHostPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproRemoteHostPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproRemoteHostPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproRemoteHostPropertyActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

RemotePort Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproRemotePortPropertyActiveXControlsplaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproRemotePortPropertyActiveXControlsplaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproRemotePortPropertyActiveXControlsplaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproRemotePortPropertyActiveXControlsplaceholderS"}
```

```
{ewc
{ewc
{ewc
```

SelLength, SelStart, SelText Properties (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproSelLengthSelStartSelTextPropertiesActiveXControlsplaceholderC"}  
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproSelLengthSelStartSelTextPropertiesActiveXControlsplaceholderX":1}  
{ewc HLP95EN.DLL,DYNALINK,"Applies To":"vbproSelLengthSelStartSelTextPropertiesActiveXControlsplaceholderA"}  
{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproSelLengthSelStartSelTextPropertiesActiveXControlsplaceholderS"}
```

SetData Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproSetDataMethodActiveXControlsplaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproSetDataMethodActiveXControlsplaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproSetDataMethodActiveXControlsplaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproSetDataMethodActiveXControlsplaceholderS"}
```

```
{ewc
{ewc
{ewc
```

ShowTips Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproShowTipsPropertyActiveXControlscomplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproShowTipsPropertyActiveXControlscomplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproShowTipsPropertyActiveXControlscomplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproShowTipsPropertyActiveXControlscomplaceholderS"}
```

Text Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproTextPropertyActiveXControlscomplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproTextPropertyActiveXControlscomplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproTextPropertyActiveXControlscomplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproTextPropertyActiveXControlscomplaceholderS"}
```

Value Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproValuePropertyActiveXControlscomplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproValuePropertyActiveXControlscomplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproValuePropertyActiveXControlscomplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproValuePropertyActiveXControlscomplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

hDC Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproHDCPropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproHDCPropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproHDCPropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHDCPropertyActiveXControlsplaceholderS"}
```


Height, Width Properties (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproHeightWidthPropertiesActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproHeightWidthPropertiesActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproHeightWidthPropertiesActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHeightWidthPropertiesActiveXControlsplaceholderS"}
```

Index Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthIndexPropertyActiveXControlscomplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbmthIndexPropertyActiveXControlscomplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthIndexPropertyActiveXControlscomplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthIndexPropertyActiveXControlscomplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

Left, Top Properties (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproLeftTopPropertiesActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproLeftTopPropertiesActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproLeftTopPropertiesActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproLeftTopPropertiesActiveXControlsplaceholderS"}
```

Tag Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproTagPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproTagPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproTagPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproTagPropertyActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

Visible Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproVisiblePropertyActiveXControlscomplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproVisiblePropertyActiveXControlscomplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproVisiblePropertyActiveXControlscomplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproVisiblePropertyActiveXControlscomplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

Remove Method (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthRemoveMethodActiveXControlscomplaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbmthRemoveMethodActiveXControlscomplaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthRemoveMethodActiveXControlscomplaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthRemoveMethodActiveXControlscomplaceholderS"}
```

```
{ewc
{ewc
{ewc
```

Object Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthObjectPropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthObjectPropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthObjectPropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthObjectPropertyActiveXControlsplaceholderS"}
```

Property Pages (ActiveX controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproPropertyPagesActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproPropertyPagesActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproPropertyPagesActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproPropertyPagesActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```


No fonts exist (Error 24574) (Common Dialog Control) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproNoFontsExistError24574CommonDialogControlcomplaceholderC"}  
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproNoFontsExistError24574CommonDialogControlcomplaceholderX":1}  
{ewc HLP95EN.DLL,DYNALINK,"Applies To":"vbproNoFontsExistError24574CommonDialogControlcomplaceholderA"}  
{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproNoFontsExistError24574CommonDialogControlcomplaceholderS"}
```

Help Contents placeholder

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproHelpContentsPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproHelpContentsPlaceholderX":1}
To":"vbproHelpContentsPlaceholderA"}
{ewc HLP95EN.DLL,DYNALINK,"Applies
{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproHelpContentsPlaceholderS"}
```

BorderStyle Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBorderStyleplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproBorderStyleplaceholderX":-1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproBorderStyleplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproBorderStyleplaceholderS"}
```

RightToLeft Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproRightToLeftplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproRightToLeftplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproRightToLeftplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproRightToLeftplaceholderS"}
```

Refresh Method (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscRefreshMethodActiveXControlsplaceholderC"}

