

Sheet1

PLATFORM,	UNIQUEID,C,1	(TIMESTAMP	FOBJOB	NAME,M	EXPR,M	VPOS,N	HPOS,N	HEIGHT
DOS	_QAE0J4XE4	428737083	1	63		0.000	0.000	14.000
DOS	_QBK171QYQ	428712098	7	4		7.000	1.000	4.000
DOS	_Q9810R5PP	425686909	7	4		1.000	1.000	6.000
DOS	_Q9810R5PQ	425686807	5	0		1.000	3.000	1.000
DOS	_Q9810R5PU	428736549	13	1		2.000	3.000	1.000
DOS	_Q9810R5PY	425701857	15	1		4.000	35.000	1.000
DOS	_Q9810R5Q1	428718980	12	1		8.000	4.000	1.000
DOS	_QBK16YEYM	428718991	12	1		9.000	4.000	1.000
DOS	_QBK16Z3RW	428712035	5	0		7.000	3.000	1.000
DOS	_QBK17485S	428719064	12	1		1.000	51.000	1.000
WINDOWS	_QAE0J4XE4	428712706	1	63		0.000	0.000	16.077
WINDOWS	_QBK171QYQ	428712098	7	4		8.923	2.400	6.231
WINDOWS	_Q9810R5PP	425686909	7	4		1.615	2.400	5.462
WINDOWS	_Q9810R5PQ	425686807	5	0		1.154	3.400	1.000
WINDOWS	_Q9810R5PT	425686807	5	0		5.154	22.800	1.000
WINDOWS	_Q9810R5PU	428719057	13	1		2.385	4.400	1.308
WINDOWS	_Q9810R5PY	425701857	15	1		5.154	13.200	1.077
WINDOWS	_Q9810R5Q1	428718980	12	1		9.923	3.800	1.769
WINDOWS	_QBK16YEYM	428718991	12	1		12.538	3.800	1.769
WINDOWS	_QBK16Z3RW	428712035	5	0		8.385	3.400	1.000
WINDOWS	_QBK17485S	428719064	12	1		1.538	55.600	1.769
WINDOWS			0	23	0	13.000	5.000	11.000
WINDOWS			0	23	0	13.000	6.000	11.000

Sheet1

WIDTH,IST	PICTURE,M	ORDER,M	UNCOMMENT,M	ENVIROIBOXCHAR,C	FIL TAG,M
66.000	3			FALSE	
60.000					
46.000					
6.000					
31.000					
8.000					C
27.000					
27.000					
8.000					
10.000					
69.200	3		##	FALSE	
63.800	0		##	FALSE	
50.400	0		##	FALSE	
6.500	0		##	FALSE	
24.167	0		##	FALSE	
24.500	0		##	FALSE	
8.600	0		##	FALSE	C
24.333	0		##	FALSE	
24.333	0		##	FALSE	
7.667	0		##	FALSE	
9.000	0		##	FALSE	
11.000	0		##	FALSE	
12.000	0		##	FALSE	

Sheet1

[illegible]

Sheet1

COLORPAIR,ILORANGELO,M	HITRANGEHI,M	WFWHEN,M	VAVALID,M	ERERROR,M	ME
		1	1		
1	1	1	3		1
1	1	1	3	1	1
1	1	1	3		1
1	1	1	1		1
1	1	1	1		1
0	0	1	1	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
1	1	1	3	0	1
1	1	1	3	1	1
1	1	1	3	0	1
1	1	1	3	0	1
0	0	0	0	0	0
1	1	1	1	0	1
0	0	0	0	0	0
0	0	0	0	0	0

Sheet1

MESSAGE,M	SHSHOW,M	AACTIVATE,M	DEDEACTIVATE	PRPROC CODE,I	SESETUPCODE	FLOAT,L
1	1	1	1	1	1	TRUE
1	1	1	1	3		TRUE
0	0	0	0	0		FALSE
0	0	0	0	0		FALSE
0	0	0	0	0		FALSE
0	0	0	0	0		FALSE
0	0	0	0	0		FALSE
0	0	0	0	0		FALSE
0	0	0	0	0		FALSE
0	0	0	0	0		FALSE
0	0	0	0	0		FALSE
0	0	0	0	0		FALSE
0	0	0	0	0		FALSE
0	0	0	0	0		FALSE
0	0	0	0	0		FALSE

Sheet1

```
CLMIIBOSHCENTERREDI$SCADDALI^TA INITIALVAL,MINI SPACII^CURPOS,L
      2      TRUE      TRUE
```

				##						1	0.000	
				##	##	##		##		0		
				##						1	1.000	
				##						1	1.000	
				##						1	1.000	
				##						1	1.000	
##	##	2	##	TRUE	##	##	##	TRUE	##	0	0.000	##
##	##	0	##	FALSE	##	##	##	FALSE	##	0	0.000	##
##	##	0	##	FALSE	##	##	##	FALSE	##	0	0.000	##
##	##	0	##	FALSE	##	##	##	FALSE	##	0	0.000	##
##	##	0	##	FALSE	##	##	##	FALSE	##	0	0.000	##
##	##	0	##	FALSE	##	##	##	FALSE	##	0	0.000	##
##	##	0	##	FALSE	##	##	##	FALSE	##	1	0.000	##
##	##	0	##	FALSE	##	##	##	FALSE	##	0	0.000	##
##	##	0	##	FALSE	##	##	##	FALSE	##	1	1.333	##
##	##	0	##	FALSE	##	##	##	FALSE	##	1	1.333	##
##	##	0	##	FALSE	##	##	##	FALSE	##	0	0.000	##
##	##	0	##	FALSE	##	##	##	FALSE	##	1	0.667	##
##	##	0	##	FALSE	##	##	##	FALSE	##	0	0.000	##
##	##	0	##	FALSE	##	##	##	FALSE	##	0	0.000	##