

##\$^K IntlDemo Help File#

IntlDemoContext
\$ IntlDemo Help File
^ IntlDemo
HC_APP_APPLICATION

#^{\$}^KK Application[#]

^{\$} Application
^K Application
[#] HC_APP_WINDOW

#^{\$}^K Window[#]

^{\$} Window
^K Window
[#] HC_APP_QUIT

#^{\$}^KQuit#

^{\$}Quit

^KQuit

#HC_FRAME_CLOCALE

#\$^KK C Locale#

\$ C Locale
^K C;Locale
HC_FRAME_USLOCALE

#\$^KK US Locale#

\$ US Locale
^K US;Locale
HC_FRAME_UKLOCALE

#\$^KK UK Locale#

\$ UK Locale
^K UK;Locale
HC_FRAME_FRALocale

#\$^KK French Locale#

\$ French Locale
^K French;Locale
HC_FRAME_GERLOCALE

#\$^KK German Locale#

\$ German Locale
^K German;Locale
HC_FRAME_WINDOW

#\$^KK Window[#]

^{\$} Window

^K Window

[#] HC_FRAME_ENGLANG

#^{\$}^KK English UI#

^{\$} English UI
^K English;UI
HC_FRAME_FRALANG

#^{\$}^KK French UI[#]

^{\$} French UI
^K French;UI
[#] HC_FRAME_GERLANG

#\$^KK German UI#

^{\$} German UI
^K German;UI
HC_CLIENT_ISALNUM

#^{\$}^K IsAlnum[#]

^{\$} IsAlnum

^K IsAlnum

[#] HC_CLIENT_ISALPHA

#\$^KK IsAlpha#

\$ IsAlnum
^K IsAlnum
HC_CLIENT_ISASCII

#\$^KK IsAscii#

\$ IsAscii

^K IsAscii

HC_CLIENT_ISCNTRL

#\$^KK IsCntrl#

\$ IsCntrl
^K IsCntrl
HC_CLIENT_ISDIGIT

#^{\$}^KK IsDigit[#]

^{\$} IsDigit

^K IsDigit

[#] HC_CLIENT_ISGRAPH

$\#^{\$^{\mathbf{K}}}\mathbf{K}$ IsGraph $\#$

$\$$ IsGraph

\mathbf{K} IsGraph

$\#$ HC_CLIENT_ISLOWER

#\$^KK IsLower#

\$ IsLower
^K IsLower
HC_CLIENT_ISPRINT

#\$^KK IsPrint#

\$ IsPrint

^K IsPrint

HC_CLIENT_ISPUNCT

#\$^KK IsPunct#

\$ IsPunct
^K IsPunct
HC_CLIENT_ISSPACE

#^{\$}^KK IsSpace[#]

^{\$} IsSpace
^K IsSpace
[#] HC_CLIENT_ISUPPER

~~#\$^KK IsUpper#~~

\$ IsUpper

^K IsUpper

HC_CLIENT_ISXDIGIT

$\#^{\$^K}K$ IsXDigit

$\$$ IsXDigit
 K IsXDigit