

CONTEXTID,ITOPIC,C,70

DETAILS,M

Controls and Objects

CheckBox Control
 Column Object
 ComboBox Control
 CommandButton Control
 CommandGroup Control
 Container Object
 Control Object
 Cursor Object
 Custom Object
 DataEnvironment Object
 EditBox Control
 Form Object
 FormSet Object
 Grid Control
 Header Object
 Image Control
 Label Control
 Line Control
 ListBox Control
 OLE Control
 OLE Bound Control
 OptionButton Control
 OptionGroup Control
 Page Object
 PageFrame Control
 Relation Object
 Separator Object
 Shape Control
 Spinner Control
 TextBox Control
 Timer Control
 ToolBar Object
 THIS Object
 THISFORM Object
 THISFORMSET Object
 Communications Control
 MAPI Control
 Outline Control
 Picture Clip Control

PROPERTIES, EVENTS, AND METHODS

Activate Event
 ActivateCell Method

ActiveColumn Property
ActiveControl Property
ActiveForm Property
ActivePage Property
ActiveRow Property
AddColumn Method
AddItem Method
AddListItem Method
AddObject Method
AfterCloseTables Event
AfterDock Event
AfterRowColChange Event
Alias Property
Alignment Property
AllowTabs Property
AlwaysOnTop Property
AutoActivate Property
AutoCenter Property
AutoCloseTables Property
AutoOpenTables Property
AutoSize Property
BackColor, ForeColor Properties
BackStyle Property
BaseClass Property
BeforeDock Event
BeforeOpenTables Event
BeforeRowColChange Event
BorderColor Property
BorderStyle Property
BorderWidth Property
Bound Property
BoundColumn Property
Box Method
BufferMode Property
BufferModeOverride Property
ButtonCount Property
Buttons Property
Cancel Property
Caption Property
ChildAlias Property
ChildOrder Property
Circle Method
Class Property
ClassLibrary Property
Clear Method
Click Event
ClipControls Property
CloneObject Method
Closable Property

CloseTables Method
Cls Method
ColorScheme Property
ColorSource Property
ColumnCount Property
ColumnLines Property
ColumnOrder Property
Columns Property
ColumnWidths Property
Comment Property
ControlBox Property
ControlCount Property
Controls Property
ControlSource Property
CurrentControl Property
CurrentX, CurrentY Properties
CursorSource Property
Curvature Property
Database Property
DataSession Property
DataSessionID Property
DbClick Event
Deactivate Event
Default Property
DeleteColumn Method
Deleted Event
DeleteMark Property
Desktop Property
Destroy Event
DisabledBackColor, DisabledForeColor Properties
DisabledItemBackColor, DisabledItemForeColor Properties
DisabledPicture Property
DisplayValue Property
Dock Method
Docked Property
DockPosition Property
DoScroll Method
DownClick Event
DownPicture Property
Drag Method
DragDrop Event
DragIcon Property
DragMode Property
DragOver Event
DrawMode Property
DrawStyle Property
DrawWidth Property
DropDown Event
DynamicAlignment Property

Sheet1

DynamicBackColor, DynamicForeColor Properties
DynamicCurrentControl Property
DynamicFontName Property
DynamicFontSize Property
DynamicFontBold, DynamicFontItalic,
Enabled Property
Error Event
ErrorMessage Event
Exclusive Property
FillColor Property
FillStyle Property
Filter Property
FirstElement Property
FontBold, FontItalic, FontStrikethru, FontUnderline Properties
FontName Property
FontOutline Property
FontShadow Property
FontSize Property
Format Property
FormCount Property
Forms Property
GotFocus Event
GridLineColor Property
GridLines Property
GridLineWidth Property
HalfHeightCaption Property
HeaderHeight Property
Height Property
HelpContextID Property
Hide Method
HideSelection Property
Highlight Property
Icon Property
Increment Property
IncrementalSearch Property
IndexToItemID Method
Init Event
InitialSelectedAlias Property
InputMask Property
InteractiveChange Event
Interval Property
ItemBackColor, ItemForeColor Properties
ItemData Property
ItemIDData Property
ItemIDToIndex Method
KeyboardHighValue, KeyboardLowValue Properties
KeyPress Event
KeyPreview Property
Left Property

LeftColumn Property
Line Method
LineSlant Property
LinkMaster Property
List Property
ListCount Property
ListIndex Property
ListItem Property
ListItemID Property
Load Event
LockScreen Property
LostFocus Event
Margin Property
MaxButton Property
MaxHeight Property
MaxLeft Property
MaxLength Property
MaxTop Property
MaxWidth Property
MDIForm Property
MemoWindow Property
Message Event
MinButton Property
MinHeight Property
MinWidth Property
MouseDown Event
MouseMove Event
MousePointer Property
MouseUp Event
Movable Property
Move Method
Moved Event
MoverBars Property
MultiSelect Property
Name Property
NewIndex Property
NewItemID Property
NoDataOnLoad Property
NumberOfElements Property
OneToMany Property
OpenTables Method
OpenWindow Property
Order Property
PageCount Property
PageHeight Property
PageOrder Property
Pages Property
PageWidth Property
Paint Event

Panel Property
PanelLink Property
Parent Property
ParentAlias Property
ParentClass Property
Partition Property
PasswordChar Property
Picture Property
Point Method
Print Method
ProgrammaticChange Event
PSet Method
RangeHigh Event
RangeLow Event
ReadActivate Event
ReadCycle Property
ReadDeactivate Event
ReadLock Property
ReadMethod Method
ReadMouse Property
ReadObject Property
ReadOnly Property
ReadExpression Method
ReadSave Property
ReadShow Event
ReadTimeout Property
ReadValid Event
ReadWhen Event
RecordMark Property
RecordSource Property
RecordSourceType Property
Refresh Method
RelationalExpr Property
RelativeColumn Property
RelativeRow Property
Release Method
ReleaseType Property
RemoveItem Method
RemoveListItem Method
RemoveObject Method
Requery Method
Reset Method
Resizable Property
Resize Event
RightClick Event
RowHeight Property
RowSource Property
RowSourceType Property
SaveAs Method

SaveAsClass Method
ScaleMode Property
Scrolled Event
ScrollBars Property
Selected Property
SelectedBackColor, SelectedForeColor Properties
SelectedID Property
SelectedItemBackColor, SelectedItemForeColor Properties
SelectOnEntry Property
SelLength Property
SelStart Property
SelText Property
SetAll Method
SetFocus Method
Show Method
ShowTips Property
Sizable Property
Sorted Property
Sparse Property
SpecialEffect Property
SpinnerHighValue, SpinnerLowValue Properties
StatusBarText Property
Stretch Property
Style Property
TabIndex Property
Tabs Property
TabStop Property
TabStretch Property
Tag Property
TerminateRead Property
TextHeight Method
TextWidth Method
Timer Event
ToolTipText Property
Top Property
TopIndex Property
TopItemID Property
UnDock Event
Unload Event
UpClick Event
Updateable Property
Valid Event
Value Property
View Property
Visible Property
When Event
Width Property
WindowList Property
WindowState Property

WindowType Property
WordWrap Property
WriteMethod Method
WriteExpression Method
ZOrder Method

NEW COMMANDS AND FUNCTIONS IN VISUAL FOXPRO

#INCLUDE Preprocessor Directive
@ ... CLASS Command
AClass() Function
ADATABASES() Function
ADBOBJECTS() Function
ADD CLASS Command
ADD TABLE Command
AERROR() Function
AINSTANCE() Function
ALTER TABLE - SQL Command
AMEMBERS() Function
APPEND PROCEDURES Command
APRINTERS() Function
ASELOBJ() Function
AUSED() Function
BEGIN TRANSACTION Command
BITAND() Function
BITCLEAR() Function
BITLSHIFT() Function
BITNOT() Function
BITOR() Function
BITRSHIFT() Function
BITSET() Function
BITTEST() Function
BITXOR() Function
CANDIDATE() Function
CD | CHDIR Command
COMPILE DATABASE Command
COMPILE FORM Command
COMPOBJ() Function
COPY PROCEDURES Command
CREATE CLASS Command
CREATE CLASSLIB Command
CREATE CONNECTION Command
CREATE DATABASE Command
CREATE FORM Command
CREATE SQL VIEW Command
CREATE TRIGGER Command
CREATEOBJECT() Function

CTOT() Function
CURSORGETPROP() Function
CURSORSETPROP() Function
CURVAL() Function
DATETIME() Function
DBC() Function
DBGETPROP() Function
DBSETPROP() Function
DBUSED() Function
DECLARE - DLL Command
DEFINE CLASS Command
DELETE - SQL Command
DELETE CONNECTION Command
DELETE DATABASE Command
DELETE TRIGGER Command
DELETE VIEW Command
DISPLAY CONNECTIONS Command
DISPLAY DATABASE Command
DISPLAY OBJECTS Command
DISPLAY PROCEDURES Command
DISPLAY TABLES Command
DISPLAY VIEWS Command
DO FORM Command
DTOT() Function
END TRANSACTION Command
ERROR Command
FDATE() Function
FTIME() Function
GETCOLOR() Function
GETCP() Function
GETFLDSTATE() Function
GETNEXTMODIFIED() Function
GETOBJECT() Function
GETPRINTER() Function
HOUR() Function
INDBC() Function
ISEXCLUSIVE() Function
ISMOUSE() Function
ISNULL() Function
LIST CONNECTIONS Command
LIST DATABASE Command
LIST OBJECTS Command
LIST PROCEDURES Command
LIST TABLES Command
LIST VIEWS Command
LOCAL Command
LPARAMETERS Command
MD | MKDIR Command
MESSAGEBOX() Function

MINUTE() Function
MODIFY CLASS Command
MODIFY CONNECTION Command
MODIFY DATABASE Command
MODIFY FORM Command
MODIFY PROCEDURE Command
MODIFY VIEW Command
MOUSE Command
MTON() Function
NTOM() Function
NVL() Function
OLDVAL() Function
OPEN DATABASE Command
PACK DATABASE Command
PRIMARY() Function
RD | RMDIR Command
REFRESH() Function
RELEASE CLASSLIB Command
RELEASE PROCEDURE Command
REMOVE CLASS Command
REMOVE TABLE Command
RENAME CLASS Command
RENAME CONNECTION Command
RENAME TABLE Command
RENAME VIEW Command
REQUERY() Function
RGB() Function
ROLLBACK Command
SEC() Function
SET CLASSLIB Command
SET CPDIALOG Command
SET DATABASE Command
SET DATASESSION Command
SET FDOW Command
SET FWEEK Command
SET NULL Command
SET SECONDS Command
SET TOPIC ID Command
SETFLDSTATE() Function
SQLCANCEL() Function
SQLCOLUMNS() Function
SQLCOMMIT() Function
SQLCONNECT() Function
SQLDISCONNECT() Function
SQLEXEC() Function
SQLGETPROP() Function
SQLMORERESULTS() Function
SQLROLLBACK() Function
SQLSETPROP() Function

SQLSTRINGCONNECT() Function
SQLTABLES() Function
SYS(2029) - Table Type
TABLEREVERT() Function
TABLEUPDATE() Function
TTOC() Function
TTOD() Function
TXNLEVEL() Function
UPDATE - SQL Command
VALIDATE DATABASE Command
WEEK() Function
WITH ... ENDWITH Command
_ASCIICOLS System Memory Variable
_ASCIROWS System Memory Variable
_BUILDER System Memory Variable
_CONVERTER System Memory Variable
_SCREEN System Memory Variable
_WIZARD System Memory Variable

FOXPRO 2.6 COMMANDS AND FUNCTIONS

% Operator
* Command
&& Command
& Command
\$ Operator
= Command
\\ || Command
? | ?? Command
??? Command
@ ... SAY Command
@ ... SAY - Pictures & OLE Objects Command
@ ... GET - Text Boxes Command
@ ... GET - Check Boxes Command
@ ... GET - Transparent Buttons Command
@ ... GET - List Boxes Command
@ ... GET - Combo Boxes Command
@ ... GET - Command Buttons Command
@ ... GET - Option Buttons Command
@ ... GET - Spinners Command
@ ... EDIT - Edit Boxes Command
@ ... BOX Command
@ ... CLEAR Command
@ ... FILL Command
@ ... MENU Command
@ ... PROMPT Command
@ ... SCROLL Command

@ ... TO Command
ABS() Function
ACCEPT Command
ACOPY() Function
ACOS() Function
ACTIVATE MENU Command
ACTIVATE POPUP Command
ACTIVATE SCREEN Command
ACTIVATE WINDOW Command
ADEL() Function
ADIR() Function
AELEMENT() Function
AFIELDS() Function
AFONT() Function
AINS() Function
ALen() Function
ALIAS() Function
ALLTRIM() Function
ANSITOOEM() Function
APPEND Command
APPEND FROM Command
APPEND FROM ARRAY Command
APPEND GENERAL Command
APPEND MEMO Command
ASC() Function
ASCAN() Function
ASIN() Function
ASORT() Function
ASSIST Command
ASUBSCRIPT() Function
AT() Function
ATAN() Function
ATC() Function
ATCLINE() Function
ATLINE() Function
ATN2() Function
AVERAGE Command
BAR() Function
BARCOUNT() Function
BARPROMPT() Function
BETWEEN() Function
BLANK Command
BOF() Function
BROWSE Command
BUILD APP Command
BUILD EXE Command
BUILD PROJECT Command
CALCULATE Command
CALL Command

CANCEL Command
CAPSLOCK() Function
CDOW() Function
CDX() Function
CEILING() Function
CHANGE Command
CHR() Function
CHRSAW() Function
CHRTRAN() Function
CLEAR Commands
CLOSE Commands
CLOSE MEMO Command
CMONTH() Function
CNTBAR() Function
CNTPAD() Function
COL() Function
Colors Overview
COMPILE Command
CONTINUE Command
COPY FILE Command
COPY INDEXES Command
COPY MEMO Command
COPY STRUCTURE Command
COPY STRUCTURE EXTENDED Command
COPY TAG Command
COPY TO Command
COPY TO ARRAY Command
COS() Function
COUNT Command
CPCONVERT() Function
CPCURRENT() Function
CPDBF() Function
CREATE Command
CREATE COLOR SET Command
CREATE CURSOR - SQL Command
CREATE FROM Command
CREATE LABEL Command
CREATE MENU Command
CREATE PROJECT Command
CREATE QUERY Command
CREATE REPORT Command
CREATE REPORT - Quick Report Command
CREATE SCREEN Command
CREATE SCREEN - Quick Form Command
CREATE TABLE - SQL Command
CREATE VIEW Command
CTOD() Function
CURDIR() Function
DATE() Function

DAY() Function
DBF() Function
DDE Functions
DDEAbortTrans() Function
DDEAdvise() Function
DDEEnabled() Function
DDEExecute() Function
DDEInitiate() Function
DDELastError() Function
DDEPoke() Function
DDERequest() Function
DDESetOption() Function
DDESetService() Function
DDESetTopic() Function
DDETerminate() Function
DEACTIVATE MENU Command
DEACTIVATE POPUP Command
DEACTIVATE WINDOW Command
DECLARE Command
#DEFINE ... #UNDEF Preprocessor Directive
DEFINE BAR Command
DEFINE BOX Command
DEFINE MENU Command
DEFINE PAD Command
DEFINE POPUP Command
DEFINE WINDOW Command
DELETE Command
DELETE FILE Command
DELETE TAG Command
DELETED() Function
DESCENDING() Function
DIFFERENCE() Function
DIMENSION Command
DIR or DIRECTORY Command
DISKSPACE() Function
DISPLAY Command
DISPLAY FILES Command
DISPLAY MEMORY Command
DISPLAY STATUS Command
DISPLAY STRUCTURE Command
DMY() Function
DO Command
DO CASE ... ENDCASE Command
DO WHILE ... ENDDO Command
DOW() Function
DTC() Function
DTOR() Function
DTOS() Function
EDIT Command

EJECT Command
EJECT PAGE Command
EMPTY() Function
EOF() Function
ERASE Command
ERROR() Function
EVALUATE() Function
EXIT Command
EXP() Function
EXPORT Command
EXTERNAL Command
FCHSIZE() Function
FCLOSE() Function
FCOUNT() Function
FCREATE() Function
FEOF() Function
FERROR() Function
FFLUSH() Function
FGETS() Function
FIELD() Function
FILE() Function
FILER Command
FILTER() Function
FIND Command
FKLABEL() Function
FKMAX() Function
FLDLIST() Function
FLOCK() Function
FLOOR() Function
FLUSH Command
FONTMETRIC() Function
Fonts Overview
FOPEN() Function
FOR ... ENDFOR Command
FOR() Function
FOUND() Function
FPUTS() Function
FREAD() Function
FSEEK() Function
FSIZE() Function
FULLPATH() Function
FUNCTION Command
FV() Function
FWRITE() Function
GATHER Command
GETBAR() Function
GETDIR() Function
GETENV() Function
GETEXPR Command

GETFILE() Function
GETFONT() Function
GETPAD() Function
GO/GOTO Command
GOMONTH() Function
HEADER() Function
HELP Command
HIDE MENU Command
HIDE POPUP Command
HIDE WINDOW Command
HOME() Function
#IF ... #ENDIF Preprocessor Directive
IDXCOLLATE() Function
IF ... ENDIF Command
IIF() Function
IMPORT Command
INDEX Command
INKEY() Function
INLIST() Function
INPUT Command
INSERT Command
INSERT - SQL Command
INSMODE() Function
INT() Function
ISALPHA() Function
ISBLANK() Function
ISCOLOR() Function
ISDIGIT() Function
ISLOWER() Function
ISREADONLY() Function
ISUPPER() Function
JOIN Command
KEY() Function
KEYBOARD Command
KEYMATCH() Function
LABEL Command
LASTKEY() Function
LEFT() Function
LEN() Function
LIKE() Function
LINENO() Function
LIST Commands
LOAD Command
LOCATE Command
LOCFILE() Function
LOCK() Function
LOG() Function
LOG10() Function
LOOKUP() Function

LOWER() Function
LTRIM() Function
LUPDATE() Function
MAX() Function
MCOL() Function
MDOWN() Function
MDX() Function
MDY() Function
MEMLINES() Function
MEMORY() Function
MENU Command
MENU TO Command
MENU() Function
MESSAGE() Function
MIN() Function
MLINE() Function
MOD() Function
MODIFY COMMAND Command
MODIFY FILE Command
MODIFY GENERAL Command
MODIFY LABEL Command
MODIFY MEMO Command
MODIFY MENU Command
MODIFY PROJECT Command
MODIFY QUERY Command
MODIFY REPORT Command
MODIFY SCREEN Command
MODIFY STRUCTURE Command
MODIFY WINDOW Command
MONTH() Function
MOVE POPUP Command
MOVE WINDOW Command
MRKBAR() Function
MRKPAD() Function
MROW() Function
MWINDOW() Function
NDX() Function
NORMALIZE() Function
NOTE Command
NUMLOCK() Function
OBJNUM() Function
OBJVAR() Function
OCCURS() Function
OEMTOANSI() Function
ON APLABOUT Command
ON BAR Command
ON ERROR Command
ON ESCAPE Command
ON EXIT BAR Command

ON EXIT MENU Command
ON EXIT PAD Command
ON EXIT POPUP Command
ON KEY Command
ON KEY = Command
ON KEY LABEL Command
ON MACHELP Command
ON PAD Command
ON PAGE Command
ON READERROR Command
ON SELECTION BAR Command
ON SELECTION MENU Command
ON SELECTION PAD Command
ON SELECTION POPUP Command
ON SHUTDOWN Command
ON() Function
ORDER() Function
OS() Function
PACK Command
PAD() Function
PADL() | PADR() | PADC() Functions
PARAMETERS Command
PARAMETERS() Function
PAYMENT() Function
PCOL() Function
PI() Function
PLAY MACRO Command
POP KEY Command
POP MENU Command
POP POPUP Command
POPUP() Function
PRINTJOB ... ENDPRINTJOB Command
PRINTSTATUS() Function
PRIVATE Command
PRMBAR() Function
PRMPAD() Function
PROCEDURE Command
PROGRAM() Function
PROMPT() Function
PROPER() Function
PROW() Function
PRTINFO() Function
PUBLIC Command
PUSH KEY Command
PUSH MENU Command
PUSH POPUP Command
PUTFILE() Function
PV() Function
QUIT Command

RAND() Function
RAT() Function
RATLINE() Function
RDLEVEL() Function
READ Command
READ MENU Command
READKEY() Function
RECALL Command
RECCOUNT() Function
RECNO() Function
RECSIZE() Function
REGIONAL Command
REINDEX Command
RELATION() Function
RELEASE Command
RELEASE BAR Command
RELEASE LIBRARY Command
RELEASE MENUS Command
RELEASE MODULE Command
RELEASE PAD Command
RELEASE POPUPS Command
RELEASE WINDOWS Command
RENAME Command
REPLACE Command
REPLACE FROM ARRAY Command
REPLICATE() Function
REPORT Command
RESTORE FROM Command
RESTORE MACROS Command
RESTORE SCREEN Command
RESTORE WINDOW Command
RESUME Command
RETRY Command
RETURN Command
RGBSCHEME() Function
RIGHT() Function
RLOCK() Function
ROUND() Function
ROW() Function
RTOD() Function
RTRIM() Function
RUN | ! Command
RUNSCRIPT Command
SAVE MACROS Command
SAVE SCREEN Command
SAVE TO Command
SAVE WINDOWS Command
SCAN ... ENDSCAN Command
SCATTER Command

SCHEME() Function
SCOLS() Function
SCROLL Command
SECONDS() Function
SEEK Command
SEEK() Function
SELECT Command
SELECT() Function
SELECT - SQL Command
SET Command
SET ALTERNATE Command
SET ANSI Command
SET APLABOUT Command
SET AUTOSAVE Command
SET BELL Command
SET BLINK Command
SET BLOCKSIZE Command
SET BORDER Command
SET BRSTATUS Command
SET CARRY Command
SET CENTURY Command
SET CLEAR Command
SET CLOCK Command
SET COLLATE Command
SET COLOR OF Command
SET COLOR OF SCHEME Command
SET COLOR SET Command
SET COLOR TO Command
SET COMPATIBLE Command
SET CONFIRM Command
SET CONSOLE Command
SET CPCOMPILE
SET CURRENCY Command
SET CURSOR Command
SET DATE Command
SET DEBUG Command
SET DECIMALS Command
SET DEFAULT Command
SET DELETED Command
SET DELIMITERS Command
SET DEVELOPMENT Command
SET DEVICE Command
SET DISPLAY Command
SET DOHISTORY Command
SET ECHO Command
SET ESCAPE Command
SET EXACT Command
SET EXCLUSIVE Command
SET FIELDS Command

SET FILTER Command
SET FIXED Command
SET FORMAT Command
SET FULLPATH Command
SET FUNCTION Command
SET HEADINGS Command
SET HELP Command
SET HELPFILTER Command
SET HOURS Command
SET INDEX Command
SET INTENSITY Command
SET KEY Command
SET KEYCOMP Command
SET LIBRARY TO Command
SET LOCK Command
SET LOGERRORS Command
SET MACDESKTOP Command
SET MACHELP Command
SET MACKEY Command
SET MARGIN Command
SET MARK OF Command
SET MARK TO Command
SET MEMOWIDTH Command
SET MESSAGE Command
SET MOUSE Command
SET MULTILOCKS Command
SET NEAR Command
SET NOCPTRANS Command
SET NOTIFY Command
SET ODOMETER Command
SET OPTIMIZE Command
SET ORDER Command
SET PALETTE Command
SET PATH Command
SET PDSETUP Command
SET POINT Command
SET PRINTER Command
SET PROCEDURE Command
SET READBORDER Command
SET REFRESH Command
SET RELATION Command
SET RELATION OFF Command
SET REPROCESS Command
SET RESOURCE Command
SET SAFETY Command
SET SCOREBOARD Command
SET SEPARATOR Command
SET SHADOWS Command
SET SKIP Command

SET SKIP OF Command
SET SPACE Command
SET STATUS Command
SET STATUS BAR Command
SET STEP Command
SET STICKY Command
SET SYSMENU Command
SET TALK Command
SET TEXTMERGE Command
SET TEXTMERGE DELIMITERS Command
SET TOPIC Command
SET TRBETWEEN Command
SET TYPEAHEAD Command
SET UDFPARMS Command
SET UNIQUE Command
SET VIEW Command
SET VOLUME Command
SET WINDOW OF MEMO Command
SET XCMDFILE Command
SET() Function
SHOW GET Command
SHOW GETS Command
SHOW MENU Command
SHOW OBJECT Command
SHOW POPUP Command
SHOW WINDOW Command
SIGN() Function
SIN() Function
SIZE POPUP Command
SKIP Command
SKPBAR() Function
SKPPAD() Function
SORT Command
SOUNDEX() Function
SPACE() Function
SQL Commands Overview
SQRT() Function
SROWS() Function
STORE Command
STR() Function
STRTRAN() Function
STUFF() Function
SUBSTR() Function
SUM Command
SUSPEND Command
SYSMETRIC() Function
SYS() Functions Overview
SYS(0) - Network Machine Information
SYS(1) - Julian System Date

SYS(2) - Seconds Since Midnight
SYS(3) - Unique File Name
SYS(5) - Default Drive
SYS(6) - Current Printer Device
SYS(7) - Current Format File
SYS(9) - Visual FoxPro Serial Number
SYS(10) - String from Julian Day Number
SYS(11) - Julian Day Number
SYS(12) - Available Memory in Bytes
SYS(13) - Printer Status
SYS(14) - Index Expression
SYS(15) - Character Translation
SYS(16) - Executing Program File Name
SYS(17) - Processor in Use
SYS(18) - Current Control
SYS(20) - Transform German Text
SYS(21) - Controlling Index Number
SYS(22) - Controlling Tag or Index Name
SYS(23) - EMS Memory Usage
SYS(24) - EMS Memory Limit
SYS(100) - Console Setting
SYS(101) - Device Setting
SYS(102) - Printer Setting
SYS(103) - Talk Setting
SYS(1001) - Visual FoxPro Memory
SYS(1016) - User Object Memory Use
SYS(1037) - Page Setup Dialog
SYS(2000) - File Name Wildcard Match
SYS(2001) - SET ... Command Status
SYS(2002) - Turn Insertion Point On or Off
SYS(2003) - Current Directory or Folder
SYS(2004) - Visual FoxPro Start Directory or Folder
SYS(2005) - Current Resource File
SYS(2006) - Current Graphics Card
SYS(2007) - Check Sum Value
SYS(2008) - Insertion Point Shape
SYS(2009) - Swap Insertion Point Shape
SYS(2010) - CONFIG.SYS File Settings
SYS(2011) - Current Lock Status
SYS(2012) - Memo Field Blocksize
SYS(2013) - System Menu Name String
SYS(2014) - Minimum Path
SYS(2015) - Unique Procedure Name
SYS(2016) - SHOW GETS WINDOW Name
SYS(2017) - Display Startup Screen
SYS(2018) - Error Message Parameter
SYS(2019) - Configuration File Name and Location
SYS(2020) - Default Disk Size
SYS(2021) - Filtered Index Expression

SYS(2022) - Disk Cluster (Block) Size
SYS(2023) - Temporary File Drive
SYS(2027) - Platform-Specific Path Conversion
System Menu Names
System Memory Variables Overview
_ALIGNMENT System Memory Variable
_ASSIST System Memory Variable
_BEAUTIFY System Memory Variable
_BOX System Memory Variable
_CALCMEM System Memory Variable
_CALCVALUE System Memory Variable
_CLIPTEXT System Memory Variable
_CUROBJ System Memory Variable
_DBLCLICK System Memory Variable
_DIARYDATE System Memory Variable
_DOS System Memory Variable
_FOXDOC System Memory Variable
_FOXGRAPH System Memory Variable
_GENGRAPH System Memory Variable
_GENMENU System Memory Variable
_GENPD System Memory Variable
_GENSCRN System Memory Variable
_GENXTAB System Memory Variable
_INDENT System Memory Variable
_LMARGIN System Memory Variable
_MAC System Memory Variable
_MLINE System Memory Variable
_PADVANCE System Memory Variable
_PAGENO System Memory Variable
_PBPAGE System Memory Variable
_PCOLNO System Memory Variable
_PCOPIES System Memory Variable
_PDRIVER System Memory Variable
_PDSETUP System Memory Variable
_PECODE System Memory Variable
_PEJECT System Memory Variable
_PEPAGE System Memory Variable
_PLENGTH System Memory Variable
_PLINENO System Memory Variable
_PLOFFSET System Memory Variable
_PPITCH System Memory Variable
_PQUALITY System Memory Variable
_PRETEXT System Memory Variable
_PSCODE System Memory Variable
_PSPACING System Memory Variable
_PWAIT System Memory Variable
_RMARGIN System Memory Variable
_SHELL System Memory Variable
_SPELLCHK System Memory Variable

_STARTUP System Memory Variable
_TABS System Memory Variable
_TALLY System Memory Variable
_TEXT System Memory Variable
_THROTTLE System Memory Variable
_TRANSPORT System Memory Variable
_UNIX System Memory Variable
_WINDOWS System Memory Variable
_WRAP System Memory Variable
TAG() Function
TAGCOUNT() Function
TAGNO() Function
TAN() Function
TARGET() Function
TEXT ... ENDTEXT Command
TIME() Function
TOTAL Command
TRANSFORM() Function
TRIM() Function
TXTWIDTH() Function
TYPE Command
TYPE() Function
UNIQUE() Function
UNLOCK Command
UPDATE Command
UPDATED() Function
UPPER() Function
USE Command
USED() Function
VAL() Function
VARREAD() Function
VERSION() Function
WAIT Command
WBORDER() Function
WCHILD() Function
WCOLS() Function
WEXIST() Function
WFONT() Function
WLAST() Function
WLCOL() Function
WLROW() Function
WMAXIMUM() Function
WMINIMUM() Function
WONTOP() Function
WOUTPUT() Function
WPARENT() Function
WREAD() Function
WROWS() Function
WTITLE() Function

WVISIBLE() Function
YEAR() Function
ZAP Command
ZOOM WINDOW Command

MENU COMMANDS, DIALOGS, WIZARDS, BUILDERS AND DESIGNERS

1 1/2 Space Command (Format Menu)
1, 2, 3, 4 Commands (File Menu)
1,2,3,...9 Commands (Window Menu)
About Microsoft Visual FoxPro Command (Help Menu)
Add (DataEnvironment Menu)
Add File Command (Project Menu)
Add Join Command (Query Menu)
Add New Form Command (Form Menu)
Add Table Command (Database Menu)
Add Table Command (Query Menu)
Add Table or View Dialog Box
Align Command (Format Menu)
Align Command (Report Menu)
All Code Windows Command (View Menu)
All Command (Tools Menu, Wizards Submenu)
Append Command (View Menu)
Append New Record Command (Table Menu)
Arrange All Command (Window Menu)
Attach Header File Command (Form Menu)
AutoStyle Wizard
Bring To Front Command (Format Menu)
Bring to Front Command (Form Menu)
Bring to Front Command (Report Menu)
Browse (DataEnvironment Menu)
Browse <table> Command (View Menu)
Browse Button, Query Destination Command (Query Menu)
Browse Table Command (Database Menu)
Browse Window
Build Command (Project Menu)
Builder Command (Shortcut Menu)
Cancel Command (Program Menu)
Change Partitions Command (Table Menu)
Class Designer
Class Info (Class Menu)
Clean Up Database Command (Database Menu)
Clean Up Project Command (Project Menu)
Clear Command (Edit Menu)
Clear Command (Window Menu)
Close Command (File Menu)
Code Command (View Menu)

Code Page Dialog Box
Code Window
Collapse All Command (Shortcut Menu)
Color Palette Toolbar
Color Palette Toolbar Command (View Menu)
Column Header/Footer Command (View Menu)
Command Window Command (Window Menu)
Comments Command (Query Menu)
Compile Command (Program Menu)
Connection Command (Query Menu)
Connection Designer
Contents Command (Help Menu)
Controls Tab, Options Command (Tools Menu)
Convert to Static Command (Edit Menu)
Copy Command (Edit Menu)
Create Dialog Box
Create Formset Command (Form Menu)
Create Relationship Command (Database Menu)
Crosstab Wizard
Cursor Button, Query Destination Command (Query Menu)
Customize Toolbar Dialog Box
Cut Command (Edit Menu)
Cycle Command (Window Menu)
Data Environment (View Menu)
Data Environment Designer
Data Navigation Object Command (View Menu)
Data Tab, Options Command (Tools Menu)
Database Designer
Database Designer Command (View Menu)
Database Toolbar
Debug Window
Debug Window Command (Tools Menu)
Delete Item Command (Menu Menu)
Delete Records Command (Table Menu)
Design Command (View Menu)
Do Command (Program Menu)
Do! Command, Trace Window
Double Space Command (Format Menu)
Edit <table> Command (View Menu)
Edit Box Builder
Edit Container Command (Format Menu)
Edit Description Command (Project Menu)
Edit Property/Method Command (Form and Class Menus)
Edit Relationship Command (Database Menu)
Edit Stored Procedures Command (Database Menu)
Edit Tab, Options Command (Tools Menu)
Enlarge Font Command (Format Menu)
Errors Command (Project Menu)
Exit Command Command (File Menu)

Sheet1

Expand All Command (Shortcut Menu)
Expanded View Command (View Menu)
Export Command (File Menu)
Expression Builder Dialog Box
Field Mapping Command (Query Menu)
File Locations Tab, Options Command (Tools Menu)
Files Tab, Project Information Command (Project Menu)
Filter Table Command (Table Menu)
Find Command (Edit Menu)
Font Command (Format Menu)
Form Controls Toolbar
Form Controls Toolbar Command (View Menu)
Form Designer
Form Designer Toolbar
Form Wizard
Format Wizard Command (Program Menu)
Forms Tab, Options Command (Tools Menu)
FoxDoc Wizard
General Options (View Menu)
General Tab, Options Command (Tools Menu)
Generate Command (Menu Menu)
Go To Line Command (Edit Menu)
Go To Record Command (Table Menu)
Graph Button, Query Destination Command (Query Menu)
Grid Builder
Grid Lines Command (View Menu)
Group Objects Command (Report Menu)
Grouping Command (View Menu)
Hide Command (Window Menu)
Horizontal Spacing Command (Format Menu)
Import Command (File Menu)
Import Wizard
Include File (Form and Class Menus)
Include File and Exclude File Commands (Project Menu)
Indent Command (Format Menu)
Index Table Command (Table Menu)
Insert Item Command (Menu Menu)
Insert Object Command (Edit Menu)
International Tab, Options Command (Tools Menu)
Label Button, Query Destination Command (Query Menu)
Label Designer
Label Wizard
Layout Toolbar
Layout Toolbar Command (View Menu)
Link Partitions Command (Table Menu)
Links Command (Edit Menu)
Macros Command (Tools Menu)
Mail Merge Wizard
Maximize Top Pane Command (View Menu)

Menu Designer
Menu Options (View Menu)
Modify File Command (Project Menu)
Modify Table Command (Database Menu)
More Windows Command (Window Menu)
Move Field Command (Table Menu)
New Class Dialog Box
New Command (File Menu)
New File Command (Project Menu)
New Form Dialog Box
New Label Dialog Box
New Local View Command (Database Menu)
New Method Command (Form and Class Menus)
New Property Command (Form and Class Menus)
New Remote View Command (Database Menu)
New Table Command (Database Menu)
Object Command (Edit Menu)
One-To-Many Form Wizard
Open Command (File Menu)
Options Command (Tools Menu)
Out! Command, Trace Window
Over! Command, Trace Window
Page Header/Footer Command (View Menu)
Page Setup Command (File Menu)
Paste Command (Edit Menu)
Paste Special Command (Edit Menu)
PivotTable Wizard
Preview Command (Menu Menu)
Preview Command (View Menu)
Print Command (File Menu)
Print File Dialog Box
Print Options Dialog Box
Print Preview Command (File Menu)
Print Preview Toolbar
Print Setup Dialog Box
Program Menu, Trace Window
Project Information Command (Project Menu)
Project Manager
Project Tab, Project Information Command (Project Menu)
Projects Tab, Options Command (Tools Menu)
Properties Command (View Menu)
Properties Window
Query Destination Command (Query Menu)
Query Toolbar
Query Wizard
Query and View Designers
Quick Form Command (Form Menu)
Quick Menu Command (Menu Menu)
Quick Report Command (Report Menu)

Sheet1

Rebuild indexes Command (Database Menu)
Rebuild indexes Command (Table Menu)
Recall Records Command (Table Menu)
Redo Command (Edit Menu)
Reduce Font Command (Format Menu)
Remote Data Tab, Options Command (Tools Menu)
Remote View Wizard
Remove (DataEnvironment Menu)
Remove Deleted Records Command (Database Menu)
Remove Deleted Records Command (Table Menu)
Remove File Command (Project Menu)
Remove Form Command (Form Menu)
Remove Formset Command (Form Menu)
Remove Indent Command (Format Menu)
Remove Join Command (Query Menu)
Remove Relationship Command (Shortcut Menu)
Remove Table Command (Database Menu)
Remove Table Command (Query Menu)
Rename File Command (Project Menu)
Replace Command (Edit Menu)
Report Button, Query Destination Command (Query Menu)
Report Controls Toolbar
Report Controls Toolbar Command (View Menu)
Report Designer
Report Designer Toolbar
Report Header/Footer Command (View Menu)
Report Wizard
Reset Property Command (Format Menu)
Resize Partitions Command (Table Menu)
Resume Command (Program Menu)
Revert Command (File Menu)
Ruler Command (View Menu)
Run <program> Command (Program Menu)
Run Application Command (Project Menu)
Run File Command (Project Menu)
Run Form Command (Form Menu)
Run Query Command (Query Menu)
Run Report Command (Report Menu)
Save As Class Command (File Menu)
Save As Command (File Menu)
Save Command (File Menu)
Scope Dialog Box
Screen Button, Query Destination Command (Query Menu)
Search for help on Command (Help Menu)
Select All Command (Edit Menu)
Select Connection or Datasource Dialog Box
Send Command (File Menu)
Send To Back Command (Format Menu)
Send to Back Command (Form Menu)

Send to Back Command (Report Menu)
Set Grid Scale Command (Form Menu)
Set Grid Scale Command (Format Menu)
Set Main Command (Project Menu)
Show All Command (Window Menu)
Show Position Command (Report Menu)
Show Position Command (View Menu)
Single Space Command (Format Menu)
Size Command (Format Menu)
Size Command (Report Menu)
Size Field Command (Table Menu)
Snap To Grid Command (Format Menu)
Snap to Grid Command (Form Menu)
Snap to Grid Command (Report Menu)
Spelling Command (Tools Menu)
Standard Toolbar
Step! Command, Trace Window
Suspend Command (Program Menu)
Tab Order Command (View Menu)
Table Button, Query Destination Command (Query Menu)
Table Designer
Table Designer Command (View Menu)
Table Properties Dialog Box
Table Wizard
Technical Support Command (Help Menu)
Text Menu, Trace Window
Toggle Deletion Mark Command (Table Menu)
Toolbars Command (View Menu)
Trace Window
Trace Window Command (Tools Menu)
UnGroup Objects Command (Report Menu)
Undo Command (Edit Menu)
Update Buffering Command (Query Menu)
Upsizing Wizard
Using Builders
Using Toolbars
Using Wizards
Vertical Spacing Command (Format Menu)
View SQL Command (Query Menu)
View Tab, Options Command (Tools Menu)
View Window
View Window Command (Window Menu)
View Wizard
Wizards Command (Tools Menu)

USER'S AND DEVELOPER'S REFERENCE

Accessing Data in Files
Accessing Records in Descending Order
Adding Cleanup Code to a Menu System
Adding Code Page Marks
Adding Comments to Fields
Adding Controls to a Form
Adding Controls to a Form with a Builder
Adding Custom Toolbars to Form Sets
Adding Expressions to Remote Views
Adding Field Controls
Adding Fields
Adding Fields with Quick Form
Adding Files from One Project to Another
Adding Files to a Project
Adding Graphics to a Form
Adding Index Keys
Adding Label Controls
Adding Lines, Rectangles, and Circles
Adding Multiple Data Groupings
Adding Objects to a Container Class
Adding Objects to a Custom Toolbar Class
Adding Records
Adding Setup Code to a Menu System
Adding Shapes and Lines to Forms
Adding Tables to a Database
Adding Tests to Code
Adding Title and Summary Bands
Adding a Comment to Your Query
Adding a Comment to a Control
Adding a Database to a Project
Adding a General Data Field
Adding a Picture
Adding a Single Group
Adding and Removing Files
Adjusting Control Placement
Aligning Controls
Appending Data
Appending Data to an Existing Table
Appending Data with the Import Wizard
Appending Records from Another Table
Appending Records to a Table Buffer
Appending and Deleting Records in Table Buffers
Arrays
Arrays and SELECT - SQL
Assigning Access Keys
Assigning Keyboard Shortcuts
Assigning Method and Event Code
Assigning Tasks to Menus or Menu Items
Auxiliary Macros

Base Class Minimum Event Set
Base Class Minimum Property Set
Behavior of Null Values in Commands and Functions
Behavior of Null Values in Logical Expressions
Breaking Down a Problem
Breaking at Event Code
Breaking at a Line of Code
Buffering Access to Data
Building Print Expressions
Building an Application from a Project
Building the Project and Displaying Errors
Button Macros
Calling Components
Calling Methods
Calling a Function
Calling a Procedure
Calling a Procedure or Function
Centering a Picture
Changing Control Colors
Changing Fonts
Changing Text Fonts and Sizes
Changing a Group Band
Changing the Code Page of a .DBF File
Changing the Grouping Order
Character Data Type
Character Operators
Checking for Code Page Marks in .DBF Files
Checking to See if an Object Exists
Choosing Data Types
Choosing a File Type to Append
Choosing a File Type to Export
Choosing a File Type to Import
Closing a Database
Closing a Table in a Work Area
Commands for Creating and Editing Tables
Commands that Automatically Lock Records and Tables
Commands that Control Transactions
Conditional Branching
Constants
Container Classes
Controlling How Update Conflicts are Detected
Controlling Printing
Controlling Program Flow
Controlling the Event Loop
Controlling the Record Selection Process
Controlling the Record Selection Process
Coordinating Menus and Custom Toolbars
Coordinating Toolbars and Forms Using Code
Coordinating Toolbars and Forms in the Form

Copying and Deleting Controls
Copying and Deleting Controls
Creating An Index Key
Creating Arrays of Members
Creating Arrays of Objects
Creating Captions for Fields
Creating Character Expressions
Creating Date Expressions
Creating Default Field Values
Creating Forms
Creating Labels with the Label Designer
Creating Logical Expressions
Creating Mailing Labels with the Label Wizard
Creating Menu Items
Creating Menus
Creating Messages
Creating Name Expressions
Creating Numeric Expressions
Creating Persistent Relationships
Creating Programs
Creating Stored Procedures
Creating Submenus
Creating Triggers
Creating Views of Local Tables
Creating Views that Prompt for Values
Creating a Comment for a Database
Creating a Database
Creating a Database Table
Creating a Default Procedure for a Menu System
Creating a Form with a Form Wizard
Creating a Form with the Form Designer
Creating a Free Table
Creating a Mailing Label Layout
Creating a Menu System
Creating a Query
Creating a Query with a Wizard
Creating a Quick Report
Creating a Remote View
Creating a Report Layout
Creating a Report with New Report
Creating a Report with a Report Wizard
Creating a User-Defined Alias
Creating a View with a Wizard
Creating an Index File
Creating and Modifying Files
Cropping a Picture
Currency Data Type
Customizing Forms
Customizing Your Layout

Customizing a Menu System
Customizing the Project Manager
Data and Field Types
Date Data Type
Date and Time Operators
DateTime Data Type
Defining Field Control Formats
Defining Field Format Templates
Defining Multiple Columns on a Page
Defining Toolbar Actions
Defining a Toolbar Class
Defining the Report Page
Deleting Fields
Deleting a Database
Deleting a Database Table
Deleting a Free Table
Deleting a Group Band
Deleting a Stand-Alone .IDX Index File
Deleting a Tag from a Non-Structural .CDX File
Deleting a Tag from the Structural .CDX File
Designing Reports
Detecting a Changed Field
Detecting a Changed Record
Detecting and Resolving Conflicts
Determining the Code Page of a Project File
Determining the Current Field Value
Determining the General Layout
Determining the Original Field Value
Directing the Results of Your Query
Displaying Status Bar Messages
Double Data Type
Dynamically Displaying Values
Editing Records in a Table
Enabling Record Buffering
Enabling Table Buffering
Enabling and Disabling Menu Items
Entering Commands Directly
Entering International Characters
Entering Null Values in Fields
Exporting Data
Exporting Data to a New File
Extending Database Files
FOR Clauses
Fields
Filtering Data
Fine-Tuning Your Search
Float Data Type
General Field Type
Grouping Data on Your Layout

Grouping Menu Items
Grouping Query Results
Handling Null Values
Header and Table Lock Characteristics
Help Macro Quick Reference
Importing Data
Importing Data into a New Table
Importing Data with the Import Wizard
Inserting Concatenated Field Controls
Inserting Report Controls
Inserting a Page Number
Inserting the Current Date
Integrating Objects and Data
Justifying Text in a Field
Keyboard Macros
Limiting Access to Data
Limiting Values in a Field
Linking Macros
Locking Manually
Logical Data Type
Logical Operators
Looping
Macro Substitution
Making All Fields Updatable
Making Specific Fields in a Table Updatable
Making a Table Updatable
Managing a Database
Manipulating Databases and Their Objects
Marking Records for Deletion
Memo Field Type
Menu Macros
Microsoft Product Support Services
Modifying Bands
Modifying Programs
Modifying Triggers
Modifying Your Layout
Modifying a Form
Modifying the Table Structure
Naming Fields
Naming a Table
Nesting Transactions
Numeric Data Type
Numeric Operators
Objects
Opening More Than One Database
Opening a Table in a Work Area
Operators
Ordering Query Results
Overriding Automatic Data Session Assignment

Passing Parameters by Reference
Passing Parameters by Value
Passing Parameters by Value or by Reference
Performing Tasks with Commands
Performing Tasks with Procedures
Planning Data Placement
Planning a Menu System
Preventing Orphaned Group Headers
Preventing Translation of Data in Character or
Previewing Your Results
Printing Controls with Variable Length Values
Printing Reports
Printing Suppressed Values When the Group Changes
Protecting Class Members
Rebuilding an Active Index File
Receiving Values from a Function
Record Lock Characteristics
Records
Referencing Modifiable Files
Referencing Multiple Databases
Relational Operators
Removing Appended Records from a Table Buffer
Removing Code Page Marks
Removing Records Marked for Deletion
Removing a Database from a Project
Removing a Table from a Database
Removing or Deleting Triggers
Renaming Fields
Repeating Group Headers
Resizing Controls
Responding to Events
Running Programs
Running a Form
Running a Query
Running an Application
Saving Forms
Saving Programs
Scope Clauses
Scope Options
Scope of Data Containers
Selecting Fields for the Query
Selecting Fields to Append
Selecting Fields to Export
Selecting Moving and Resizing Controls
Selecting Records That Match a Condition
Selecting Records That Match a Condition
Selecting Records To Export
Selecting Records to Append
Selecting Records to Print

Selecting Tables in the Current Database
Selecting a Quantity or Range of Records
Selecting a Quantity or Range of Records
Selecting and Moving Report Controls
Selecting the Records You Want
Sending Values to a Procedure or Function
Setting Band Height
Setting Execution Breakpoints
Setting Execution Speed
Setting Key Fields
Setting Properties
Setting Properties of Custom Toolbars
Setting Record Order Interactively in a Form
Setting Report Data Sources
Setting Selection Criteria on Groups
Setting Tab Order Interactively
Setting Tab Order by List
Setting Tab Order for Controls
Setting a Primary or Candidate Index
Setting a Regular Index
Setting or Changing Default Values
Setting or Changing Field-level or Table Rules
Setting the Current Database
Setting the Foreground and Background Colors of a Form
Setting the Margin
Setting the Order for Output Fields
Setting the Paper Size and Orientation
Setting the Starting Point
Setting up the Application Environment
Sort Order Guidelines
Specifying Sort Orders
Specifying the Code Page of a Text File
Starting Visual FoxPro
Starting the Query Designer
Stepping Through Code
Structuring a Main Form
Structuring a Main Program
Structuring an Application
Suppressing Blank Lines
Suppressing Repeated Values
Table Buffering Characteristics
Temporarily Relating Tables
Testing Isolated Components
Testing and Debugging a Menu System
Text-Marker Macros
The Core Events
The Visual FoxPro Base Classes
Tracing Forms
Tracing Programs and Forms

Transaction Characteristics
Transferring Data From a Table to an Array
Transferring Data From an Array to a Table
Trimming and Concatenating Character Expressions
Unlocking Data
Unmarking Records Marked for Deletion
Using Data Dictionary Features
Using DataSessions
Using Debugging Tools
Using Icons and Bitmaps
Using NULL as a Parameter
Using Non-Structural .CDX Indexes
Using Null Values
Using Other Index Types
Using Procedures and User-Defined Functions
Using Stand-Alone Indexes
Using Toolbars
Using Transactions
Using Wizards
Using a Table Without Adding It to a Database
Using a Table with Exclusive Access
Using a Table with Shared Access
Using the Design Tools
Using the Project Manager
Valid Buffering Property Values
Validating Record-Level Values
Validating a Database
Variables
Verifying Parameters in a Procedure or Function
Viewing Tables
Viewing Values of Functions and SET Commands
Viewing Work Areas
Viewing Your Query's SQL Statement
Viewing and Modifying Database Architecture
Viewing the Database Schema
Visual FoxPro Data Types
Visual FoxPro Field Types
Visual FoxPro Naming Conventions
WHILE Clauses
When Constraints are Enforced
When Field-level Rules are Checked
Window Macros
Working with Arrays
Working with Classes and Objects
Working with Fields and Records
Working with User-Defined Functions

CREATING WINDOWS HELP

BMROOT Option
BUILD Option
COMPRESS Option
CONTENTS Option
COPYRIGHT Option
Defining Window Attributes
ERRORLOG Option
Error Message Categories
FORCEFONT Option
Help Project Sections
ICON Option
LANGUAGE Option
MAPFONTSIZE Option
OLDKEYPHRASE Option
REPORT Option
ROOT Option
Specifying Help Project Options
TITLE Option
WARNING Option