



## DBCombo Control

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"daobjDBComboC;vbproBooksOnlineJumpTopic"} {ewc
HLP95EN.DLL,DYNALINK,"Example":"daobjDBComboX":1} {ewc
HLP95EN.DLL,DYNALINK,"Properties":"daobjDBComboP"} {ewc
HLP95EN.DLL,DYNALINK,"Methods":"daobjDBComboM"} {ewc
HLP95EN.DLL,DYNALINK,"Events":"daobjDBComboE"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"daobjDBComboS"}
```

The **DBCombo** control is a data bound combo box with a drop-down list box which is automatically populated from a field in an attached **Data** control, and optionally updates a field in a related table of another **Data** control. The text box portion of **DBCombo** can be used to edit the selected field.

### Syntax

#### DBCombo

### Remarks

The **DBCombo** control differs from the standard **ComboBox** control. While the **ComboBox** control list is filled using the **AddItem** method, the **DBCombo** control is automatically filled with data from a field in the **Recordset** object of a **Data** control to which it is attached. The standard **ComboBox** control must be populated manually by using the **AddItem** method. In addition, the **DBCombo** control has the ability to update a field within a related **Recordset** object which may reside in a different **Data** control.

The **DBCombo** control also supports an automated search mode that can quickly locate items in the list without additional code.

Shown below is a list of the properties used to fill and manage the **DBCombo** control, and bind the selected data to a **Data** control.

Property	Specifies
<b>DataSource</b>	Name of <b>Data</b> control that is updated once a selection is made.
<b>DataField</b>	Name of a field that is updated in the <b>Recordset</b> specified by the <b>DataSource</b> property.
<b>RowSource</b>	Name of <b>Data</b> control used as a source of items for the list portion of the control.
<b>ListField</b>	Name of a field in the <b>Recordset</b> specified by <b>RowSource</b> that is used to fill the drop-down list. <b>DBCombo</b> does not support fields of <b>LongBinary</b> type for the Listfield property.
<b>BoundColumn</b>	Name of a <b>Field</b> in the <b>Recordset</b> specified by <b>RowSource</b> to be passed back to the <b>DataField</b> once a selection is made. <b>DBCombo</b> does not support fields of <b>LongBinary</b> type for the <b>BoundColumn</b> .
<b>BoundText</b>	Text value of <b>BoundColumn</b> field. Once a selection is made, this value is passed back to update the <b>Recordset</b> object specified by the <b>DataSource</b> and <b>DataField</b> properties.
<b>Text</b>	Text value of the selected item in the list.
<b>MatchEntry</b>	How the list is searched as the user types in characters at run time.
<b>SelectedItem</b>	The bookmark of the selected item in the <b>Recordset</b> specified by the <b>RowSource</b> property.

<b>VisibleCount</b>	The number of items visible in the list (fully or partially).
<b>VisibleItems</b>	An array of bookmarks with a maximum number of items equal to the <b>VisibleCount</b> property.

Users can search the **DBCombo** control by typing a value into the text box portion of the control. Once entered, this value is located in the list and the current list item is set to that item. If the item is not found, the **BoundText** property is set to null.

**Note** If you do not make the boundary of the control large enough for at least one row of the dropdown list, the list will not appear at run time.

# DBList Control

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"daobjDBListC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"daobjDBListX":1} {ewc HLP95EN.DLL,DYNALINK,"Properties":"daobjDBListP"}  
{ewc HLP95EN.DLL,DYNALINK,"Methods":"daobjDBListM"} {ewc HLP95EN.DLL,DYNALINK,"Events":"daobjDBListE"}  
{ewc HLP95EN.DLL,DYNALINK,"Specifcs":"daobjDBListS"}
```

The **DBList** control is a data bound list box which is automatically populated from a field in an attached **Data** control, and optionally updates a field in a related table of another **Data** control.

## Syntax

### DBList

### Remarks

The **DBList** control differs from the standard **ListBox** control. While the **ListBox** control list is filled using the **AddItem** method, the **DBList** control is automatically filled with data from a field in the **Recordset** object of a **Data** control to which it is attached. The standard **ListBox** control must be populated manually by using the **AddItem** method. In addition, the **DBList** control has the ability to update a field within a related **Recordset** object which may reside in a different **Data** control.

The **DBList** control also supports an automated search mode that can quickly locate items in the list without additional code.

Shown below is a list of the properties you use to fill and manage the list, and bind the selected data to a **Data** control.

Property	Specifies
<b>DataSource</b>	Name of <b>Data</b> control that is updated once a selection is made.
<b>DataField</b>	Name of a field that is updated in the <b>Recordset</b> specified by the <b>DataSource</b> property.
<b>RowSource</b>	Name of <b>Data</b> control used as a source of items for the list portion of the control.
<b>ListField</b>	Name of a field in the <b>Recordset</b> specified by <b>RowSource</b> that is used to fill the list. <b>DBList</b> does not support fields of <b>LongBinary</b> type for the <b>ListField</b> property.
<b>BoundColumn</b>	Name of a field in the <b>Recordset</b> specified by <b>RowSource</b> that is passed back to the <b>DataField</b> once a selection is made. <b>DBList</b> does not support fields of <b>LongBinary</b> type for the <b>BoundColumn</b> .
<b>BoundText</b>	Text value of the <b>BoundColumn</b> field. Once a selection is made, this value is passed back to update the <b>Recordset</b> object specified by the <b>DataSource</b> and <b>DataField</b> properties.
<b>Text</b>	Text value of the selected item in the list.
<b>MatchEntry</b>	How the list is searched as the user types characters at run time.
<b>SelectedItem</b>	The bookmark of the selected item in the <b>Recordset</b> specified by the <b>RowSource</b> property.
<b>VisibleCount</b>	The number of items visible in the list (fully or partially).
<b>VisibleItems</b>	An array of bookmarks with a maximum number of items equal to the <b>VisibleCount</b> property.

The **DBList** control will automatically highlight an item in the list if the **BoundText** property becomes equal to the value of the field specified by the **DataSource** and **DataField** properties, such as when using a **Data** control to change the current record.

## ReFill Method

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"damthRefillC;damthRequery;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"damthRefillX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies To":"damthRefillA"}  
{ewc HLP95EN.DLL,DYNALINK,"Specifics":"damthRefillS"}
```

Re-creates the list of a **DBList** or **DBCombo** control and forces a repaint.

### Syntax

*object*.**ReFill**

The *object* placeholder represents an object expression that evaluates to an object in the Applies To list.

### Remarks

The **ReFill** method is different than the standard **Refresh** method, which just forces a Repaint event.

## Click Event (DBCombo Control)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevClickEventDBComboC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbevClickEventDBComboX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbevClickEventDBComboA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbevClickEventDBComboS"}
```

Occurs when the user presses and then releases a mouse button over the **DBCombo** control. This event also occurs by pressing the up or down arrow keys on the keyboard to select an item.

### Syntax

**Private Sub** *object\_Click*( [*index As Integer* ,] *Area As Integer* )

The Click event syntax has these parts:

Part	Description
<i>object</i>	An <u>object expression</u> that evaluates to an object in the Applies To list.
<i>index</i>	An integer that uniquely identifies a control if it's in a control array.
<i>Area</i>	An integer expression that specifies where the control was clicked, as described below.

The *Area* parameter can contain the following values:

Constant	Value	Description
<b>dbcAreaButton</b>	0	The user clicked the button on the <b>DBCombo</b> control.
<b>dbcAreaEdit</b>	1	The user click in the text box part of the <b>DBCombo</b> control.
<b>dbcAreaList</b>	2	The user clicked in the drop-down list part of the <b>DBCombo</b> control.

### Remarks

The **DBCombo** control does not have a DropDown event like the standard combo box to signal when the user drops down the list portion of the **DBCombo** control. Instead the user can use the *Area* parameter in the Click event to tell the user which area in the **DBCombo** control the user clicked.

Typically, you attach a Click event procedure to a control to carry out commands and command-like actions.

Clicking a control generates MouseDown and MouseUp events in addition to the Click event. When you're attaching event procedures for these related events, be sure that their actions don't conflict. If the order of events is important in your application, test the control to determine the event order.

**Note** To distinguish between the left, right, and middle mouse buttons, use the MouseDown and MouseUp events.

## DbClick Event (DBCombo Control)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevDbClickEventDBComboControlC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevDbClickEventDBComboControlX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevDbClickEventDBComboControlA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevDbClickEventDBComboControlS"}
```

Occurs when the user double-clicks the **DBCombo** control with the mouse button.

### Syntax

**Private Sub** *object\_DbClick* ( [*index As Integer*,] *Area As Integer*)

Part	Description
<i>object</i>	An <u>object expression</u> that evaluates to an object in the Applies To list.
<i>index</i>	An integer that uniquely identifies a control if it's in a control array.
<i>Area</i>	An integer expression that specifies where the control was double clicked, as described below.

The *Area* parameter can contain the following values:

Constant	Value	Description
<b>dbcAreaButton</b>	0	The user double-clicked the button on the <b>DBCombo</b> control.
<b>dbcAreaEdit</b>	1	The user double-clicked in the text box part of the <b>DBCombo</b> control.
<b>dbcAreaList</b>	2	The user double-clicked in the list part of the <b>DBCombo</b> control. (This only occurs when the <b>Style</b> property is set to 1)

### Remarks

You can use a DbClick event procedure for an implied action or use it to carry out multiple steps with a single action.

If DbClick doesn't occur within the system's double-click time limit, the object recognizes another Click event. The double-click time limit may vary because the user can set the double-click speed in the Control Panel.

**Note** To distinguish between the left, right, and middle mouse buttons, use the MouseDown and MouseUp events.



## DBList and DBCombo Controls Constants

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstDBListDBComboControlsConstantsC;vbproBooksOnlineJumpTopic"}

### Appearance Constants

Constant	Value	Description
<b>dblFlat</b>	0	Flat appearance of DBList or DBCombo control.
<b>dbl3D</b>	1	Three-dimensional appearance of DBList or DBCombo control.

### Area Constants (Dbcombo Only)

Constant	Value	Description
<b>dbcAreaButton</b>	0	Returns the location of the DBCombo control's button when a Click or Double-Click event occurs there.
<b>dbcAreaEdit</b>	1	Returns the location of the DBCombo control's text box when a Click or Double-Click event occurs there.
<b>dbcAreaList</b>	2	Returns the location of the DBCombo control's list box when a Click or Double-Click event occurs there.

### Match Entry Constants

Constant	Value	Description
<b>dblBasicMatching</b>	0	Basic matching
<b>dblExtendedMatching</b>	1	Extended matching

### Mousepointer Constants

Constant	Value	Description
<b>dblDefault</b>	0	(Default) Shape determined by the object
<b>dblArrow</b>	1	Arrow
<b>dblCross</b>	2	Cross (cross-hair pointer)
<b>dblIBeam</b>	3	I-Beam
<b>dblIcon</b>	4	Icon (small square within a square)
<b>dblSize</b>	5	Size (four-pointed arrow pointing north, south, east, and west)
<b>dblSizeNESW</b>	6	Size NE SW (double arrow pointing northeast and southwest)
<b>dblSizeNS</b>	7	Size N S (double arrow pointing north and south)
<b>dblSizeNWSE</b>	8	Size NW SE (double arrow)

		pointing northwest and southeast)
<b>dblSizeEW</b>	9	Size E W (double arrow pointing east and west)
<b>dblUpArrow</b>	10	Up Arrow
<b>dblHourglass</b>	11	Hourglass (wait)
<b>dblNoDrop</b>	12	No Drop
<b>dblArrowHourglass</b>	13	Arrow and hourglass
<b>dblArrowQuestion</b>	14	Arrow and question mark
<b>dblSizeAll</b>	15	Size all
<b>dblCustom</b>	99	Custom icon specified by the <b>Mouselcon</b> property

#### Style Constants

Constant	Value	Description
<b>dbcDropdownCombo</b>	0	Drop-down combo
<b>dbcSimpleCombo</b>	1	Simple combo
<b>dbcDropdownList</b>	2	Drop-down list

#### OLE Drag Constants

Constant	Value	Description
<b>dbIOLEDragManual</b>	0	Manual dragging
<b>dbIOLEDragAutomatic</b>	1	Automatic

#### OLE Drop Effect Constants

Constant	Value	Description
<b>dbIOLEDropEffectNone</b>	0	Drop target cannot accept the data
<b>dbIOLEDropEffectCopy</b>	1	Drop results in a copy; the original data is untouched by the drag source.
<b>dbIOLEDropEffectMove</b>	2	Drag source should remove the data
<b>dbIOLEDropEffectScroll</b>	-2147483648	Scrolling is about to start or is currently occurring in the target; this value is used in addition to the other values

#### OLE Drop Constants

Constant	Value	Description
<b>dbIOLEDropNone</b>	0	Don't allow drops
<b>dbIOLEDropManual</b>	1	Manual

#### Drag Over Constants

Constant	Value	Description
<b>dblEnter</b>	0	OLE object is being dragged within the range of a target

<b>dblLeave</b>	1	OLE object is being dragged out of the range of a target
<b>dblOver</b>	2	OLE object has moved from one position in the target to another

#### Clipboard Constants

Constant	Value	Description
<b>dbICFText</b>	1	Text
<b>dbICFBitmap</b>	2	Bitmap (.BMP file)
<b>dbICFMetafile</b>	3	Metafile (.WMF file)
<b>dbICFDIB</b>	8	Device-independent bitmap (DIB)
<b>dbICFPalette</b>	9	Color palette
<b>dbICFEMetafile</b>	14	Enhanced Metafile (EMF files)
<b>dbICFFiles</b>	15	List of Files
<b>dbICFRTF</b>	3056	Rich Text Format (.RTF file)

#### Error Constants

Constant	Value	Description
<b>dbIDataNotSetForFormat</b>	676	Requested data was not supplied to the DataObject during the OLESetData event.
<b>dbIDataObjectLocked</b>	672	DataObject formats list may not be cleared or expanded outside of the OLEStartDrag event.
<b>dbIExpectedAnArgument</b>	673	Expected at least one argument.
<b>dbIFormatNotByteArray</b>	675	Non-intrinsic OLE drag and drop formats used with SetData require Byte array data. GetData may return more bytes than were given to SetData.
<b>dbIGetNotSupported</b>	394	Property is write-only.
<b>dbIInvalidObjectUse</b>	425	Invalid object use.
<b>dbIInvalidProcedureCall</b>	5	Invalid procedure call.
<b>dbIInvalidPropertyValue</b>	380	Invalid property value.
<b>dbIOutOfMemory</b>	7	Out of memory.
<b>dbIRecursiveOleDrag</b>	674	Illegal recursive invocation of OLE drag and drop.
<b>dbISetNotPermitted</b>	387	Property can't be set on this control.
<b>dbIWrongClipboardFormat</b>	461	Specified format doesn't match format or date.

## AboutBox Method

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthAboutBoxMethodC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthAboutBoxMethodX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthAboutBoxMethodA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthAboutBoxMethodS"}
```

Displays the About box for the control.

### Syntax

*object*.**AboutBox**

The *object* placeholder represents an object expression that evaluates to an object in the Applies To list.

### Remarks

This is the same as clicking About in the Properties window.

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic"}      {ewc  
HLP95EN.DLL,DYNALINK,"Example":"","1"}      {ewc HLP95EN.DLL,DYNALINK,"Applies To":"",""}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproBackColorPropertyDBComboDBListDummyTopicsS"}      {ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic"}      {ewc  
HLP95EN.DLL,DYNALINK,"Example":"","1"}      {ewc HLP95EN.DLL,DYNALINK,"Applies To":"",""}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproForeColorPropertyDBComboDBListDummyTopicsS"}      {ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbproBooksOnlineJumpTopic;vbproEnabledPropertyDBComboDBListDummyTopicsC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproEnabledPropertyDBComboDBListDummyTopicsX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproEnabledPropertyDBComboDBListDummyTopicsA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproEnabledPropertyDBComboDBListDummyTopicsS"}

{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbproBooksOnlineJumpTopic;vbproFontPropertyDBComboDBListDummyTopicsC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproFontPropertyDBComboDBListDummyTopicsX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontPropertyDBComboDBListDummyTopicsA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontPropertyDBComboDBListDummyTopicsS"}

{ewc
{ewc
{ewc
```



{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbproBooksOnlineJumpTopic;vbproMousePointerPropertyDBComboDBlistDummyTopicsC"}

HLP95EN.DLL,DYNALINK,"Example": "vbproMousePointerPropertyDBComboDBlistDummyTopicsX":1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbproMousePointerPropertyDBComboDBlistDummyTopicsA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbproMousePointerPropertyDBComboDBlistDummyTopicsS"}

{ewc

{ewc

{ewc

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbproBooksOnlineJumpTopic;vbproTextPropertyDBComboDBListDummyTopicsC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproTextPropertyDBComboDBListDummyTopicsX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproTextPropertyDBComboDBListDummyTopicsA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproTextPropertyDBComboDBListDummyTopicsS"}

{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbproBooksOnlineJumpTopic;vbproLockedPropertyDBComboDBListDummyTopicsC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproLockedPropertyDBComboDBListDummyTopicsX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproLockedPropertyDBComboDBListDummyTopicsA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproLockedPropertyDBComboDBListDummyTopicsS"}

{ewc
{ewc
{ewc
```

{ewc HLP95EN.DLL,DYNALINK,"See

Also":"vbproAppearancePropertyDBCOMBODBLISTPlaceholderC;vbproBooksOnlineJumpTopic"} {ewc

HLP95EN.DLL,DYNALINK,"Example":"vbproAppearancePropertyDBCOMBODBLISTPlaceholderX":1} {ewc

HLP95EN.DLL,DYNALINK,"Applies To":"vbproAppearancePropertyDBCOMBODBLISTPlaceholderA"} {ewc

HLP95EN.DLL,DYNALINK,"Specifics":"vbproAppearancePropertyDBCOMBODBLISTPlaceholderS"} {ewc

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbproBooksOnlineJumpTopic;vbproIntegralHeightPropertyDBComboDBListPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproIntegralHeightPropertyDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproIntegralHeightPropertyDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproIntegralHeightPropertyDBComboDBListPlaceholderS"}
{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbproBooksOnlineJumpTopic;vbproMouseIconPropertyDBComboDBListPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproMouseIconPropertyDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMouseIconPropertyDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMouseIconPropertyDBComboDBListPlaceholderS"}
{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbproBooksOnlineJumpTopic;vbproOLEDropModeDBComboDBListPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDropModeDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDropModeDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDropModeDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbproBooksOnlineJumpTopic;vbproOLEDragModeDBComboDBListPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDragModeDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDragModeDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDragModeDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```



```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbproBooksOnlineJumpTopic;vbproSelLengthPropertyDBComboDBListPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproSelLengthPropertyDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproSelLengthPropertyDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproSelLengthPropertyDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbproBooksOnlineJumpTopic;vbproSelStartPropertyDBComboDBListPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproSelStartPropertyDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproSelStartPropertyDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproSelStartPropertyDBComboDBListPlaceholderS"}
{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbproBooksOnlineJumpTopic;vbproSelTextPropertyDBComboDBListPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproSelTextPropertyDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproSelTextPropertyDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproSelTextPropertyDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproStylePropertyDBComboDBListPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproStylePropertyDBComboDBListPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproStylePropertyDBComboDBListPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproStylePropertyDBComboDBListPlaceholderS"}
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbproBooksOnlineJumpTopic;vbproOLEDragMethodDBComboDBListPlaceholderC"} {ewc
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDragMethodDBComboDBListPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDragMethodDBComboDBListPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthOLEDragMethodDBComboDBListPlaceholderS;vbproOLEDragMethodDBCombo
DBListPlaceholderS"}
```

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproChangeEventDBComboPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproChangeEventDBComboPlaceholderX":1}      {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproChangeEventDBComboPlaceholderA"}      {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtChangeEventDBComboPlaceholderS;vbproChangeEventDBComboPlaceholderS"
}
```

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproClickEventDBListPlaceholderC"} {ewc
HLP95EN.DLL,DYNALINK,"Example":"vbproClickEventDBListPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproClickEventDBListPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtClickEventDBListPlaceholderS;vbproClickEventDBListPlaceholderS"}
```

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproDbClickEventDBListPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproDbClickEventDBListPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDbClickEventDBListPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevDbClickEventDBListPlaceholderS;vbproDbClickEventDBListPlaceholderS"}
```



```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevtDragDropEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevtDragDropEventDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtDragDropEventDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtDragDropEventDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevtDragOverEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevtDragOverEventDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtDragOverEventDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtDragOverEventDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevKeyEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevKeyEventDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevKeyEventDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevKeyEventDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevKeyEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevKeyEventDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevKeyEventDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevKeyEventDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevKeyUpEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevKeyUpEventDBComboDBListPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevKeyUpEventDBComboDBListPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevKeyUpEventDBComboDBListPlaceholderS"}
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevMouseDownEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevMouseDownEventDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevMouseDownEventDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevMouseDownEventDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevMouseMoveEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevMouseMoveEventDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevMouseMoveEventDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevMouseMoveEventDBComboDBListPlaceholderS"}
{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevtMouseUpEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevtMouseUpEventDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtMouseUpEventDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtMouseUpEventDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```



{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbevtoLECompleteDragEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}

HLP95EN.DLL,DYNALINK,"Example": "vbevtoLECompleteDragEventDBComboDBListPlaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbevtoLECompleteDragEventDBComboDBListPlaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbevtoLECompleteDragEventDBComboDBListPlaceholderS"}

{ewc

{ewc

{ewc

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevtOLEDragDropEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevtOLEDragDropEventDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtOLEDragDropEventDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtOLEDragDropEventDBComboDBListPlaceholderS"}
{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevtoLEdragOverEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevtoLEdragOverEventDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtoLEdragOverEventDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtoLEdragOverEventDBComboDBListPlaceholderS"}
{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevtoLEGiveFeedbackEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevtoLEGiveFeedbackEventDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtoLEGiveFeedbackEventDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtoLEGiveFeedbackEventDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevtoLESetDataEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevtoLESetDataEventDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtoLESetDataEventDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtoLESetDataEventDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevtoLEstartDragEventDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevtoLEstartDragEventDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtoLEstartDragEventDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtoLEstartDragEventDBComboDBListPlaceholderS"}
{ewc
{ewc
{ewc
```

```
{ewc HLP95EN.DLL,DYNALINK,"See
Also":"vbevtRefreshMethodDBComboDBListPlaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Example":"vbevtRefreshMethodDBComboDBListPlaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtRefreshMethodDBComboDBListPlaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtRefreshMethodDBComboDBListPlaceholderS"}

{ewc
{ewc
{ewc
```

## BoundColumn Property

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"daobjRecordset;daproBoundColumnC;vbproBooksOnlineJumpTopic"}  
{ewc HLP95EN.DLL,DYNALINK,"Example":"daproBoundColumnX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"daproBoundColumnA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"daproBoundColumnS"}
```

Returns or sets the name of the source field in a **Recordset** object that is used to supply a data value to another **Recordset**.

### Syntax

*object*.**BoundColumn** [= *value*]

The **BoundColumn** property syntax has these parts:

Part	Description
<i>object</i>	An <u>object expression</u> that evaluates to an object in the Applies To list.
<i>value</i>	A <u>string expression</u> that specifies the name of a field in the <b>Recordset</b> created by the <b>Data</b> control specified by the <b>RowSource</b> property.

### Remarks

Generally, when working with the **DBList** and **DBCombo** controls, you use two **Data** controls; one to fill the list as designated by the **Listfield** and **RowSource** properties and one to update a field in a database specified by the **DataSource** and **DataField** properties.

The **ListField** property designates the field used to fill the list. The second **Data** control, as designated by the **DataSource** property, manages a **Recordset** containing a field to be updated. Once the user chooses one of the items in the list, the field specified by the **BoundColumn** property is passed to the field in the second **Data** control, as designated by the **DataSource** and **DataField** properties. This way you can designate one field to fill the list, and another field (from the same **Recordset**) to pass as data to the **Recordset** designated by the **DataSource** and **DataField** properties when an item is selected.

If the field specified by the **BoundColumn** property can't be found in the **Recordset**, a trappable error occurs.

### Data Type

String



## ListField Property

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"daobjRecordset;daproListFieldC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"daproListFieldX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"daproListFieldA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"daproListFieldS"}
```

Returns or sets the name of the field in the **Recordset** object, specified by the **RowSource** property, used to fill the **DBCombo** or **DBList** control's list portion.

### Syntax

*object*.ListField [= *value*]

The **ListField** property syntax has these parts:

Part	Description
<i>object</i>	An <u>object expression</u> that evaluates to an object in the Applies To list.
<i>value</i>	A <u>string expression</u> that specifies the name of a field in the <b>Recordset</b> specified by the <b>RowSource</b> property.

### Remarks

The **ListField** property enables you to select which field in the **Recordset** is used to fill the list portion of the control. This property is used in conjunction with the **RowSource** property that specifies which **Data** control is used to create the **Recordset** used to fill the list.

Generally, you use two **Recordset** objects with the data-aware list controls. One **Recordset** contains a read-only list of valid selections, while the other **Recordset** is updated with selections from the list. For example, the **DBList** control could be generated from a query that returned a list of valid part numbers and their descriptions. The **ListField** property would point to the description field of the **Recordset**, so that the user doesn't see the actual part numbers. The **BoundColumn** property would point to the part number field, as this is what needs to be updated in the **Recordset**.

If the field specified by the **ListField** property can't be found in the **Recordset**, a trappable error occurs.

### Data Type

String

## RowSource Property

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"daobjField;daobjRecordset;daproRowSourceC;vbproBooksOnlineJumpTopic"}  
{ewc HLP95EN.DLL,DYNALINK,"Example":"daproRowSourceX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"daproRowSourceA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"daproRowSourceS"}
```

Sets a value that specifies the **Data** control from which the **DBList** and **DBCombo** controls' list is filled. Not available at run time.

### Syntax

*object*.**RowSource** [ = *value*]

The **RowSource** property syntax has these parts:

Part	Description
<i>object</i>	An <u>object expression</u> that evaluates to an object in the Applies To list.
<i>value</i>	A <u>string expression</u> that specifies the name of a <b>Data</b> control.

### Remarks

To fill the list in a **DBCombo** or **DBList** control, you must specify a **Data** control in the **RowSource** property at design time using the Properties window.

To complete the connection with a field in the **Recordset** object managed by the **Data** control, you must also provide the name of a **Field** object in the **ListField** property.

### Data Type

String

## SelectedItem Property

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"daobjRecordset;daproSelectedItemC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"daproSelectedItemX":-1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"daproSelectedItemA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"daproSelectedItemS"}
```

Returns a value containing a bookmark for the selected record in a **DBCombo** or **DBList** control.

### Syntax

*object*.**SelectedItem**

The *object* placeholder represents an object expression that evaluates to an object in the Applies To list.

### Remarks

When you select an item in the list portion of the control, the **SelectedItem** property contains a bookmark that you can use to reposition to the selected record in the **Recordset** of the **Data** control specified by the **RowSource** property.

### Data Type

Variant

## VisibleItems Property

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"daproVisibleItemsC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"daproVisibleItemsX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"daproVisibleItemsA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"daproVisibleItemsS"}
```

Returns an array of bookmarks, one for each visible item in the **DBCombo** or **DBList** control's list.

### Syntax

*object.VisibleItems(Index)*

The **VisibleItems** property syntax has these parts:

Part	Description
<i>object</i>	An <u>object expression</u> that evaluates to an object in the Applies To list.
<i>Index</i>	An Integer expression that specifies the element in the array. This value can be 0 to <b>VisibleCount</b> - 1.

### Remarks

These bookmarks may be used to fetch individual records from the recordset used to fill the list.

### Data Type

Variant

## VisibleCount, VisibleItems Properties Example

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic"}

The following sample code uses the **VisibleCount** and **VisibleItems** properties to display the fields in all the visible records of a **DBList** control:

```
Private Sub Command1_Click()  
Dim I As Integer, fld As Field, msg As Variant  
  
For I = 0 To DBList1.VisibleCount - 1  
    Data1.Recordset.Bookmark = DBList1.VisibleItems(I)  
    msg = ""  
    For Each fld In Data1.Recordset.Fields  
        msg = msg & fld.Value & "-"  
    Next  
    MsgBox msg  
Next I  
  
End Sub
```

## VisibleCount Property

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"daproVisibleCountC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"daproVisibleCountX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"daproVisibleCountA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"daproVisibleCountS"}
```

Returns a value indicating the number of visible items in the list portion of the **DBCombo** or **DBList** control.

### Syntax

*object*.**VisibleCount**

The *object* placeholder represents an object expression that evaluates to an object in the Applies To list.

### Remarks

The **VisibleCount** property returns an integer from 0 to the number of items visible in the control. An item is considered visible even if only a portion of the text is visible, as when the **IntegralHeight** property setting is **False**.

**Note** **VisibleCount** may be set to 0 before the first time the list portion of the **DBCombo** control is displayed.

### Data Type

Integer

## MatchedWithList Property

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"daproMatchedwithlistPropertyC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"daproMatchedwithlistPropertyX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"daproMatchedwithlistPropertyA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"daproMatchedwithlistPropertyS"}
```

Returns **True** if the current content of the **BoundText** property matches one of the records in the list portion of the control.

### Syntax

*object*.**MatchedWithList**

The *object* placeholder represents an object expression that evaluates to an object in the Applies To list.

### Return Values

The **MatchedWithList** property return values are:

Value	Description
<b>True</b>	The content of the <b>BoundText</b> property matches one of the records in the list.
<b>False</b>	The contents of the <b>BoundText</b> property does not match any of the records in the list.

### Remarks

When you enter a value in the text portion of the **DBCombo** control, the **MatchedWithList** property is set to **True** if the value entered is one of the items shown in the list. Moving the **Data** control specified by the **DataSource** property of the **DBCombo** or **DBList** control also sets the **MatchedWithList** property to **True** if the **BoundText** value matches one of the records in the list. In this case, the record is highlighted.

### Data Type

Boolean

# MatchEntry Property

{ewc HLP95EN.DLL,DYNALINK,"See Also":"daproMatchEntryC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"daproMatchEntryX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"daproMatchEntryA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"daproMatchEntryS"}

Returns or sets a value indicating how the **DBCombo** or **DBList** control performs searches based on user input.

## Syntax

*object.MatchEntry* [= *value*]

The **MatchEntry** property syntax has these parts:

Part	Description
<i>object</i>	An <u>object expression</u> that evaluates to an object in the Applies To list.
<i>value</i>	A constant or value that defines the behavior of a control when it has focus and the user enters one or more characters, as described in Settings.

## Settings

The settings for *value* are:

Setting	Value	Description
<b>dblBasicMatching</b>	0	Basic Matching: (Default) The control searches for the next match for the character entered using the first letter of entries in the list. Repeatedly typing the same letter cycles through all of the entries in the list beginning with that letter.
<b>dblExtendedMatching</b>	1	Extended Matching: The control searches for an entry matching all characters entered. The search is done as characters are being typed, further refining the search.

## Remarks

When the **MatchEntry** property is set to **dblExtendedMatching** and the user enters a backspace or waits more than a few seconds, the matching string is reset.

## Data Type

Integer



# BoundText Property

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproBoundTextC"} {ewc HLP95EN.DLL,DYNALINK,"Example":"vbproBoundTextX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies To":"vbproBoundTextA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproBoundTextS"}

Returns or sets the value of the field specified by the **BoundColumn** property.

## Syntax

*object*.**BoundText** [= *value*]

The **BoundText** property syntax has these parts:

Part	Description
<i>object</i>	An <u>object expression</u> that evaluates to an object in the Applies To list.
<i>value</i>	A <u>string expression</u> that specifies a data value.

## Remarks

After a user makes a selection with a **DBList** or **DBCombo** control, the **BoundText** property contains the field value of the **BoundColumn** property. When an item in the list is selected, the item becomes available to the **Data** control specified by the **DataSource** property. The selection also appears in the text box portion of the **DBCombo** control where it can be edited. If the user enters a value in the text box portion, the list portion attempts to position to a matching item. If a match is found, the **BoundText** property value is set, based on the field value of the **BoundColumn** property. If no match is found, the **BoundText** property is set to Null.

Positioning the **Data** control, specified by the **DataSource** property, to a new record sets the **BoundText** property to the value specified by **DataField**. The **DBList** or **DBCombo** control then searches the records in the list to see if the **BoundText** value matches the value of the field in the **BoundColumn** property. If a match is found, the record is highlighted in the list or placed in the text box portion of the **DBCombo** control.

## Data Type

String

## Change Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtChangeEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtChangeEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtChangeEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtChangeEventControlsPlaceholderS"}
```

## Click Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtClickEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtClickEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtClickEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtClickEventControlsPlaceholderS"}
```

## DbClick Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtDbClickEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtDbClickEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtDbClickEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtDbClickEventControlsPlaceholderS"}
```

## DragDrop Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtDragDropEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtDragDropEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtDragDropEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtDragDropEventControlsPlaceholderS"}
```

## DragOver Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtDragOverEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtDragOverEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtDragOverEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtDragOverEventControlsPlaceholderS"}
```

## KeyDown Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtKeyDownEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtKeyDownEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtKeyDownEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtKeyDownEventControlsPlaceholderS"}
```

## KeyPress Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtKeyPressEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtKeyPressEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtKeyPressEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtKeyPressEventControlsPlaceholderS"}
```



## KeyUp Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtKeyUpEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtKeyUpEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtKeyUpEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtKeyUpEventControlsPlaceholderS"}
```

## MouseDown Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtMouseDownEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtMouseDownEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtMouseDownEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtMouseDownEventControlsPlaceholderS"}
```

## MouseMove Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtMouseMoveEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtMouseMoveEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtMouseMoveEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtMouseMoveEventControlsPlaceholderS"}
```

## MouseUp Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtMouseUpEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtMouseUpEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtMouseUpEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtMouseUpEventControlsPlaceholderS"}
```

## OLECompleteDragEvent (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbevOLECompleteDragEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}

HLP95EN.DLL,DYNALINK,"Example": "vbevOLECompleteDragEventControlsPlaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbevOLECompleteDragEventControlsPlaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbevOLECompleteDragEventControlsPlaceholderS"}

{ewc

{ewc

{ewc

## OLEDragDrop Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtOLEDragDropEventPHolderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbevtOLEDragDropEventPHolderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtOLEDragDropEventPHolderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtOLEDragDropEventPHolderS"}
```

## OLEDragOver Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtOLEDragOverEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtOLEDragOverEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtOLEDragOverEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtOLEDragOverEventControlsPlaceholderS"}
```

## OLEGiveFeedback Event (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also":"vbevtOLEGiveFeedbackEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}

HLP95EN.DLL,DYNALINK,"Example":"vbevtOLEGiveFeedbackEventControlsPlaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To":"vbevtOLEGiveFeedbackEventControlsPlaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics":"vbevtOLEGiveFeedbackEventControlsPlaceholderS"}

{ewc

{ewc

{ewc



## OLESetData Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtOLESetDataEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtOLESetDataEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtOLESetDataEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtOLESetDataEventControlsPlaceholderS"}
```

## OLEStartDrag Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtOLEStartDragEventControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbevtOLEStartDragEventControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtOLEStartDragEventControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtOLEStartDragEventControlsPlaceholderS"}
```

## Refresh Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthRefreshMethodControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbmthRefreshMethodControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthRefreshMethodControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthRefreshMethodControlsPlaceholderS"}
```

## OLEDrag Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthOLEDragMethodControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbmthOLEDragMethodControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthOLEDragMethodControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthOLEDragMethodControlsPlaceholderS"}
```

## Appearance Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproAppearancePropertyControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproAppearancePropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproAppearancePropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproAppearancePropertyControlsPlaceholderS"}
```

## BackColor Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBackColorPropertyControlsPlaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproBackColorPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproBackColorPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproBackColorPropertyControlsPlaceholderS"}
```

## Caption Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":vbproBooksOnlineJumpTopic;vbproCaptionPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":vbproCaptionPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":vbproCaptionPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":vbproCaptionPropertyControlsPlaceholderS"}
```

## Enabled Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproEnabledPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproEnabledPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproEnabledPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproEnabledPropertyControlsPlaceholderS"}
```



## Font Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproFontPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproFontPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontPropertyControlsPlaceholderS"}
```

## ForeColor Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproForeColorPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproForeColorPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproForeColorPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproForeColorPropertyControlsPlaceholderS"}
```

## IntegralHeight Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproIntegralHeightPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproIntegralHeightPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproIntegralHeightPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproIntegralHeightPropertyControlsPlaceholderS"}
```

## Locked Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproLockedPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproLockedPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproLockedPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproLockedPropertyControlsPlaceholderS"}
```

## Mouselcon Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproMouselconPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproMouselconPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMouselconPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMouselconPropertyControlsPlaceholderS"}
```

## MousePointer Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproMousePointerPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproMousePointerPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproMousePointerPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproMousePointerPropertyControlsPlaceholderS"}
```

## OLEDragMode Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbproBooksOnlineJumpTopic;vbproOLEDragModePropertyControlsPlaceholderC"}

HLP95EN.DLL,DYNALINK,"Example": "vbproOLEDragModePropertyControlsPlaceholderX": 1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbproOLEDragModePropertyControlsPlaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbproOLEDragModePropertyControlsPlaceholderS"}

{ewc

{ewc

{ewc

## OLEDropMode Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also":"vbproBooksOnlineJumpTopic;vbproOLEDropModePropertyControlsPlaceholderC"}

HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDropModePropertyControlsPlaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDropModePropertyControlsPlaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDropModePropertyControlsPlaceholderS"}

{ewc

{ewc

{ewc



## SelLength Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproSelLengthPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproSelLengthPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproSelLengthPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproSelLengthPropertyControlsPlaceholderS"}
```

## SelStart Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproSelStartPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproSelStartPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproSelStartPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproSelStartPropertyControlsPlaceholderS"}
```

## SelText Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproSelTextPropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproSelTextPropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproSelTextPropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproSelTextPropertyControlsPlaceholderS"}
```

## Style Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproStylePropertyControlsPlaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproStylePropertyControlsPlaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproStylePropertyControlsPlaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproStylePropertyControlsPlaceholderS"}
```

## Text Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":vbproBooksOnlineJumpTopic;vbproTextPropertyControlsPlaceholderC}  
{ewc HLP95EN.DLL,DYNALINK,"Example":vbproTextPropertyControlsPlaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":vbproTextPropertyControlsPlaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":vbproTextPropertyControlsPlaceholderS"}
```

## Keyword Not Found

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic"}

The keyword you've selected can't be found in Visual Basic Help. It's possible that:

- The keyword is misspelled
- You selected too much or too little text
- You asked for help on a word that is not a valid Visual Basic keyword.

The easiest way to get help on a specific keyword is to position the insertion point anywhere within the keyword you want help on and press F1. You do not need to select the keyword. In fact, if you select only a portion of the keyword, or more than a single word, Help will not find what you're looking for.

To use the built-in Help search dialog box, press the **Help Topics** button on the toolbar.

One option to possibly find what you're looking for is to view the ReadMe file that comes with Visual Basic. This document contains information regarding last-minute changes, additions, and deletions that did not make it into the final documentation.

## Left, Top Properties (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproLeftTopPropertiesPlaceholderC"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproLeftTopPropertiesPlaceholderS"}

{ewc

## Height, Width Properties (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproHeightWidthPropertiesPlaceholderC"}

{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproHeightWidthPropertiesPlaceholderS"}



## Tag Property (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproTagPropertyPlaceholderC"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproTagPropertyPlaceholderS"}

{ewc

## ToolTipText Property (Placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproToolTipTextPropertyPlaceholderC"}  
{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproToolTipTextPropertyPlaceholderS"}
```

## Count Property (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproCountPropertyPlaceholderC"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproCountPropertyPlaceholderS"}

{ewc

## Item Method (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproItemMethodPlaceholderC"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthItemMethodPlaceholderS;vbproItemMethodPlaceholderS"}

{ewc

## Hwnd Property (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproHwndPropertyPlaceholderC"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHwndPropertyPlaceholderS"}

{ewc

## TabStop Property (Placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproTabStopPropertyPlaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproTabStopPropertyPlaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproTabStopPropertyPlaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproTabStopPropertyPlaceholderS"}
```

## Visible Property (Placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproVisiblePropertyPlaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproVisiblePropertyPlaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproVisiblePropertyPlaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproVisiblePropertyPlaceholderS"}

## Picture Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproPicturePropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproPicturePropertyplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproPicturePropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproPicturePropertyplaceholderS"}
```



## Max, Min Properties (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproMaxMinPropertiesplaceholderC"}	{ewc
HLP95EN.DLL,DYNALINK,"Example":"vbproMaxMinPropertiesplaceholderX":1}	{ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMaxMinPropertiesplaceholderA"}	{ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMaxMinPropertiesplaceholderS"}	

## Add Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthAddMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthAddMethodplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthAddMethodplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthAddMethodplaceholderS"}
```

## Clear Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthClearMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthClearMethodplaceholderX":-1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthClearMethodplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthClearMethodplaceholderS"}
```

## Container Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproContainerPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproContainerPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproContainerPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproContainerPropertyplaceholderS"}
```

## Controls Collection (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcolControlsCollectionplaceholderC;vbproBooksOnlineJumpTopic"} {ewc
HLP95EN.DLL,DYNALINK,"Example":"vbcolControlsCollectionplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Properties":"vbcolControlsCollectionplaceholderP"} {ewc
HLP95EN.DLL,DYNALINK,"Methods":"vbcolControlsCollectionplaceholderM"} {ewc
HLP95EN.DLL,DYNALINK,"Events":"vbcolControlsCollectionplaceholderE"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbcolControlsCollectionplaceholderS"}
```

## Copies Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproCopiesPropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproCopiesPropertyplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproCopiesPropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproCopiesPropertyplaceholderS"}

## DataBinding Object (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbobjDataBindingObjectplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbobjDataBindingObjectplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Properties":"vbobjDataBindingObjectplaceholderP"} {ewc
HLP95EN.DLL,DYNALINK,"Methods":"vbobjDataBindingObjectplaceholderM"} {ewc
HLP95EN.DLL,DYNALINK,"Events":"vbobjDataBindingObjectplaceholderE"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbobjDataBindingObjectplaceholderS"}
```

## DataBindings Collection (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcolDataBindingsCollectionplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbcolDataBindingsCollectionplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Properties":"vbcolDataBindingsCollectionplaceholderP"} {ewc
HLP95EN.DLL,DYNALINK,"Methods":"vbcolDataBindingsCollectionplaceholderM"} {ewc
HLP95EN.DLL,DYNALINK,"Events":"vbcolDataBindingsCollectionplaceholderE"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbcolDataBindingsCollectionplaceholderS"}
```



## Filename Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproFilenamePropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFilenamePropertyplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFilenamePropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFilenamePropertyplaceholderS"}
```

## FontBold, FontItalic, FontStrikeThru Properties (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See  
Also":"vbproBooksOnlineJumpTopic;vbproFontBoldFontItalicFontStrikeThruPropertiesplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFontBoldFontItalicFontStrikeThruPropertiesplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontBoldFontItalicFontStrikeThruPropertiesplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontBoldFontItalicFontStrikeThruPropertiesplaceholderS"}
```

## FontName Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproFontNamePropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproFontNamePropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontNamePropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontNamePropertyplaceholderS"}
```

# FontSize Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproFontSizePropertyplaceholderC"} {ewc
HLP95EN.DLL,DYNALINK,"Example":"vbproFontSizePropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontSizePropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontSizePropertyplaceholderS"}
```

## GetData Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthGetDataMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthGetDataMethodplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthGetDataMethodplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthGetDataMethodplaceholderS"}
```

## GetFormat Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthGetFormatMethodplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbmthGetFormatMethodplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthGetFormatMethodplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthGetFormatMethodplaceholderS"}
```

## HelpFile Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproHelpFilePropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproHelpFilePropertyplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproHelpFilePropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHelpFilePropertyplaceholderS"}
```

## Item Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproItemPropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproItemPropertyplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproItemPropertyplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproItemPropertyplaceholderS"}
```



## Remove Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthRemoveMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthRemoveMethodplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthRemoveMethodplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthRemoveMethodplaceholderS"}
```

## SetData Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthSetDataMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthSetDataMethodplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthSetDataMethodplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthSetDataMethodplaceholderS"}
```

Align Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproAlignPropertyplaceholderC;vbproBooksOnlineJumpTopic"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproAlignPropertyplaceholderS"}
```

{ewc

## DragIcon Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproDragIconPropertyplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDragIconPropertyplaceholderS"}

{ewc

## DragMode Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproDragModePropertyplaceholderC"}

{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproDragModePropertyplaceholderS"}

## HelpContextID Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproHelpContextIDPropertyplaceholderC"}  
{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproHelpContextIDPropertyplaceholderS"}
```

## TabIndex Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproTabIndexPropertyplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproTabIndexPropertyplaceholderS"}

{ewc

## Alignment Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstAlignmentConstantsplaceholderC;vbproBooksOnlineJumpTopic"}



## Border Property Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstBorderPropertyConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## BorderStyle Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstBorderStyleConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## BorderStyle Property (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbproBooksOnlineJumpTopic;vbproBorderStylePropertyActiveXControlsplaceholderC"}

HLP95EN.DLL,DYNALINK,"Example": "vbproBorderStylePropertyActiveXControlsplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbproBorderStylePropertyActiveXControlsplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbproBorderStylePropertyActiveXControlsplaceholderS"}

{ewc

{ewc

{ewc

## Clear Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthClearMethodActiveXControlsplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbmthClearMethodActiveXControlsplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthClearMethodActiveXControlsplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthClearMethodActiveXControlsplaceholderS"}
```

## Clipboard Object Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstClipboardObjectConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## Color Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstColorConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## CommonDialog Control Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbcstCommonDialogControlConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## CommonDialog Error Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstCommonDialogErrorConstantsplaceholderC;vbproBooksOnlineJumpTopic"}



## Control Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstControlConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## DataBindings Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproDataBindingsPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproDataBindingsPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDataBindingsPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDataBindingsPropertyplaceholderS"}
```

## DDE Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstDDEConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## Drag-and-Drop Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstDragandDropConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## Drawing Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstDrawingConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## FetchVerbs Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthFetchVerbsMethodC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthFetchVerbsMethodX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthFetchVerbsMethodA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthFetchVerbsMethodS"}
```

## Form Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstFormConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## Graphics Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstGraphicsConstantsplaceholderC;vbproBooksOnlineJumpTopic"}



## Grid Control Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstGridControlConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## Help Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstHelpConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## HideSelection Property (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbproBooksOnlineJumpTopic;vbproHideSelectionPropertyActiveXControlsplaceholderC"}

HLP95EN.DLL,DYNALINK,"Example": "vbproHideSelectionPropertyActiveXControlsplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbproHideSelectionPropertyActiveXControlsplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbproHideSelectionPropertyActiveXControlsplaceholderS"}

{ewc

{ewc

{ewc

## HideSelection Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproHideSelectionPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproHideSelectionPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproHideSelectionPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHideSelectionPropertyplaceholderS"}
```

## Image Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproImagePropertyActiveXControlsplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproImagePropertyActiveXControlsplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproImagePropertyActiveXControlsplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproImagePropertyActiveXControlsplaceholderS"}
```

## ImageList Property (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also":"vbproBooksOnlineJumpTopic;vbproImageListPropertyActiveXControlsplaceholderC"}

HLP95EN.DLL,DYNALINK,"Example":"vbproImageListPropertyActiveXControlsplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To":"vbproImageListPropertyActiveXControlsplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics":"vbproImageListPropertyActiveXControlsplaceholderS"}

{ewc

{ewc

{ewc

## Index Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproIndexPropertyActiveXControlsplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproIndexPropertyActiveXControlsplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproIndexPropertyActiveXControlsplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproIndexPropertyActiveXControlsplaceholderS"}
```

## Index Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproIndexPropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example": "vbproIndexPropertyplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To": "vbproIndexPropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics": "vbproIndexPropertyplaceholderS"}
```



## Key Code Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstKeyCodeConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## Key Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproKeyPropertyActiveXControlsplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproKeyPropertyActiveXControlsplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproKeyPropertyActiveXControlsplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproKeyPropertyActiveXControlsplaceholderS"}
```

## Menu Accelerator Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstMenuAcceleratorConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## Menu Control Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstMenuControlConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## Miscellaneous Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstMiscellaneousConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## MousePointer Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstMousePointerConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## OLE Container Control Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstOLEContainerControlConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## Picture Object Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstPictureObjectConstantsplaceholderC;vbproBooksOnlineJumpTopic"}



## Printer Object Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstPrinterObjectConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## RasterOp Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstRasterOpConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## Remove Method (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also": "vbmthRemoveMethodActiveXControlsplaceholderC;vbproBooksOnlineJumpTopic"}

HLP95EN.DLL,DYNALINK,"Example": "vbmthRemoveMethodActiveXControlsplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To": "vbmthRemoveMethodActiveXControlsplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics": "vbmthRemoveMethodActiveXControlsplaceholderS"}

{ewc

{ewc

{ewc

## ShowInTaskbar Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstShowInTaskbarPropertyplaceholderC;vbproBooksOnlineJumpTopic"}

## ShowTips Property (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also":"vbproBooksOnlineJumpTopic;vbproShowTipsPropertyActiveXControlsplaceholderC"}

HLP95EN.DLL,DYNALINK,"Example":"vbproShowTipsPropertyActiveXControlsplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To":"vbproShowTipsPropertyActiveXControlsplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics":"vbproShowTipsPropertyActiveXControlsplaceholderS"}

{ewc

{ewc

{ewc

## ShowWhatsThis Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthShowWhatsThisMethodplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbmthShowWhatsThisMethodplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthShowWhatsThisMethodplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthShowWhatsThisMethodplaceholderS"}
```

## Text Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproTextPropertyActiveXControlsplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproTextPropertyActiveXControlsplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproTextPropertyActiveXControlsplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproTextPropertyActiveXControlsplaceholderS"}
```

## Value Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproValuePropertyActiveXControlsplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproValuePropertyActiveXControlsplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproValuePropertyActiveXControlsplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproValuePropertyActiveXControlsplaceholderS"}
```



## Variant Type Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstVariantTypeConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## Visual Basic Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstVisualBasicConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## WhatsThisButton Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproWhatsThisButtonPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproWhatsThisButtonPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproWhatsThisButtonPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproWhatsThisButtonPropertyplaceholderS"}
```

## WhatsThisHelp Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproWhatsThisHelpPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproWhatsThisHelpPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproWhatsThisHelpPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproWhatsThisHelpPropertyplaceholderS"}
```

## WhatsThisHelpID Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproWhatsThisHelpIDPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproWhatsThisHelpIDPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproWhatsThisHelpIDPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproWhatsThisHelpIDPropertyplaceholderS"}
```

## WhatsThisMode Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthWhatsThisModeMethodplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbmthWhatsThisModeMethodplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthWhatsThisModeMethodplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthWhatsThisModeMethodplaceholderS"}
```

## Windows 95 Control Constants (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcstWindows95ControlConstantsplaceholderC;vbproBooksOnlineJumpTopic"}

## CollsVisible Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproCollsVisiblePropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproCollsVisiblePropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproCollsVisiblePropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproCollsVisiblePropertyplaceholderS"}
```



## ColPos Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproColPosPropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproColPosPropertyplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproColPosPropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproColPosPropertyplaceholderS"}
```

## DataObject Object (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproDataObjectObjectplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproDataObjectObjectplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDataObjectObjectplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbobjDataObjectObjectplaceholderS;vbproDataObjectObjectplaceholderS"}
```

## DataObjectFiles Collection (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcolDataObjectFilesCollectionplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbcolDataObjectFilesCollectionplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Properties":"vbcolDataObjectFilesCollectionplaceholderP"} {ewc
HLP95EN.DLL,DYNALINK,"Methods":"vbcolDataObjectFilesCollectionplaceholderM"} {ewc
HLP95EN.DLL,DYNALINK,"Events":"vbcolDataObjectFilesCollectionplaceholderE"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbcolDataObjectFilesCollectionplaceholderS"}
```

## DataSource Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproDataSourcePropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproDataSourcePropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDataSourcePropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDataSourcePropertyplaceholderS"}
```

## Drag Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthDragMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthDragMethodplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthDragMethodplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthDragMethodplaceholderS"}
```

## DrawMode Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproDrawModePropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproDrawModePropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDrawModePropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDrawModePropertyplaceholderS"}
```

## FixedAlignment Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproFixedAlignmentPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproFixedAlignmentPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFixedAlignmentPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFixedAlignmentPropertyplaceholderS"}
```

## GotFocus Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbevtGotFocusEventplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example": "vbevtGotFocusEventplaceholderX": 1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To": "vbevtGotFocusEventplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics": "vbevtGotFocusEventplaceholderS"}
```



## GridLineWidth Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproGridLineWidthPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproGridLineWidthPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproGridLineWidthPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproGridLineWidthPropertyplaceholderS"}
```

## Index Property (Control Array) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproIndexPropertyControlArrayplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproIndexPropertyControlArrayplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproIndexPropertyControlArrayplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproIndexPropertyControlArrayplaceholderS"}
```

## LostFocus Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbevtLostFocusEventplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbevtLostFocusEventplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbevtLostFocusEventplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbevtLostFocusEventplaceholderS"}
```

## Move Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthMoveMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthMoveMethodplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthMoveMethodplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthMoveMethodplaceholderS"}
```

## Name Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproNamePropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproNamePropertyplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproNamePropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproNamePropertyplaceholderS"}
```

## Object Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproObjectPropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example": "vbproObjectPropertyplaceholderX": 1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To": "vbproObjectPropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics": "vbproObjectPropertyplaceholderS"}
```

## Parent Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproParentPropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproParentPropertyplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproParentPropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproParentPropertyplaceholderS"}
```

## RowColChange Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbevtRowColChangeEventplaceholderC;vbproBooksOnlineJumpTopic"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbevtRowColChangeEventplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbevtRowColChangeEventplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbevtRowColChangeEventplaceholderS"}
```



## RowsVisible Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproRowsVisiblePropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproRowsVisiblePropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproRowsVisiblePropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproRowsVisiblePropertyplaceholderS"}
```

## RowPos Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproRowPosPropertyplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproRowPosPropertyplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproRowPosPropertyplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproRowPosPropertyplaceholderS"}
```

## SetFocus Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthSetFocusMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthSetFocusMethodplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthSetFocusMethodplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthSetFocusMethodplaceholderS"}
```

## ZOrder Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthZOrderMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthZOrderMethodplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthZOrderMethodplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthZOrderMethodplaceholderS"}
```

## Files Method (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthFilesMethodplaceholderC;vbproBooksOnlineJumpTopic"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbmthFilesMethodplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbmthFilesMethodplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbmthFilesMethodplaceholderS"}
```

## Connect Event (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproConnectEventplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproConnectEventplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproConnectEventplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproConnectEventplaceholderS"}
```

## HScrollSmallChange, VScrollSmallChange Properties (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See

Also":"vbproBooksOnlineJumpTopic;vbproHScrollSmallChangeVScrollSmallChangePropertiesplaceholderC"} {ewc

HLP95EN.DLL,DYNALINK,"Example":"vbproHScrollSmallChangeVScrollSmallChangePropertiesplaceholderX":1} {ewc

HLP95EN.DLL,DYNALINK,"Applies To":"vbproHScrollSmallChangeVScrollSmallChangePropertiesplaceholderA"} {ewc

HLP95EN.DLL,DYNALINK,"Specifics":"vbproHScrollSmallChangeVScrollSmallChangePropertiesplaceholderS"} {ewc

## MinHeight, MinWidth Properties (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproMinHeightMinWidthPropertiesplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproMinHeightMinWidthPropertiesplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproMinHeightMinWidthPropertiesplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproMinHeightMinWidthPropertiesplaceholderS"}
```



## Property Pages Dialog Box (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also": "vbproBooksOnlineJumpTopic;vbproPropertyPagesDialogBoxplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example": "vbproPropertyPagesDialogBoxplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To": "vbproPropertyPagesDialogBoxplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics": "vbproPropertyPagesDialogBoxplaceholderS"}
```

## RemoteHost Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproRemoteHostPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproRemoteHostPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproRemoteHostPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproRemoteHostPropertyplaceholderS"}
```

## RemotePort Property (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBooksOnlineJumpTopic;vbproRemotePortPropertyplaceholderC"}
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproRemotePortPropertyplaceholderX":1} {ewc
HLP95EN.DLL,DYNALINK,"Applies To":"vbproRemotePortPropertyplaceholderA"} {ewc
HLP95EN.DLL,DYNALINK,"Specifics":"vbproRemotePortPropertyplaceholderS"}
```

## ViewportHeight, ViewportLeft, ViewportTop, ViewportWidth Properties (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See  
Also":"vbproBooksOnlineJumpTopic;vbproViewportHeightViewportLeftViewportTopViewportWidthPropertiesplaceholderC"}  
{ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproViewportHeightViewportLeftViewportTopViewportWidthPropertiesplaceholderX":1}  
{ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproViewportHeightViewportLeftViewportTopViewportWidthPropertiesplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproViewportHeightViewportLeftViewportTopViewportWidthPropertiesplaceholderS"}
```

## Resync Method (Remote Data) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthResyncMethodRemoteDataplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbmthResyncMethodRemoteDataplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthResyncMethodRemoteDataplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthResyncMethodRemoteDataplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## ContainedVBControls Collection (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbcolContainedVBControlsCollectionplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbcolContainedVBControlsCollectionplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbcolContainedVBControlsCollectionplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbcolContainedVBControlsCollectionplaceholderS"}
```

## Member Object (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMemberObjectplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproMemberObjectplaceholderX":1}  
To":"vbproMemberObjectplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMemberObjectplaceholderS"}
```

```
{ewc  
{ewc HLP95EN.DLL,DYNALINK,"Applies
```

# Members Collection (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMembersCollectionplaceholderC"}

HLP95EN.DLL,DYNALINK,"Example":"vbproMembersCollectionplaceholderX":1}

HLP95EN.DLL,DYNALINK,"Applies To":"vbproMembersCollectionplaceholderA"}

HLP95EN.DLL,DYNALINK,"Specifics":"vbproMembersCollectionplaceholderS"}

{ewc

{ewc

{ewc



## VBComponentsEvents Object (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproVBComponentsEventsObjectplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproVBComponentsEventsObjectplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproVBComponentsEventsObjectplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproVBComponentsEventsObjectplaceholderS"}
```

## VBProjectsEvents Object (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproVBProjectsEventsObjectplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproVBProjectsEventsObjectplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproVBProjectsEventsObjectplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproVBProjectsEventsObjectplaceholderS"}
```

## Files Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscFilesPropertyplaceholderC"}

## Alignment Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscAlignmentPropertyplaceholderC"}

## AboutBox Method (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscAboutBoxMethodplaceholderC"}

## Col, Row Properties (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscColRowPropertiesplaceholderC"}

## RowHeight Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscRowHeightPropertyplaceholderC"}

## Scroll Event (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscScrollEventplaceholderC"}



## ScrollBars Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscScrollBarsPropertyplaceholderC"}

## SelEndCol, SelStartCol, SelEndRow, SelStartRow Properties (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscSelEndColPropertiesplaceholderC"}

## ScrollBars Property (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscScrollBarsPropertyplaceholderC"}

## Appearance Property (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproAppearancePropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproAppearancePropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproAppearancePropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproAppearancePropertyActiveXControlsplaceholderS"}

{ewc  
{ewc  
{ewc

## BackColor, ForeColor Properties (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBackColorForeColorPropertiesActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproBackColorForeColorPropertiesActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproBackColorForeColorPropertiesActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproBackColorForeColorPropertiesActiveXControlsplaceholderS"}
```

## BorderStyle Constants (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBorderStyleConstantsActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproBorderStyleConstantsActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproBorderStyleConstantsActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproBorderStyleConstantsActiveXControlsplaceholderS"}
```

## Caption Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproCaptionPropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproCaptionPropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproCaptionPropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproCaptionPropertyActiveXControlsplaceholderS"}
```

## Change Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproChangeEventActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproChangeEventActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproChangeEventActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproChangeEventActiveXControlsplaceholderS"}
```



## Clear Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproClearMethodActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproClearMethodActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproClearMethodActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproClearMethodActiveXControlsplaceholderS"}
```

## Click Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproClickEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproClickEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproClickEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproClickEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## Clipboard Object Constants (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproClipboardObjectConstantsActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproClipboardObjectConstantsActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproClipboardObjectConstantsActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproClipboardObjectConstantsActiveXControlsplaceholderS"}
```

## Count Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproCountPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproCountPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproCountPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproCountPropertyActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## DataObject Object (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproDataObjectObjectActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproDataObjectObjectActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDataObjectObjectActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDataObjectObjectActiveXControlsplaceholderS"}
```

## DataObjectFiles Collection (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproDataObjectFilesCollectionActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproDataObjectFilesCollectionActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDataObjectFilesCollectionActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDataObjectFilesCollectionActiveXControlsplaceholderS"}
```

## DataSource Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproDataSourcePropertyActiveXControlsplaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproDataSourcePropertyActiveXControlsplaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDataSourcePropertyActiveXControlsplaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDataSourcePropertyActiveXControlsplaceholderS"}
```

```
{ewc
{ewc
{ewc
```

## DblClick Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproDblClickEventActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproDblClickEventActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDblClickEventActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDblClickEventActiveXControlsplaceholderS"}
```



## Drag-and-Drop Constants (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproDragandDropConstantsActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproDragandDropConstantsActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproDragandDropConstantsActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproDragandDropConstantsActiveXControlsplaceholderS"}
```

## Enabled Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproEnabledPropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproEnabledPropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproEnabledPropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproEnabledPropertyActiveXControlsplaceholderS"}
```

## FetchVerbs Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproFetchVerbsMethodActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFetchVerbsMethodActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFetchVerbsMethodActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFetchVerbsMethodActiveXControlsplaceholderS"}
```

## Files Method (ActiveX Controls) (placeholders)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproFilesMethodActiveXControlsplaceholdersC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFilesMethodActiveXControlsplaceholdersX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFilesMethodActiveXControlsplaceholdersA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFilesMethodActiveXControlsplaceholdersS"}
```

## Font Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproFontPropertyActiveXControlsplaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproFontPropertyActiveXControlsplaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontPropertyActiveXControlsplaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontPropertyActiveXControlsplaceholderS"}
{ewc
{ewc
{ewc
```

## FontName Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproFontNamePropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFontNamePropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontNamePropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontNamePropertyActiveXControlsplaceholderS"}
```

## FontSize Property (ActiveX placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproFontSizePropertyActiveXPlaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproFontSizePropertyActiveXPlaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproFontSizePropertyActiveXPlaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproFontSizePropertyActiveXPlaceholderS"}
```

## GetData Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproGetDataMethodActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproGetDataMethodActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproGetDataMethodActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproGetDataMethodActiveXControlsplaceholderS"}
```



## GetFormat Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproGetFormatMethodActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproGetFormatMethodActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproGetFormatMethodActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproGetFormatMethodActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## HideSelection Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproHideSelectionPropertyActiveXControlscomplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproHideSelectionPropertyActiveXControlscomplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproHideSelectionPropertyActiveXControlscomplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHideSelectionPropertyActiveXControlscomplaceholderS"}
```

## hWnd Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproHWNDPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproHWNDPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproHWNDPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHWNDPropertyActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## Item Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproItemMethodActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproItemMethodActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproItemMethodActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproItemMethodActiveXControlsplaceholderS"}
```

## Key Code Constants (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproKeyCodeConstantsActiveXControlsplaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproKeyCodeConstantsActiveXControlsplaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproKeyCodeConstantsActiveXControlsplaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproKeyCodeConstantsActiveXControlsplaceholderS"}
```

```
{ewc
{ewc
{ewc
```

## Key Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproKeyPropertyActiveXControlscomplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproKeyPropertyActiveXControlscomplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproKeyPropertyActiveXControlscomplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproKeyPropertyActiveXControlscomplaceholderS"}
```

## KeyDown, KeyUp Events (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproKeyDownKeyUpEventsActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproKeyDownKeyUpEventsActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproKeyDownKeyUpEventsActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproKeyDownKeyUpEventsActiveXControlsplaceholderS"}
```

## KeyPress Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproKeyPressEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproKeyPressEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproKeyPressEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproKeyPressEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```



## Max, Min Properties (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMaxMinPropertiesActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproMaxMinPropertiesActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMaxMinPropertiesActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMaxMinPropertiesActiveXControlsplaceholderS"}
```

## MouseDown, MouseUp Events (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMouseDownMouseUpEventsActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproMouseDownMouseUpEventsActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMouseDownMouseUpEventsActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMouseDownMouseUpEventsActiveXControlsplaceholderS"}
```

## Mouselcon Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMouselconPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproMouselconPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMouselconPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMouselconPropertyActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## MouseMove Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMouseMoveEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproMouseMoveEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMouseMoveEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMouseMoveEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## MousePointer Constants (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMousePointerConstantsActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproMousePointerConstantsActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMousePointerConstantsActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMousePointerConstantsActiveXControlsplaceholderS"}
```

## MousePointer Property (ActiveX Controls) (placeholder

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproMousePointerPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproMousePointerPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproMousePointerPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproMousePointerPropertyActiveXControlsplaceholderS"}
```

{ewc

{ewc

{ewc

## OLECompleteDrag Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLECompleteDragEventActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLECompleteDragEventActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLECompleteDragEventActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLECompleteDragEventActiveXControlsplaceholderS"}
```

## OLEDrag Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEDragMethodActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDragMethodActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDragMethodActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDragMethodActiveXControlsplaceholderS"}
```



## OLEDragDrop Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEDragDropEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDragDropEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDragDropEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDragDropEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## OLEDragMode Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEDragModePropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDragModePropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDragModePropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDragModePropertyActiveXControlsplaceholderS"}
```

## OLEDragOver Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEDragOverEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDragOverEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDragOverEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDragOverEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## OLEDropMode Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEDropModePropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEDropModePropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEDropModePropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEDropModePropertyActiveXControlsplaceholderS"}
```

## OLEGiveFeedback Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEGiveFeedbackEventActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEGiveFeedbackEventActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEGiveFeedbackEventActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEGiveFeedbackEventActiveXControlsplaceholderS"}
```

## OLESetData Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLESetDataEventActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLESetDataEventActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLESetDataEventActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLESetDataEventActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## OLEStartDrag Event (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproOLEStartDragEventActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproOLEStartDragEventActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproOLEStartDragEventActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproOLEStartDragEventActiveXControlsplaceholderS"}
```

## Picture Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproPicturePropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproPicturePropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproPicturePropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproPicturePropertyActiveXControlsplaceholderS"}
```



## Property Pages Dialog Box (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproPropertyPagesDialogBoxActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproPropertyPagesDialogBoxActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproPropertyPagesDialogBoxActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproPropertyPagesDialogBoxActiveXControlsplaceholderS"}
```

## RemoteHost Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproRemoteHostPropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproRemoteHostPropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproRemoteHostPropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproRemoteHostPropertyActiveXControlsplaceholderS"}
```

## RemotePort Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproRemotePortPropertyActiveXControlsplaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproRemotePortPropertyActiveXControlsplaceholderX":1}
HLP95EN.DLL,DYNALINK,"Applies To":"vbproRemotePortPropertyActiveXControlsplaceholderA"}
HLP95EN.DLL,DYNALINK,"Specifics":"vbproRemotePortPropertyActiveXControlsplaceholderS"}
```

```
{ewc
{ewc
{ewc
```

## SelLength, SelStart, SelText Properties (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproSelLengthSelStartSelTextPropertiesActiveXControlsplaceholderC"}  
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproSelLengthSelStartSelTextPropertiesActiveXControlsplaceholderX":1}  
{ewc HLP95EN.DLL,DYNALINK,"Applies To":"vbproSelLengthSelStartSelTextPropertiesActiveXControlsplaceholderA"}  
{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproSelLengthSelStartSelTextPropertiesActiveXControlsplaceholderS"}
```

## SetData Method (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproSetDataMethodActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproSetDataMethodActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproSetDataMethodActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproSetDataMethodActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## ShowTips Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproShowTipsPropertyActiveXControlscomplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproShowTipsPropertyActiveXControlscomplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproShowTipsPropertyActiveXControlscomplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproShowTipsPropertyActiveXControlscomplaceholderS"}
```

## Text Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproTextPropertyActiveXControlscomplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproTextPropertyActiveXControlscomplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproTextPropertyActiveXControlscomplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproTextPropertyActiveXControlscomplaceholderS"}
```

## Value Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproValuePropertyActiveXControlscomplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproValuePropertyActiveXControlscomplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproValuePropertyActiveXControlscomplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproValuePropertyActiveXControlscomplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```



## hDC Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproHDCPropertyActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproHDCPropertyActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproHDCPropertyActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHDCPropertyActiveXControlsplaceholderS"}
```

## Height, Width Properties (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproHeightWidthPropertiesActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproHeightWidthPropertiesActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproHeightWidthPropertiesActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproHeightWidthPropertiesActiveXControlsplaceholderS"}
```

## Index Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthIndexPropertyActiveXControlscomplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbmthIndexPropertyActiveXControlscomplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthIndexPropertyActiveXControlscomplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthIndexPropertyActiveXControlscomplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## Left, Top Properties (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproLeftTopPropertiesActiveXControlsplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproLeftTopPropertiesActiveXControlsplaceholderX":1} {ewc  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproLeftTopPropertiesActiveXControlsplaceholderA"} {ewc  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproLeftTopPropertiesActiveXControlsplaceholderS"}
```

## Tag Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproTagPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproTagPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproTagPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproTagPropertyActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## Visible Property (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproVisiblePropertyActiveXControlscomplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproVisiblePropertyActiveXControlscomplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproVisiblePropertyActiveXControlscomplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproVisiblePropertyActiveXControlscomplaceholderS"}
```

{ewc

{ewc

{ewc

## Remove Method (ActiveX Controls) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthRemoveMethodActiveXControlscomplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbmthRemoveMethodActiveXControlscomplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthRemoveMethodActiveXControlscomplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthRemoveMethodActiveXControlscomplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## Object Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmthObjectPropertyActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbmthObjectPropertyActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbmthObjectPropertyActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbmthObjectPropertyActiveXControlsplaceholderS"}  
{ewc  
{ewc  
{ewc
```



## Property Pages (ActiveX controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproPropertyPagesActiveXControlsplaceholderC"}  
HLP95EN.DLL,DYNALINK,"Example":"vbproPropertyPagesActiveXControlsplaceholderX":1}  
HLP95EN.DLL,DYNALINK,"Applies To":"vbproPropertyPagesActiveXControlsplaceholderA"}  
HLP95EN.DLL,DYNALINK,"Specifics":"vbproPropertyPagesActiveXControlsplaceholderS"}
```

```
{ewc  
{ewc  
{ewc
```

## No fonts exist (Error 24574) (Common Dialog Control) (complaceholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproNoFontsExistError24574CommonDialogControlcomplaceholderC"}  
{ewc HLP95EN.DLL,DYNALINK,"Example":"vbproNoFontsExistError24574CommonDialogControlcomplaceholderX":1}  
{ewc HLP95EN.DLL,DYNALINK,"Applies To":"vbproNoFontsExistError24574CommonDialogControlcomplaceholderA"}  
{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproNoFontsExistError24574CommonDialogControlcomplaceholderS"}
```

## Help Contents placeholder

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproHelpContentsPlaceholderC"}
HLP95EN.DLL,DYNALINK,"Example":"vbproHelpContentsPlaceholderX":1}
To":"vbproHelpContentsPlaceholderA"}
{ewc HLP95EN.DLL,DYNALINK,"Applies
{ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproHelpContentsPlaceholderS"}
```

## BorderStyle Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproBorderStyleplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproBorderStyleplaceholderX":-1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproBorderStyleplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproBorderStyleplaceholderS"}
```

## RightToLeft Property (ActiveX Controls) (placeholder)

```
{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbproRightToLeftplaceholderC"} {ewc  
HLP95EN.DLL,DYNALINK,"Example":"vbproRightToLeftplaceholderX":1} {ewc HLP95EN.DLL,DYNALINK,"Applies  
To":"vbproRightToLeftplaceholderA"} {ewc HLP95EN.DLL,DYNALINK,"Specifics":"vbproRightToLeftplaceholderS"}
```

## Refresh Method (ActiveX Controls) (placeholder)

{ewc HLP95EN.DLL,DYNALINK,"See Also":"vbmscRefreshMethodActiveXControlsplaceholderC"}

