

TOKEN,C,22	CODE,C,5
!	
!=	
#	
\$	
%	
)	
*	
**	
+	
,	
-	
->	
.	
.AND.	
.F.	
.N.	
.NOT.	
.NULL.	
.OR.	
.T.	
.Y.	
/	C
/R	C
:	
::	
;	
<	
<=	
<>	
<??>	
=	
==	
>	
>=	
?	
??	
???	
@	
ABS	
Accelerate	P
ACCEPT	
ACCESS	
ACCLASS	
ACOPY	
ACOS	
Activate	M
ActivateCell	M
ActiveColumn	P

ActiveControl	P
ActiveForm	P
ActiveObjectId	P
ActivePage	P
ActiveRow	P
ADATABASES	
ADBOBJECTS	
ADD	
AddColumn	M
AddItem	M
ADDITIVE	C
AddListItem	M
AddObject	M
ADDRELATIONTOENV	
ADDTABLETOENV	
ADEL	
ADIR	
AELEMENT	
AERROR	
AFIELDS	
AFONT	
AFTER	C
AfterCloseTables	M
AfterDock	M
AfterRowColChange	M
AGAIN	C
AINDENT	C
AINS	
AINSTANCE	
ALEN	
Alias	P
Alignment	P
ALL	C
AllowResize	P
AllowTabs	P
ALLTRIM	
ALT	C
ALTER	
ALTERNATE	C
AlwaysOnTop	P
AMEMBERS	
AND	C
ANSI	C
ANSITOOEM	
ANY	C
APLABOUT	C
APP	C
APPEND	
APRINTERS	

ARRAY	C
AS	C
ASC	C
ASCAN	
ASCENDING	C
ASCII	C
ASELOBJ	
ASIN	
ASORT	
ASSIST	
ASUBSCRIPT	
Asynchronous	
AT	C
ATAN	
ATC	
ATCLINE	
ATGetColors	P
ATLINE	
ATListColors	P
ATN2	
ATTRIBUTES	C
AUSED	
AutoActivate	P
AutoCenter	P
AutoCloseTables	P
AUTOFORM	
AUTOMATIC	C
AutoOpenTables	P
AutoRelease	P
AUTOREPORT	
AUTOSAVE	C
AutoSize	P
AvailNum	P
AVERAGE	
AVG	C
BackColor	P
BackStyle	P
BAR	C
BaseClass	P
BatchMode	
BatchUpdateCount	
BEFORE	C
BeforeDock	M
BeforeOpenTables	M
BeforeRowColChange	M
BEGIN	
BELL	C
BellSound	
BETWEEN	C

BITAND	
BITCLEAR	
BITLSHIFT	
BITMAP	C
BITNOT	
BITOR	
BITRSHIFT	
BITSET	
BITTEST	
BITXOR	
BLANK	C
BLINK	C
BLOCKSIZE	C
BOF	
BORDER	C
BorderColor	P
BorderStyle	P
BorderWidth	P
BOTTOM	C
Bound	P
BoundColumn	P
Box	M
BROWSE	
BrowseAlignment	P
BrowseCellMarg	P
BrowseDestWidth	P
BrowseRefresh	
BRSTATUS	C
BUCKET	C
Buffering	
BufferMode	P
BufferModeOverride	P
BUFFERS	C
BUILD	
BuilderLock	
ButtonCount	P
ButtonIndex	P
Buttons	P
BY	C
CALCULATE	
CALL	
CanAccelerate	P
Cancel	P
CANDIDATE	C
CanGetFocus	P
CanLoseFocus	P
CAPSLOCK	
Caption	P
CARRY	C

CASCADE	C
CASE	DIU
CATALOG	C
CD	
CDOW	
CDX	C
CEILING	
CENTER	C
CENTRAL	
CENTURY	C
CGA	C
CHANGE	
CHAR	
CHARACTER	C
CHDIR	
CHECK	C
Checkbox	O
ChildAlias	P
ChildOrder	P
CHR	
CHRSAW	
CHRTRAN	
Circle	M
Class	P
CLASSLIB	C
ClassLibrary	P
Clear	M
Click	M
ClipControls	P
ClipRect	P
CLOCK	C
CloneObject	M
Closable	P
CLOSE	
CloseEditor	M
CloseTables	M
Cls	M
CMONTH	
CNT	C
CNTBAR	
CNTPAD	
CODEPAGE	C
COL	
COLLATE	C
COLOR	C
ColorScheme	P
ColorSource	P
Column	O
ColumnCount	P

Sheet1

ColumnHeaders	P
ColumnLines	P
ColumnOrder	P
Columns	P
ColumnWidths	P
COM1	C
COM2	C
ComboBox	O
COMMAND	C
CommandButton	O
CommandGroup	O
Comment	P
COMPACT	C
COMPATIBLE	C
COMPILE	
COMPLETED	
COMPOBJ	
COMPRESS	C
COMPUTE	
CONCAT	
CONFIRM	C
ConnectBusy	
ConnectHandle	
CONNECTION	C
CONNECTIONS	C
ConnectName	
ConnectString	
ConnectTimeOut	
CONNSTRING	C
CONSOLE	C
Container	O
CONTINUE	
Control	O
ControlBox	P
ControlCount	P
ControlIndex	P
Controls	P
ControlSource	P
COPIES	C
COPY	
COS	
COT	
COUNT	
CPCOMPILE	C
CPCONVERT	
CPCURRENT	
CPDBF	
CPDIALOG	C
CPNOTRANS	

CREATE	
CREATEOBJECT	
CrsBuffering	
CrsFetchMemo	
CrsFetchSize	
CrsMaxRows	
CrsMethodUsed	
CrsNumBatch	
CrsShareConnection	
CrsUseMemoSize	
CrsWhereClause	
CTOD	
CTOT	
CURDATE	
CURDIR	
CURRENCY	C
CurrentControl	P
CurrentX	P
CurrentY	P
CurrLeft	
CurrSymbol	
Cursor	O
CursorSource	P
CURTIME	
CURVAL	
Curvature	P
Custom	O
CYCLE	C
Database	P
DATABASES	C
DataEnvironment	O
DataSession	P
DataSessionId	P
DATASOURCE	C
DataSourceObj	P
DataType	P
DATE	C
DATETIME	
DAY	
DAYNAME	
DAYOFMONTH	
DAYOFWEEK	
DAYOFYEAR	
DB4	C
DBALIAS	
DBC	C
DBF	C
DblClick	M
DBMEMO3	C

DBUSED	
DB_BufLockRow	
DB_BufLockTable	
DB_BufOff	
DB_BufOptRow	
DB_BufOptTable	
DB_Complete	
DB_DeleteInsert	
DB_KeyAndModified	
DB_KeyAndTimestamp	
DB_KeyAndUpdatable	
DB_LocalSQL	
DB_NoPrompt	
DB_Prompt	
DB_RemoteSQL	
DB_TransAuto	
DB_TransManual	
DB_TransNone	
DB_Update	
DDEABORTTRANS	
DDEADVISE	
DDEENABLED	
DDEEXECUTE	
DDEINITIATE	
DDELASTERROR	
DDEPOKE	
DDEREQUEST	
DDESETOPTION	
DDESETSERVICE	
DDESETTOPIC	
DDETERMINATE	
Deactivate	M
DEBUG	C
DECIMALS	C
DECLARE	
Default	P
DEFAULTSOURCE	C
DefaultValue	
DefButton	P
DefButtonOrig	P
DefHeight	P
DEFINE	
DefineWindows	P
DefLeft	P
DefTop	P
DefWidth	P
DEGREES	
Delete	M
DeleteColumn	M



Sheet1

Deleted	M
DeleteMark	P
DELETETABLES	C
DeleteTrigger	
DELIMITED	C
DELIMITERS	C
DESC	
DESCENDING	C
Description	
DESIGN	C
Desktop	P
Destroy	M
DEVELOPMENT	C
DEVICE	C
DIF	C
DIFFERENCE	
DIMENSION	
DIR	
DIRECTORY	
Dirty	P
DISABLED	C
DisabledBackColor	P
DisabledByEOF	P
DisabledForeColor	P
DisabledItemBackColor	P
DisabledItemForeColor	P
DisabledPicture	P
DISKSPACE	
DISPLAY	
DisplayValue	P
DispLogin	
DispPageHeight	P
DispPageWidth	P
DispWarnings	
DISTINCT	C
DLLS	C
DMY	
DO	D
DOC	
Dock	M
Docked	P
DockPosition	P
DoCreate	P
DocumentFile	P
DOHISTORY	C
DOS	C
DoScroll	M
DOSMEM	C
DOUBLE	C

Sheet1

DoVerb	M
DOW	
DownClick	M
DownPicture	P
Drag	M
DragDrop	M
DragIcon	P
DragMode	P
DragOver	M
DragState	P
Draw	M
DrawMode	P
DrawStyle	P
DrawWidth	P
DRIVER	C
DROP	
DropDown	M
DTOC	
DTOR	
DTOS	
DTOT	
DUPLEX	C
DynamicAlignment	P
DynamicBackColor	P
DynamicCurrentControl	P
DynamicFontBold	P
DynamicFontItalic	P
DynamicFontName	P
DynamicFontOutline	P
DynamicFontShadow	P
DynamicFontSize	P
DynamicFontStrikethru	P
DynamicFontUnderline	P
DynamicForeColor	P
ECHO	C
EDIT	
EditBox	O
EditFlags	P
EDITWORK	C
EGA25	C
EGA43	C
EJECT	
ELIF	
ELSE	IU
Empty	O
EMS	C
EMS64	C
Enabled	P
EnabledByReadLock	P

ENCRYPT	C
ENCRYPTION	C
END	
ENDCASE	U
ENDDEFINE	RU
ENDDO	U
ENDFOR	U
ENDFUNC	U
ENDIF	U
ENDPRINTJOB	U
ENDPROC	U
ENDSCAN	U
ENDTEXT	U
ENDWITH	U
ENVIRONMENT	C
EnvLevel	P
EOF	
ERASE	
ErasePage	P
Error	M
ErrorMessage	M
ESCAPE	C
EVALUATE	
EVENTS	C
EXACT	C
EXCEPT	C
EXCLUSIVE	
EXE	C
EXISTS	C
EXIT	
EXP	
EXPORT	
EXPRESSION	C
EXTENDED	C
EXTERNAL	
F11F12	C
FCHSIZE	
FCLOSE	
FCOUNT	
FCREATE	
FDOW	C
FEOF	
FERROR	
FETCH	C
FetchMemo	
FetchSize	
FFLUSH	
FGETS	
FIELD	C

FIELDS	C
FILE	C
FILER	
FILES	C
FILL	C
FillColor	P
FillStyle	P
Filter	P
FIND	
FirstElement	P
FIXED	C
FKLABEL	
FKMAX	
FLDLIST	
FLOAT	C
FLOCK	
FLOOR	
FLUSH	
FOLDCONST	C
FONT	C
FontBold	P
FontClass	O
FontItalic	P
FONTMETRIC	
FontName	P
FontOutline	P
FontShadow	P
FontSize	P
FontStrikethru	P
FontUnderline	P
FOOTER	C
FOPEN	
FOR	I
FORCE	C
ForceFocus	P
ForeColor	P
FOREIGN	C
Form	O
Format	P
FormatChange	M
FormCount	P
FormIndex	P
FormPageCount	P
FormPageIndex	P
Forms	P
FormsClass	
Formset	O
FormSetClass	
FormSetLib	

FormsLib	
FOUND	
FOX2X	C
FOXCDE	
FOXDOC	
FoxFont	P
FOXGEN	
FOXGRAPH	
FOXPLUS	C
FoxPro	
FOXVIEW	
FPUTS	
FREAD	
FREE	C
FREEZE	C
FROM	C
FSEEK	
FSIZE	
FULLPATH	C
FUNCTION	FRI
FV	
FW2	C
FWEEK	C
FWRITE	
GATHER	
General	O
GET	C
GETBAR	
GETCOLOR	
GETCP	
GETDIR	
GETENV	
GETEXPR	
GETFILE	
GETFLDSTATE	
GETFONT	
GETNEXTMODIFIED	
GETOBJECT	
GETPAD	
GETPICT	
GETPRINTER	
GETS	C
GLOBAL	C
GO	
GoFirst	P
GoLast	P
GOMONTH	
GotFocus	M
GOTO	

GRAPH	
Grid	O
GridHorz	
GridLineColor	P
GridLines	P
GridLineWidth	P
GridShow	
GridShowPos	
GridSnap	
GridVert	
GROUP	C
GROW	C
HALFHEIGHT	C
HalfHeightCaption	P
HasClip	P
HAVING	C
Header	O
HeaderGap	P
HeaderHeight	P
HEADING	C
HEADINGS	C
Height	P
HELP	
HelpContextID	P
HELPFILTER	C
HelpOn	
HelpTo	
Hide	M
HideSelection	P
Highlight	P
HISTORY	C
HMEMORY	C
HostName	P
HotKey	P
HOUR	
HOURS	C
HPROJ	P
HWnd	P
Icon	P
ID	C
IdleTimeOut	
IDXCOLLATE	
IF	I
IFDEF	
IFNDEF	
IgnoreInsert	P
IIF	
Image	O
IMPORT	

IN	C
INCLUDE	
Increment	P
IncrementalSearch	P
INDBC	
INDEX	
INDEXES	C
IndexToItemId	M
INFORMATION	C
Init	M
InitialSelectedAlias	P
INKEY	
INLIST	
INPUT	
InputMask	P
InResize	P
INSERT	
InsertTrigger	
INSMODE	
INSTRUCT	C
INT	C
INTEGER	C
INTENSITY	C
InteractiveChange	M
INTERSECT	C
Interval	P
INTO	C
IS	C
ISALPHA	
ISCOLOR	
ISDIGIT	
ISEXCLUSIVE	
ISLOWER	
ISNULL	
ISOMETRIC	C
ISREADONLY	
ISUPPER	
ItemBackColor	P
ItemData	P
ItemForeColor	P
ItemIDData	P
ItemIdToIndex	M
JOIN	
JustReadLocked	P
KEY	C
KEYBOARD	
KeyboardHighValue	P
KeyboardLowValue	P
KEYCOLUMNS	C

KEYCOMP	C
KeyField	
KeyFieldList	
KEYMATCH	
KeyPress	M
KeyPreview	P
KEYSET	C
Label	O
LAST	C
LASTKEY	
LastProject	
LCASE	
LEDIT	C
Left	P
LeftColumn	P
LEN	
LENGTH	
LEVEL	C
LIBRARY	C
LIKE	C
Line	M
LINENO	
LineSlant	P
LINKED	C
LinkMaster	P
List	P
ListBox	O
ListCount	P
ListIndex	P
ListItem	P
ListItemId	P
Load	M
LOCAL	
LOCATE	
LOCFILE	
LOCK	C
LockDataSource	P
LockScreen	P
LOG	
LOG10	
LOGERRORS	C
LOGOUT	
LONG	C
LOOKUP	
LOOP	
LostFocus	M
LOWER	
LPARAMETERS	
LPARTITION	C



LTRIM	
LUPDATE	
MAC	C
MACDESKTOP	C
MACHELP	C
MACKEY	C
MACROS	C
MAIL	
Margin	P
MARK	C
MASTER	C
MAX	C
MaxButton	P
MaxHeight	P
MaxLeft	P
MaxLength	P
MAXMEM	C
MaxRecords	
MaxTop	P
MaxWidth	P
MCOL	
MD	
MDI	C
MDIForm	P
MDOWN	
MDX	
MDY	
MEMLIMIT	C
MEMLINES	
Memo	O
MEMORY	C
MEMOS	C
MEMOWIDTH	C
MemoWindow	P
MEMVAR	C
MENU	
MENUS	C
Message	M
MESSAGEBOX	
MESSAGES	C
MIDDLE	C
MIN	C
MinButton	P
MinHeight	P
MINIMIZE	C
MINUS	C
MINUTE	
MinWidth	P
MKDIR	

MLINE	
MOD	C
MODAL	C
MODIFY	
MODULE	C
MONO43	C
MONTH	
MONTHNAME	
MOUSE	
MouseDown	M
MouseMove	M
MousePointer	P
MouseUp	M
Movable	P
Move	M
Moved	M
MoverBars	P
MOVERS	C
MRKBAR	
MRKPAD	
MROW	
MTON	
MULTILOCKS	C
MultiSelect	P
MVARSIZ	C
MVCOUNT	C
MWINDOW	
Name	P
NapTime	P
Native	
NDX	
NEAR	C
NEGOTIATE	C
NETWORK	
NewIndex	P
NewItemId	P
NEXT	U
NOALIAS	C
NOAPPEND	C
NOCLEAR	C
NOCLOSE	C
NOCONSOLE	C
NOCPTRANS	C
NODATA	C
NoDataOnLoad	P
NODEBUG	C
NODEFAULT	
NoDefine	P
NODELETE	C

NODUP	C
NOEDIT	C
NOEJECT	C
NOENVIRONMENT	C
NOFLOAT	C
NOFOLLOW	C
NOGROW	C
NOINIT	C
NOLGRID	C
NOLINK	C
NOLOCK	C
NOMARGIN	C
NOMDI	C
NOMENU	C
NOMINIMIZE	C
NOMODIFY	C
NOMOUSE	C
NONE	C
NOOPTIMIZE	C
NOOVERWRITE	C
NOPROMPT	C
NOREAD	C
NOREFRESH	C
NOREQUERY	C
NORGRID	C
NORMAL	C
NORMALIZE	
NOSAVE	C
NOSHADOW	C
NOSHOW	C
NOSPACE	C
NOT	C
NOTE	
NOTIFY	C
NotifyContainer	P
NOUPDATE	C
NOVALIDATE	C
NOVERIFY	C
NOW	
NOWAIT	C
NOWINDOW	C
NOWRAP	C
NOZOOM	C
NPV	C
NTOM	
NULL	C
NullString	
NUMBER	C
NumberOfElements	P

NUMLOCK	
NVL	
OBJECTS	C
OBJNUM	
OBJREF	
OBJTOCLIENT	
OBJVAR	
OCCURS	
ODBCchdbc	
ODBCchstmt	
ODOMETER	C
OEMTOANSI	
OF	C
OFF	C
OLDVAL	
OleBaseControl	O
OleBoundControl	O
OleClass	P
OleClassId	P
OleClassIDispOut	O
OleControl	O
OleControlContainer	P
OleIDispatchIncoming	P
OleIDispatchOutgoing	P
OleIDispInValue	P
OleIDispOutValue	P
OLEOBJECTS	C
OLETypeAllowed	P
ON	
OneToMany	P
ONLY	C
OnResize	P
OPEN	
OpenEditor	M
OpenTables	M
OpenWindow	P
OPTIMIZE	C
OptionButton	O
OptionGroup	O
OR	C
Oracle	
ORDER	
ORIENTATION	C
OS	
OTHERWISE	IU
OUTPUT	C
OUTSHOW	C
OVERLAY	C
OVERWRITE	C

PACK	
PacketSize	
PAD	C
PADC	
PADL	
PADR	
Page	O
PageCount	P
PageFrame	O
PageHeight	P
PageOrder	P
Pages	P
PageWidth	P
Paint	M
PALETTE	C
Panel	P
PanelLink	P
PAPERLENGTH	C
PAPERSIZE	C
PAPERWIDTH	C
PARAMETERS	
Parent	P
ParentAlias	P
ParentClass	P
Partition	P
PASSWORD	C
PasswordChar	P
PATH	C
PATTERN	C
PAUSE	C
PAYMENT	
PCOL	
PDOX	C
PDSETUP	C
PEN	C
PFS	C
PI	
Picture	P
PIVOT	
PIXELS	C
PLAIN	C
PLAY	
Point	M
POP	
POPUPS	C
POWER	
PRECISION	C
PREFERENCE	C
PREVIEW	C

PRIMARY	C
PrimaryKey	
Print	M
PRINTER	C
PRINTJOB	I
PRINTQUALITY	C
PRINTSTATUS	
PRIVATE	
PRMBAR	
PRMPAD	
PROCEDURE	FRI
PROCEDURES	C
PRODUCTION	C
PROGRAM	C
ProgrammaticChange	M
PROGWORK	C
PROJECT	C
ProjectClick	
PROMPT	C
PROPER	
PROTECTED	I
PROW	
PRTINFO	
PSet	M
PUBLIC	
PUSH	
PUTFILE	
PV	
QPR	
QUATER	
QUERY	C
QueryTimeOut	
QueryUnload	M
QUIT	
RADIANS	
RAND	
RANDOM	C
RANGE	C
RangeHigh	M
RangeLow	M
RAT	
RATLINE	
RD	
RDLEVEL	
READ	
ReadActivate	M
READBORDER	C
ReadColors	P
ReadCycle	P

Sheet1

ReadDeactivate	M
READERROR	C
ReadExpression	M
ReadFiller	P
READKEY	
ReadLock	P
ReadMethod	M
ReadMouse	P
ReadOnly	P
ReadSave	P
ReadShow	M
ReadSize	P
ReadTimeout	P
ReadValid	M
ReadWhen	M
RECALL	
RECCOUNT	
RecentlyUsedFiles	
RECNO	
RECORD	C
RecordMark	P
RecordSource	P
RecordSourceType	P
RECOVER	C
RECSIZE	
Rect	P
RectClass	O
REDIT	C
REFERENCE	C
REFERENCES	C
Refresh	M
REGIONAL	
REINDEX	
RelatedChild	
RelatedTable	
RelatedTag	
Relation	O
RelationalExpr	P
RELATIVE	C
RelativeColumn	P
RelativeRow	P
Release	M
ReleaseErase	P
ReleaseType	P
ReleaseWindows	P
REMOTE	C
REMOVE	
RemoveItem	M
RemoveListItem	M

RemoveObject	M
RENAME	
REPEAT	
REPLACE	
REPLICATE	
REPORT	
REPROCESS	C
Requery	M
Reset	M
ResHeight	
Resizable	P
Resize	M
RESOURCE	C
ResourceOn	
ResourceTo	
REST	C
RESTORE	
RESTRICT	C
RESUME	
ResWidth	
RETRY	
RETURN	
RGB	C
RGBSCHEME	
RIGHT	C
RightClick	M
RLOCK	
RMDIR	
ROLLBACK	
ROUND	
ROW	C
RowHeight	P
ROWSET	C
RowSource	P
RowSourceType	P
RPD	C
RTOD	
RTRIM	
RuleExpression	
RuleText	
RUN	
RUNSCRIPT	
RUNTIME	C
RVIEW	
SAFETY	C
SAME	C
SAMPLE	C
SAVE	
SaveAs	M



Sheet1

SaveAsClass	M
SAY	C
SCALE	C
ScaleMode	P
ScaleUnits	
SCAN	I
SCATTER	
SCHEME	C
SCOLS	
SCOREBOARD	C
SCREEN	C
SCROLL	
ScrollBar	P
Scrolled	M
SDF	C
SEC	
SECOND	
SECONDS	C
SEEK	
SELECT	
Selected	P
SelectedBackColor	P
SelectedForeColor	P
SelectedID	P
SelectedItemBackColor	P
SelectedItemForeColor	P
SELECTION	C
SelectOnEntry	P
SelfEdit	P
SelLength	P
SelStart	P
SelText	P
SendUpdates	
Separator	O
SET	
SetAll	M
SetDefault	
SETFLDSTATE	
SetFocus	M
SETUP	
SHADOWS	C
Shape	O
ShareConnection	
SHARED	C
SHEET	C
SHELL	C
SHIFT	C
Show	M
ShowOLEControls	

ShowOLEInsertable	
ShowTips	P
ShowVCXs	
SHUTDOWN	C
SIGN	
SIN	
SINGLE	C
Sizable	P
SIZE	
Size<height>	P
Size<maxlength>	P
Size<width>	P
Skip	P
SkipForm	P
SKPBAR	
SKPPAD	
SOME	C
SORT	
Sorted	P
SORTWORK	C
SOUNDEX	
SourceName	
SourceType	P
SPACE	C
Sparse	P
SpecialEffect	P
Spinner	O
SpinnerHighValue	P
SpinnerLowValue	P
SQL	C
SQLAsynchronous	
SQLBatchMode	
SQLCOMMIT	
SQLConnectTimeOut	
SQLDispLogin	
SQLDispWarnings	
SQLIdleTimeOut	
SQLL	
SQLQueryTimeOut	
SQLROLLBACK	
SQLSTRINGCONNECT	
SQLTransactions	
SQLWaitTime	
SQRT	
SROWS	
STANDALONE	C
STATUS	C
StatusBar	
StatusBarText	P

STD	C
STEP	C
STICKY	C
STORE	
STR	
Stretch	P
STRING	C
STRTRAN	
STRUCTURE	C
STUFF	
Style	P
SUBCLASS	C
SUBSTR	
SUBSTRING	
SUM	
SUMMARY	C
SUSPEND	
SYLK	C
SYS	
SYSFORMATS	C
SYSTEMENUS	C
SYSMETRIC	
SYSTEM	C
SystemRefCount	P
TAB	C
Tabhit	P
TabIndex	P
TABLE	
TableRefresh	
TABLEREVERT	
TABLES	C
TABLEUPDATE	
TabOrdering	
Tabs	P
TabStop	P
TabStretch	P
Tag	P
TALK	C
TAN	
TARGET	
TEDIT	C
TerminateRead	P
TEXT	
TextBox	O
TextHeight	M
TEXTMERGE	C
TextWidth	M
TIME	C
TIMEOUT	C

Timer	M
TIMESTAMP	
TIMESTAMPDIFF	
TITLES	C
TMPFILES	C
TO	C
Toolbar	O
ToolTipText	P
Top	P
TOPIC	C
TopIndex	P
TopItemid	P
TOTAL	
TRANSACTION	C
Transactions	
TRANSFORM	
TRAP	C
TRBETWEEN	C
TRIGGER	C
TRIM	
TRUNCATE	
TTOC	
TTOD	
TTOPTION	C
TXNLEVEL	
TXTWIDTH	
TYPE	
TYPEAHEAD	C
UCASE	
UDFPARMS	C
UIEnable	M
UNDEFINE	
UnDock	M
UNION	C
UNIQUE	C
Unload	M
UNLOCK	
UnlockDataSource	P
UNPACK	
UpClick	M
Updatable	
UpdatableFieldList	
UPDATE	
UPDATED	
UpdateName	
UpdateNameList	
UpdateTrigger	
UpdateType	
UPPER	

UPSIZING	
USE	
USED	
UseMemoSize	
USERID	C
USERS	C
VAL	
Valid	M
VALIDATE	
Value	P
ValueDirty	P
VALUES	C
VAR	C
VARREAD	
VERB	C
VERSION	
VGA25	C
VGA50	C
View	P
IEWS	C
Visible	P
VOLUME	C
WAIT	
WaitTime	
WasActive	P
WasOpen	P
WBORDER	
WCHILD	
WCOLS	
WEEK	
WEXIST	
WFONT	
When	M
WHERE	C
WhereType	
WHILE	D
Width	P
WINDCMD	
WINDHELP	
WINDMEMO	
WINDMENU	
WINDMODIFY	
WindowList	P
WindowNTIList	P
WINDOWS	C
WindowState	P
WindowType	P
WINDQUERY	
WINDSCREEN	

WINDSNIP	
WINDSTPROC	
WITH	I
WizardPrompt	
WK1	C
WK3	C
WKS	C
WLAST	
WLCOL	
WLROW	
WMAXIMUM	
WMINIMUM	
WONTOP	
WordWrap	P
WORKAREA	C
WOUTPUT	
WP	C
WPARENT	
WR1	C
WRAP	C
WREAD	
WriteExpression	M
WriteMethod	M
WRK	C
WROWS	
WTITLE	
WVISIBLE	
XCMDFILE	C
XL5	C
XLS	C
YEAR	
YRESOLUTION	C
ZAP	
ZOOM	C
ZOrder	M
ZOrderSet	P
[	
]	
^	
_ALIGNMENT	
_ASCIICOLS	
_ASCIROWS	
_ASSIST	
_BEAUTIFY	
_BOX	
_BROWSER	
_BUILDER	
_CALCMEM	
_CALCVALUE	

\_CLIPTEXT  
\_CONVERTER  
\_CUROBJ  
\_DBLCLICK  
\_DIARYDATE  
\_DOS  
\_FOXDOC  
\_FOXGRAPH  
\_GENGRAPH  
\_GENMENU  
\_GENPD  
\_GENSCRN  
\_GENXTAB  
\_INDENT  
\_LMARGIN  
\_MAC  
\_MBROWSE  
\_MBR\_APPND  
\_MBR\_CPART  
\_MBR\_DELET  
\_MBR\_FONT  
\_MBR\_GOTO  
\_MBR\_GRID  
\_MBR\_LINK  
\_MBR\_MODE  
\_MBR\_MVFLD  
\_MBR\_MVPRT  
\_MBR\_SEEK  
\_MBR\_SP100  
\_MBR\_SP200  
\_MBR\_SZFLD  
\_MDATA  
\_MDA\_APPND  
\_MDA\_AVG  
\_MDA\_BROW  
\_MDA\_CALC  
\_MDA\_COPY  
\_MDA\_COUNT  
\_MDA\_LABEL  
\_MDA\_PACK  
\_MDA\_REPRT  
\_MDA\_RINDX  
\_MDA\_SETUP  
\_MDA\_SORT  
\_MDA\_SP100  
\_MDA\_SP200  
\_MDA\_SP300  
\_MDA\_SUM  
\_MDA\_TOTAL

\_MDIARY  
\_MEDIT  
\_MED\_CLEAR  
\_MED\_COPY  
\_MED\_CUT  
\_MED\_CVTST  
\_MED\_FIND  
\_MED\_FINDA  
\_MED\_GOTO  
\_MED\_INSOB  
\_MED\_LINK  
\_MED\_OBJ  
\_MED\_PASTE  
\_MED\_PREF  
\_MED\_PSTLK  
\_MED\_REDO  
\_MED\_REPL  
\_MED\_REPLA  
\_MED\_SLCTA  
\_MED\_SP100  
\_MED\_SP200  
\_MED\_SP300  
\_MED\_SP400  
\_MED\_SP500  
\_MED\_UNDO  
\_MFILE  
\_MFILER  
\_MFIRST  
\_MFI\_CLALL  
\_MFI\_CLOSE  
\_MFI\_EXPORT  
\_MFI\_IMPORT  
\_MFI\_NEW  
\_MFI\_OPEN  
\_MFI\_PGSET  
\_MFI\_PREVU  
\_MFI\_PRINT  
\_MFI\_QUIT  
\_MFI\_REVRT  
\_MFI\_SAVAS  
\_MFI\_SAVE  
\_MFI\_SEND  
\_MFI\_SETUP  
\_MFI\_SP100  
\_MFI\_SP200  
\_MFI\_SP300  
\_MFI\_SP400  
\_MLABEL  
\_MLAST



\_MLINE  
\_MMACRO  
\_MMBLDR  
\_MPROG  
\_MPROJ  
\_MPR\_BEAUT  
\_MPR\_CANCL  
\_MPR\_COMPL  
\_MPR\_DO  
\_MPR\_DOCUM  
\_MPR\_FORMWZ  
\_MPR\_GENER  
\_MPR\_GRAPH  
\_MPR\_RESUM  
\_MPR\_SP100  
\_MPR\_SP200  
\_MPR\_SP300  
\_MPR\_SUSPEND  
\_MRC\_APPND  
\_MRC\_CHNGE  
\_MRC\_CONT  
\_MRC\_DELET  
\_MRC\_GOTO  
\_MRC\_LOCAT  
\_MRC\_RECAL  
\_MRC\_REPL  
\_MRC\_SEEK  
\_MRC\_SP100  
\_MRC\_SP200  
\_MRECORD  
\_MREPORT  
\_MRQBE  
\_MSCREEN  
\_MSM\_DATA  
\_MSM\_EDIT  
\_MSM\_FILE  
\_MSM\_FORMAT  
\_MSM\_PROG  
\_MSM\_RECRD  
\_MSM\_SYSTM  
\_MSM\_TEXT  
\_MSM\_TOOLS  
\_MSM\_VIEW  
\_MSM\_WINDO  
\_MST\_ABOUT  
\_MST\_ASCII  
\_MST\_CALCUL  
\_MST\_CAPTR  
\_MST\_DBASE

\_MST\_DIARY  
\_MST\_FILER  
\_MST\_HELP  
\_MST\_HPHOW  
\_MST\_HPSCH  
\_MST\_MACRO  
\_MST\_OFFICE  
\_MST\_PUZZL  
\_MST\_SP100  
\_MST\_SP200  
\_MST\_SP300  
\_MST\_SPECL  
\_MSYSMENU  
\_MSYSTEM  
\_MTABLE  
\_MTB\_APPND  
\_MTB\_CPART  
\_MTB\_DELET  
\_MTB\_DELRC  
\_MTB\_GOTO  
\_MTB\_LINK  
\_MTB\_MVFLD  
\_MTB\_MVPRT  
\_MTB\_PROPS  
\_MTB\_RECAL  
\_MTB\_SP100  
\_MTB\_SP200  
\_MTB\_SP300  
\_MTB\_SP400  
\_MTB\_SZFLD  
\_MWINDOW  
\_MWIZARDS  
\_MWI\_ARRAN  
\_MWI\_CLEAR  
\_MWI\_CMD  
\_MWI\_COLOR  
\_MWI\_DEBUG  
\_MWI\_HIDE  
\_MWI\_HIDEA  
\_MWI\_MIN  
\_MWI\_MOVE  
\_MWI\_ROTAT  
\_MWI\_SHOWA  
\_MWI\_SIZE  
\_MWI\_SP100  
\_MWI\_SP200  
\_MWI\_TOOLB  
\_MWI\_TRACE  
\_MWI\_VIEW

\_MWI\_ZOOM  
\_MWZ\_ALL  
\_MWZ\_FORM  
\_MWZ\_FOXDOC  
\_MWZ\_IMPORT  
\_MWZ\_LABEL  
\_MWZ\_MAIL  
\_MWZ\_PIVOT  
\_MWZ\_QUERY  
\_MWZ\_REPRT  
\_MWZ\_SETUP  
\_MWZ\_TABLE  
\_MWZ\_UPSIZING  
\_NETWARE  
\_ORACLE  
\_PADVANCE  
\_PAGENO  
\_PBPAGE  
\_PCOLNO  
\_PCOPIES  
\_PDPARMS  
\_PDRIVER  
\_PDSETUP  
\_PECODE  
\_PEJECT  
\_PEPAGE  
\_PFORM  
\_PLENGTH  
\_PLINENO  
\_PLOFFSET  
\_PPITCH  
\_PQUALITY  
\_PRETEXT  
\_PSCODE  
\_PSPACING  
\_PWAIT  
\_RMARGIN  
\_SCREEN  
\_SHELL  
\_SPELLCHK  
\_SQLSERVER  
\_STARTUP  
\_TABS  
\_TALLY  
\_TEXT  
\_THROTTLE  
\_TRANSPORT  
\_TRIGGERLEVEL  
\_UNIX

_WINDOWS	
_WIZARD	
_WRAP	
#ELIF	IU
#ELSE	IU
#ENDIF	U
#IF	I
NORM	C
NOTAB	C
#DEFINE	
#ITSEXPRESSION	
#READCLAUSES	
#REGION	
#SECTION	
#UNDEF	
#WNAME	
French	
German	
Italian	
Japan	
USA	
LPARAMETER	
this	
thisform	
thisformset	
F	
T	
N	
Y	
OlePublic	
Hidden	I
Each	
DoEvents	
DLL	
Outer	
AT_C	
ATCC	
RATC	
LEFTC	
RIGHTC	
SUBSTRC	
STUFFC	
LENC	
CHRTRANC	
IsLeadByte	
IMEStatus	
STRCONV	
BinToC	
CToBin	

IsFLocked	
IsRLocked	
LoadPicture	
SavePicture	
ASSERT	
DoDefault	
_WebMenu	
_SCCTEXT	
_WebVFPHomePage	
_WebVfpOnlineSupport	
_WebDevOnly	
_WebMsftHomePage	
_Coverage	
_VFP	
AllowAddNew	P
AllowHeaderSizing	P
AllowRowSizing	P
Application	P
AutoVerbMenu	P
AutoYield	P
BINTOC	
BoundTo	P
RESOURCES	
CTOBIN	
CREATEOFFLINE	
DataToClip	M
DateFormat	P
DateMark	P
DEBUGOUT	
DefaultFilePath	P
DoCmd	M
DOEVENTS	
DROPOFFLINE	
EACH	
FullName	P
Hours	P
IMEMode	P
IntegralHeight	P
ISFLOCKED	
ISRLOCKED	
ItemTips	P
LOADPICTURE	
MiddleClick	M
Mouselcon	P
MouseWheel	M
NullDisplay	P
OLERequestPendingTimou	P
OLEServerBusyRaiseErro	P
OLEServerBusyTimeout	P

OpenViews	P
RequestData	M
REVERTOFFLINE	
RightToLeft	P
SAVEPICTURE	
SDIForm	P
ASSERTS	
COVERAGE	
EVENTTRACKING	
SetVar	M
ShowWhatsThis	M
ShowWindow	P
SplitBar	P
StrictDateEntry	P
TabStyle	P
WhatsThisButton	P
WhatsThisHelp	P
WhatsThisHelpID	P
WhatsThisMode	M
DBGetProp	
DBSetProp	
CursorGetProp	
CursorSetProp	
CSV	C
NOPROJECTHOOK	C
XL8	C
ADDBS	
AGETCLASS	
AGETFILEVERSION	
ALINES	
AMOUSEOBJ	
ANETRESOURCES	
AVCXCLASSES	
COMCLASSINFO	
CREATEOBJECTEX	
DEFAULTTEXT	
DRIVETYPE	
FILETOSTR	
FORCEEXT	
FORCEPATH	
GETHOST	
INDEXSEEK	
ISHOSTED	
JUSTDRIVE	
JUSTEXT	
JUSTFNAME	
JUSTPATH	
JUSTSTEM	
NEWOBJECT	

OLEReturnError	
StrToFile	
Vartype	
AlignRight	C
_Coverage	
_Gallery	
_GenHTML	
_GetExpr	
_Include	
_RunActiveDoc	
AddProperty	M
DisplayCount	P
NewObject	M
ProjectHook	O
ActiveDoc	O
HyperLink	O
CommandTargetExec	M
CommandTargetQueryStas	M
ContainerRelease	M
EnterFocus	M
ExitFocus	M
HideDoc	M
Run	M
ShowDoc	M
ContinuousScroll	P
HScrollSmallChange	P
TitleBar	P
VScrollSmallChange	P
ViewPortTop	P
ViewPortLeft	P
ViewPortHeight	P
ViewPortWidth	P
SetViewPort	P
Scrolled	P
StartMode	P
ServerName	P
ClearData	M
GetData	M
GetFormat	M
SetData	M
SetFormat	M
OLEDragMode	P
OLEDragPicture	P
OLECompleteDrag	M
OLEGiveFeedback	M
OLESetData	M
OLEStartDrag	M
OLEDrag	M
OLEDropEffects	P

Sheet1

OLEDropHasData	P
OLEDropMode	P
OLEDragDrop	M
OLEDragOver	M
ActiveProject	P
Projects	P
AutoIncrement	P
BuildDateTime	P
Debug	P
Encrypted	P
Files	P
HomeDir	P
MainClass	P
MainFile	P
ProjectHookClass	P
ProjectHookLibrary	P
SCCProvider	P
ServerHelpFile	P
ServerProject	P
TypeLibCLSID	P
TypeLibDesc	P
TypeLibName	P
VersionComments	P
VersionCompany	P
VersionCopyright	P
VersionDescription	P
VersionNumber	P
VersionProduct	P
VersionTrademarks	P
SetMain	M
AfterBuild	M
BeforeBuild	M
QueryAddFile	M
QueryModifyFile	M
QueryRemoveFile	M
QueryRunFile	M
Item	P
CodePage	P
Description	P
Add	M
FileClass	P
FileClassLibrary	P
LastModified	P
SCCStatus	P
AddToSCC	M
CheckIn	M
CheckOut	M
GetLatestVersion	M
RemoveFromSCC	M



## Sheet1

UndoCheckOut	M
Modify	M
CLSID	P
Instancing	P
ProgID	P
ServerClass	P
ServerClassLibrary	P