

S\_NAME,C,20  
vxAppendBlank  
vxAppendFrom  
vxAreaDbf  
vxAreaNtx  
vxBof  
vxBottom  
vxBrowse  
vxBrowseCase  
vxBrowsePos  
vxBrowseSetup  
vxChar  
vxClose  
vxCloseAll  
vxCloseNtx  
vxCollate  
vxCopy  
vxCopyStruc  
vxCreateDbf  
vxCreateNtx  
vxCtlBrowse  
vxCtlBrowseMsg  
vxCtlFormat  
vxCtlGrayReset  
vxCtlGraySet  
vxCtlHwnd  
vxCtlLength  
vxCtlPenWidth  
vxCtlStyle  
vxDateFormat  
vxDateString  
vxDbfCurrent  
vxDbfDate  
vxDbfName  
vxDeallocate  
vxDecimals  
vxDeleted  
vxDeleteRange  
vxDeleteRec  
vxDescend  
vxDouble  
vxEmpty  
vxEof  
vxErrorTest  
vxEval  
vxEvalDouble  
vxEvalLogical  
vxEvalString  
vxExactOff

vxExactOn  
vxField  
vxFieldCount  
vxFieldName  
vxFieldSize  
vxFieldTrim  
vxFieldType  
vxFile  
vxFilter  
vxFilterReset  
vxFormFrame  
vxFound  
vxGetVersion  
vxGo  
vxInit  
vxInteger  
vxIsMemo  
vxIsRecLocked  
vxJoin  
vxJoinNoAuto  
vxJoinReset  
vxLocate  
vxLocateAgain  
vxLockDbf  
vxLocked  
vxLockRecord  
vxLong  
vxMemoEdit  
vxMemoRead  
vxMenuDeclare  
vxMenuItem  
vxNtxCurrent  
vxNtxDeselect  
vxNtxExpr  
vxNtxName  
vxNtxRecNo  
vxNumRecs  
vxPack  
vxPrinterDefault  
vxPrinterEnum  
vxPrinterSelect  
vxRecall  
vxRecNo  
vxRecord  
vxRecSize  
vxReIndex  
vxReplDate  
vxReplDateString  
vxReplDouble

vxReplInteger  
vxReplLogical  
vxReplLong  
vxReplMemo  
vxReplRecord  
vxReplString  
vxSeek  
vxSeekFast  
vxSeekSoft  
vxSelectDbf  
vxSelectNtx  
vxSetAlias  
vxSetAnsi  
vxSetCollate  
vxSetDate  
vxSetErrorCaption  
vxSetErrorMethod  
vxSetHandles  
vxSetLanguage  
vxSetLocks  
vxSetMeters  
vxSetRelation  
vxSetString  
vxSetupPrinter  
vxSkip  
vxSum  
vxTableDeclare  
vxTableField  
vxTableFieldExt  
vxTableReset  
vxTestNtx  
vxTop  
vxTrue  
vxUnlock  
vxUseDbf  
vxUseDbfRO  
vxUseNtx  
vxWindowDereg  
vxWrite  
vxWriteHdr  
vxZap  
vxCreateSubNtx  
vxIsPicture  
vxIsSubNtx  
vxMemoClear  
vxNtxSubExpr  
vxNumRecsSub  
vxPictureImport  
vxPictureRead

vxLockRetry  
vxMemCompact  
vxMemoPos  
vxMemRealloc  
vxNumRecsFilter  
vxSetSelect  
vxUseDbfAgain  
vxUseDbfEX

F\_NAME,C,200  
 TrueOrFalse% = vxAppendBlank()  
 vxAppendFrom(DbfFileName\$)  
 AreaNum% = vxAreaDbf(DbfFileName\$)  
 AreaNumNtx% = vxAreaNtx(NtxFileName\$)  
 TrueOrFalse% = vxBof()  
 TrueOrFalse% = vxBottom()  
 Call vxBrowse(ThisForm.hWnd,DbfHandle%,NtxHandle%,EditMode%,Filter%,EditMenu%,StartRec&,Caption\$,Rtn&)  
 Call vxBrowseCase(Case%)  
 Call vxBrowsePos(Left%,Top%,Width%,Height%)  
 Call vxBrowseSetup(Menus%, PrintMenu%, QCol%, V3D%, FontName\$, FontSize%, Weight%, Italic%, Hdr%, MinMax%, Th  
 string\$ = vxChar(FieldName\$)  
 TrueOrFalse% = vxClose()  
 TrueOrFalse% = vxCloseAll()  
 TrueOrFalse% = vxCloseNtx(NtxHandle%)  
 Call vxCollate(CharMap%)  
 TrueOrFalse% = vxCopy(NewDbfFileName\$)  
 TrueOrFalse% = vxCopyStruc(NewDbfFileName\$)  
 TrueOrFalse% = vxCreateDbf(NewDbfFileName\$,NumFields%,FileStructure)  
 NtxHandle% = vxCreateNtx(NtxFileName\$, NtxExpr\$)  
 TrueOrFalse% = vxCtlBrowse(hWnd%, DbfArea%, NtxArea%, EditMode%, StartRec&, MemohWnd%, MemoField\$)  
 RecNum& = vxCtlBrowseMsg(hWnd%, Msg%, ByVal Param)  
 TrueOrFalse% = vxCtlFormat(TextLen%, PictureFormat%, Decimals%)  
 Call vxCtlGrayReset  
 Call vxCtlGraySet  
 hWnd% = vxCtlHwnd(ControlName)  
 Call vxCtlLength(FieldName\$)  
 Call vxCtlPenWidth(Width%)  
 Call vxCtlStyle(A\_Control,Effect%)  
 Date\$ = vxDateFormat(DateFieldName\$)  
 Date\$ = vxDateString(DateFieldName\$,DateFormat%)  
 CurrentSelectArea% = vxDbfCurrent()  
 LastDate\$ = vxDbfDate()  
 CurrentDbf\$ = vxDbfName()  
 TrueOrFalse% = vxDeallocate()  
 TrueOrFalse% = vxDecimals(NumericFieldName\$)  
 TrueOrFalse% = vxDeleted()  
 TrueOrFalse% = vxDeleteRange(StartRec&,EndRec&)  
 TrueOrFalse% = vxDeleteRec()  
 ComplimentedString\$ = vxDescend(SearchString\$)  
 Call vxDouble(NumericFieldName\$)  
 TrueOrFalse% = vxEmpty(FieldName\$)  
 TrueOrFalse% = vxEof()  
 TrueOrFalse% = vxErrorTest(ErrorStruct)  
 TrueOrFalse% = vxEval(xBaseExpr\$)  
 TrueOrFalse% = vxEvalDouble(Expr\$,Val&)  
 TrueOrFalse% = vxEvalLogical(Expr\$,Logical\$)  
 TrueOrFalse% = vxEvalString(Expr\$,String\$)  
 vxExactOff

```

vxExactOn
FieldContents$ = vxField(FieldName$)
NumofFields% = vxFieldCount()
FieldName$ = vxFieldName(FieldNumber%)
FieldLen% = vxFieldSize(FieldName$)
FieldContents$ = vxFieldTrim(FieldName$)
FieldType$ = vxFieldType(FieldName$)
TrueOrFalse% = vxFile(FileName$)
Call vxFilter(xBaseFilter$)
vxFilterReset
Call vxFormFrame(Form.hWnd)
TrueOrFalse% = vxFound()
Version$ = vxGetVersion()
TrueOrFalse% = vxGo(RecNum&)
Call vxInit
Integer% = vxInteger(FieldName$)
TrueOrFalse% = vxIsMemo(FieldName$)
TrueOrFalse% = vxIsRecLocked()
Call vxJoin(DbHandle%,NtxHandle%,JoinExpr$,KeyType%,Title$)
Call vxJoinNoAuto
Call vxJoinReset
RecordNum& = vxLocate(XExpr$, Direction%)
RecordNum& = vxLocateAgain(XExpr$, Direction%)
TrueOrFalse% = vxLockDbf()
TrueOrFalse% = vxLocked()
TrueOrFalse% = vxLockRecord()
LongNum& = vxLong(FieldName$)
Call vxMemoEdit(Form.hWnd,MemoFieldName$)
String$ = vxMemoRead(MemoFieldName$,LineWidth%)
Call vxMenuDeclare(NumofMenuItems%)
Call vxMenuItem(MenuIndex%,MenuLevel%,MenuCaption$,MenuType%)
ActiveNtx% = vxNtxCurrent()
TrueOrFalse% = vxNtxDeselect()
IndexExpr$ = vxNtxExpr(NtxHandle%)
NtxName$ = vxNtxName(NtxHandle%)
RecNum& = vxNtxRecNo()
NumRecs& = vxNumRecs()
TrueOrFalse% = vxPack(Form.hWnd)
Printer$ = vxPrinterDefault()
Printer$ = vxPrinterEnum(PrinterIndex%)
TrueOrFalse% = vxPrinterSelect(Printer$)
TrueOrFalse% = vxRecall()
RecNum& = vxRecNo()
TrueOrFalse% = vxRecord(RecordStructure)
RecSize% = vxRecSize()
TrueOrFalse% = vxReIndex()
Call vxReplDate(FieldName$,DateString$)
Call vxReplDateString(DateField$,NewDateValue$)
Call vxReplDouble(FieldName$,Amount#)

```

## Sheet1

Call vxReplInteger(FieldName\$,Amount%)  
Call vxReplLogical(FieldName\$,Logical%)  
Call vxReplLong(FieldName\$,Amount&)  
Call vxReplMemo(FieldName\$,MemoString\$)  
Call vxReplRecord(RecordStructure)  
Call vxReplString(FieldName\$,TextString\$)  
TrueOrFalse% = vxSeek(SearchString\$)  
TrueOrFalse% = vxSeekFast(SearchString\$)  
TrueOrFalse% = vxSeekSoft(SearchString\$)  
LastDbfHandle% = vxSelectDbf(DbHandle%)  
LastNtxHandle% = vxSelectNtx(NtxHandle%)  
TrueOrFalse% = vxSetAlias(AliasName\$,DbfHandle%)  
Call vxSetAnsi(TrueOrFalse%)  
Call vxSetCollate(TrueOrFalse%)  
Call vxSetDate(Format%)  
Call vxSetErrorCaption(NewErrorTitle\$)  
Call vxSetErrorMethod(TrueOrFalse%)  
NumAvailHandles% = vxSetHandles(NumofRequestedHandles%)  
Call vxSetLanguage(Language%)  
Call vxSetLocks(OnorOff%)  
Call vxSetMeters(OnorOff%)  
TrueOrFalse% = vxSetRelation(RelatedDbfHandle%,Relationship\$)  
Call vxSetString(NumVal%)  
Call vxSetupPrinter(Form.hWnd)  
TrueOrFalse% = vxSkip(RecsToSkip&)  
Call vxSum(FieldName\$,ReturnAmt&)  
Call vxTableDeclare(Colour%,BOFExpr,EofExpr,Scope%,QuickKey%,Columns%)  
Call vxTableField(Col%,Heading\$,Expr\$,Type%)  
Call vxTableFieldExt(Col%,Heading\$,Expr\$,Type%,Width%,DbfHandle%)  
Call vxTableReset  
TrueOrFalse% = vxTestNtx(NtxHandle%)  
TrueOrFalse% = vxTop()  
TrueOrFalse% = vxTrue(FieldName\$)  
TrueOrFalse% = vxUnlock()  
DbfHandle% = vxUseDbf(DbFileNames\$)  
DbfHandle% = vxUseDbfRO(DbFileNames\$)  
NtxHandle% = vxUseNtx(NtxFileNames\$)  
Call vxWindowDereg(Form.hWnd)  
TrueOrFalse% = vxWrite()  
TrueOrFalse% = vxWriteHdr()  
TrueOrFalse% = vxZap()  
NtxHandle% = vxCreateSubNtx(NtxFileNames\$, NtxExpr\$, ForCond\$)  
TrueOrFalse% = vxIsPicture(MemoFieldNames\$)  
TrueOrFalse% = vxIsSubNtx(NtxArea%)  
j% = vxMemoClear(MemoFieldNames\$)  
Expr\$ = vxNtxSubExpr(NtxArea%)  
NumRecs& = vxNumRecs()  
TrueOrFalse% = vxPictureImport(BMPFileNames\$, MemoFieldNames\$)  
TrueOrFalse% = vxPictureRead(PicHwnd%, MemoFieldNames\$)

```
vxLockRetry ErrorMode%, Wait%  
Bytes& = vxMemCompact()  
vxMemoPos(x%, y%, wide%, height%, title$)  
j% = vxMemRealloc(dbfs%, ntxs%, Buffer%)  
Recs& = vxNumRecsFilter()  
Call vxSetSelect(OnorOff%)  
j% = vxUseDbfAgain(DBFName$)  
j% = vxUseDbfEX(DBFName$)
```



HELP\_ID,C,20