



Help for IniCon

IniCon is a Visual Basic custom control that will make access to INI files easier.

About/Copyright

Usage

Layout

Properties

Usage

Reading from WIN.INI

Set Filename property to blank

Set Section property to the name of the section in WIN.INI

Set Entry property to the name of the entry within the section

Read value in String property (it now contains the value of the profile string specified by Section and Entry)

Writing to WIN.INI

Set Filename property to blank

Set Section property to the name of the section in WIN.INI

Set Entry property to the name of the entry within the section

Write value into String property (this will write the value given into the profile string specified by Section and Entry)

Reading from a private INI file

Set Filename property to the path and filename of the private INI file

Set Section property to the name of the section in WIN.INI

Set Entry property to the name of the entry within the section

Read value in String property (it now contains the value of the profile string specified by Filename, Section and Entry)

Writing to a private INI file

Set Filename property to the path and filename of the private INI file

Set Section property to the name of the section in WIN.INI

Set Entry property to the name of the entry within the section

Write value into String property (this will write the value given into the profile string specified by Filename, Section and Entry)

Layout

If you look in an INI file (WIN.INI is a good example) you'll see many profile strings broken up into sections. Section headers are formatted as follows:

[Section Name]

In each section there are profile strings. Each profile string is identified by a an entry name. These lines are formatted as such:

Entry=String

Properties

IniCon supports most of the usual control properties. On top of those, here are the additional properties that IniCon supports:

Entry

Filename

Section

String

Entry Property

Description

Sets filename of INI file to use.

Usage

`[form.][label.]Entry[= entry$]`

Remarks

This property determines if IniCon uses a private INI file or WIN.INI. If this property is blank, profile strings are read from and written to WIN.INI. If this field is not blank, profile strings are written to and read from the file specified in this property.

Data Type

String

Filename Property

Description

Sets filename of INI file to use.

Usage

`[form.][label.]Filename[= filename$]`

Remarks

This property determines if IniCon uses a private INI file or WIN.INI. If this property is blank, profile strings are read from and written to WIN.INI. If this field is not blank, profile strings are written to and read from the file specified in this property.

Data Type

String

Section Property

Description

Specifies what part of the INI file to use.

Usage

`[form.][label.]Section[= Section$]`

Remarks

This property determines if IniCon uses a private INI file or WIN.INI. If this property is blank, profile strings are read from and written to WIN.INI. If this field is not blank, profile strings are written to and read from the file specified in this property.

Data Type

String

String Property

Description

Value of profile string identified by Filename, Section and Entry properties.

Usage

`[form.][label.]String[= String$]`

Remarks

This property serves two purposes: to read the value of a profile string from an INI file, and to write a profile string to an INI file. When a program reads this property, the profile string is read from the INI file. When a program writes to this property, the value written is put into the INI file specified.

Data Type

String

INI Files

An INI file contains profile strings. Windows programs keep configuration and other pieces of static data them. INI files are managed by the Windows API functions `GetProfileString`, `WriteProfileString`, `GetPrivateProfileString`, and `WritePrivateProfileString`.

About IniCon

IniCon was written by James Shields. Inquiries can be sent to 71231,2066 on CompuServe, or 71231.2066@compuserve.com on Internet. If you must send something via U.S. Mail, the address is:

James Shields
P.O. Box 31926
Seattle, WA 98103-1926

This custom control is shareware. If you use it, send me something. A beer, \$5, a tennis racket. Just something to let me know that you like it. Any and all feedback is welcome. Thanks for using this.

(C) Copyright 1992 by James Shields