

#\$%K IntlDemo Help File#

IntlDemoContext
\$ IntlDemo Help File
^ IntlDemo
HC_APP_APPLICATION

#\$^K Application[#]

\$ Application
K Application
HC_APP_WINDOW

#\$K Window[#]

\$ Window
K Window
HC_APP_QUIT

#\$\$^K Quit[#]

\$ Quit

K Quit

HC_FRAME_CLOCALE

#\$^KC Locale[#]

\$ C Locale

^KC;Locale

HC_FRAME_USLOCALE

#\$\$^K US Locale^#

\$ US Locale

K US;Locale

HC_FRAME_UKLOCALE

#\$\$^K UK Locale^#

\$ UK Locale

K UK;Locale

HC_FRAME_FRALOCALE

#\$\$^K French Locale[#]

^{\$} French Locale

^K French;Locale

[#] HC_FRAME_GERLOCALE

#\$\$^K German Locale#

\$ German Locale

K German;Locale

HC_FRAME_WINDOW

#\$^sK Window[#]

\$ Window

K Window

HC_FRAME_ENGLANG

#\$^K English UI#

^S English UI

^K English;UI

[#] HC_FRAME_FRALANG

#\$^sK French UI[#]

^s French UI

^K French;UI

[#] HC_FRAME_GERLANG

#\$\$^K German UI#

\$ German UI

K German;UI

HC_CLIENT_ISALNUM

`#$${^K\ IsAInum}^#`

`$ IsAInum
^ IsAInum
HC_CLIENT_ISALPHA`

#\$^K IsAlpha[#]

**\$ IsAlnum
K IsAlnum
HC_CLIENT_ISASCII**

#\$^K IsAscii#

**\$ IsAscii
K IsAscii
HC_CLIENT_ISCNTRL**

#\$^K IsCntrl#

**\$ IsCntrl
K IsCntrl
HC_CLIENT_ISDIGIT**

#\$^K IsDigit#

**\$ IsDigit
K IsDigit
HC_CLIENT_ISGRAPH**

`#$sK IsGraph#`

`$ IsGraph
^ IsGraph
HC_CLIENT_ISLOWER`

`#$${}^{\mathrm{K}} \mathrm{IsLower}^{\#}`

`$ IsLower
{}^{\mathrm{K}} \mathrm{IsLower}\n{}^{\#} \mathrm{HC_CLIENT_ISPRINT}`

#\$^K IsPrint[#]

**\$ IsPrint
K IsPrint
HC_CLIENT_ISPUNCT**

#\$^K IsPunct[#]

**\$ IsPunct
K IsPunct
HC_CLIENT_ISSPACE**

`#$sK IsSpace#`

`$ IsSpace
^ IsSpace
HC_CLIENT_ISUPPER`

`#$${}^{\mathrm{K}} \mathrm{IsUpper}^{\#}`

`$ IsUpper
{}^{\mathrm{K}} \mathrm{IsUpper}\n{}^{\#} \mathrm{HC_CLIENT_ISXDIGIT}`

#\$^K IsXDigit

\$ IsXDigit
K IsXDigit