

Sheet1

| MANUFACTUR,C,15 | MODEL,C,16  | HE | AC   | Y    | L   | IN | W | R | E | D | U | S | T | E | A    | C  | C | E | S | S | E | C | M | E | G | A | B      | Y    | D    | I | M | E | I | C | O | N |
|-----------------|-------------|----|------|------|-----|----|---|---|---|---|---|---|---|---|------|----|---|---|---|---|---|---|---|---|---|---|--------|------|------|---|---|---|---|---|---|---|
| ALPS ELECTRIC   | DRND-10A    | 2  | 615  | 616  | 616 |    |   |   |   |   |   |   |   |   | 60.0 | 17 |   |   |   |   |   |   |   |   |   |   | 10.21  | 3.50 | M    | / |   |   |   |   |   |   |
| ALPS ELECTRIC   | DRND-20A    | 4  | 615  | 616  | 616 |    |   |   |   |   |   |   |   |   | 60.0 | 17 |   |   |   |   |   |   |   |   |   |   | 20.42  | 3.50 | M    | / |   |   |   |   |   |   |
| ALPS ELECTRIC   | DRPO-20D    | 2  | 615  | 616  | 616 |    |   |   |   |   |   |   |   |   | 60.0 | 26 |   |   |   |   |   |   |   |   |   |   | 15.62  | 3.50 | R    | / |   |   |   |   |   |   |
| ALPS ELECTRIC   | RPO-20A     | 2  | 615  | 616  | 616 |    |   |   |   |   |   |   |   |   | 60.0 | 26 |   |   |   |   |   |   |   |   |   |   | 15.62  | 3.50 | R    | / |   |   |   |   |   |   |
| AMPEX           | PYXIS-13    | 4  | 320  | 132  | 132 |    |   |   |   |   |   |   |   |   | 90.0 | 17 |   |   |   |   |   |   |   |   |   |   | 10.63  | 5.25 | M    | / |   |   |   |   |   |   |
| AMPEX           | PYXIS-20    | 6  | 320  | 132  | 132 |    |   |   |   |   |   |   |   |   | 90.0 | 17 |   |   |   |   |   |   |   |   |   |   | 15.94  | 5.25 | M    | / |   |   |   |   |   |   |
| AMPEX           | PYXIS-27    | 8  | 320  | 132  | 132 |    |   |   |   |   |   |   |   |   | 90.0 | 17 |   |   |   |   |   |   |   |   |   |   | 21.25  | 5.25 | M    | / |   |   |   |   |   |   |
| AMPEX           | PYXIS-7     | 2  | 320  | 132  | 132 |    |   |   |   |   |   |   |   |   | 90.0 | 17 |   |   |   |   |   |   |   |   |   |   | 5.31   | 5.25 | M    | / |   |   |   |   |   |   |
| ATASI           | 3020        | 3  | 645  | 320  |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 16.06  | 5.25 | M    | / |   |   |   |   |   |   |
| ATASI           | 3033        | 5  | 645  | 320  |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 26.77  | 5.25 | M    | / |   |   |   |   |   |   |
| ATASI           | 3046        | 7  | 645  | 320  |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 37.48  | 5.25 | M    | / |   |   |   |   |   |   |
| ATASI           | 3051        | 7  | 704  | 350  |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 40.91  | 5.25 | M    | / |   |   |   |   |   |   |
| ATASI           | 3051+       | 7  | 733  | 368  |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 42.59  | 5.25 | M    | / |   |   |   |   |   |   |
| ATASI           | 3053        | 7  | 733  | 365  |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 42.59  | 5.25 | M    | / |   |   |   |   |   |   |
| ATASI           | 3058        | 8  | 1024 |      |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 68.00  | 5.25 | M    | / |   |   |   |   |   |   |
| ATASI           | 3075        | 8  | 1024 | 1024 |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 68.00  | 5.25 | M    | / |   |   |   |   |   |   |
| ATASI           | 3085        | 8  | 1024 | 512  |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 68.00  | 5.25 | M    | / |   |   |   |   |   |   |
| BASF            | 6185        | 6  | 440  | 220  | 220 |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 21.91  | 5.25 | M    | / |   |   |   |   |   |   |
| BASF            | 6186        | 4  | 440  | 220  | 220 |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 14.61  | 5.25 | M    | / |   |   |   |   |   |   |
| BASF            | 6187        | 2  | 440  | 220  | 220 |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 7.30   | 5.25 | M    | / |   |   |   |   |   |   |
| BASF            | 6188-R1     | 2  | 612  |      |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 10.16  | 5.25 | M    | / |   |   |   |   |   |   |
| BASF            | 6188-R3     | 4  | 612  |      |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 20.32  | 5.25 | M    | / |   |   |   |   |   |   |
| BULL            | D 530       | 3  | 987  |      |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 24.58  | 5.25 | M    | / |   |   |   |   |   |   |
| BULL            | D 550       | 5  | 987  |      |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 40.96  | 5.25 | M    | / |   |   |   |   |   |   |
| BULL            | D 570       | 7  | 987  |      |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 57.35  | 5.25 | M    | / |   |   |   |   |   |   |
| BULL            | D 585       | 7  | 1166 |      |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 67.75  | 5.25 | M    | / |   |   |   |   |   |   |
| C. ITOH         | YD-3530     | 5  | 731  | 732  |     |    |   |   |   |   |   |   |   |   | 0.0  | 17 |   |   |   |   |   |   |   |   |   |   | 30.34  | 5.25 | M    | / |   |   |   |   |   |   |
| C. ITOH         | YD-3540     | 7  | 731  | 732  |     |    |   |   |   |   |   |   |   |   | 26.0 | 17 |   |   |   |   |   |   |   |   |   |   | 42.48  | 5.25 | M    | / |   |   |   |   |   |   |
| C. ITOH         | YD-3042     | 4  | 788  | 789  |     |    |   |   |   |   |   |   |   |   | 26.0 |    |   |   |   |   |   |   |   |   |   |   |        |      | 5.25 | S | / |   |   |   |   |   |
| C. ITOH         | YD-3082     | 8  | 788  | 789  |     |    |   |   |   |   |   |   |   |   | 26.0 |    |   |   |   |   |   |   |   |   |   |   |        |      | 5.25 | S | / |   |   |   |   |   |
| CARDIFF         | F-3053      | 5  | 1024 |      |     |    |   |   |   |   |   |   |   |   | 20.0 | 17 |   |   |   |   |   |   |   |   |   |   | 42.50  | 3.50 | M    | / |   |   |   |   |   |   |
| CARDIFF         | F-3080      | 5  | 1024 |      |     |    |   |   |   |   |   |   |   |   | 20.0 | 26 |   |   |   |   |   |   |   |   |   |   | 65.00  | 3.50 | S    | / |   |   |   |   |   |   |
| CARDIFF         | F-3127      | 5  | 1024 |      |     |    |   |   |   |   |   |   |   |   | 20.0 | 35 |   |   |   |   |   |   |   |   |   |   | 87.50  | 3.50 | S    | / |   |   |   |   |   |   |
| CARDIFF         | 94166-101   | 5  | 969  |      |     |    |   |   |   |   |   |   |   |   | 16.5 |    |   |   |   |   |   |   |   |   |   |   |        |      | 5.25 | E | / |   |   |   |   |   |
| CARDIFF         | 94166-141   | 7  | 969  |      |     |    |   |   |   |   |   |   |   |   | 16.5 |    |   |   |   |   |   |   |   |   |   |   |        |      | 5.25 | E | / |   |   |   |   |   |
| CARDIFF         | 94166-182   | 9  | 969  |      |     |    |   |   |   |   |   |   |   |   | 16.5 |    |   |   |   |   |   |   |   |   |   |   |        |      | 5.25 | E | / |   |   |   |   |   |
| CARDIFF         | 94186-383   | 13 | 1412 |      |     |    |   |   |   |   |   |   |   |   | 19.5 |    |   |   |   |   |   |   |   |   |   |   |        |      | 5.25 | E | / |   |   |   |   |   |
| CARDIFF         | 94186-383-H | 15 | 1224 |      |     |    |   |   |   |   |   |   |   |   | 14.5 |    |   |   |   |   |   |   |   |   |   |   |        |      | 5.25 | E | / |   |   |   |   |   |
| CARDIFF         | 94186-442   | 15 | 1412 |      |     |    |   |   |   |   |   |   |   |   | 16.0 |    |   |   |   |   |   |   |   |   |   |   |        |      | 5.25 | E | / |   |   |   |   |   |
| CARDIFF         | 94216-106   | 5  | 1024 |      |     |    |   |   |   |   |   |   |   |   | 16.5 |    |   |   |   |   |   |   |   |   |   |   |        |      | 5.25 | E | / |   |   |   |   |   |
| CARDIFF         | 94356-111   | 5  | 1072 |      |     |    |   |   |   |   |   |   |   |   |      | 34 |   |   |   |   |   |   |   |   |   |   | 88.98  | 3.50 | E    | / |   |   |   |   |   |   |
| CARDIFF         | 94356-155   | 7  | 1072 |      |     |    |   |   |   |   |   |   |   |   | 15.0 | 34 |   |   |   |   |   |   |   |   |   |   | 124.58 | 3.50 | E    | / |   |   |   |   |   |   |
| CDC             | 94356-200   | 9  | 1272 |      |     |    |   |   |   |   |   |   |   |   | 18.0 | 34 |   |   |   |   |   |   |   |   |   |   | 190.05 | 3.50 | E    | / |   |   |   |   |   |   |
| CDC             | WREN III    | 5  | 969  |      |     |    |   |   |   |   |   |   |   |   | 18.0 |    |   |   |   |   |   |   |   |   |   |   |        |      | 5.25 | E | / |   |   |   |   |   |
| CDC             | 94155-120   | 8  | 960  | 0    |     |    |   |   |   |   |   |   |   |   | 28.0 | 17 |   |   |   |   |   |   |   |   |   |   | 63.75  | 5.25 | M    | / |   |   |   |   |   |   |
| CDC             | 94155-120P  | 8  | 960  | 0    |     |    |   |   |   |   |   |   |   |   | 28.0 | 17 |   |   |   |   |   |   |   |   |   |   | 63.75  | 5.25 | M    | / |   |   |   |   |   |   |
| CDC             | 94155-135P  | 9  | 960  | 0    |     |    |   |   |   |   |   |   |   |   | 28.0 | 17 |   |   |   |   |   |   |   |   |   |   | 71.72  | 5.25 | M    | / |   |   |   |   |   |   |
| CDC             | 94155-21    | 3  | 697  | 128  |     |    |   |   |   |   |   |   |   |   | 28.0 | 17 |   |   |   |   |   |   |   |   |   |   | 17.36  | 5.25 | M    | / |   |   |   |   |   |   |

Sheet1

|              |             |    |      |      |   |      |    |        |          |
|--------------|-------------|----|------|------|---|------|----|--------|----------|
| CDC          | 94155-36    | 5  | 697  | 128  | 7 | 28.0 | 17 | 28.93  | 5.25 M / |
| CDC          | 94155-48    | 5  | 925  | 128  | 7 | 28.0 | 17 | 38.39  | 5.25 M / |
| CDC          | 94155-57    | 6  | 925  | 128  | 7 | 28.0 | 17 | 46.07  | 5.25 M / |
| CDC          | 94155-67    | 7  | 925  | 128  | 7 | 28.0 | 17 | 53.75  | 5.25 M / |
| CDC          | 94155-85    | 8  | 1024 | 0    | 7 | 28.0 | 17 | 68.00  | 5.25 M / |
| CDC          | 94155-85P   | 8  | 1024 | 0    | 7 | 28.0 | 17 | 68.00  | 5.25 M / |
| CDC          | 94155-86    | 9  | 925  | 128  | 7 | 28.0 | 17 | 69.10  | 5.25 M / |
| CDC          | 94155-96    | 9  | 1024 | 0    | 7 | 28.0 | 17 | 76.50  | 5.25 M / |
| CDC          | 94155-96P   | 9  | 1024 | 0    | 7 | 28.0 | 17 | 76.50  | 5.25 M / |
| CDC          | 94204-65    | 8  | 941  | 0    | 7 | 28.0 | 17 | 62.49  | 5.25 M / |
| CDC          | 94204-71    | 8  | 1024 | 0    | 7 | 28.0 | 17 | 68.00  | 5.25 M / |
| CDC          | 94205-51    | 5  | 989  | 128  | 7 | 32.0 | 17 | 41.05  | 5.25 M / |
| CDC          | 94335-100   | 9  | 1072 |      | 7 | 15.0 | 17 | 80.09  | 3.50 M / |
| CDC          | 94335-100   | 9  | 1072 |      | 7 | 25.0 | 17 | 80.09  | 3.50 M / |
| CDC          | 94335-55    | 5  | 1072 |      | 7 | 16.5 | 17 | 44.49  | 3.50 M / |
| CDC          | 94335-55    | 5  | 1072 |      | 7 | 25.0 | 17 | 44.49  | 3.50 M / |
| CDC          | BJ7D5A      | 4  | 671  | 128  |   |      | 17 | 22.28  | 5.25 M / |
| CDC          | BJ7D5A      | 5  | 671  | 128  |   |      | 17 | 27.85  | 5.25 M / |
| CDC          | 94155-135   | 9  | 960  |      | 7 | 28.0 | 26 | 109.69 | 5.25 R / |
| CDC          | 94205-77    | 5  | 989  |      | 7 | 28.0 | 26 | 62.78  | 5.25 R / |
| CDC          | 94335-150   | 9  | 1072 |      | 7 | 25.0 | 26 | 122.48 | 3.50 R / |
| CDC          | 94335-150   | 9  | 1072 |      | 7 | 15.0 | 28 | 131.91 | 3.50 R / |
| CDC          | 94161-121   | 0  | 969  |      | 7 | 16.5 |    |        | 5.25 S / |
| CDC          | 94161-86    | 0  | 969  |      | 7 | 16.5 |    |        | 5.25 S / |
| CDC          | 94171-300   | 9  | 1365 |      | 7 | 16.5 |    |        | 5.25 S / |
| CDC          | 94171-344   | 9  | 1549 |      | 7 | 17.5 |    |        | 5.25 S / |
| CDC          | 94181-574   | 15 | 1549 |      | 7 | 16.0 |    |        | 5.25 S / |
| CDC          | 94211-106   | 5  | 1024 |      |   | 18.0 |    |        | 5.25 S / |
| CDC          | 94211-209   | 5  | 1547 |      |   | 18.0 |    |        | 5.25 S / |
| CDC          | 94211-91    | 0  | 969  |      | 7 | 16.5 |    |        | 5.25 S / |
| CDC          | 94221-190   | 5  | 1547 |      | 7 | 8.3  |    |        | 5.25 S / |
| CDC          | 94351-128   | 7  | 1068 |      |   |      | 36 | 131.41 | 3.50 S / |
| CDC          | 94351-160   | 9  | 1068 |      |   |      | 36 | 168.96 | 3.50 S / |
| CDC          | 94351-172   | 9  | 0    |      | 7 | 16.5 |    |        | 3.50 S / |
| CDC          | 94351-200   | 9  | 1068 |      |   |      | 36 | 168.96 | 3.50 S / |
| CDC          | 94351-200S  | 9  | 1068 |      |   |      | 36 | 168.96 | 3.50 S / |
| CDC          | 94351-230S  | 9  | 1272 |      |   |      | 36 | 201.23 | 3.50 S / |
| CENTURY DATA | CAST-10203E | 3  | 1050 | 1051 |   | 28.0 | 35 | 53.83  | 5.25 E / |
| CENTURY DATA | CAST-10304  | 4  | 1050 | 1051 |   | 28.0 | 35 | 71.78  | 5.25 E / |
| CENTURY DATA | CAST-10305  | 5  | 1050 | 1051 |   | 28.0 | 35 | 89.72  | 5.25 E / |
| CENTURY DATA | CAST-14404  | 4  | 1590 | 1591 |   | 25.0 | 35 | 108.69 | 5.25 E / |
| CENTURY DATA | CAST-14405  | 5  | 1590 | 1591 |   | 25.0 | 35 | 135.86 | 5.25 E / |
| CENTURY DATA | CAST-14406  | 6  | 1590 | 1591 |   | 25.0 | 35 | 163.04 | 5.25 E / |
| CENTURY DATA | CAST-24509  | 9  | 1599 | 1600 |   | 18.0 | 35 | 245.94 | 5.25 E / |
| CENTURY DATA | CAST-24611  | 11 | 1599 | 1600 |   | 18.0 | 35 | 300.59 | 5.25 E / |
| CENTURY DATA | CAST-24713  | 13 | 1599 | 1600 |   | 18.0 | 35 | 355.25 | 5.25 E / |
| CENTURY DATA | CAST-10203S | 3  | 1050 | 1051 |   | 28.0 | 35 | 53.83  | 5.25 S / |
| CENTURY DATA | CAST-10304S | 4  | 1050 | 1051 |   | 28.0 | 35 | 71.78  | 5.25 S / |
| CENTURY DATA | CAST-10305S | 5  | 1050 | 1051 |   | 28.0 | 35 | 89.72  | 5.25 S / |

Sheet1

|                 |             |    |      |      |      |    |        |          |
|-----------------|-------------|----|------|------|------|----|--------|----------|
| CENTURY DATA    | CAST-14404S | 4  | 1590 | 1591 | 25.0 | 35 | 108.69 | 5.25 S / |
| CENTURY DATA    | CAST-14405S | 5  | 1590 | 1591 | 25.0 | 35 | 135.86 | 5.25 S / |
| CENTURY DATA    | CAST-14406S | 6  | 1590 | 1591 | 25.0 | 35 | 163.04 | 5.25 S / |
| CENTURY DATA    | CAST-24509S | 9  | 1599 | 1600 | 18.0 | 35 | 245.94 | 5.25 S / |
| CENTURY DATA    | CAST-24611S | 11 | 1599 | 1600 | 18.0 | 35 | 300.59 | 5.25 S / |
| CENTURY DATA    | CAST-24713S | 13 | 1599 | 1600 | 18.0 | 35 | 355.25 | 5.25 S / |
| CONNER PERIPHER | CP-3022     | 2  | 636  |      | 26.0 | 27 | 16.77  | 3.50 R / |
| CONNER PERIPHER | CP-3102A    | 8  | 776  |      | 26.0 | 25 | 75.78  | 3.50 R / |
| CONNER PERIPHER | CP-3102B    | 8  | 772  |      | 26.0 | 25 | 75.39  | 3.50 R / |
| CONNER PERIPHER | CP-342      | 4  | 805  |      | 26.0 | 29 | 45.60  | 3.50 R / |
| CONNER PERIPHER | CP-3100     | 8  | 776  |      | 29.0 | 29 | 87.91  | 3.50 S / |
| CONNER PERIPHER | CP-340      | 4  | 788  |      | 29.0 | 29 | 44.63  | 3.50 S / |
| CORE INTNL      | HC 150      | 9  | 564  |      | 16.0 | 35 | 86.75  | 5.25 E / |
| CORE INTNL      | HC 260      | 12 | 1212 |      | 25.0 | 35 | 248.55 | 5.25 E / |
| CORE INTNL      | HC 310      | 12 | 1582 |      | 16.0 | 35 | 324.43 | 5.25 E / |
| CORE INTNL      | HC 40       | 4  | 564  |      | 10.0 | 35 | 38.55  | 5.25 E / |
| CORE INTNL      | HC 90       | 5  | 969  |      | 16.0 | 35 | 82.80  | 5.25 E / |
| CORE INTNL      | AT 30       | 5  | 733  |      | 26.0 | 17 | 30.42  | 5.25 M / |
| CORE INTNL      | AT 32       | 5  | 733  |      | 21.0 | 17 | 30.42  | 5.25 M / |
| CORE INTNL      | AT 40       | 5  | 924  |      | 26.0 | 17 | 38.35  | 5.25 M / |
| CORE INTNL      | AT 63       | 5  | 988  |      | 26.0 | 26 | 62.71  | 5.25 M / |
| CORE INTNL      | AT 72       | 9  | 924  |      | 26.0 | 17 | 69.03  | 5.25 M / |
| CORE INTNL      | OPTIMA 30   | 5  | 733  |      | 21.0 | 17 | 30.42  | 5.25 M / |
| CORE INTNL      | OPTIMA 40   | 5  | 963  |      | 26.0 | 17 | 39.97  | 5.25 M / |
| CORE INTNL      | OPTIMA 70   | 9  | 918  |      | 26.0 | 17 | 68.58  | 5.25 M / |
| CORE INTNL      | AT 30       | 5  | 733  |      | 26.0 | 26 | 46.53  | 5.25 R / |
| CORE INTNL      | AT 32       | 5  | 733  |      | 21.0 | 26 | 46.53  | 5.25 R / |
| CORE INTNL      | AT 40       | 5  | 924  |      | 26.0 | 26 | 58.65  | 5.25 R / |
| CORE INTNL      | AT 63       | 5  | 988  |      | 26.0 | 26 | 62.71  | 5.25 R / |
| CORE INTNL      | AT 72       | 9  | 924  |      | 26.0 | 26 | 105.57 | 5.25 R / |
| CORE INTNL      | OPTIMA 30   | 5  | 733  |      | 21.0 | 26 | 46.53  | 5.25 R / |
| CORE INTNL      | OPTIMA 40   | 5  | 963  |      | 26.0 | 26 | 61.13  | 5.25 R / |
| CORE INTNL      | OPTIMA 70   | 9  | 918  |      | 26.0 | 26 | 104.89 | 5.25 R / |
| CORE INTNL      | FK303-52    | 8  | 615  | 616  | 50.0 | 17 | 40.84  | 3.50 M / |
| FUJI            | FK305-26    | 4  | 615  | 616  | 80.0 | 17 | 20.42  | 3.50 M / |
| FUJI            | FK305-39    | 6  | 615  | 616  | 80.0 | 17 | 30.63  | 3.50 M / |
| FUJI            | FK309-26    | 4  | 615  | 616  | 80.0 | 17 | 20.42  | 3.50 M / |
| FUJI            | FK305-39R   | 4  | 615  |      | 50.0 | 26 | 31.23  | 3.50 R / |
| FUJI            | FK305-58R   | 6  | 615  |      | 50.0 | 26 | 46.85  | 3.50 R / |
| FUJI            | FK308S-39R  | 4  | 615  |      | 50.0 |    |        | 3.50 S / |
| FUJI            | FK308S-58R  | 6  | 615  |      | 50.0 |    |        | 3.50 S / |
| FUJI            | FK309S-50R  | 4  | 615  |      | 50.0 |    |        | 3.50 S / |
| FUJI            | 2244E       | 5  | 823  |      | 25.0 | 35 | 70.32  | 5.25 E / |
| FUJI            | 2245E       | 7  | 823  |      | 25.0 | 35 | 98.45  | 5.25 E / |
| FUJI            | M 2246E     | 10 | 823  |      | 25.0 | 35 | 140.65 | 5.25 E / |
| FUJI            | M 2247E     | 7  | 1243 |      | 25.0 | 35 | 148.70 | 5.25 E / |
| FUJI            | M 2248E     | 11 | 1243 |      | 25.0 | 35 | 233.67 | 5.25 E / |
| FUJI            | M 2249E     | 15 | 1243 |      | 25.0 | 35 | 318.64 | 5.25 E / |
| FUJI            | M 2226D2    | 6  | 615  |      | 35.0 | 17 | 30.63  | 3.50 M / |

Sheet1

|         |           |    |      |     |   |       |    |        |          |
|---------|-----------|----|------|-----|---|-------|----|--------|----------|
| FUJI    | M 2227D2  | 8  | 615  |     |   | 35.0  | 17 | 40.84  | 3.50 M / |
| FUJI    | M 2242AS2 | 7  | 754  |     |   | 30.0  | 17 | 43.81  | 5.25 M / |
| FUJI    | M 2243AS2 | 11 | 754  |     |   | 30.0  | 17 | 68.85  | 5.25 M / |
| FUJI    | M 2243T   | 7  | 1186 |     |   | 25.0  | 17 | 68.91  | 5.25 M / |
| FUJI    | M 2225D   | 4  | 615  |     |   | 35.0  | 26 | 31.23  | 3.50 R / |
| FUJI    | M 2225DR  | 4  | 615  |     |   | 35.0  | 26 | 31.23  | 3.50 R / |
| FUJI    | M 2226DR  | 6  | 615  |     |   | 35.0  | 26 | 46.85  | 3.50 R / |
| FUJI    | M 2227DR  | 8  | 615  |     |   | 35.0  | 26 | 62.46  | 3.50 R / |
| FUJI    | M 2243R   | 7  | 1186 |     |   | 25.0  | 26 | 105.40 | 5.25 R / |
| HITACHI | DK512-12  | 7  | 823  |     |   | 23.0  |    |        | 5.25 E / |
| HITACHI | DK512-17  | 10 | 823  |     |   | 23.0  |    |        | 5.25 E / |
| HITACHI | DK512-8   | 5  | 823  |     |   | 23.0  |    |        | 5.25 E / |
| HITACHI | DK514-38  | 14 | 903  |     |   | 16.0  | 51 | 314.82 | 5.25 E / |
| HITACHI | DK522-10  | 6  | 823  |     |   | 25.0  | 36 | 86.80  | 5.25 E / |
| HITACHI | DK 301-1  | 4  | 306  |     |   | 85.0  | 17 | 10.16  | 3.50 M / |
| HITACHI | DK 301-2  | 6  | 306  |     |   | 85.0  | 17 | 15.24  | 3.50 M / |
| HITACHI | DK 511-3  | 5  | 699  | 300 |   | 30.0  | 17 | 29.01  | 5.25 M / |
| HITACHI | DK 511-5  | 7  | 699  | 300 |   | 30.0  | 17 | 40.62  | 5.25 M / |
| HITACHI | DK 511-8  | 10 | 823  | 400 |   | 23.0  | 17 | 68.32  | 5.25 M / |
| HITACHI | DK 521-5  | 6  | 823  | 400 |   | 25.0  | 17 | 40.99  | 5.25 M / |
| HITACHI | DK512C-12 | 7  | 823  |     |   | 23.0  |    |        | 5.25 S / |
| HITACHI | DK512C-17 | 10 | 819  |     |   | 23.0  | 35 | 139.97 | 5.25 S / |
| HITACHI | DK512C-8  | 5  | 823  |     |   | 23.0  |    |        | 5.25 S / |
| HITACHI | DK522C-10 | 6  | 819  |     |   | 25.0  | 35 | 83.98  | 5.25 S / |
| JCT     | 100       | 0  | 0    |     |   | 110.0 |    |        | 5.25 M / |
| JCT     | 105       | 0  | 0    |     |   | 110.0 |    |        | 5.25 M / |
| JCT     | 110       | 0  | 0    |     |   | 110.0 |    |        | 5.25 M / |
| JCT     | 120       | 0  | 0    |     |   | 110.0 |    |        | 5.25 M / |
| JCT     | KL320     | 4  | 615  |     |   | 48.0  | 17 | 20.42  | 3.50 M / |
| KYOCERA | KC20A     | 4  | 615  |     |   | 65.0  | 17 | 20.42  | 3.50 M / |
| KYOCERA | KC20B     | 4  | 615  |     |   | 65.0  | 17 | 20.42  | 3.50 M / |
| KYOCERA | KC30A     | 4  | 615  |     |   | 65.0  | 26 | 31.23  | 3.50 R / |
| KYOCERA | KC30B     | 4  | 615  |     |   | 65.0  | 26 | 31.23  | 3.50 R / |
| KYOCERA | 3522      | 4  | 306  | 0   | 7 | 0.0   | 17 | 10.16  | 3.50 M / |
| KYOCERA | LT 200    | 4  | 615  | 0   | 7 | 61.0  | 17 | 20.42  | 3.50 M / |
| KYOCERA | LT 2000   | 4  | 615  | 0   | 7 | 61.0  | 17 | 20.42  | 3.50 M / |
| KYOCERA | T-10      | 2  | 615  | 0   | 7 | 0.0   | 17 | 10.21  | 3.50 M / |
| KYOCERA | T-20      | 4  | 615  | 0   | 7 | 61.0  | 17 | 20.42  | 3.50 M / |
| KYOCERA | T-30      | 4  | 615  | 0   | 7 | 61.0  | 27 | 32.43  | 3.50 R / |
| KYOCERA | T-300     | 4  | 615  | 0   | 7 | 61.0  | 27 | 32.43  | 3.50 R / |
| KYOCERA | XT-4170E  | 7  | 1224 |     |   | 14.0  | 35 | 146.43 | 5.25 E / |
| KYOCERA | XT-4175   | 7  | 1224 |     |   | 27.0  |    |        | 5.25 E / |
| KYOCERA | XT-4280E  | 11 | 1224 |     |   | 27.0  | 36 | 236.67 | 5.25 E / |
| KYOCERA | XT-4380E  | 15 | 1224 |     |   | 16.0  | 36 | 322.73 | 5.25 E / |
| KYOCERA | XT-8380E  | 8  | 1632 |     |   | 14.5  | 54 | 344.25 | 5.25 E / |
| KYOCERA | XT-8760E  | 15 | 1632 |     |   | 16.5  | 54 | 645.47 | 5.25 E / |
| KYOCERA | XT-1065   | 7  | 918  |     | 7 | 28.0  | 17 | 53.34  | 5.25 M / |
| KYOCERA | XT-1085   | 8  | 1024 |     | 7 | 28.0  | 17 | 68.00  | 5.25 M / |
| KYOCERA | XT-1105   | 11 | 918  |     | 7 | 27.0  | 17 | 83.82  | 5.25 M / |

Sheet1

|            |          |    |      |   |      |    |         |          |
|------------|----------|----|------|---|------|----|---------|----------|
| KYOCERA    | XT-1140  | 15 | 918  | 7 | 27.0 | 17 | 114.30  | 5.25 M / |
| KYOCERA    | XT-1140  | 15 | 1024 | 7 | 27.0 | 17 | 127.50  | 5.25 M / |
| KYOCERA    | XT-2085  | 7  | 1224 |   | 30.0 | 17 | 71.12   | 5.25 M / |
| KYOCERA    | XT-2140  | 11 | 1224 |   | 30.0 | 17 | 111.76  | 5.25 M / |
| KYOCERA    | XT-2190  | 15 | 1224 | 7 | 29.0 | 17 | 152.40  | 5.25 M / |
| KYOCERA    | XT-4380  | 15 | 1224 |   | 16.0 | 17 | 152.40  | 5.25 M / |
| KYOCERA    | XT-8760  | 15 | 1632 |   | 16.5 | 17 | 203.20  | 5.25 M / |
| KYOCERA    | XT-1120R | 8  | 1024 |   | 27.0 | 26 | 104.00  | 5.25 R / |
| KYOCERA    | XT-1240R | 15 | 1024 |   | 27.0 | 26 | 195.00  | 5.25 R / |
| MAXTOR     | XT-3170  | 9  | 1224 |   | 30.0 | 48 | 258.19  | 5.25 S / |
| MAXTOR     | XT-3380  | 15 | 0    |   | 27.0 |    |         | 5.25 S / |
| MAXTOR     | XT-4170S | 7  | 1224 |   | 14.0 | 36 | 150.61  | 5.25 S / |
| MAXTOR     | XT-4280S | 11 | 1224 |   | 27.0 | 36 | 236.67  | 5.25 S / |
| MAXTOR     | XT-4380S | 15 | 1224 |   | 16.0 | 36 | 322.73  | 5.25 S / |
| MAXTOR     | XT-8380S | 8  | 1632 |   | 14.5 | 54 | 344.25  | 5.25 S / |
| MAXTOR     | XT-8760S | 15 | 1632 |   | 16.5 | 54 | 645.47  | 5.25 S / |
| MICROPOLIS | 1352     | 2  | 1024 |   | 23.0 | 36 | 36.00   | 5.25 E / |
| MICROPOLIS | 1352A    | 3  | 1024 |   | 23.0 | 36 | 54.00   | 5.25 E / |
| MICROPOLIS | 1353     | 4  | 1024 |   | 23.0 | 36 | 72.00   | 5.25 E / |
| MICROPOLIS | 1353A    | 5  | 1024 |   | 23.0 | 36 | 90.00   | 5.25 E / |
| MICROPOLIS | 1354     | 6  | 1024 |   | 23.0 | 36 | 108.00  | 5.25 E / |
| MICROPOLIS | 1354A    | 7  | 1024 |   | 23.0 | 36 | 126.00  | 5.25 E / |
| MICROPOLIS | 1355     | 8  | 1024 |   | 23.0 | 36 | 144.00  | 5.25 E / |
| MICROPOLIS | 1516-10S | 10 | 1840 |   | 13.5 | 72 | 646.88  | 5.25 E / |
| MICROPOLIS | 1517-13  | 13 | 1925 |   | 14.0 | 72 | 879.79  | 5.25 E / |
| MICROPOLIS | 1518-14  | 14 | 1925 |   | 14.0 | 72 | 947.46  | 5.25 E / |
| MICROPOLIS | 1518-15  | 15 | 1925 |   | 14.0 | 72 | 1015.10 | 5.25 E / |
| MICROPOLIS | 1556-11  | 11 | 1224 |   | 18.0 | 36 | 236.67  | 5.25 E / |
| MICROPOLIS | 1557-12  | 12 | 1224 |   | 18.0 | 36 | 258.19  | 5.25 E / |
| MICROPOLIS | 1557-13  | 13 | 1224 |   | 18.0 | 36 | 279.70  | 5.25 E / |
| MICROPOLIS | 1557-14  | 14 | 1224 |   | 18.0 | 36 | 301.22  | 5.25 E / |
| MICROPOLIS | 1557-15  | 15 | 1224 |   | 18.0 | 36 | 322.73  | 5.25 E / |
| MICROPOLIS | 1566-11  | 11 | 1632 |   | 16.0 | 54 | 473.34  | 5.25 E / |
| MICROPOLIS | 1567-12  | 12 | 1632 |   | 16.0 | 54 | 516.38  | 5.25 E / |
| MICROPOLIS | 1567-13  | 13 | 1632 |   | 16.0 | 54 | 559.41  | 5.25 E / |
| MICROPOLIS | 1568-14  | 14 | 1632 |   | 16.0 | 54 | 602.44  | 5.25 E / |
| MICROPOLIS | 1568-15  | 15 | 1632 |   | 16.0 | 54 | 645.47  | 5.25 E / |
| MICROPOLIS | 1653-4   | 4  | 1249 |   | 16.0 | 36 | 87.82   | 5.25 E / |
| MICROPOLIS | 1653-5   | 5  | 1249 |   | 16.0 | 36 | 109.78  | 5.25 E / |
| MICROPOLIS | 1654-6   | 6  | 1249 |   | 16.0 | 36 | 131.73  | 5.25 E / |
| MICROPOLIS | 1654-7   | 7  | 1249 |   | 16.0 | 36 | 153.69  | 5.25 E / |
| MICROPOLIS | 1663-4   | 4  | 1781 |   | 14.0 |    |         | 5.25 E / |
| MICROPOLIS | 1663-5   | 5  | 1781 |   | 14.0 |    |         | 5.25 E / |
| MICROPOLIS | 1664-6   | 6  | 1781 |   | 14.0 |    |         | 5.25 E / |
| MICROPOLIS | 1664-7   | 7  | 1781 |   | 14.0 |    |         | 5.25 E / |
| MICROPOLIS | 1743-5   | 5  | 1140 |   | 15.0 | 48 | 133.59  | 3.50 E / |
| MICROPOLIS | 1744-6   | 6  | 1140 |   | 15.0 | 48 | 160.31  | 3.50 E / |
| MICROPOLIS | 1744-7   | 7  | 1140 |   | 15.0 | 48 | 187.03  | 3.50 E / |
| MICROPOLIS | 1745-8   | 8  | 1140 |   | 15.0 | 48 | 213.75  | 3.50 E / |

Sheet1

|            |          |    |      |     |   |      |    |        |          |
|------------|----------|----|------|-----|---|------|----|--------|----------|
| MICROPOLIS | 1745-9   | 9  | 1140 |     |   | 15.0 | 48 | 240.47 | 3.50 E / |
| MICROPOLIS | 1302     | 3  | 830  | 400 |   | 0.0  | 17 | 20.67  | 5.25 M / |
| MICROPOLIS | 1303     | 5  | 830  | 400 | 7 | 0.0  | 17 | 34.45  | 5.25 M / |
| MICROPOLIS | 1304     | 6  | 830  | 400 | 7 | 0.0  | 17 | 41.34  | 5.25 M / |
| MICROPOLIS | 1323     | 4  | 1024 |     | 7 | 28.0 | 17 | 34.00  | 5.25 M / |
| MICROPOLIS | 1324     | 6  | 1024 |     | 7 | 28.0 | 17 | 51.00  | 5.25 M / |
| MICROPOLIS | 1325     | 8  | 1024 |     | 7 | 28.0 | 17 | 68.00  | 5.25 M / |
| MICROPOLIS | 1333     | 4  | 1024 |     | 7 | 28.0 | 17 | 34.00  | 5.25 M / |
| MICROPOLIS | 1334     | 6  | 1024 |     | 7 | 30.0 | 17 | 51.00  | 5.25 M / |
| MICROPOLIS | 1335     | 8  | 1024 |     | 7 | 30.0 | 17 | 68.00  | 5.25 M / |
| MICROPOLIS | 1353     | 4  | 1024 |     | 7 | 28.0 | 17 | 34.00  | 5.25 M / |
| MICROPOLIS | 1354     | 6  | 1024 |     | 7 | 30.0 | 17 | 51.00  | 5.25 M / |
| MICROPOLIS | 1355     | 8  | 1024 |     | 7 | 30.0 | 17 | 68.00  | 5.25 M / |
| MICROPOLIS | 1551     | 7  | 1024 |     | 7 | 30.0 | 17 | 59.50  | 5.25 M / |
| MICROPOLIS | 1554     | 11 | 1224 |     | 7 | 30.0 | 17 | 111.76 | 5.25 M / |
| MICROPOLIS | 1555     | 12 | 1224 |     | 7 | 30.0 | 17 | 121.92 | 5.25 M / |
| MICROPOLIS | 1556     | 13 | 1224 |     | 7 | 30.0 | 17 | 132.08 | 5.25 M / |
| MICROPOLIS | 1557     | 14 | 1224 |     | 7 | 30.0 | 17 | 142.24 | 5.25 M / |
| MICROPOLIS | 1558     | 15 | 1224 |     | 7 | 30.0 | 17 | 152.40 | 5.25 M / |
| MICROPOLIS | 1323A    | 5  | 1024 |     | 7 | 28.0 | 26 | 65.00  | 5.25 R / |
| MICROPOLIS | 1324A    | 7  | 1024 |     | 7 | 28.0 | 26 | 91.00  | 5.25 R / |
| MICROPOLIS | 1333A    | 5  | 1024 |     | 7 | 28.0 | 26 | 65.00  | 5.25 R / |
| MICROPOLIS | 1334A    | 7  | 1024 |     | 7 | 28.0 | 26 | 91.00  | 5.25 R / |
| MICROPOLIS | 1353A    | 5  | 1024 |     | 7 | 28.0 | 26 | 65.00  | 5.25 R / |
| MICROPOLIS | 1354A    | 7  | 1024 |     | 7 | 28.0 | 26 | 91.00  | 5.25 R / |
| MICROPOLIS | 1373     | 4  | 1024 |     |   | 23.0 | 36 | 72.00  | 5.25 S / |
| MICROPOLIS | 1373A    | 5  | 1024 |     |   | 23.0 | 36 | 90.00  | 5.25 S / |
| MICROPOLIS | 1374     | 6  | 1024 |     |   | 23.0 | 36 | 108.00 | 5.25 S / |
| MICROPOLIS | 1374A    | 7  | 1024 |     |   | 23.0 | 36 | 126.00 | 5.25 S / |
| MICROPOLIS | 1375     | 8  | 1024 |     |   | 23.0 | 36 | 144.00 | 5.25 S / |
| MICROPOLIS | 1576-11  | 11 | 1220 |     |   | 18.0 | 36 | 235.90 | 5.25 S / |
| MICROPOLIS | 1577-12  | 12 | 1220 |     |   | 18.0 | 36 | 257.34 | 5.25 S / |
| MICROPOLIS | 1577-13  | 13 | 1220 |     |   | 18.0 | 36 | 278.79 | 5.25 S / |
| MICROPOLIS | 1578-14  | 14 | 1220 |     |   | 18.0 | 36 | 300.23 | 5.25 S / |
| MICROPOLIS | 1578-15  | 15 | 1220 |     |   | 18.0 | 36 | 321.68 | 5.25 S / |
| MICROPOLIS | 1586-11  | 11 | 1628 |     |   | 16.0 | 54 | 472.18 | 5.25 S / |
| MICROPOLIS | 1587-12  | 12 | 1628 |     |   | 16.0 | 54 | 515.11 | 5.25 S / |
| MICROPOLIS | 1587-13  | 13 | 1628 |     |   | 16.0 | 54 | 558.04 | 5.25 S / |
| MICROPOLIS | 1588-14  | 14 | 1628 |     |   | 16.0 | 54 | 600.96 | 5.25 S / |
| MICROPOLIS | 1588-15  | 15 | 1628 |     |   | 16.0 | 54 | 643.89 | 5.25 S / |
| MICROPOLIS | 1597-10S | 10 | 1834 |     |   | 13.5 | 54 | 483.57 | 5.25 S / |
| MICROPOLIS | 1597-13  | 13 | 1919 |     |   | 14.0 | 54 | 657.78 | 5.25 S / |
| MICROPOLIS | 1598-14  | 14 | 1919 |     |   | 14.0 | 54 | 708.38 | 5.25 S / |
| MICROPOLIS | 1598-15  | 15 | 1919 |     |   | 14.0 | 54 | 758.98 | 5.25 S / |
| MICROPOLIS | 1673-4   | 4  | 1249 |     |   | 16.0 |    |        | 5.25 S / |
| MICROPOLIS | 1673-5   | 5  | 1249 |     |   | 16.0 |    |        | 5.25 S / |
| MICROPOLIS | 1674-6   | 6  | 1249 |     |   | 16.0 |    |        | 5.25 S / |
| MICROPOLIS | 1674-7   | 7  | 1249 |     |   | 16.0 |    |        | 5.25 S / |
| MICROPOLIS | 1683-4   | 4  | 1776 |     |   | 14.0 | 54 | 187.31 | 5.25 S / |

Sheet1

|              |           |    |      |     |   |       |    |        |          |
|--------------|-----------|----|------|-----|---|-------|----|--------|----------|
| MICROPOLIS   | 1683-5    | 5  | 1776 |     |   | 14.0  | 54 | 234.14 | 5.25 S / |
| MICROPOLIS   | 1684-6    | 6  | 1776 |     |   | 14.0  | 54 | 280.97 | 5.25 S / |
| MICROPOLIS   | 1684-7    | 7  | 1776 |     |   | 14.0  | 54 | 327.80 | 5.25 S / |
| MICROPOLIS   | 1773-5    | 5  | 1140 |     |   | 15.0  | 48 | 133.59 | 3.50 S / |
| MICROPOLIS   | 1774-6    | 6  | 1140 |     |   | 15.0  | 48 | 160.31 | 3.50 S / |
| MICROPOLIS   | 1774-7    | 7  | 1140 |     |   | 15.0  | 48 | 187.03 | 3.50 S / |
| MICROPOLIS   | 1775-8    | 8  | 1140 |     |   | 15.0  | 48 | 213.75 | 3.50 S / |
| MICROPOLIS   | 1775-9    | 9  | 1140 |     |   | 15.0  | 48 | 240.47 | 3.50 S / |
| MICROSCIENCE | 5100      | 7  | 855  |     |   | 18.0  | 36 | 105.21 | 3.50 E / |
| MICROSCIENCE | 7040      | 3  | 855  |     |   | 18.0  | 36 | 45.09  | 3.50 E / |
| MICROSCIENCE | 7100      | 7  | 855  |     |   | 18.0  | 36 | 105.21 | 3.50 E / |
| MICROSCIENCE | HH-2120   | 7  | 1024 |     |   | 28.0  | 33 | 115.50 | 5.25 E / |
| MICROSCIENCE | HH-1050   | 5  | 1024 |     | 0 | 28.0  | 17 | 42.50  | 5.25 M / |
| MICROSCIENCE | HH-1075   | 7  | 1024 |     |   | 28.0  | 17 | 59.50  | 5.25 M / |
| MICROSCIENCE | HH-1090   | 7  | 1314 |     |   | 28.0  | 17 | 76.35  | 5.25 M / |
| MICROSCIENCE | HH-2160   | 7  | 1276 |     |   | 18.0  | 17 | 74.14  | 3.50 M / |
| MICROSCIENCE | HH-4050   | 5  | 1024 |     |   | 18.0  | 17 | 42.50  | 3.50 M / |
| MICROSCIENCE | HH-4060   | 5  | 1024 |     |   | 18.0  | 17 | 42.50  | 3.50 M / |
| MICROSCIENCE | HH-4070   | 7  | 1024 |     |   | 18.0  | 17 | 59.50  | 3.50 M / |
| MICROSCIENCE | HH-4090   | 7  | 1024 |     |   | 18.0  | 17 | 59.50  | 3.50 M / |
| MICROSCIENCE | HH-712    | 2  | 612  |     | 0 | 105.0 | 17 | 10.16  | 5.25 M / |
| MICROSCIENCE | HH-725    | 4  | 612  |     | 0 | 105.0 | 17 | 20.32  | 5.25 M / |
| MICROSCIENCE | HH-825    | 4  | 612  |     |   | 65.0  | 17 | 20.32  | 5.25 M / |
| MICROSCIENCE | HH-1060   | 5  | 1024 |     |   | 28.0  | 26 | 65.00  | 5.25 R / |
| MICROSCIENCE | HH-1095   | 7  | 1024 |     |   | 28.0  | 26 | 91.00  | 5.25 R / |
| MICROSCIENCE | HH-1120   | 7  | 1314 |     |   | 28.0  | 26 | 116.77 | 5.25 R / |
| MICROSCIENCE | HH-738    | 4  | 612  |     |   | 105.0 | 26 | 31.08  | 5.25 R / |
| MICROSCIENCE | HH-830    | 4  | 615  |     |   | 65.0  | 26 | 31.23  | 5.25 R / |
| MICROSCIENCE | 6100      | 7  | 855  |     |   | 18.0  | 36 | 105.21 | 3.50 S / |
| MICROSCIENCE | HH-3120   | 7  | 1314 |     |   | 28.0  |    |        | 5.25 S / |
| MICROSCIENCE | 3085E     | 3  | 1270 |     |   | 17.0  |    |        | 5.25 E / |
| MICROSCIENCE | 3130E     | 5  | 1250 |     |   | 17.0  |    |        | 5.25 E / |
| MICROSCIENCE | 3180E     | 7  | 1254 |     |   | 17.0  |    |        | 5.25 E / |
| MICROSCIENCE | 8051AT    | 4  | 745  |     |   | 28.0  | 28 | 40.74  | 3.50 E / |
| MICROSCIENCE | 8225AT    | 2  | 745  |     |   | 28.0  | 28 | 20.37  | 3.50 E / |
| MICROSCIENCE | 8450AT    | 4  | 745  |     |   | 40.0  | 28 | 40.74  | 3.50 E / |
| MICROSCIENCE | 9230      | 9  | 1224 |     |   | 16.0  |    |        | 5.25 E / |
| MICROSCIENCE | 9230E     | 9  | 1224 |     |   | 17.0  |    |        | 5.25 E / |
| MICROSCIENCE | 9380      | 15 | 1224 |     |   | 16.0  |    |        | 5.25 E / |
| MICROSCIENCE | 9380E     | 15 | 1224 |     |   | 17.0  |    |        | 5.25 E / |
| MICROSCIENCE | 9424E     | 8  | 1661 |     |   | 17.0  |    |        | 5.25 E / |
| MICROSCIENCE | 9780E     | 15 | 1661 |     |   | 17.0  |    |        | 5.25 E / |
| MICROSCIENCE | 3053      | 5  | 1024 |     |   | 25.0  | 17 | 42.50  | 5.25 M / |
| MICROSCIENCE | 3053II    | 5  | 1024 |     |   | 25.0  | 17 | 42.50  | 5.25 M / |
| MICROSCIENCE | 3085      | 7  | 1170 | 512 | 7 | 20.0  | 17 | 67.98  | 5.25 M / |
| MICROSCIENCE | 3130      | 5  | 1250 |     |   | 17.0  | 17 | 51.88  | 5.25 M / |
| MICROSCIENCE | 3180      | 7  | 1250 |     |   | 17.0  | 17 | 72.63  | 5.25 M / |
| MICROSCIENCE | 3212      | 2  | 612  | 128 |   | 85.0  | 17 | 10.16  | 5.25 M / |
| MICROSCIENCE | 3212 PLUS | 2  | 612  | 128 |   | 53.0  | 17 | 10.16  | 5.25 M / |

Sheet1

|              |           |    |      |     |     |      |    |        |          |
|--------------|-----------|----|------|-----|-----|------|----|--------|----------|
| MICROSCIENCE | 3425      | 4  | 612  | 0   | 7   | 85.0 | 17 | 20.32  | 5.25 M / |
| MICROSCIENCE | 3425 PLUS | 4  | 612  |     | 306 | 53.0 | 17 | 20.32  | 5.25 M / |
| MICROSCIENCE | 3650      | 6  | 809  | 0   | 7   | 61.0 | 17 | 40.29  | 5.25 M / |
| MICROSCIENCE | 3650F     | 6  | 809  | 0   | 7   | 46.0 | 17 | 40.29  | 5.25 M / |
| MICROSCIENCE | 3675      | 6  | 809  | 0   | 7   | 61.0 | 17 | 40.29  | 5.25 M / |
| MICROSCIENCE | 6032      | 3  | 1024 | 512 | 7   | 28.0 | 17 | 25.50  | 5.25 M / |
| MICROSCIENCE | 6053      | 5  | 1024 | 512 | 7   | 28.0 | 17 | 42.50  | 5.25 M / |
| MICROSCIENCE | 6074      | 7  | 1024 | 512 |     | 28.0 | 17 | 59.50  | 5.25 M / |
| MICROSCIENCE | 6085      | 8  | 1024 | 512 | 7   | 28.0 | 17 | 68.00  | 5.25 M / |
| MICROSCIENCE | 8425      | 4  | 615  | 0   | 7   | 68.0 | 17 | 20.42  | 3.50 M / |
| MICROSCIENCE | 8425F     | 4  | 615  | 0   | 7   | 40.0 | 17 | 20.42  | 3.50 M / |
| MICROSCIENCE | 8425XT    | 4  | 615  |     |     | 61.0 | 17 | 20.42  | 3.50 M / |
| MICROSCIENCE | 8438XT    | 4  | 615  |     |     | 61.0 | 17 | 20.42  | 3.50 M / |
| MICROSCIENCE | 3438      | 4  | 613  |     |     | 85.0 | 26 | 31.13  | 5.25 R / |
| MICROSCIENCE | 3438 PLUS | 4  | 613  |     |     | 53.0 | 26 | 31.13  | 5.25 R / |
| MICROSCIENCE | 3675      | 6  | 809  |     |     | 61.0 | 26 | 61.62  | 5.25 R / |
| MICROSCIENCE | 6079      | 5  | 1024 | 512 | 7   | 28.0 | 26 | 65.00  | 5.25 R / |
| MICROSCIENCE | 6128      | 8  | 1024 | 0   | 7   | 28.0 | 26 | 104.00 | 5.25 R / |
| MICROSCIENCE | 8051      | 5  | 981  |     |     |      | 26 | 62.27  | 3.50 R / |
| MICROSCIENCE | 8225      | 2  | 771  |     |     |      | 26 | 19.58  | 3.50 R / |
| MICROSCIENCE | 8225XT    | 4  | 615  |     |     | 68.0 | 26 | 31.23  | 3.50 R / |
| MICROSCIENCE | 8434F     | 4  | 615  |     |     | 40.0 | 26 | 31.23  | 3.50 R / |
| MICROSCIENCE | 8438      | 4  | 615  | 128 | 7   | 68.0 | 26 | 31.23  | 3.50 R / |
| MICROSCIENCE | 8438F     | 4  | 615  | 128 | 7   | 40.0 | 26 | 31.23  | 3.50 R / |
| MICROSCIENCE | 8450      | 4  | 771  |     |     |      | 26 | 39.15  | 3.50 R / |
| MICROSCIENCE | 8450XT    | 4  | 805  |     |     | 45.0 | 26 | 40.88  | 3.50 R / |
| MICROSCIENCE | 3085S     | 3  | 1255 |     |     | 17.0 |    |        | 5.25 S / |
| MICROSCIENCE | 3130S     | 5  | 1255 |     |     | 17.0 |    |        | 5.25 S / |
| MICROSCIENCE | 3180S     | 7  | 1255 |     |     | 17.0 |    |        | 5.25 S / |
| MINISCRIBE   | 8051S     | 4  | 745  |     |     | 28.0 | 28 | 40.74  | 3.50 S / |
| MINISCRIBE   | 8425S     | 4  | 615  |     |     | 68.0 |    |        | 3.50 S / |
| MINISCRIBE   | 9380S     | 15 | 1224 |     |     | 16.0 |    |        | 5.25 S / |
| MINISCRIBE   | 9424S     | 8  | 1661 |     |     | 17.0 |    |        | 5.25 S / |
| MINISCRIBE   | 9780S     | 15 | 1661 |     |     | 17.0 |    |        | 5.25 S / |
| MITSUBISHI   | MR 5310E  | 5  | 977  |     |     | 28.0 | 17 | 40.55  | 5.25 E / |
| MITSUBISHI   | MR 521    | 2  | 612  |     |     | 85.0 | 17 | 10.16  | 5.25 M / |
| MITSUBISHI   | MR 522    | 4  | 612  | 300 |     | 85.0 | 17 | 20.32  | 5.25 M / |
| MITSUBISHI   | MR 533    | 3  | 971  |     |     | 0.0  | 17 | 24.18  | 5.25 M / |
| MITSUBISHI   | MR 535    | 5  | 971  |     |     | 28.0 | 17 | 40.30  | 5.25 M / |
| MITSUBISHI   | MR 535    | 5  | 971  |     |     | 28.0 | 26 | 61.64  | 5.25 R / |
| MITSUBISHI   | M 106     | 2  | 306  | 128 | 7   | 75.0 | 17 | 5.08   | 3.50 M / |
| MITSUBISHI   | M 112     | 4  | 306  | 128 | 7   | 75.0 | 17 | 10.16  | 3.50 M / |
| MITSUBISHI   | M 125     | 8  | 306  | 128 | 7   | 75.0 | 17 | 20.32  | 3.50 M / |
| MITSUBISHI   | M 212     | 4  | 306  | 128 | 7   | 70.0 | 17 | 10.16  | 5.25 M / |
| MITSUBISHI   | M 225     | 8  | 306  | 128 | 7   | 75.0 | 17 | 20.32  | 5.25 M / |
| MITSUBISHI   | M 306     | 2  | 306  | 128 | 7   | 75.0 | 17 | 5.08   | 3.50 M / |
| MITSUBISHI   | M 312     | 4  | 306  | 128 | 7   | 75.0 | 17 | 10.16  | 5.25 M / |
| MITSUBISHI   | M 325     | 8  | 306  | 128 | 7   | 75.0 | 17 | 20.32  | 5.25 M / |
| MITSUBISHI   | D 5652    | 10 | 823  |     |     | 23.0 | 17 | 68.32  | 5.25 E / |



Sheet1

|              |           |    |      |     |      |      |    |        |          |
|--------------|-----------|----|------|-----|------|------|----|--------|----------|
| mitsubishi   | D 3126    | 4  | 615  | 256 | 7    | 85.0 | 17 | 20.42  | 3.50 M / |
| mitsubishi   | D 5124    | 4  | 306  |     |      | 85.0 | 17 | 10.16  | 5.25 M / |
| mitsubishi   | D 5126    | 4  | 615  | 128 | 7    | 85.0 | 17 | 20.42  | 5.25 M / |
| mitsubishi   | D 5126H   | 4  | 615  | 128 | 7    | 40.0 | 17 | 20.42  | 5.25 M / |
| mitsubishi   | D 5127    | 4  | 615  | 128 | 7    | 0.0  | 17 | 20.42  | 5.25 M / |
| mitsubishi   | D 5146    | 8  | 615  | 128 | 7    | 85.0 | 17 | 40.84  | 5.25 M / |
| mitsubishi   | D 5146H   | 8  | 615  | 128 | 7    | 40.0 | 17 | 40.84  | 5.25 M / |
| mitsubishi   | D 5147    | 8  | 615  | 128 | 7    | 0.0  | 17 | 40.84  | 5.25 M / |
| mitsubishi   | D 5147H   | 8  | 615  | 128 | 7    | 0.0  | 17 | 40.84  | 5.25 M / |
| mitsubishi   | NDR 4175  | 7  | 1224 |     |      | 28.0 | 36 | 150.61 | 5.25 E / |
| mitsubishi   | NDR 4380  | 15 | 1224 |     |      | 28.0 | 36 | 322.73 | 5.25 E / |
| mitsubishi   | 1065      | 7  | 918  |     |      | 25.0 | 17 | 53.34  | 5.25 M / |
| mitsubishi   | 1085      | 8  | 1025 |     |      | 26.0 | 17 | 68.07  | 5.25 M / |
| mitsubishi   | 1105      | 11 | 918  |     |      | 25.0 | 17 | 83.82  | 5.25 M / |
| NEWBURY DATA | 1140      | 15 | 918  |     |      | 25.0 | 17 | 114.30 | 5.25 M / |
| NEWBURY DATA | 1140-     | 15 | 1024 |     |      | 25.0 | 17 | 127.50 | 5.25 M / |
| NEWBURY DATA | 2190-     | 15 | 1024 |     |      | 28.0 | 17 | 127.50 | 5.25 M / |
| NEWBURY DATA | NDR 340   | 8  | 615  |     |      | 40.0 | 17 | 40.84  | 3.50 M / |
| NEWBURY DATA | 2190      | 15 | 918  |     |      | 0.0  | 17 | 114.30 | 5.25 N / |
| NEWBURY DATA | NDR 3170S | 9  | 1224 |     |      | 28.0 | 26 | 139.85 | 5.25 S / |
| NEWBURY DATA | NDR 3280S | 15 | 1224 |     |      | 28.0 | 26 | 233.09 | 5.25 S / |
| NEWBURY DATA | NDR 4380S | 15 | 1224 |     |      | 28.0 | 34 | 304.80 | 5.25 S / |
| PANASONIC    | JU-116    | 4  | 615  |     |      | 85.0 | 17 | 20.42  | 3.50 M / |
| PANASONIC    | JU-128    | 7  | 733  |     |      | 35.0 | 17 | 42.59  | 3.50 M / |
| PANASONIC    | 617       | 7  | 1225 |     |      | 20.0 |    |        | 5.25 E / |
| PANASONIC    | 628       | 11 | 1225 |     |      | 20.0 |    |        | 5.25 E / |
| PANASONIC    | 638       | 15 | 1225 |     |      | 20.0 | 34 | 305.05 | 5.25 E / |
| PANASONIC    | 514       | 11 | 1224 |     |      | 22.0 | 17 | 111.76 | 5.25 M / |
| PANASONIC    | 519       | 15 | 1224 |     |      | 22.0 | 17 | 152.40 | 5.25 M / |
| PANASONIC    | 717       | 7  | 1225 |     |      | 20.0 |    |        | 5.25 S / |
| PANASONIC    | 728       | 11 | 1225 |     |      | 20.0 |    |        | 5.25 S / |
| PANASONIC    | 738       | 15 | 1225 |     |      | 20.0 |    |        | 5.25 S / |
| PANASONIC    | PT-351    | 6  | 820  |     |      | 35.0 | 17 | 40.84  | 3.50 M / |
| QUANTUM      | PRO100    | 0  | 0    |     |      | 19.0 |    |        | 3.50 E / |
| QUANTUM      | PRO145    | 0  | 0    |     |      | 19.0 |    |        | 3.50 E / |
| QUANTUM      | PRO120    | 0  | 0    |     |      | 19.0 |    |        | 3.50 R / |
| QUANTUM      | PRO170    | 0  | 0    |     |      | 19.0 |    |        | 3.50 R / |
| QUANTUM      | PRO40     | 0  | 0    |     |      | 19.0 |    |        | 3.50 R / |
| QUANTUM      | PRO80     | 0  | 0    |     |      | 19.0 |    |        | 3.50 R / |
| QUANTUM      | PRO120    | 0  | 0    |     |      | 19.0 |    |        | 3.50 S / |
| QUANTUM      | PRO170    | 0  | 0    |     |      | 19.0 |    |        | 3.50 S / |
| QUANTUM      | PRO40     | 0  | 0    |     |      | 19.0 |    |        | 3.50 S / |
| QUANTUM      | PRO80     | 0  | 0    |     |      | 19.0 |    |        | 3.50 S / |
| QUANTUM      | Q-160     | 12 | 0    |     |      | 26.0 |    |        | 5.25 S / |
| QUANTUM      | Q-250     | 4  | 823  |     |      | 26.0 |    |        | 5.25 S / |
| QUANTUM      | Q-280     | 6  | 823  |     |      | 26.0 |    |        | 5.25 S / |
| QUANTUM      | RO 101    | 2  | 192  | 0   | 96 7 | 0.0  | 17 | 3.19   | 5.25 M / |
| QUANTUM      | RO 102    | 4  | 192  | 0   | 96 7 | 0.0  | 17 | 6.38   | 5.25 M / |
| QUANTUM      | RO 103    | 6  | 192  | 0   | 96 7 | 55.0 | 17 | 9.56   | 5.25 M / |

Sheet1

|         |           |   |      |     |     |   |      |    |        |          |
|---------|-----------|---|------|-----|-----|---|------|----|--------|----------|
| QUANTUM | RO 104    | 8 | 192  | 0   | 96  | 7 | 0.0  | 17 | 12.75  | 5.25 M / |
| QUANTUM | RO 201    | 2 | 321  | 0   | 132 | 7 | 85.0 | 17 | 5.33   | 5.25 M / |
| QUANTUM | RO 201E   | 2 | 640  | 0   |     | 7 | 55.0 | 17 | 10.63  | 5.25 M / |
| QUANTUM | RO 202    | 4 | 321  | 0   | 132 | 7 | 85.0 | 17 | 10.66  | 5.25 M / |
| QUANTUM | RO 202E   | 4 | 640  | 0   |     | 7 | 55.0 | 17 | 21.25  | 5.25 M / |
| QUANTUM | RO 203    | 6 | 321  | 0   | 132 | 7 | 85.0 | 17 | 15.99  | 5.25 M / |
| QUANTUM | RO 203E   | 6 | 640  | 0   |     | 7 | 55.0 | 17 | 31.88  | 5.25 M / |
| QUANTUM | RO 204    | 8 | 321  | 0   | 132 | 7 | 85.0 | 17 | 21.32  | 5.25 M / |
| QUANTUM | RO 204E   | 8 | 640  | 0   |     | 7 | 55.0 | 17 | 42.50  | 5.25 M / |
| QUANTUM | RO 251    | 2 | 306  |     |     |   | 85.0 | 17 | 5.08   | 5.25 M / |
| RODIME  | RO 252    | 4 | 306  | 128 | 64  |   | 85.0 | 17 | 10.16  | 5.25 M / |
| RODIME  | RO 365    | 4 | 612  |     |     |   |      | 17 | 20.32  | 3.50 M / |
| RODIME  | RO 5065   | 5 | 0    |     |     |   | 28.0 | 17 | 0.00   | 5.25 M / |
| RODIME  | RO 5090   | 7 | 1224 |     |     |   | 28.0 | 17 | 71.12  | 5.25 M / |
| RODIME  | RO 352    | 4 | 306  | 128 | 64  | 7 | 85.0 | 17 | 10.16  | 3.50 R / |
| RODIME  | RO 5075S  | 0 | 0    |     |     |   | 28.0 |    |        | 5.25 S / |
| RODIME  | RO 5125S  | 5 | 1219 |     |     |   | 28.0 |    |        | 5.25 S / |
| RODIME  | RO 5180S  | 7 | 1219 |     |     |   | 28.0 |    |        | 5.25 S / |
| RODIME  | RO 752A   | 0 | 0    |     |     |   | 85.0 |    |        | 5.25 S / |
| RODIME  | ST-4192E  | 8 | 1147 |     |     | 7 | 17.0 | 36 | 161.30 | 5.25 E / |
| RODIME  | ST-125    | 4 | 615  |     |     | 7 | 40.0 | 17 | 20.42  | 3.50 M / |
| RODIME  | ST-125-1  | 4 | 615  |     |     | 7 | 28.0 | 17 | 20.42  | 3.50 M / |
| RODIME  | ST-125A   | 4 | 404  |     |     | 7 | 28.0 | 26 | 20.52  | 3.50 M / |
| RODIME  | ST-125A-1 | 4 | 404  |     |     | 7 | 28.0 | 26 | 20.52  | 3.50 M / |
| RODIME  | ST-138    | 6 | 615  |     |     | 7 | 40.0 | 17 | 30.63  | 3.50 M / |
| RODIME  | ST-138-1  | 6 | 615  |     |     | 7 | 28.0 | 17 | 30.63  | 3.50 M / |
| RODIME  | ST-151    | 5 | 977  |     |     | 7 | 23.0 | 17 | 40.55  | 3.50 M / |
| RODIME  | ST-206    | 2 | 306  | 128 |     |   |      | 17 | 5.08   | 5.25 M / |
| RODIME  | ST-212    | 4 | 306  | 128 | 128 | 7 | 0.0  | 17 | 10.16  | 5.25 M / |
| RODIME  | ST-213    | 2 | 615  | 300 |     | 7 | 0.0  | 17 | 10.21  | 5.25 M / |
| RODIME  | ST-225    | 4 | 615  | 300 |     | 7 | 65.0 | 17 | 20.42  | 5.25 M / |
| RODIME  | ST-251    | 6 | 820  |     |     | 7 | 40.0 | 17 | 40.84  | 5.25 M / |
| RODIME  | ST-251-1  | 6 | 820  |     |     | 7 | 28.0 | 17 | 40.84  | 5.25 M / |
| RODIME  | ST-4026   | 4 | 615  | 300 |     | 5 | 0.0  | 17 | 20.42  | 5.25 M / |
| RODIME  | ST-4038   | 5 | 733  | 300 |     | 7 | 40.0 | 17 | 30.42  | 5.25 M / |
| RODIME  | ST-4051   | 5 | 977  |     |     | 7 | 40.0 | 17 | 40.55  | 5.25 M / |
| RODIME  | ST-4053   | 5 | 1024 |     |     |   | 28.0 | 17 | 42.50  | 5.25 M / |
| RODIME  | ST-406    | 2 | 306  | 128 | 128 | 7 | 0.0  | 17 | 5.08   | 5.25 M / |
| RODIME  | ST-4096   | 9 | 1024 |     |     | 7 | 28.0 | 17 | 76.50  | 5.25 M / |
| RODIME  | ST-412    | 4 | 306  | 128 | 128 | 7 | 0.0  | 17 | 10.16  | 5.25 M / |
| RODIME  | ST-419    | 6 | 306  | 128 | 128 | 7 | 0.0  | 17 | 15.24  | 5.25 M / |
| SEAGATE | ST-425    | 8 | 306  |     |     |   | 0.0  | 17 | 20.32  | 5.25 M / |
| SEAGATE | ST-506    | 4 | 153  | 128 | 128 | 0 | 0.0  | 17 | 5.08   | 5.25 M / |
| SEAGATE | ST-706    | 2 | 306  | 128 |     |   |      | 17 | 5.08   | 5.25 M / |
| SEAGATE | ST-138A   | 4 | 604  |     |     | 7 | 40.0 | 26 | 30.67  | 3.50 R / |
| SEAGATE | ST-138A-1 | 4 | 604  |     |     | 7 | 28.0 | 26 | 30.67  | 3.50 R / |
| SEAGATE | ST-138R   | 4 | 615  |     |     | 7 | 40.0 | 26 | 31.23  | 3.50 R / |
| SEAGATE | ST-138R-1 | 4 | 615  |     |     | 7 | 28.0 | 26 | 31.23  | 3.50 R / |
| SEAGATE | ST-157A   | 6 | 539  |     |     | 7 | 40.0 | 26 | 41.06  | 3.50 R / |

Sheet1

|         |           |    |      |     |    |      |    |        |          |
|---------|-----------|----|------|-----|----|------|----|--------|----------|
| SEAGATE | ST-157A-1 | 6  | 539  |     | 7  | 28.0 | 26 | 41.06  | 3.50 R / |
| SEAGATE | ST-157R   | 6  | 615  |     | 7  | 40.0 | 26 | 46.85  | 3.50 R / |
| SEAGATE | ST-157R-1 | 6  | 615  |     | 7  | 28.0 | 26 | 46.85  | 3.50 R / |
| SEAGATE | ST-225R   | 2  | 667  |     | 7  | 70.0 | 31 | 20.19  | 5.25 R / |
| SEAGATE | ST-238R   | 4  | 615  | 300 | 7  | 65.0 | 17 | 20.42  | 5.25 R / |
| SEAGATE | ST-250R   | 4  | 667  |     | 7  | 70.0 | 31 | 40.38  | 5.25 R / |
| SEAGATE | ST-251R   | 6  | 820  |     | 7  | 40.0 | 26 | 62.46  | 5.25 R / |
| SEAGATE | ST-277R   | 6  | 820  |     | 7  | 40.0 | 26 | 62.46  | 5.25 R / |
| SEAGATE | ST-277R-1 | 6  | 820  |     | 7  | 28.0 | 26 | 62.46  | 5.25 R / |
| SEAGATE | ST-4077R  | 5  | 1024 |     | 7  | 28.0 | 26 | 65.00  | 5.25 R / |
| SEAGATE | ST-4144R  | 9  | 1024 |     | 7  | 28.0 | 26 | 117.00 | 5.25 R / |
| SEAGATE | ST-1096N  | 7  | 906  |     | 7  | 24.0 |    |        | 3.50 S / |
| SEAGATE | ST-125N   | 4  | 407  |     | 7  | 40.0 | 35 | 27.82  | 3.50 S / |
| SEAGATE | ST-125N-1 | 4  | 407  |     | 7  | 28.0 | 35 | 27.82  | 3.50 S / |
| SEAGATE | ST-138N   | 4  | 613  |     | 7  | 40.0 | 35 | 41.90  | 3.50 S / |
| SEAGATE | ST-138N-1 | 4  | 613  |     | 7  | 28.0 | 35 | 41.90  | 3.50 S / |
| SEAGATE | ST-157N   | 6  | 613  |     | 7  | 40.0 | 26 | 46.69  | 3.50 S / |
| SEAGATE | ST-157N-1 | 6  | 613  |     | 7  | 28.0 | 26 | 46.69  | 3.50 S / |
| SEAGATE | ST-177N   | 5  | 921  |     | 7  | 24.0 | 26 | 58.46  | 3.50 S / |
| SEAGATE | ST-225N   | 4  | 615  | 300 | 7  | 65.0 | 17 | 20.42  | 5.25 S / |
| SEAGATE | ST-251N   | 4  | 818  |     | 7  | 40.0 | 26 | 41.54  | 5.25 S / |
| SEAGATE | ST-251N-1 | 4  | 818  |     | 7  | 28.0 | 26 | 41.54  | 5.25 S / |
| SEAGATE | ST-277N   | 6  | 820  |     | 7  | 40.0 | 26 | 62.46  | 5.25 S / |
| SEAGATE | ST-277N-1 | 6  | 628  |     | 7  | 28.0 | 26 | 47.84  | 5.25 S / |
| SEAGATE | ST-296N   | 6  | 818  |     |    | 28.0 | 34 | 81.48  | 5.25 S / |
| SEAGATE | ST-4077N  | 5  | 1024 |     | 7  | 28.0 | 34 | 85.00  | 5.25 S / |
| SEAGATE | ST-4096N  | 8  | 1147 |     | 7  | 28.0 |    |        | 5.25 S / |
| SEAGATE | ST-4144N  | 9  | 1024 |     | 7  | 28.0 |    |        | 5.25 S / |
| SEAGATE | ST-4192N  | 8  | 1147 |     | 7  | 17.0 | 36 | 161.30 | 5.25 S / |
| SIEMENS | 1200      | 8  | 1216 |     |    | 25.0 |    |        | 5.25 E / |
| SIEMENS | 1300      | 12 | 1216 |     |    | 25.0 |    |        | 5.25 E / |
| SIEMENS | 2200      | 8  | 1216 |     |    | 25.0 |    |        | 5.25 E / |
| SIEMENS | 2300      | 12 | 1216 |     |    | 25.0 |    |        | 5.25 E / |
| T.I.    |           | 4  | 153  | 64  | 64 |      | 17 | 5.08   | 5.25 M / |
| T.I.    | TM 755    | 5  | 981  |     | 7  | 37.0 | 17 | 40.72  | 3.50 M / |
| T.I.    | TM 262R   | 2  | 782  |     |    |      | 26 | 19.86  | 3.50 R / |
| T.I.    | TM 264    | 4  | 782  |     |    | 85.0 | 26 | 39.71  | 3.50 R / |
| T.I.    | TM 344    | 4  | 782  |     |    | 37.0 | 26 | 39.71  | 3.50 R / |
| T.I.    | TM 346    | 6  | 782  |     |    | 37.0 | 26 | 59.57  | 3.50 R / |
| T.I.    | TM 362R   | 2  | 782  |     |    | 85.0 | 26 | 19.86  | 3.50 R / |
| T.I.    | TM 364    | 4  | 782  |     |    | 85.0 | 26 | 39.71  | 3.50 R / |
| TOSHIBA | MK 153FA  | 5  | 831  |     |    | 23.0 | 35 | 71.01  | 5.25 E / |
| TOSHIBA | MK 154FA  | 7  | 831  |     |    | 23.0 | 35 | 99.41  | 5.25 E / |
| TOSHIBA | MK 156FB  | 10 | 831  |     |    | 23.0 | 35 | 142.02 | 5.25 E / |
| TOSHIBA | MK 250F   | 10 | 1224 |     |    | 18.0 | 35 | 209.18 | 5.25 E / |
| TOSHIBA | MK 134FA  | 7  | 733  |     |    | 25.0 | 17 | 42.59  | 3.50 M / |
| TOSHIBA | MK 53F    | 5  | 830  | 512 |    | 30.0 | 17 | 34.45  | 5.25 M / |
| TOSHIBA | MK 53FA   | 5  | 830  | 512 | 7  | 30.0 | 17 | 34.45  | 5.25 M / |
| TOSHIBA | MK 54F    | 7  | 830  | 512 |    | 30.0 | 17 | 48.23  | 5.25 M / |

Sheet1

|                 |                |    |     |     |   |      |    |        |          |
|-----------------|----------------|----|-----|-----|---|------|----|--------|----------|
| TOSHIBA         | MK 54FA        | 7  | 830 | 512 | 7 | 30.0 | 17 | 48.23  | 5.25 M / |
| TOSHIBA         | MK 56F         | 10 | 830 | 512 |   | 30.0 | 17 | 68.90  | 5.25 M / |
| TOSHIBA         | MK 56FA        | 10 | 830 | 512 | 7 | 30.0 | 17 | 68.90  | 5.25 M / |
| TOSHIBA         | MK 53FB        | 5  | 830 | 512 | 7 | 23.0 | 26 | 52.69  | 5.25 R / |
| TOSHIBA         | MK 54FB        | 7  | 830 | 512 | 7 | 25.0 | 26 | 73.76  | 5.25 R / |
| TOSHIBA         | MK 56FB        | 10 | 830 | 512 | 7 | 25.0 | 26 | 105.37 | 5.25 R / |
| TOSHIBA         | MK153FB        | 5  | 830 |     |   | 23.0 | 35 | 70.92  | 5.25 S / |
| TOSHIBA         | MK154FB        | 7  | 830 |     |   | 23.0 | 35 | 99.29  | 5.25 S / |
| TOSHIBA         | MK156FA        | 10 | 830 |     |   | 23.0 | 35 | 141.85 | 5.25 S / |
| WESTERN DIGITAL | WD 262         | 4  | 615 |     |   | 80.0 | 17 | 20.42  | 3.50 M / |
| WESTERN DIGITAL | WD 362         | 4  | 615 |     |   | 80.0 | 17 | 20.42  | 3.50 M / |
| WESTERN DIGITAL | WD 344R        | 4  | 782 |     |   | 40.0 | 26 | 39.71  | 3.50 R / |
| WESTERN DIGITAL | WD 382R TM262R | 2  | 782 |     |   | 85.0 | 26 | 19.86  | 3.50 R / |
| WESTERN DIGITAL | WD 383R        | 4  | 615 |     |   | 85.0 | 26 | 31.23  | 3.50 R / |
| WESTERN DIGITAL | WD 384R TM364  | 4  | 782 |     |   | 85.0 | 26 | 39.71  | 3.50 R / |
| WESTERN DIGITAL | WD 544R        | 4  | 782 |     |   | 40.0 | 26 | 39.71  | 3.50 R / |
| WESTERN DIGITAL | WD 582R        | 2  | 782 |     |   | 85.0 | 26 | 19.86  | 3.50 R / |
| WESTERN DIGITAL | WD 583R        | 4  | 615 |     |   | 85.0 | 26 | 31.23  | 3.50 R / |
| WESTERN DIGITAL | WD 584R        | 4  | 782 |     |   | 85.0 | 26 | 39.71  | 3.50 R / |
| WESTERN DIGITAL | WD93028-A      | 2  | 782 |     |   | 80.0 | 27 | 20.62  | 3.50 R / |
| WESTERN DIGITAL | WD93028-X      | 2  | 782 |     |   | 80.0 | 27 | 20.62  | 3.50 R / |
| WESTERN DIGITAL | WD93038-X      | 3  | 782 |     |   | 80.0 | 27 | 30.93  | 3.50 R / |
| WESTERN DIGITAL | WD93048-A      | 4  | 782 |     |   | 80.0 | 27 | 41.24  | 5.25 R / |
| WESTERN DIGITAL | WD93048-X      | 4  | 782 |     |   | 80.0 | 27 | 41.24  | 3.50 R / |
| WESTERN DIGITAL | WD95028-A      | 2  | 782 |     |   | 80.0 | 27 | 20.62  | 5.25 R / |
| WESTERN DIGITAL | WD95028-X      | 2  | 782 |     |   | 80.0 | 27 | 20.62  | 5.25 R / |
| WESTERN DIGITAL | WD95038-X      | 3  | 782 |     |   | 80.0 | 27 | 30.93  | 5.25 R / |
| WESTERN DIGITAL | WD95048-A      | 4  | 782 |     |   | 80.0 | 27 | 41.24  | 5.25 R / |
| WESTERN DIGITAL | WD95048-X      | 4  | 782 |     |   | 80.0 | 27 | 41.24  | 5.25 R / |
| XEBEC           | OWL I          | 4  | 0   |     |   | 55.0 |    |        | 5.25 M / |
| XEBEC           | OWL II         | 4  | 0   |     |   | 40.0 |    |        | 5.25 M / |
| XEBEC           | OWL III        | 4  | 0   |     |   | 38.0 |    |        | 5.25 M / |

COMMENTS,C,29

SCSI  
SCSI

SCSI/ECSI  
SCSI/ECSI  
ESDI  
ESDI  
ESDI  
ESDI  
ESDI  
ESDI  
ESDI  
ESDI  
ESDI  
ESDI  
ESDI  
ESDI  
FH  
FH  
FH  
FH

FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH  
HH

FH 77731614 5.25  
FH 77731608 5.25  
RLL HH  
RLL HH  
RLL  
RLL  
SCSIFH  
SCSIFH  
SCSIFH  
SCSIFH  
SCSIFH  
SCSI WREN-3 HH  
SCSI WREN V HH  
SCSIFH  
SCSIHH  
SCSI SWIFT ASYNC  
SCSI SWIFT ASYNC  
SCSI  
SCSI SWIFT ASYNC  
SCSI SWIFT SYNC  
SCSI SWIFT SYNC  
FH 55  
FH 75  
FH 94  
HH 114  
HH 140  
HH 170  
FH 258  
FH 315  
FH 372  
FH 55  
FH 75  
FH 94

HH 114  
HH 140  
HH 170  
FH 258  
FH 315  
FH 372  
AT-BUS 16-BIT  
AT-BUS 16-BIT  
AT-BUS 16-BIT  
AT-BUS 16-BIT  
SCSI  
SCSI  
FH  
FH  
FH  
HH  
HH  
FH  
HH  
FH  
FH  
FH  
HH  
HH  
FH  
FH  
HH  
HH  
FH  
FH  
FH  
HH  
HH  
FH

32  
49  
32  
45  
41  
FH  
FH  
ESDI  
ESDI  
ESDI  
ESDI

FH  
FH  
FH  
FH  
HH

FH  
FH  
FH  
HH  
FH  
FH  
FH  
HH  
HH 5 MEG  
HH 7  
HH 14  
HH 20  
17  
3.5"

3.5"

3.5"  
3.5" 61.5ms Model 3532  
RLL 3.5" 61.5ms  
RLL 3.5" 61.5ms  
FH  
FH  
FH

FH  
FH  
FH  
FH  
FH



FH

FH

FH

FH

FH

FH

FH

FH

SCSI interface

FH

FH

FH

FH

FH

FH

FH

FH

FH

FH

ESDI

FH

FH

FH

FH

FH

FH

FH

FH

FH

FH

FH

FH

FH

FH

HH

HH

HH

FH

HH

HH

HH

FH

28-48 SPT

28-48 SPT

28-48 SPT

28-48 SPT

28-48 SPT

[illegible]

HH  
HH  
HH  
HH 28-48  
HH 28-48  
HH 28-48  
HH 28-48  
HH 28-48

HH  
HH  
HH  
HH  
HH  
HH  
HH  
HH  
HH  
HH  
HH  
HH

\*DTC:Revision C can use RLL.

[illegible]

HH ESDI/SCSI  
AT BUS

[illegible]

```
HH
HH
HH
HH
HH ESDI/SCSI
HH
HH
```

HH  
HH  
HH  
HH  
HH

FH  
FH  
FH

RLL

HH  
HH  
HH  
FH

RLL

HH  
HH  
HH  
HH  
HH  
HH

HH

HH  
HH  
HH  
HH  
HH  
HH RLL  
HH  
HH  
FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH

FH  
FH  
FH  
FH

FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH

AT BUS  
AT BUS  
AT BUS  
AT BUS  
120  
168  
42  
84  
HH  
HH  
HH  
FH  
FH  
FH

FH  
FH  
FH  
HH  
FH  
HH  
FH  
FH  
FH  
HH  
HH

HH  
HH  
HH  
HH  
HH  
HH  
HH

SCSI interface  
Old designation 28 ms

RLL AT 16 bit  
RLL AT 16 bit  
Old designation 28 ms

23ms 3.5"

FH  
FH  
FH  
HH  
HH  
HH  
FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH

RLL AT 16 bit  
RLL AT 16 bit  
RLL  
RLL Old designation 28 ms  
RLL AT 16 bit

RLL AT 16 bit  
RLL  
RLL Old designation 28 ms  
RLL/ARLL  
HH  
RLL/ARLL  
RLL  
RLL  
RLL 3.5"  
RLL

SCSI  
SCSI  
SCSI  
SCSI Old designation 28 ms  
SCSI  
SCSI Old designation 28 ms  
SCSI  
SCSI Old designation 28 ms  
SCSI  
SCSI  
SCSI  
SCSI  
SCSI  
HH  
SCSI  
SCSI  
SCSI  
SCSI  
FH  
FH  
FH  
FH  
FH

186364-408

186364-102  
FH  
FH  
FH  
FH EDSI/SCSI

FH  
FH  
FH

FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH  
FH  
to 5.25 HH

HH

5.25 HH BRKT  
to 5.25 HH BRKT  
HH BRKT  
5.25 HH BRKT

HH  
HH  
HH  
HH  
HH  
HH  
HH  
HH