

Sheet1

*---A macro to ELIMINATE completely empty columns in a range
*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
range names in this column (starts with the \Z macro name)
*---Hold the <ALT> key and press <Z> to activate the macro
*---In release 3 make sure that the GROUP option is DISABLED
*---In release 2/2.01/2.2 the macro must be located ABOVE the range

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

\Z

COLSELIM

!

!

cont532

!

!

!

!

counter1532

counter1a532

labels1532

!

!

labels1a532

!

!

!

!

!

ret532

!

rowsa532

rowsaa532

SHEETS532

COLSS532

KOLSS532

loc1532

!

loc2532

!

counterb532

hereabs532

!

rel532

```
{BREAKON}
{let rel532,@INFO("release")}-
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{GOTO}
{if @LEFT(REL532,1)="3"}{LET SHEETS532,@SHEETS(WHICH RANGE ?)}~
{let hereabs532,@cellpointer("address")}-{LET counter1532,0}{let rowsa532,rowsaa532}~
{WINDOWSOFF}{labels1532}{WINDOWSON}
{let rel532,@INFO("RELEASE")}-{IF @LEFT(REL532,1)="3"}{goto}{hereabs532}-{let counterb532,counterb532+1}-{if counterb532=8192}{let counterb532,0}-{RNCWhich range ?~/RNDWhich range ?~{windowson}
```

```
{LET COLSS532,KOLSS532}-{FOR counter1a532,0,colss532-1,1,labels1a532}-{LET counter1a532,0}-{return}
```

```
{IF @CELLPOINTER("row")=1}{END}{DOWN}{IF @CELLPOINTER("row")=8192}{END}{UP}{IF @CELLPOINTER("TYPE")="b"}{IF @CELLPOINTER("TYPE")<>"b"}{RIGHT}{RETURN}
{END}{UP}{LET loc1532,@CELLPOINTER("row")}-{END}{DOWN}{LET loc2532,@CELLPOINTER("row")}-{END}{UP}
{IF loc1532=1#AND#loc2532=8192#AND#@CELLPOINTER("type")="b"}/WDC~{LET COLSS532,COLSS532-1}-{RETURN}
{RIGHT}
```

\$A\$1

3.10.00

