

## Sheet1

\*---A macro to PAD a cell content with trailing periods [.] to improve  
appearance and adjust descriptive cells to column width  
\*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the  
range names in this column (starts with the \Z macro name)  
\*---Hold the <ALT> key and press <Z> to activate the macro  
!  
    THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
        IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3  
!  
\Z  
PADDING  
cont533  
!  
!  
!  
!  
counter1533  
counter1a533  
labels1533  
!  
labels1a533  
!  
!  
!  
counterb533  
hereabs533  
!  
rel533

```
{BREAKON}  
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{window  
{let hereabs533,@cellpointer("address")}~{LET counter1533,0}  
{FOR counter1533,0,@cols(Which range ?)-1,1,labels1533}  
{let rel533,@INFO("RELEASE")}~{IF @LEFT(REL533,1)="3"}{goto}{hereabs533}~{let counterb533,counterb533+1}~{if counte  
{goto}which range ?~/rndWhich range ?~
```

```
{FOR counter1a533,0,@ROWS(WHICH RANGE ?)-1,1,labels1a533}~{RIGHT}{UP @ROWS(WHICH RANGE ?)}{LET counter  
{if @CELLPOINTER("type")="I"#AND#@CELLPOINTER("prefix")<>"I"#AND#@CELLPOINTER("width")>@LENGTH(@CELL  
{DOWN}
```

\$X\$1

@INFO("RELEASE")

