

Sheet1

\*---A macro to ERASE from the cell next to the cellpointer to ends of  
row, columns, sheets  
\*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the  
range names in this column (starts with the \Z macro name)  
\*---Hold the <ALT> key and press <Z> to activate the macro  
!  
    THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
        IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3  
!  
\Z  
ERASENDS  
!  
menu1504  
!  
!  
!  
!  
ret504  
!  
rel504  
!  
top504  
!  
bottom504  
!  
left504  
!  
right504  
!  
out504  
!  
inA504  
!  
dum504  
!  
ERATOP504  
!  
dumc504  
!  
topaa504  
!  
!  
bottomaa504  
!  
!  
leftaa504  
!  
!  
rightaa504

!  
!  
inaa504  
!  
!  
!  
!  
outaa504  
!  
!  
move504  
!  
!  
!  
!  
KEY504

```
{BREAKON}  
{let rel504,@info("release")}~{menubran menu1504}
```

Right  
Erase all the cells right to the current cell  
{rightaa504}  
{menubran menu1504}

@info("release")

\$U:\$H\$38

\$A:\$D\$10

A:\$D\$10..\$J:\$D\$10

\$J:\$D\$10

```
{WINDOWSOFF}{recalc top504}{UP}{LET ERATOP504,@CELLPOINTER("ADDRESS")&".."&TOP504}~{DOWN}/RE{ERATop  
{WINDOWSON}
```

```
{WINDOWSOFF}{recalc bottom504}{DOWN}{LET ERATOP504,@CELLPOINTER("ADDRESS")&".."&bottom504}~{UP}/RE{E  
{WINDOWSON}
```

```
{WINDOWSOFF}{recalc LEFT504}{LEFT}{LET ERATOP504,@CELLPOINTER("ADDRESS")&".."&LEFT504}~{RIGHT}/RE{E  
{WINDOWSON}
```

```
{WINDOWSOFF}{recalc RIGHT504}{RIGHT}{LET ERATOP504,@CELLPOINTER("ADDRESS")&".."&RIGHT504}~{LEFT}/RE{E
```



Left

Erase all the cells left to the current cell

{leftaa504}

{menubbranch menu1504}

Up

Erase all the cells up to the current cell

{topaa504}

{menubbranch menu1504}



## Sheet1

Down

Erase all the cells down to the current cell

{bottomaa504}

{menubbranch menu1504}

In

Erase all the cells in the next sheets

{if @left(rel504,1)<>"@">{inaa504}

{menubbranch menu1504}

## Sheet1

### Out

Erase all the cells in the previous sheets

```
{if @left(rel504,1)<>"@"}{outaa504}  
{menubranh menu1504}
```

### Move

Move the cell pointer to other location

```
{MOVE504}  
{menubranh menu1504}
```

### Quit

Quit the macro

```
{BRANCH ret504}
```